

This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + Refrain from automated querying Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at http://books.google.com/



CAR 1876 HARVARD UNIVERSITY.



LIBRARY

OF THE


MUSEUM OF COMPARATIVE ZOÖLOGY.

21,596

GIFT OF

ALEXANDER AGASSIZ.

October 7,1905.



BIBLIOGRAPHICAL INDEX

OF

North American Fungi

BY

WILLIAM G. FARLOW

Professor of Cryptogamic Botany in Harvard University

Vol. I.—PART I. ABROTHALLUS TO BADHAMIA

ISSUED SEPT. 1, 1905



Published by
The Carnegie Institution of Washington
1905

CARNEGIE INSTITUTION OF WASHINGTON

Publication No. 8

The Rockwell and Churchill Press BOSTON, MASS, U. S. A.

PREFACE.

THE present Bibliographical Index owes its origin to the fact that in 1874, when the writer returned from Europe where he had spent a couple of years in the study of mycology, he found it impossible to ascertain what species of fungi were known to occur in the United With the exception of the two monographs of Schweinitz, issued in 1822 and 1834, the accounts of North American fungi were scattered through numerous papers in the publications of learned societies, many of them difficult to obtain, in various State reports and in horticultural and agricultural journals. Berkeley and Curtis' Notices of North American Fungi, begun in Grevillea in 1872, were then in progress of publication, but the student who desired to find out what was known of our fungi was forced to spend a large amount of time in hunting up in the larger libraries the many scattered and often obscure works from which information could be obtained. The writer then determined to bring together all references to North American species in the form of a card catalogue, not an easy matter at that date. At the same time an authors' catalogue was started including the titles of all the works used in forming the catalogue of species. The authors' catalogue was printed in 1887 as Bibliographical Contribution No. 25 of the Library of Harvard University under the title, "A List of Works on North American Fungi," by W. G. Farlow and William Trelease. This included 653 titles, and was followed in 1888 by a Supplemental List, by W. G. Farlow, being Bibliographical Contribution No. 31, bringing up the number of titles to 756. The authors' catalogue has been continued and a new edition is in preparation, including the parts previously issued with additions up to 1905.

As originally planned the Index included as species of North American fungi all those known north of Mexico, but in recent years the species of our southern border have proved to be so intimately connected with those of the West Indies, Mexico and Central

America that it seemed necessary to extend the limit of the Index - to species of all countries north of the Isthmus of Panama. following pages where a species has been recorded only in countries south of the United States, the name of the region where it occurs is given on the right hand side of the page, but where a species occurs both in the United States and regions farther south no special indication is given. Had it been possible, it would have been desirable to include also species of the northern part of South America, but the line had to be drawn somewhere, and to include South American species would have required an additional amount of work hardly warranted under the circumstances. As it is, we have given all the references known to us to West Indian and Central American species published in recent years, and, to the best of our ability, we have inserted the species recorded from those regions in works issued prior to 1888, but not included in the List of 1887 and the Supplementary List of 1888. The references given from works relating especially to the fungi of the West Indies and Central America are probably comparatively complete, but it is probable that some references to species of those regions originally scattered in papers treating also of the fungi of other countries have escaped our notice.

The Sylloge Fungorum of Saccardo, of which the first volume appeared in 1882, has been of the greatest assistance to American mycologists in furnishing a summary of all known species, but naturally in a work covering so large a field it is not possible to give. except in a brief way, special references to the literature of fungi in any particular country, and the Sylloge, although indispensable, does not do away with the necessity of having a special index to the works in which our species are recorded. The need of such an index has been felt in all our universities where the study of descriptive mycology is pursued, as well as in the numerous experiment stations and other government establishments devoted to vegetable In the absence of such an index it has been necessary for different institutions to spend much time and money in duplicating the work begun by us in 1874, and for a long time we have wished to publish our index which, as it has been in progress for a longer period than any similar index in this country, is probably therefore more complete, in order that it might be used by all mycologists and prevent an unnecessary duplication of labor and expense. The cost of printing, however, was so great that it has

been impossible to obtain the means of publication until the Carnegie Institution offered to provide the funds for printing the volume of which the first part is now ready.

The Index, it should be borne in mind, does not purport to be a summary of all references to North American fungi, but is limited to those which concern the systematic mycologist, and does not include references to papers on fungicides and other technical and agricultural subjects as such, but cites them only when they also contain notes of interest to the systematist. The literature of these branches of applied mycology is already sufficiently fully given in different government publications and technical journals. have we included, in general, references to works treating specially of the physiology of fungi, for the reason that physiological questions are from their nature general and not local. The physiology of North American fungi is not different from that of fungi of other parts of the world, whereas the study of our species from a systematic point of view has a definite local as well as a general importance. What is true of physiological writings is to a great extent true of cytological writings, but we have introduced references to important cytological works published in this country based on material collected here since they have a bearing on morphology Bacteria and Saccharomycetes are excluded, and classification. as those groups at the present day are studied by specialists and not by those interested in what are commonly known as fungi proper.

With these exceptions the Index includes all the references to species of North American fungi known to us, but it should be remarked that in the case of a few species, as Agaricus campestris, which are very common and which from their popular interest have appeared over and over again in journals of every description, we have omitted many references and given only those which are of importance as showing their range or as furnishing good illustrations. As it is, we may perhaps be considered to have been over liberal. It should also be remarked that we have cited only references to North American species as they occur in North America and have not given references to North American species as they occur in Europe. A few perplexing cases have arisen in which new species have been described in Europe parasitic on plants recently imported from America. The supposition is in such cases that the fungi themselves were imported from America and we have accord-

ingly given notes on some of them, but in other cases it seemed to us doubtful whether the parasites were really American.

In the case of genera we have not thought it necessary to give special references except in the case of those peculiar to North America or first described in North America, or in cases where American writers have given critical notes on certain genera found in Europe as well as America. When we have had any reason for differing from other writers as to limits of genera our opinion is given in the form of notes.

We have endeavored to bring the references as nearly up to date as possible, but it was not practicable to hold in type so large a mass until the whole of the present part was finished. The reader must therefore expect to find the later pages more nearly up to date than the earlier ones, since pages 1-64 were struck off in December, 1903, while pages 225 to 312 were not printed until August, 1905. It is proposed to give at the end of the volume the addenda to the earlier pages. The progress of the work has been slow, partly owing to delays to be expected in starting a work of this kind, and also to the fact that the two large and very complicated genera, Aecidium and Agaricus, required a simultaneous arrangement of other genera to appear later.

A word should be said as to the system of classification and the limitations of genera and species which we have followed. general, while giving as much information as we were able, we have tried as far as possible to avoid changing names in common use for many years. At the present day the Sylloge of Saccardo and the Pflanzenfamilien of Engler and Prantl may be said to be the two works on the classification of fungi in most general use, and we have preferred to follow them as far as possible, making the changes required in consequence of information obtained either from recent critical monographs by those who have made a special study of different orders and genera or from our own examination of American material. We are quite ready to admit that the present classification of fungi is not one which can be called more than temporary, but the time has not arrived when our knowledge of the fungi of the world is sufficiently advanced to make it possible to form a really natural and scientific system.

We have followed the principle of adopting the oldest specific name under which a species was described. We cannot say that this method seems to us to be better than any other but, as it is, it is so generally adopted by mycologists and furthermore, since it was voted by the botanists at the recent Congress in Vienna that this plan should be followed in Spermaphytes it seems desirable that all botanists should conform to it. We do not, however, propose in adopting this system to follow it blindly, but in all cases we would accept an older name only when it is quite plain, and not merely possible, or somewhat probable, that the species described by an older writer was the same as that which is generally known under another more recent and more certain name. We have no scruples in declining to accept many of the names of older writers which have of late been substituted for more modern names since from the vagueness of the descriptions and the crudeness of the illustrations it is impossible in the absence of original specimens to be sure that the species were the same as those to which they have since been applied.

There are two categories of botanists: those who believe that nomenclature is an end rather than a means, to whom the changing of names to adapt them to a uniform, automatic system seems to be the important aim in science; and those who regard nomenclature as a necessary evil which can be mitigated by making as few changes as possible. Of these two categories, it is hardly necessary to say that we should prefer to be classed with the latter. Great as is the difficulty of recognizing the identity of the species of early writers in the case of Spermaphytes, it is still worse in the case of fungi, if we accept 1753 as the limit, for the early writers did not make use of the microscopical characters now considered necessary and we must confess that we feel that too much value should not be placed on original specimens of species in which the microscopic characters are important. It has happened in several cases that those who have examined original specimens of certain of the smaller Schweinitzian species do not agree as to their structure, for which the most probable reason is that Schweinitz, not using microscopic characters, did not distinguish between different species of the same general appearance. Such species we have relegated to the limbo of species ignotæ since we have felt under no moral obligation to make it appear that Schweinitz recognized distinctions which he certainly did not recognize. It is best not to make too violent attempts to interpret the older mycologists but to be content with letting the dead bury their dead. The business of reviving corpses has been carried altogether too far in mycology. American mycologists, it must be confessed, are peculiarly gullible as far as accepting as authentic much that is offered to them in the way of treatises on the genera and species of earlier mycologists. An examination of some of them, at least, shows that they are as inaccurate as they are useless. one who uses the Index can complain justly that we have not provided him with names enough, good, bad and indifferent, and those who examine it with care will probably be surprised at the large number of names which have been encumbering the literature of our fungi as nomina nuda or as names of species about which we are and probably always shall be ignorant. At the Vienna Congress it was voted to accept a list of certain genera of Spermaphytes whose names are to be retained regardless of strict priority. It is to be hoped that at the next congress a similar list of cryptogams will be presented so that in the case of genera clearly defined and generally recognized under names in use for many years, they may be regarded as fixed and exempt from future changes on the ground of priority.

Although the undersigned must be held responsible for the plan and general character of the Index, and must be held answerable for the defects which those making a practical use of it will undoubtedly detect, it is not to be supposed that a work involving so large an amount of labor could have been accomplished without the collaboration of several persons, and the writer wishes in this place to state in detail the manner in which the work has been conducted, and to give proper credit to those who have taken part in it. a few years beginning in 1874, the indexing was done by the writer himself, but since 1883 his occupations have made it necessary to intrust the main part of the indexing itself to others, while he has had to limit himself to a general supervision of the work, to the examination of authentic specimens involved in settling the nomenclature, and to a search through contemporary foreign literature and scattered papers published in the earlier days of mycology bearing directly or indirectly on North American species. Since 1883 the indexing has been done by Mr. A. B. Seymour, with necessary clerical assistance, with the exception of the year 1885-86, when, during Mr. Seymour's absence, Prof. L. H. Pammel was in charge. the greater part of the work of indexing, it will be seen, has been

done by Mr. Seymour, and to his persistence under difficulties, his care and his interest in the subject, those who use the Index will be indebted. During the considerable number of years when there appeared no immediate prospect that the Index could be printed the accumulation of material went on until it was estimated · that about 150,000 references had been brought together. in 1903 the Carnegie Institution expressed to the writer its willingness under certain conditions to undertake the publication, it was necessary to revise the large mass of data and put it in form for printing since, owing to the numerous cross references, the cards could not be printed directly. Mr. Seymour then brought together the various cards of synonyms and arranged them critically in chronological order, or segregated them, as the case required. They were then revised by the writer to conform to the general plan adopted, and, in cases of disputed or confused synonymy, examinations of authentic specimens were made, and, where it seemed to be of interest, the results of the examinations taken in connection with collateral reading were embodied in the form of notes under different genera and species. Unless otherwise stated, the notes are all by the undersigned, and in cases where Mr. Sevmour had made a critical examination the notes were written by him and are signed with his initials. For the arrangement and relations of the aecidia of Gymnosporangia, the Laboulbeniacea, Entomophthoraceæ and certain genera of other orders specially studied by him, we are indebted to Prof. R. Thaxter as well as for advice on general questions. We are indebted to Mr. A. P. D. Piguet for valuable suggestions made during the proof-reading. We also wish to acknowledge with thanks critical information furnished by the following mycologists: Prof. J. C. Arthur, Prof. G. F. Atkinson, Prof. E. A. Burt, Mr. J. B. Ellis, Prof. E. W. D. Holway, Prof. W. A. Kellerman, and Prof. C. H. Peck.

W. G. FARLOW.

CAMBRIDGE, Aug. 15, 1905.

PRINCIPAL ABBREVIATIONS OF NAMES OF AUTHORS AND PUBLICATIONS CITED.

A. & S.

Albertini, J. B. von and Schweinitz, L. D. von.

Abh. Nat. Ges. Halle.

Naturforschende Gesellschaft. Halle. Abhandlungen.

Abh. Nat. Verein. Bremen.

Naturwissenschaftlicher Verein. Bremen. Abhandlungen.

Acta Soc. Fauna Fl. Fennica.

Societas pro Fauna et Flora Fennica. Helsingfors. Acta.

Agr. Sci.

Agricultural Science. State College, Pa.

Allg. Forst. & Jagdzeit.

Allgemeine Forst-und Jagdzeitung. Frankfort a/M.

Am. Florist.

American Florist. Chicago.

Am. Fung.

One thousand American Fungi. C. McIlvaine & R. K. Macadam.

Am. Agriculturist.

American Agriculturist. New York.

Am. Gardening.

American Gardening. New York.

Am. Jour. Physiol.

American Journal of Physiology. Boston.

Am. Jour. Sci.

American Journal of Science and Arts. New Haven.

Am. Kitchen Mag.

American Kitchen Magazine. Boston.

Am. Mo. Micr. Jour.

American Monthly Microscopical Journal. Washington.

Am. Nat.

American Naturalist. Boston.

Am. Pomol. Soc.

American Pomological Society. Proceedings.

χi

Am. Quart. Micr. Jour.

American Quarterly Microscopical Journal. New York.

Ann. Bot.

Annals of Botany. London.

Ann. Myc.

Annales Mycologici. Berlin.

Ann. Nat. Hist.

Annals and Magazine of Natural History. London.

Ann. N. Y. Acad.

New York Academy of Sciences. Annals.

Ann. N. Y. Lyceum.

Lyceum of Natural History of New York. Annals.

Ann. Sci. Nat.

Annales des Sciences Naturelles. Botanique. Paris.

Anniv. Mem. Boston Soc.

Anniversary Memoirs of Boston Society of Natural History.

Arth.

Arthur, J. C.

Asc. Lojk.

Ascomycetes Lojkani lecti in Hungaria Transsylvania et Galicia. H. Rehm.

Auct. Amer.

Auctores Americani.

В.

Berkeley, M. J.

B. & Br.

Berkeley, M. J. and Broome, C. E.

B. & C.

Berkeley, M. J. and Curtis, M. A.

Barthol.

Bartholomew, E.

Beitr. Biol. Pflanzen.

Beiträge zur Biologie der Pflanzen. Breslau.

Ber. Deutsch. Bot. Ges.

Deutsche botanische Gesellschaft. Berlin. Berichte.

Ber. Schles. Ges.

Schlesische Gesellschaft für vaterländische Cultur. Breslau. Jahresbericht.

Ber. Schweiz. Bot. Ges.

Schweizerische botanische Gesellschaft. Berichte.

Berl.

Berlese, A. N.

Berl. Icon.

Icones Fungorum. A. N. Berlese.

Berl. Icon. Phyc.

Icones Fungorum. Phycomycetes. A. N. Berlese.

Berl. & Vogl.

Berlese, A. N. and Voglino, P.

Bihang till K. Sv. Vet. Akad. Handl.

Kongliga Svenska Vetenskaps-Akademien. Stockholm. Bihang till Handlingar.

Biv.

Bivona-Bernardi, A. de.

Blox.

Bloxam, A.

Bolt.

Bolton, J.

Bomm. & Rous.

Bommer, J. E. and Rousseau, M.

Bon.

Bonorden, H. F.

Bot. Centralbl.

Botanisches Centralblatt. Cassel.

Bot. Gaz.

Botanical Gazette. Chicago.

Bot. Notiser.

Botaniska Notiser. Lund.

Bot. Zeit.

Botanische Zeitung. Leipzig.

Bot. 40th Parallel.

United States Geological Exploration of the 40th Parallel. Botany by Sereno Watson.

Bot. N. Car.

Geological and Natural History Survey of N. Carolina. Part 3, Botany. M. A. Curtis.

Bot. Surv. La.

Report of a Botanical Survey of southern and central Louisiana.

Americus Featherman.

Bot. Surv. Nebr.

Botanical Survey of Nebraska. University of Nebraska. Lincoln.

Boud.

Boudier, E.

Bref.

Brefeld, O.

Bres.

Bresadola, G.

Bres. Henn. & Magn.

Bresadola, G., Hennings, P., and Magnus, P.

Briosi & Cav.

Briosi, G. and Cavara, F.

Brit. Columb. Dept. Agr.

Department of Agriculture. British Columbia. Victoria.

British Ured. & Ust.

British Uredineæ and Ustilagineæ. C. B. Plowright.

Brond.

Brondeau, L. de.

Bull.

Bulliard, P.

Bull. Ala. Exp. Sta.

Agricultural Experiment Station of the Alabama Polytechnic Institute. Auburn. Bulletin.

Bull. Boston Myc. Club.

Boston Mycological Club. Bulletin.

Bull. Bot. Dept. Jamaica.

Jamaica Botanical Department. Kingston. Bulletin.

Bull. Buf. Soc.

Buffalo Society of Natural Science. Bulletin.

Bull. Bussey Inst.

Bussey Institution. Harvard University. Bulletin.

Bull. Cal. Acad.

California Academy of Sciences. San Francisco. Bulletin.

Bull. Cent. Exp. Farm Can.

Canada. Central Experimental Farm. Ottawa. Bulletin.

Bull. Colo. Exp. Sta.

Colorado. Agricultural Experiment Station. Fort Collins. Bulletin.

Bull. Conn. Exp. Sta.

Connecticut Agricultural Experiment Station. New Haven. Bulletin.

Bull. Cornell Exp. Sta.

Cornell University, Agricultural Experiment Station. Ithaca. Bulletin.

Bull. Cornell Univ.

Cornell University. Ithaca. Bulletin.

Bull. Del. Exp. Sta.

Delaware College Agricultural Experiment Station. Newark. Bulletin.

Bull. Fla. Exp. Sta.

Florida Agricultural Experiment Station. Lake City. Bulletin.

Bull. Herb. Bois.

Herbier Boissier. Geneva. Bulletin.

Bull. Idaho Exp. Sta.

University of Idaho Agricultural Experiment Station. Moscow. Bulletin.

Bull. Ill. Lab.

Illinois State Laboratory of Natural History. Urbana. Bulletin.

Bull. Iowa Agr. Coll.

Iowa State College of Agriculture and the Mechanic Arts. Ames. Bulletin.

Bull. Ky. Exp. Sta.

Kentucky Agricultural Experiment Station. Lexington. Bulletin.

Bull. Lab. Bot. Siena.

Laboratorio ed Orto Botanico. Siena. Bulletino.

Bull. Md. Exp. Sta.

Maryland Agricultural Experiment Station. College Park. Bulletin.

Bull. Minn. Acad.

Minnesota Academy of Natural Sciences. Minneapolis. Bulletin.

Bull. Minn. Surv.

Geological and Natural History Survey of Minnesota. Bulletin.

Bull. Miss. Exp. Sta.

Mississippi Agricultural Experiment Station. Bulletin.

Bull. N. Car. Exp. Sta.

North Carolina Agricultural Experiment Station. West Raleigh.
Bulletin.

Bull. N. Dak. Exp. Sta.

North Dakota Agricultural College. Government Agricultural Experiment Station for North Dakota. Bulletin.

Bull. Nat. Hist. Soc. N. B.

Natural History Society of New Brunswick. St. Johns. Bulletin.

Bull. Nebr. Exp. Sta.

Nebraska, University of. Agricultural Experiment Station of Nebraska. Lincoln. Bulletin.

Bull. N. Y. Bot. Gard.

New York Botanical Garden. Bulletin.

Bull. N. Y. Mus.

N. Y. State Museum of Natural History. Albany. Bulletin.

Bull. N. Y. Exp. Sta.

New York Agricultural Experiment Station. Geneva. Bulletin.

Bull. Oberlin College Lab.

Oberlin College Laboratory. Oberlin, Ohio. Bulletin.

Bull. Ohio Exp. Sta.

Ohio Agricultural Experiment Station. Wooster. Bulletin.

Bull. Ohio Univ.

Ohio State University. Columbus. Bulletin.

Bull. Pacific Univ.

Pacific University. Bulletin. Forest Grove, Oregon.

Bull. Penn. Dept. Agr.

Pennsylvania Department of Agriculture. Bulletin.

Bull. S. Dak. Exp. Sta.

South Dakota Agricultural College and Experiment Station. Brookings. Bulletin.

Bull. Soc. Bot. Belg.

Société royale de Botanique de Belgique. Bulletin.

Bull. Soc. Bot. Fr.

Société Botanique de France. Paris. Bulletin.

Bull. Soc. Myc. Fr.

Société Mycologique de France. Paris. Bulletin.

Bull. Tex. Exp. Sta.

Texas Agricultural Experiment Station. Bulletin.

Bull. Torr. Bot. Club.

Torrey Botanical Club. New York. Bulletin.

Bull. Univ. Iowa.

Laboratories of Natural History of the State University of Iowa. Bulletin.

Bull. U. S. Agr. Div. Bot.

United States Department of Agriculture, Division of Botany. Bulletin.

Bull. U. S. Agr. Office Exp. Sta.

United States Department of Agriculture, Office of Experiment Stations. Bulletin.

Bull. U. S. Agr. Pl. Industry.

United States Department of Agriculture, Bureau of Plant Industry. Bulletin.

Bull. U. S. Agr. V. P. P.

United States Department of Agriculture, Division of Vegetable Pathology and Physiology. Bulletin.

Bull. U. S. Agr. Veg. Pathol.

United States Department of Agriculture, Division of Vegetable Pathology. Bulletin.

Bull. Wash. Exp. Sta.

Washington Agricultural Experiment Station. Pullman. Bulletin.

Bull. Wash. Lab.

Washburn Laboratory of Natural History. Topeka, Kans. Bulletin.

Bull. W. Va. Exp. Sta.

West Virginia Agricultural Experiment Station. Morgantown. Bulletin.

Bull. Wis. Nat. Hist. Soc.

Wisconsin Natural History Society. Milwaukee. Bulletin.

Buxb.

Buxbaum, J.

C. & E.

Cooke, M. C. and Ellis, J. B.

C. & P.

Cooke, M. C. and Peck, C. H.

Can. Nat. & Geol.

Canadian Naturalist and Geologist. Montreal. Continued as Canadian Record of Science.

Carl.

Carleton, M. A.

Carm.

Carmichael, D.

Cast.

Castagne, L.

· Cat. Pac. Fung.

Catalogue of the Pacific coast Fungi H. W. Harkness and J. P. Moore.

Cat. Pl. Am. Sept.

Catalogus plantarum Americæ septentrionalis. H. Muhlenberg.

Cat. Pl. Amherst (Hitchcock).

Hitchcock, E. Catalogue of the plants growing without cultivation in the vicinity of Amherst College. Amherst, 1829.

Cat. Pl. Amherst (Frost in).

Tuckerman, E. and Frost, C. C. A catalogue of plants growing without cultivation within thirty miles of Amherst College. Amherst, 1875.

Cat. Pl. Cin.

Catalogue of plants, native and naturalized, collected in Cincinnati, Ohio. T. G. Lea.

Cat. Pl. La.

Catalogue provisoire des plantes de la Basse Louisiane. A. B. Langlois.

Cat. Pl. Mass.

Report on the Geology of Massachusetts. Catalogue of the animals and plants of Massachusetts. E. Hitchcock.

Cat. Pl. N. J.

Geological Survey of New Jersey, Vol. 2, pt. 1. Catalogue of plants found in New Jersey. N. L. Britton. Fungi, J. B. Ellis. 1889.

Cat. Pl. N. Y.

Catalogue of plants of New York. J. Torrey, 1819.

XVIII

Cat. Pl. R. I.

Plants of Rhode Island. J. L. Bennett, 1888.

Cda.

Corda, A. C. J.

Cent. Am. Fungi.

Central American Fungi (exsiccati). C. L. Smith. Iowa City, Iowa.

Centralbl. Bact.

Centralblatt für Bacteriologie und Parasitenkunde. Jena.

Ces.

Cesati, V.

Champ. Guad. et Martinique.

Enumération méthodique des Champignons recuellis à la Guadaloupe et a la Martinique. Duss.

Charleston Med. Jour. & Rev.

Charleston Medical Journal and Review.

Chev.

Chevallier, F.

Circ. U. S. Agr. Div. Bot.

United States Department of Agriculture, Division of Botany. Circular.

Circ. U. S. Agr. Div. Veg. Pathol.

United States Department of Agriculture, Division of Vegetable Pathology. Circular.

Cke.

Cooke, M. C.

Cke. & B.

Cooke, M. C. and Berkeley, M. J.

Clint.

Clinton, G. P.

Contr. Bot. Dept. Univ. Nebr.

Contributions from the Botanical Department of the University of Nebraska.

Contr. Bot. Vt.

Contributions to the Botany of Vermont. University of Vermont. Burlington.

Contr. U. S. Nat. Herb.

Contributions from the U. S. National Herbarium.

Country Gent.

Cultivator and Country Gentleman. Albany.

Critt. Agr.

Crittogamia Agraria. O. Comes.

Curr.

Currey, F.

Curt.

Curtis, William.

Cycl. Am. Hort.

Cyclopædia of American Horticulture. Bailey.

D By.

De Bary, A.

DC.

De Candolle, A. P.

De Not.

De Notaris, G.

Desm.

Desmazières, J. B.

Desv. Jour. de Bot.

Desvaux, A. N. Journal de Botanique. Paris.

Dicks.

Dickson, J.

Diet.

Dietel, P.

Diet. & Holw.

Dietel, P. and Holway, E. W. D.

Ditm.

Ditmar, L. P. F.

Dozy & Molkenb.

Dozy, F. and Molkenboer, J. H.

Dur. & Mont.

Durieu de Maisonneuve et Montagne, C.

E. F

Economic Fungi (exsiccati). A. B. Seymour and F. S. Earle.

Ehrb.

Ehrenberg, C. G.

El.

Elenchus Fungorum. E. M. Fries.

E11.

Ellis, J. B.

Ell. & Ev.

Ellis, J. B. and Everhart, B. M.

Ell. & Gall.

Ellis, J. B. and Galloway, B. T.

Endl.

Endlicher, S. L.

Engler, Bot. Jahrb.

Botanische Jahrbücher (Engler). Leipzig.

Enum. Lichens New Bedford.

Enumeration of the Lichens of New Bedford. H. Willey.

Epicr.

Epicrisis Systematis Mycologici. E. M. Fries.

Eriks.

Eriksson, J.

Essai Tax. Hymen.

Essai Taxonomique des Hymenomycètes. N. Patouillard.

Exp. Sta. Rec.

United States Department of Agriculture, Office of Experiment Stations. Washington. Experiment Station Record.

Farl.

Farlow, W. G.

Farmers' Bull. U. S. Agr.

United States Department of Agriculture. Farmers' Bulletin.

Fekl.

Fuckel, L.

Fl. Car.

Flora Caroliniana. Thomas Walter.

Fl. Dan.

Flora Danica.

Fl. Ind. Occ.

Flora Indiæ Occidentalis. O. Swartz.

Fl. Fr.

Flore Française. Lamarck et De Candolle.

Fl. Ludov.

Florula Ludoviciana. C. S. Rafinesque.

Fl. Miami Valley.

The Mycologic flora of the Miami Valley. Ohio. A. P. Morgan.

Fl. Nebr.

Flora of Nebraska. University of Nebraska. Lincoln.

Fres.

Fresenius, G.

Fung. Am.

Fungi Americani exsiccati. H. W. Ravenel.

Fung. Car.

Fungi Caroliniani exsiccati. H. W. Ravenel.

Fung. Columb.

Fungi Columbiani (exsiccati). Ellis & Everhart, Shear, Bartholomew.

Fung. Dis.

Fungous Diseases of the Grape. F. L. Scribner,

Fung. Eur.

Fungi Europæi et Extraeuropæi (exsiccati). G. Winter. O. Pazschke.

Fung. Fenn.

. Fungi Fenniæ exsiccati. P. A. Karsten.

Fung. Gall.

Fungi Gallici exsiccati. C. Roumeguère.

Fung. Piante Colt.

I Funghi Parassite delle Piante Coltivate. Briosi and Cavara.

Gard. & For.

Garden and Forest. New York.

Gærtn.

Gærtner, J.

Gall.

Galloway, B. T.

Gard. Chron.

Gardener's Chronicle. London.

Gen. Gast.

Genera of Gastromycetes. C. G. Lloyd.

Gen. Lich.

Genera Lichenum. E. Tuckerman.

Gen. Pl.

Genera plantarum secundum ordines naturales disposita. S. L. Endlicher.

Geol. Wis.

Geology of Wisconsin. W. F. Bundy.

Ges. Nat. Freunde Mag.

Gesellschaft naturforschender Freunde. Berlin. Magazin. 1807-1818.

Gmel.

Gmelin, J. F.

Gonn. & Rabh.

Gonnermann, W. and Rabenhorst, L.

Grev. (author).

Greville, R. K.

Grev. (journal).

Grevillea. London.

Hark.

Harkness, H. W.

Hdbk. Med. Sci.

A reference handbook of the Medical Sciences. New York. Wm. Wood & Co.

Hdbk. Mushrooms.

Student's Handbook of Mushrooms of America, Edible and Poisonous. T. Taylor.

Hedw.

Hedwigia.

Hedw. Beibl.

Hedwigia . . . Beiblatt.

Hedw. Rep.

Repertorium für Kryptogamische Literatur. Beiblatt zur Hedwigia.

Henn.

Hennings, P.

Herb. S.

Schweinitz Herbarium.

H. I.

A provisional Host Index of the Fungi of the United States. W. G. Farlow and A. B. Seymour.

Hildeb.

Hildebrand, F.

Hoffm.

Hoffmann, G. F.

Holw.

Holway, E. W. D.

Hook.

Hooker, W. J.

Hook. Jour. Bot.

Hooker's Journal of Botany. London.

Horæ Phys. Berol.

Horæ Physicæ Berolinensis. Ed. C. G. Nees von Eseubeck.

Hornem.

Hornemann, J. W.

Huds.

Hudson, W.

Illustr. Fungi.

Illustrative Fungi (exsiccati). L. M. Underwood and O. F. Cook.

Jacq.

Jacquin, N. J.

Jacz.

Jaczewski, A. von.

Jahrb. Wis. Bot.

Jahrbücher für Wissenschaftliche Botanik. Berlin.

Jahresber. Ver. Erdkunde, Dresden.

Verein für Erdkunde. Dresden. Jahresbericht.

XXIII

Joh.

Johanson, C. J.

Johnst.

Johnston, G.

Jour. Appl. Micr.

Journal of Applied Microscopy. Rochester.

Jour. Bot.

Journal of Botany. London.

Jour. Cin. Soc.

Cincinnati Society of Natural History. Journal.

Jour. Columbus Hort. Soc.

Columbus Horticultural Society. Columbus, Ohio. Quarterly Journal of Proceedings.

Jour. de Bot.

Journal de Botanique. Paris.

Jour. Hamilton Assoc.

Hamilton Association. Hamilton, Ontario. Journal and Proceedings.

Jour. Inst. Jamaica.

Institute of Jamaica. Kingston. Journal.

Jour. Linn. Soc.

Linnean Society, London. Journal. Botany.

Jour. Mitch. Soc.

Elisha Mitchell Scientific Society. Chapel Hill, N. Car. Journal.

Jour. Myc.

Journal of Mycology. Columbus, Ohio.

Jour. Quekett Micr. Club.

Quekett Microscopical Club. London. Journal.

Jour. Roy. Hort. Soc.

Royal Horticultural Society. London. Journal.

Jour. Roy. Micr. Soc.

Royal Microscopical Society. London. Journal.

Kalchb.

Kalchbrenner, K.

Karst.

Karsten, P. A.

Kellerm.

Kellerman, W. A.

Kirch.

Kirchner, L.

Kærn.

Kærnicke, F.

XXIV

Krombh.

Krombholz, J. von.

Krypt. Fl.

Dr. L Rabenhorst's Kryptogamen Flora von Deutschland, Œsterreich und der Schweiz. Leipzig.

Kze.

Kunze, G. H. S.

L.

Linnæus, Carolus.

L. sp. Pl. ed. Willd.

Linnæus, Species Plantarum. Ed. quarta, curante C. L. Willdenow. Tomus vi. H. F. Link.

L. Syst. Veg.

Linnæus, Systema Vegetabilium. Ed. 16. K. Sprengel.

Lagerh.

Lagerheim, G.

Lam. Encyc.

Encyclopédie méthodique botanique. J A. B. de Lamarck.

L'Hér.

L'Héritier de Brutelle, C. L.

Lév.

Léveillé, J. H.

Lib.

Libert, M. A.

Lindgr.

Lindgren, S. J.

Lk.

Link, H. F.

Lindr.

Lindroth, J. I.

Lond. Jour. Bot.

London Journal of Botany.

Macbr.

Macbride, T. H.

Mart.

Martius, C. von.

Mattusch.

Mattuschka, H. G.

Meddel. Stockholms Hægskolas Bot. Inst.

Stockholms Hoegskolas Botaniska Institutet. Meddelanden.

Meddelelser om Grænl.

Meddelelser om Grönland. Copenhagen.

Med. Repos.

Medical Repository. New York.

Mem. Am. Acad.

American Academy of Arts and Sciences. Boston. Memoirs.

Mem. N. Y. Mus.

New York State Museum of Natural History. Albany. Memoirs.

Mem. Soc. Phys. et Hist. Nat.

Société de Physique et d'Histoire Naturelle. Geneva. Mémoires.

Mem. Torr. Bot. Club.

Torrey Botanical Club. New York. Memoirs.

Mer.

Mérat, F. V.

Mex. Fungi.

Pringle's Mexican fungi (exsiccati). A. B. Seymour.

Mich.

Michelia. P. A. Saccardo.

Michx.

Michaux A.

Micr. Sel.

Micromycetes rariores selecti (exsiccati). Tycho Vestergren.

Millsp. & Nutt.

Millspaugh, C. F. and Nuttall, L. W.

Mittheil. forstl. Versuchs. Oest.

Mittheilungen aus dem forstlichen Versuchswesen Oesterreichs.

Molkenb.

Molkenboer, J. H.

Mon. Ured.

Monographia Uredinearum. Sydow, P. et H.

Mont.

Montagne, C.

Morg.,

Morgan, A. P.

Muell.

Mueller, O. F.

Muhl.

Muhlenberg, H.

Myc. Bull.

Mycological Bulletin. Columbus, Ohio.

Myc. Notes.

Mycological Notes. C. G. Lloyd Cincinnati.

Myc. Univ.

Mycotheca Universalis (exsiccati). Thuemen.

XXVI

N. A. F.

North American Fungi (exsiccati). Ellis & Everhart.

N. Am. Fungi.

A list of works on North American Fungi. W. G. Farlow and W. Trelease.

Nees.

Nees von Esenbeck, C. G.

Neue Denkschr. Schweiz. Ges.

Allgemeine Schweizerische Gesellschaft für die Naturwissenschaften. Neue Denkschriften.

N. Y. Fungi.

New York Fungi (exsiccati). C. L. Shear.

N. Y. Myc. Club.

New York Mycological Club.

Nits.

Nitschke, T.

Nouv. Mem. Soc. Imp. Nat. Mosc.

Nouveaux Mémoires de la Société Impériale des Naturalistes de Moscou.

Nova Acta R. Soc. Sci. Upsal.

Regia Societas Scientiarum Upsaliensis. Upsala. Nova Acta.

Nyl.

Nylander, F.

Oefv. K. Vet.-Akad. Foerh.

Konglig Svenska Vetenskaps-Akademien. Stockholm. Oefversigt af Förhandlingar.

Oest. Bot. Zeit.

Oesterreichische botanische Zeitschrift. Vienna.

Ohio Nat.

Ohio Naturalist. Columbus, Ohio.

Ottawa Nat.

Ottawa Naturalist. Ottawa, Canada.

Otth and Wartm.

Otth, C. A. and Wartmann, B.

Oud.

Oudemans, C. A.

Outl.

Outlines of British Fungology. M. J. Berkeley.

P.

Persoon, C. H.

P. in Gmel.

Persoon in J. F. Gmelin, Linnæus, Systema Naturæ. Ed. xiii. 1791.

XXVII

P. Syn.

Synopsis methodica Fungorum. C. H. Persoon.

Pass.

Passerini, G.

Pat.

Patouillard, N.

Paul.

Paulet, J. J.

Pegl.

Peglion, V.

Pk.

Peck, C. H.

Penz.

Penzig, O.

Phil.

Phillips, W.

Pilz. Weinstk.

Die Pilze des Weinstockes. Thuemen.

Pl. Baker.

Plantæ Bakerianæ. E. L. Greene et al.

Pl. Bot. Gard. Camb.

Catalogue of the plants of the Botanical Garden of Cambridge. W. D. Peck.

Pl. Cell. Cuba.

Montagne in Ramon de la Sagra. Histoire physique, politique et naturelle de l'Ile de Cuba.

Pl. Crypt. Ard.

Plantæ Cryptogamicæ Arduennæ (exsiccatæ). M. A. Libert.

Plowr.

Plowright, C. B.

Poir.

Poiret, J. L.

Pringsh.

Pringsheim, N.

Proc. Am. Acad.

American Academy of Arts and Sciences. Boston. Proceedings.

Proc. Boston Soc.

Boston Society of Natural History. Proceedings.

Proc. Can. Inst.

Canadian Institute. Toronto. Proceedings.

Proc. Davenport Acad.

Davenport Academy of Natural Sciences. Davenport, Iowa. Proceedings.

XXVIII

Proc. Essex Inst.

Essex Institute. Salem, Mass. Proceedings.

Proc. Fla. Hort. Soc.

Florida State Horticultural Society. Proceedings.

Proc. Ind. Acad.

Indiana Academy of Science. Indianapolis. Proceedings.

Proc. Iowa Acad.

Ibwa Academy of Sciences. Des Moines. Proceedings.

Proc. La. Soc. Naturalists.

Louisiana Society of Naturalists. Proceedings.

Proc. Miramichi Nat. Hist.

Natural History Association of Miramichi. Chatham, N.B. Proceedings.

Proc. Nat. Sci. Assoc. Staten Isl.

Natural Science Association of Staten Island. New Brighton, N Y. Proceedings.

Proc. Phil. Acad.

Academy of Natural Sciences of Philadelphia. Proceedings.

Proc. Portland Soc.

Portland Society of Natural History. Proceedings.

Proc. Pough. Soc.

Poughkeepsie Society of Natural Science. Proceedings.

Proc. Rochester Acad.

Rochester Academy of Science. Proceedings.

Proc. Soc. Prom. Agr. Sci.

Society for the Promotion of Agricultural Science. Proceedings.

Proc. S. Cal. Acad.

Southern California Academy of Sciences. Los Angeles. Proceedings.

Prodr.

Nova genera et species plantarum sen prodromus vegetabilium in Indiam occidentalem. O. Swartz:

Pyr. Germ.

Pyrenomycetes Germanici. Nitschke.

Pyren.

North American Pyrenomycetes. Ellis & Everhart.

Publ. Field Columb. Mus. Bot.

Field Columbian Museum. Chicago. Publications. Botanical series.

Quél.

Quélet, M.

Rabh.

Rabenhorst, L.

XXIX

Racib.

Raciborski, M.

Raf.

Rafinesque-Schmaltz, C.

Rav.

Ravenel, H. W.

Reb.

Rebentisch, J.

Relh.

Relhan, R.

Rept. Agr. N. B.

New Brunswick. Department of Agriculture. Report.

Rept. Conn. Agr.

Connecticut Board of Agriculture. Annual Report.

Rept. Conn. Exp. Sta.

Connecticut Agricultural Experiment Station. New Haven. Report.

Rept. Del. Exp. Sta.

Delaware College Agricultural Experiment Station. Newark. Report.

Rept. Exp. Farms Can.

Canada. Experimental Farms. Report. Ottawa.

Rept. Fla. Exp. Sta.

Florida Agricultural Experiment Station. Lake City. Report.

Rept. Ga. Exp. Sta.

State College of Agriculture and Mechanic Arts. Georgia Experiment Station. Report.

Rept. Geol. Canada.

Canada. Geological survey. Report.

Rept. Geol. Ohio.

Ohio. Geological survey. Report.

Rept. Hatch Exp. Sta.

Hatch Experiment Station of the Massachusetts Agricultural College. Amherst. Report.

Rept. Ill. Ind. Univ.

Illinois Industrial University (University of Illinois). Urbana. Report.

Rept. Mass. Agr. Coll.

Massachusetts Agricultural College. Amherst. Report.

Rept. Mass. Exp. Sta.

Massachusetts State Agricultural Experiment Station. Amherst. Report.

Rept. Md. Hort. Soc.

Maryland State Horticultural Society. Report.

Rept. Mich. Acad.

Michigan Academy of Science. Report.

Rept. Mich. Agr.

Michigan State Board of Agriculture. Report.

Rept. Minn. Surv.

Minnesota Geological and Natural History Survey. Annual Report.

Rept. Mo. Bot. Gard.

Missouri Botanical Garden. St. Louis. Report.

Rept. Mo. Hort. Soc.

Missouri State Horticultural Society. Report.

Rept. Nebr. Agr.

Nebraska State Board of Agriculture. Report.

Rept. N. Y. Exp. Sta.

Board of Control of the New York Agricultural Experiment Station. Geneva. Annual Report.

Rept. Ohio Acad.

Ohio State Academy of Science. Columbus. Annual Report.

Rept. Ont. Agr. Union.

Ontario Agricultural and Experimental Union. Toronto. Annual Report.

Rept. U. S. Agr.

United States Department of Agriculture. Report.

Rept. U. S. Surv.

United States Geological Survey. Report.

Rept. Vt. Exp. Sta.

Vermont Agricultural Experiment Station. Burlington. Report.

Rept. Wyo. Exp. Sta.

Wyoming Experiment Station. Laramie. Report.

Rev. Gen. de Bot.

Revue générale de botanique. Paris.

Rev. Gen. Pl.

Revisio Generum Plantarum. Otto Kuntze.

Rev. Myc.

Revue Mycologique. C. Roumeguère.

Revista Argent. Hist. Nat.

Revista Argentina de Historia Natural. Buenos Aires.

Riv. Patol. Veg.

Rivista di Patologia Vegetale. Ed. A. and A. N. Berlese.

Rostf.

Rostafinski, J.

Rostr.

Rostrup, E.

Roum.

Roumeguère C.

S.

Schweinitz, L. D. von.

Sacc.

Saccardo, P. A.

Sacc. & Cub.

Saccardo, P. A. and Cuboni, J.

Sacc. Cub. & Manc.

Saccardo, P. A., Cuboni, J., and Mancini, V.

Sacc. & Syd.

Saccardo, P. A. and Sydow, P.

S. Car. Resources.

South Carolina. Resources and population, institutions and industries. H. W. Ravenel.

Schæff.

Schæffer, J.

Schl.

Schlechtendal, D. de.

Schm.

Schmidt, J. C.

Schm. & Kze.

Schmidt, J. C. and Kunze, G. H. S.

Schrt.

Schræter, J.

Schulz.

Schulzer von Müggenburg, S.

Schum.

Schuhmacher, C. F.

Scop.

Scopoli, J. A.

Scot. Crypt. Fl.

Scottish Cryptogamic Flora. R. K. Greville.

Scrib.

Scribner, F. L.

Secr.

Secretan, Louis.

Sel. Fung. Carp.

Selecta Fungorum Carpologia. Tulasne.

Sfer. Ital.

Sferiacei Italici. G. De Notaris.

Sitz.-Ber. Naturforsch. Freunde.

Gesellschaft naturforschender Freunde. Berlin. Sitzungsberichte.

8. M.

Systema Mycologicum. E. M. Fries.

Sommf.

Sommerfelt, C.

s. o. v.

Systema Orbis Vegetabilis. E. M. Fries.

Sow.

Sowerby, J.

Speg.

Spegazzini, C.

Spreng.

Sprengel, K.

Starb.

Starbäck, K.

Suppl. List Works on N. Am. Fungi.

A supplementary list of works on North American Fungi. W. G. Farlow.

Syd.

Sydow, P. or Sydow, P. et H.

Syll.

Sylloge Fungorum. .P. A. Saccardo and others.

Syll. Crypt.

Sylloge generum specierumque Cryptogamarum. J. F. C. Montagne.

Symb.

Symbolæ Mycologicæ. L. Fuckel.

Syn.

Synopsis methodica Fungorum. C. H. Persoon.

Syn. Am. Bor.

Synopsis Fungorum in America Boreali media degentium. L. D. de Schweinitz.

Syn. Car.

Synopsis Fungorum Carolinæ Superioris. L. D. de Schweinitz.

Syn. N. Am. Lichens.

Synopsis of North American Lichens. E. Tuckerman.

Textbk. Pl. Diseases.

Textbook of Plant Diseases. G. Massee.

Thax.

Thaxter, R.

Thm.

Thuemen, F. von.

Tijdschr. v. Natuur. Geschied.

Tijdschrift voor Natuurlijke Geschiedenis en Physiologie. Amsterdam and Leiden

IIIXXX

Tokio Bot. Mag.

Tokio Botanical Magazine.

Torr.

Torrey, J.

Tr. Albany Inst.

Albany Institute. Transactions.

Tr. Am. Hort. Soc.

American Horticultural Society. Transactions.

Tr. Am. Med. Assoc.

American Medical Association. Transactions.

Tr. Am. Phil. Soc.

American Philosophical Society. Philadelphia. Transactions.

Tr. Bot. Soc. Edinb.

Botanical Society of Edinburgh. Transactions.

Tr. Iowa Hort. Soc.

Iowa State Horticultural Society. Transactions.

Tr. Kans. Acad.

Kansas Academy of Science. Topeka. Transactions.

Tr. Mass. Hort. Soc.

Massachusetts Horticultural Society. Boston. Transactions.

Tr. N. Scot. Inst.

Nova Scotian Institute of Natural Science. Proceedings and Transactions. Halifax.

Tr. St. Louis Acad.

Academy of Science of St. Louis. Transactions.

Tr. Wis. Acad.

Wisconsin Academy of Science, Arts and Letters. Transactions.

Trel.

Treiease, W.

Trent.

Trentepohl, K.

Tuck.

Tuckerman, E.

Tul.

Tulasne, L R.

Underw.

Underwood, L. M.

Ured. Amer.

Uredineae Americanæ exsiccatæ. M. A. Carleton.

Veg. Bahama.

Vegetation of the Bahama Islands. W. C. Coker.

XXXIV

Verh. Bot. Ver. Brandenb.

Botanischer Verein für die Provinz Brandenburg Berlin. Verhandlungen.

Vitt.

Vittadini, C.

Vogl.

Voglino, P.

Wakk.

Wakker, J. H.

Wallr.

Wallroth, C. T.

Walt.

Walter, T.

Weinm.

Weinmann, J. A.

West Am. Fung.

West American Fungi (exsiccati). D. Griffiths.

West Indian Bull.

West Indian Bulletin, the Journal of the Imperial agricultural department for West Indies. Barbados.

Westd.

Westendorp, G. D.

Wigg.

Wiggers, H. A.

Willd.

Willdenow, C. L.

Wint.

Winter, G.

Wint. & Demet.

Winter, G. and Demetrio, C.

With.

Withering, W.

Wulf.

Wulfen, F. X. von.

Yearb. U. S. Agr.

United States Department of Agriculture. Yearbook.

Zeitschr. Pflanzenkr.

Zeitschrift für Pflanzenkrankheiten. Stuttgart.

XXXV

References are arranged chronologically under names of species and synonyms.

BOLD FACE TYPE indicates number of the volume.

ROMAN NUMERALS (capitals), number of the series.

ROMAN NUMERALS (lower case), page numbers of works in which both Roman and Arabic figures are used in the originals.

d., description; pl., plate; f., figure.

n.n. / Nomen novum.

nom. nud. Nomen nudum.

- [] Secondary title.
- () Paging of reprint.
- * Before a reference, specimens in exsiccati.
- * After a reference, signifies that it relates to foreign, not to American material.
- ? Before a specific name, signifies that it is doubtful whether the name is properly placed as a synonym.
- ? After a specific name, that it is doubtful whether in the references cited under it the species has been determined correctly.

Dates on which pages went to press:

1- 64						Dec., 1903.
65- 96						July, 1904.
97-160						March, 1905.
161-192	•					June, 1905.
193-224						July, 1905.
225-312						Aug., 1005.

BIBLIOGRAPHICAL INDEX OF NORTH AMERICAN FUNGI.

Abrothallus Parmeliarum, (Sommf.) Nyl. Rostr. Meddelelser om Grænl. 8:613. 1891.

NOTE. The species of Abrothallus have until recently been considered to be lichens, and references to North American species will be found in works on ichens which cannot be included here. The single species here given is a common parasite of *Parmelica* in the North Eastern States and probably throughout the United States. *Abrothallus oxysporus*, Tul., now placed in *Nesolechia*, is given as *Buellia oxyspora* in Tuckerman, Syn. N. Am. Lichens 2: 29.

Acallomyces, Thax.

Thax. Proc. Am. Acad. 38: 23. d. 24 June 1902.

Acallomyces Homalotæ, Thax.

Thax. Proc. Am. Acad. 38: 24. d. 24 June 1902.

Acalyptospora Populi, Pk. Pk. Rept. N. Y. Mus. 85: 139. d. 1885.

NOTE. Acalyptospora nervisequia, Desm., the type of the genus, is now considered to be a distortion due to insects and not a fungus. Whether A. Populi, Peck is still to be classed with fungi is uncertain, and we are informed by Professor Peck that the original specimens of his species cannot now be found and he is unable to express an opinion on the subject.

Acanthomyces, Thax.

See Rhachomyces, Thax.

NOTE. On grounds of priority Acanthomyces was changed to Rhachomyces. See Thax. Proc. Am. Acad. 30: 467, 468. d. 18 Feb. 1895.

Acanthostigma Alni, Rostr.

Rostr. Meddelelser om Grænl. 8: 619. d. 1891. Sacc. Syll. 11: 338. d. July 1895.

Acanthostigma atrobarbum, (C. & E.) Ell. & Ev.

Ell. & Ev. Pyren. 155. d. May 1892. Sphæria atrobarba, C. & E. C. & E. Grev. 8: 15. d. Sept. 1879. *Ell. N. A. F. 590. 1881. Chætosphæria atrobarba, Sacc.

Sacc. Syll. 2: 96. d. 13 June 1883. Cke. Grev. 15: 124. June 1887. Ell. in Cat. Pl. N. J. 515. 1889. Berl. Icon. 1: 27. d. pl. 16, f. 2. 13 June 1890.

Acanthostigma Berenice, (B. & C.) Sacc. Sacc. Syll. 2: 210. d. 13 June 1883. Ell. & Ev. Pyren. 154. d. May 1892.

Berl. Icon. 1: 105. 1892.

Sphæria Berenice, B. & C. B. Grev. **4**: 108 (178). d. March 1876.

Venturia Saccardioides, Ell. & Martin. Ell. & Martin, Am. Nat. 18: 69. d. Jan. 1884. Berl. & Vogl. in Sacc. Syll. Add. 1-4: 99. d. 31 Dec. 1886. Cke. Grev. 16: 17. Sept. 1887. Venturia Berenice, Cke. Cke. Grev. 16: 18. Sept. 1887. Acanthostigma Saccardioides, Sacc. Sacc. Syll. 9: 854. d. 15 Sept. 1891. Berl. Icon. 1: 105. 1892. Aeanthostigma Clintonii, (Pk.) Sacc. Sacc. Syll. 2: 210. d. 13 June 1883. Ell. & Ev. Pyren. 155. d. May 1892. Berl. Icon. 1: 103. d. pl. 100, f. 3. 1892. Sphæria Clintonii, Pk. Pk. Rept. N. Y. Mus. **30**: 65. d. pl. 2, f. 19-23. Sept. 1878. Pk. in Day's Cat., Bull. Buf. Soc. **4**: 233 (169). 1883. Venturia Ciintonii, Pk. Pk. Rept. N. Y. Mus. 28: 82. d. pl. 2, f. 22-25. 1876. Sacc. Syll. 1: 588. d. 13 June 1882. Pk. in Day's Cat., Bull. Buf. Soc. 4: 235 (171). 1883. Cke. Grev. 16: 17, 18. Sept. 1887. Ell. & Ev. Pyren. 138. d. May 1892. Acanthostigma Conocarpi, Tracy & Earle. Tracy & Earle, Bull. Torr. Bot. Club 28: 186. d. 27 March 1901. Acanthostigma decastylum, Sacc. See Acanthostigma perpusillum, De Not. Acanthostigma Ellisii, Sacc. & Syd. Sacc. & Syd. Syll. 14: 501. d. 20 Aug. 1800. Acanthostigma parasiticum, Ell. & Ev. Ell. & Ev. Proc. Phil. Acad. 1893: 443. d. 27 Feb. 1894. Sacc. Syll. 11: 338. d. July 1895. NOTE. The name A. parasiticum being preoccupied was changed to A. Ellisii by Saccardo & Sydow. Acanthostigma Fraxini, Ell. Ell. Jour. Myc. 7: 276. d. 15, May 1893. Sacc. Syll. 11: 338. d. July 1895. Acanthostigma occidentale, (Ell. & Ev.) Sacc. Sacc. Syll. **9**: 856. *d*. 15 Sept. 1891. Ell. & Ev. Pyren. 156. *d*. May 1892. Berl. Icon. **1**: 105. 1892. Lindau in Engler & Prantl, Pflanzen-fam. 11: 308. Feb. 1807. Chætomelia? perforata, Ell. & Ev. Kellerm. Bull. Wash. Lab. 1:76. Jan. 1885 and Tr. Kans. Acad. 9:82. Ell. & Ev. Jour. Myc. 1: 153. d. Dec. 1885. Kellerm. & Carl. Tr. Kans. Acad. 10: 93. 1887. *Venturia occidentalis*, Ell. & Ev. Ell. & Ev. Jour. Myc. 2: 43. d. April 1886. Berl. & Vogl. in Sacc. Syll. Add. 1-4: 102. d. 31 Dec. 1886. Cke. Grev. 16: 18. Sept. 1887. *Ell. & Ev. N. A. F. 2141. Feb. 1889. *Ell & Ev. Fung. Columb. 1316. May 1899.

```
Acanthostigma occidentale, (Ell. & Ev.) Sacc., var. minor, (Ell. &
          Ev.) Sacc.
   Ev.) Sacc. Syll. 9: 856. d. 15 Sept. 1891.

Ell. & Ev. Pyren. 156. d. May 1892.

Venturia occidentalis, Ell. & Ev., var. minor, Ell. & Ev. Berl. & Vogl. in Sacc. Syll. Add. 1-4: 102. d. 31 Dec. 1886.

Ell. & Ev. Jour. Myc. 2: 43. d. April 1886.
Acanthostigma parasiticum, Ell. & Ev. See Acanthostigma Ellisii, Sacc. & Syd.
Acanthostigma perpusillum, De Not.
   De Not. Sfer. Ital. 85. d. pl. 94. 1863.
   Berl. lcon. 1: 104. d. pl. 101, f. 4. 1892.
       ?Sphæria longispora, Ell.
   Ell. Bull. Torr. Bot. Club 6: 135. d. Feb. 1877. Ell. & Ev. Pyren. 155. May 1892. Berl. lcon. 2: 142. Sept. 1899.
       Sphæria cariosa, C. & E.
   C. & E. Grev. 6: 94. d. pl. 100, f. 28. March 1878. Langlois, Cat. Pl. La. 34. 1887.
       Sphæria decastyla, Cke.
   Cke. Grev. 7:52. Dec. 1878.
      Acanthostigma decastylum, Sacc.
   Sacc. Syll. 2: 210. d. 13 June 1883.
Ell. & Ev. Pyren. 155. d. pl. 19, f. 1-4. May 1892.
Millsp. & Nutt. Publ. Field. Columb. Mus. Bot. 1: 142. Jan. 1896.
      Zignoella cariosa, Sacc.
   Sacc. Syll. 2: 215. d. 13 June 1883.
   Ell. in Cat. Pl. N. J. 519. 1889.
      Ophioceras longisporum, Saco
   Sacc. Syll. 2: 360. d. 13 June 1883.
   Ell. in Cat. Pl. N. J. 527.
   Venturia decastyla, Cke.
Cke. Grev. 16: 18. Sept. 1887.
      Lasiosphæria subvelutina, Ell. & Ev.
   Ell. & Ev. Jour. Myc. 3: 117. d. Oct. 1887.
   Sacc. Syll. 9: 851. d. 15 Sept. 1891.
   Berl. Icon. 1: 115. 1892.
      Psilosphæria cariosa, Cke.
   Cke. Grev. 16: 51. Dec. 1887.
      Ceratostomella longispora, Cke.
   Cke. Grev. 17: 50.
                                  March 1889.
Aeanthostigma pulehrisetum. Sacc.
      See Eriosphæria puichriseta, Sacc.
Acanthostigma Saccardioides, Sacc.
      See Acanthostigma Berenice, Sacc.
Acanthostigma Scopula, (C. & P.) Pk.
   Pk. Bull. N. Y. Mus. 12: 22. d. Jan. 1888.
Pk. Bull. N. Y. Mus. 12: 22. d. Jan. 1
Ell. & Ev. Pyren. 154. d. May 1892.
Berl. Icon. 1: 103. d. pl. 101, f. 1. 1892
Sphæria Scopula, C. & P.
C. & E. Grev. 6: 13. Sept. 1877.
C. & E. Grev. 6: 94. March 1878.
Cke. Grev. 7: 52. Dec. 1878.
*Ell. N. A. F. 184. 1878.
Pk. Rept. N. Y. Mus. 32: 51. d. 1886.
Langlois, Cat. Pl. La. 34. 887.
```

```
Lasiosphæria Scopula, Sacc.
    Cke. Grev. 16: 16. Sept. 1887.
Ell. in Cat. Pl. N. J. 515. 1889.
    Sacc. Syll. 9: 852. d. 15 Sept. 1891.
Acanthostigma scopulorum, Ell. & Ev. Ell. & Ev. Proc. Phil. Acad. 1895: 414. d. Nov. 1895. Sacc. Hedw. 85: xxx. 25 Feb. 1896. [Reportorium no. 7.]
    Sacc. & Syd. Syll. 14: 590. d. 20 Aug. 1899.
 Acanthostigma Sequoiæ, (Plowr.) Sacc.
   Ell. & Ev. Pyren. 156. d. May 1892.
Berl. Icon. 1: 105. 1892.
Lindau in Engler & Prantl, Pflanzen-fam. 11: 398. Feb. 1897.

Venturia Sequolæ, Plowr.
    Plowr. Grev. 7: 74. d. pl. 120, f. 3. Dec. 1878.
Hark. & Moore, Cat. Pac. Fung. 45. Feb. 1880.
Cke. Grev. 16: 18. Sept. 1887.
Acanthostigma spinosum, (Hark.) Ell. & Ev. Ell. & Ev. Pyren. 156. d. May 1892.

Rosellinia spinosa, Hark.
   Hark. Bull. Cal. Acad. 1:42 (22). d. Feb. 1884.
Berl. & Vogl. in Sacc. Syll. Add. 1-4:43. d. 31 Dec. 1886.
   Sacc. Syll. 9: 504. d. 15 Sept. 1891. Coniochæta spinosa, Cke.
    Cke. Grev. 16: 16.
                                  Sept. 1887.
Acerbia bacillata, (Cke.) Sacc
      ? Sphæria longispora, Ell. See note in Berl. Icon. 2: 242. Sept. 1800.
Acetabula, Fckl.
   Fckl. Symb. 330. d. 1869.
         NOTE. In Bull. Torr. Bot. Club 30: 93. 28 Feb. 1903 the name Phle-
      boscyphus is substituted for Acetabula, since there is an Acetabulum L. See
      also species given under Phleboscyphus.
Acetabula Acetabulum, Underw. & Earle.
      See Acetabula vulgaris, Fckl.
Acetabula cinnamomeolutescens, (S.) Sacc.
   Sacc. Syll. 8: 62. d. 20 Dec. 1889.
      Peziza cinnamomeoiutescens, S
   S. Syn. Car. 117 (91) no. 1165. d. 1822.
Fr. S. M. 2: 45. 1822.
Spreng. in L. Syst. Veg. 16 ed. 41: 499. d.
   S. Syn. Am. Bor. 170 no. 745. 1834.
M. A. Curtis, Bot. N. Car. 131. 1867.
Cke. Bull. Buf. Soc. 2: 287. March 1875.
Acetabula Mitrula, (S.) Sacc.
   Sacc. Syll. 8: 63. d. 20 Dec. 1889. 
Peziza Mitrula, S.
   S. Syn. Car. 118 (92) no. 1184. d. 1822.
   Fr. S. M. 2: 45. 1822.
Spreng. in L. Syst. Veg. 16 ed. 41: 499. d. 1827.
Hitchcock, Cat. Pl. Amherst 62. 1829.
Hitchcock, Cat. Pl. Mass. 647. 1833. 2 ed. 648 (128). 1835.
   S. Syn. Am. Bor. 170 no. 746. 1834.
M. A. Curtis, Bot. N. Car. 131. 1867.
   Cke. Bull. Buf. Soc. 2: 287. March 1875.
Acetabula pullula, (Johnson) Sacc. (spelled paulula.)
   Sacc. Syll. 8: 63. d. 20 Dec. 1889.
```

```
Peziza pullula, Johnson.
      Johnson, Bull. Minn. Acad. 1: 342. d. 1878.
 Acetabula sulcata, (P.) Fckl. Sacc. Syll. 8: 62. d. 20 Dec. 1889.
          Peziza sulcata, P.
      S. Syn. Am. Bor. 170 no. 744. 1834.
Cke. Bull. Buf. Soc. 2: 287. March 1875.
Cke. Mycographia 108. d. pl. 47, f. 185. O
Pk. Rept. N. Y. Mus. 30: 59. Sept. 1878.
                                                                                   Oct. 1876.
  Acetabula vulgaris, Fckl.
      Fckl. Symb. 330. d. 1869.*
Sacc. Syll. 8: 59. d. 20 Dec. 1889.
McClatchie, Proc. S. Calif. Acad. Sci. 1: 364. 5 June 1897.
     Longyear, Rept. Mich. Bd. Agr. 1898: 94. 1899
Fairman, Proc. Rochester Acad. 3: 214. March 1900.
Durand, Bull. Torr. Bot. Club 27: 473. d. 29 Sept. 1900.
          Peziża Acetabulum, L.
    Hitchcock, Cat. Pl. Amherst 62. 1829.

Hitchcock, Cat. Pl. Mass. 647. 1833. 2 ed. 648 (128). 1835.

Lea, Cat. Pl. Cin. 72. 1840.

James, Jour. Cin. Soc. 2: 67 (26). April 1879.

Lea, Jour. Cin. Soc. 5: 215 (19). Dec. 1882.

M. A. Curtis, Bot. N. Car. 131. 1867.

Frost, Proc. Boston Soc. 12: 80. 1869.

Cke. Bull. Buf. Soc. 2: 287. March 1875.
     Frost in Cat. Pl. Amherst 89.
     Cke. Grev. 6: 141. June 1878.
C. & E. Grev. 7: 40. Dec. 1878.
Cke. Mycographia 107. d. pl. 47, f. 183. Oct.
Brendel, Flora Peoriana 1 ed. 362 (94). 1882.
  *Rav. Fung. Am. 764. 1882.
Cragin, Bull. Wash. Lab. 1: 70.
                                                                       Jan. 1885.
     Brendel, Fl. Peoriana 2 ed. 69. 1887.
    Cobb, List Pl. Amherst, 47. 188
Bennett, Cat. Pl. R. I. 91. 1888.
Ell. in Cat. Pl. N. J. 544. 1889.
         Acetabula Acetabulum, Underw. & Earle.
    Underw. & Earle, Bull. Ala. Exp. Sta. 80: 200. 28 June 1897. Phleboscyphus acetabulum, Clements.
     Clements, Bull. Torr. Bot. Club 30: 93. 28 Feb. 1903.
Achlya, sp. indet. Hine.
         See Achiya racemosa, var. stelligera, Cornu.
Achlya Americana, Humphrey.
    Humphrey, Tf. Am. Phil. Soc. 17: 116. d. pl. 14, f. 9, 10. pl. 15, f. 18,
    24, 25, 29. pl. 16, f. 30-36. pl. 18, f. 69-73. 1893.
Schrt. in Engler & Prantl, Pflanzen-fam. 1: 99. July 1893.
    Sacc. Syll. 11: 245. July 1895.
Atk. Bull. Cornell Univ. 3: 14. 25 June 1897.
Earle in Mohr, Contr. U. S. Nat. Herb. 6: 151.
                                                                                               31 July 1901.
Achlya apiculata, D By.
D By. Bot. Zeit. 46: 635. pl. 10, f. 3-5. 1888.*
Humphrey, Tr. Am. Phil. Soc. 17: 120. d. pl. 15, f. 26, 27. pl. 19, f. 82-86. 1893.
Atk. Bull. Cornell Univ. 3: 14. 25 June 1897.
Earle in Mohr, Contr. U. S. Nat. Herb. 6: 151. 31 July 1901.
Achlya cornuta, Archer.
    Humphrey, Tr. Am. Phil. Soc. 17: 126. d. pl. 20, f. 103, 104. 1893.
```

Achlya megasperma, Humphrey. Humphrey, Tr. Am. Phil. Soc. 17: 118. d. pl. 18, f. 74-77. Sacc. Syll. 11: 245. July 1895. Achlya oblongata, D By. Humphrey, Tr. Am. Phil. Soc. 17: 121. d. pl. 19, f. 87-89. Achlya oblongata, D By., var. globosa, Humphrey. Humphrey, Tr. Am. Phil. Soc. 17: 122. d. pl. 19, f. 90, 91. 18 Atk. Bull. Cornell Univ. 3: 14. 25 June 1897. Earle in Mohr, Contr. U. S. Nat. Herb. 6: 151. 31 July 1901. 1803. **Achlya papillosa**, Humphrey. Humphrey, Tr. Am. Phil. Soc. **17**: 125. d. pl. 20, f. 99-102. 1893. Sacc. Syll. **11**: 245. July 1895. Achlya polyandra, Hildeb. Hine, Am. Quart. Micr. Jour. 1: 141 (14). pl. 6, f. 15. Jan. 1879. Humphrey, Tr. Am. Phil. Soc. 17: 119. d. pl. 18, f. 78-81. 1893. Achlya prolifera, Nees.
Leidy, Proc. Phil. Acad. 5: 8. 1850.
Bessey, Bull. Iowa Agr. Coll. 1884: 139. Jan. 1885. Achlya prolifera, Pringsh. See Saprolignia ferax, Kütz. Achlya racemosa, Hildeb. Hine, Am. Quart. Micr. Jour. 1: 20 (3). Oct. 1878. Humphrey, Rept. Mass. Exp. Sta. 9: 233. April 1892. Humphrey, Tr. Am. Phil. Soc. 17: 122. d. pl. 19, f. 92-95. 1893. Achlya racemosa, Hildeb., var. stelligera, Cornu. Humphrey, Tr. Am. Phil. Soc. 17: 123. d. pl. 19, f. 96-98. 1893. Achlya, sp. indet. Hine. Hine, Am. Quart. Micr. Jour. 1: 136 (9). pl. 6, f. 1-14. Jan. 1879. Achlya racomosa, var. indet. Hine. Hine, Am. Quart. Micr. Jour. 1: 140 (13). Jan. 1879. Acinophora, Raf. See Arachnion, S. Acinophora aurantiaca, Raf. See Arachnion? aurantiacum, De Toni. Acinula candicans, Fr. S. Syn. Am. Bor. 266 no. 2409. 1834. Acladium, Lk.

NOTE. This genus is referred by Pound and Clements to Haplaria.

S. Syn. Am. Bor. 276 no. 2582. 1834. Cke. Bull. Buf. Soc. **3** : 201. July 1877. Acladium densissimum, S. S. Syn. Am. Bor. 276 no. 2584. d. 1834. Cke. Bull. Buf. Soc. 8: 201. July 1877. Sacc. Syll. 4:88. d. 10 April 1886. Acladium microspermum, Lk. S. Syn. Am. Bor. 276 no. 2583. 1834. Cke. Bull. Buf. Soc. 8: 201. July 1877.

Acladium conspersum, Lk.

Acompsomyces, Thax. Thax. Proc. Am. Acad. 87: 37. d. June 1901 and Bot. Centralbl. 88: 229. d. 14 Nov. 1901. Thax. Proc. Am. Acad. 38: 21. d. 24 June 1902.

Acompsomyces Atomaria, Thax. Thax. Proc. Am. Acad. 88: 22. d. 24 June 1902. Acompsomyces Corticariæ, Thax.
Thax. Proc. Am. Acad. 87: 37. d. June 190
Sacc. & Syd. Syll. 16: 692. d. 1 Feb. 1902. June 1901. Acompsomyces pauperculus, Thax. Thax. Proc. Am. Acad. 38: 23. d. 24 June 1902. Acontium, Morg. Morg. Jour. Myc. 8:4. d. 31 May 1902. Acontium album, Morg.
Morg. Jour. Myc. 8: 4. d. 31 May 1902. Acontium minus, Morg. Morg. Jour. Myc. 8: 5. d. 31 May 1902. Acontium velatum, Morg. Morg. Jour. Myc. 8: 5. d. 31 May 1902. Acremoniella atra, (Cda.) Sacc. Webber, Rept. Nebr. Agr. 1889: 222 (82). 1890. Acremoniella fusca, (Schm.) Sacc. Sacc. Syll. 4: 302. d. 10 April 1886.*

Acremonium fuscum, Schm. S. Syn. Am. Bor. 283 no. 2697. 1834. Bundy, Geol. Wis. 1873-79 1: 401. Acremoniella melanosperma, (S.) Sacc. Sacc. Syll. 4: 303. d. 10 April 1886. Acremonium nigrospermum, S. S. Syn. Am. Bor. 283 no. 2699. d. 1834. Acremonium, Lk. Pound & Clements, Minn. Bot. Studies 9: 669. d. 30 Nov. 1896. Acremonium, sp. indet. Humphrey, Rept. Mass. Exp. Sta. 9: 228. April 1892. Humphrey, Rept. Mass. Exp. Sta. 10: 230 (22). pl. 4, f. 27-29. 1893. Sturgis, Rept. Conn. Exp. Sta. 24: 268. 1901. Acremonium flexuosum, Pk. Pk. Rept. N. Y. Mus. **32**: **44**. *d*. 1886. Pk. Bull. N. Y. Mus. **12**: 19. *d*. pl. 1, f. 16-18. Jan. 1888. Sacc. Syll. **10**: 531. *d*. 30 June 1892. Acremonium fuscum, Schm. See Acremoniella fusca, Sacc. Acremonium nigrospermum, S. See Acremoniella melanosperma, Sacc. Acremonium nitidum, Mart. S. Syn. Am. Bor. 283 no. 2698. 1834. Acremonium verticillatum, Lk. S. Syn. Am. Bor. 283 no. 2696. 1834. Acrocystis, Ell. & Halsted. Halsted, Bull. N. J. Exp. Sta. 76: 14-20. f. 11-13. 28 Nov. 1890. Sacc. Syll. 9: 339. 15 Sept. 1891. Lindau in Engler & Prantl, Pflanzen-fam. 11**: 530. Feb. 1900. Aerocystis Batatas, Ell. & Halsted.

Halsted, Bull. N. J. Exp. Sta. 76: 14-20. f. 11-13. 28 Nov. 1890.

Sacc. Syll. 9: 339. 15 Sept. 1891.

Halsted, Bull. N. J. Exp. Sta. M: 23 Nov. 1891.

Halsted, Rept. N. J. Exp. Sta. 1894: 359. 1895. Townsend, Bull. Md. Exp. Sta. 60: 156. f. 52, 53. March 1899.

Selby, Bull. Ohio Exp. Sta. 121: 56. Sept. 1900. Sturgis, Rept. Conn. Exp. Sta. 24: 289. 1901. **Acrospermum album,** Pk. Pk. Rept. N. Y. Mus. **82**: 38. d. 1886. Pk. Bull. N. Y. Mus. **12**: 24. d. Jan. 1888. Sacc. Syll. **9**: 1129. d. 15 Sept. 1891. Ell. & Ev. Pyren. 728 d. May 1892. Olson, Bot. Gaz. **23**: 370. 21 May 1897. Acrospermum compressum, Tode. Fr. S. M. 2: 245. d. 1822. Grev. Scot. Crypt. Fl. 4: pl. 182. 18: S. Syn. Am. Bor. 266 no. 2412. 1834. M. A. Curtis, Bot. N. Car. 116. 1867. B. & C. Jour. Linn Soc. 10: 352. 1869. Cooke, Handbook 430. d. 1871. Pk. Rept. N. Y. Mus. 25: 85. Sept. 1873. Pk. Rept. N. Y. Mus. 25: 85. Sept. 1873.
B. Grev. 4: 161 (199). June 1876.
Thm. Pilz. Weinstk. 200. d. 1878.
Sacc. Syll. 2: 807. d. 13 June 1883.
Cke. Grev. 12: 113. June 1884.
*Ell. N. A. F. 1318. 1885.
Ell. & Ev. Jour. Myc. 8: 4. d. Jan. 1887.
Langlois, Cat. Pl. La. 27. 1887.
Ell. in Cat. Pl. N. J. 513. 1889.
Ell. & Ev. Pyren. 67. d. May 1892.
*Pazschke, Fung. Eur. 3867. Nov. 1892.
Kellerm. & Werner, Geol. Ohio 7*: 361. Jan. 1895.
Tracy & Earle, Bull. Miss. Exp. Sta. 34: 105. May 1895.
Lindau in Engler & Prantl, Pflanzen-fam. 11: 278. f. 201. Dec. 1896.
Olson, Bot. Gaz. 28: 370. 21 May 1897.
Clavaria herbarum, P. Clavaria herbarum, P. Muhl. Cat. Pl. Am. Sept. 2 ed. 108. 1818. S. Syn. Car. 113 (87) no. 1109. Clavaria compressa, Purt. S. Syn. Am. Bor. 182 no. 1039. 1834. Sacc. Cub. & Manc. Syll. **6**: 709. d. 1 Aug. 1888. Ell. in Cat. Pl. N. J. 495. 1889. Acrospermum conicum, P. S. Syn. Am. Bor. 266 no. 2413. 1834. Acrospermum cornutum, Fr. S. Syn. Am. Bor. 266 no. 2414. Acrospermum corrugatum, Ell. Ell. Bull. Torr. Bot. Club 8: 124. d. Nov. 1881. Sacc. Syll. 2: 808. d. 13 June 1883. Sacc. Syll. 2: 600. a. 13 June 1003. Cke. Grev. 12: 113. June 1884. Ell. & Ev. Jour. Myc. 8: 5. d. Jan. 1887. Hark. Bull. Cal. Acad. 1: 167. Feb. 1885. *Ell. & Ev. N. A. F. 2055. March 1888. Olson, Bot. Gaz. 28: 370. 21 May 1897. Acrospermum fultum, Hark. Hark. Bull. Cal. Acad. 1: 47 (27). d. Feb. 1884. Cke. Grev. 12: 113. June 1884. Cke. Grev. 18: 8. Sept. 1884. Berl. & Vogl. in Sacc. Syll. Add. 1-4: 273. d. 31 Dec. 1886. Sacc. Syll. 9: 1129. d. 15 Sept. 1891. Olson, Bot. Gaz. 28: 370. 21 May 1897.

```
Acrospermum folicolum, B.
  *Rav. Fung. Car. 2:65. 1853.
M. A. Curtis, Bot. N. Car. 116.
                                                                    1867.
  R. Grev. 4: 161 (199) no. 1000. d. June 1876.
Cke. Ann. N. Y. Acad. 1: 184. May 1878.
*Rav. Fung. Am. 734. 1882.
Sacc. Syll. 2: 808. d. 13 June 1883.
Cke. Grev. 12: 113. June 1884.
  Ell. & Ev. Jour. Myc. 8: 4. d. Jan. 1887.

*Ell. & Ev. N. A. F. 2149. Feb. 1880.

*Ell. & Ev. N. A. F. 2629. Feb. 1891.

Ell. & Ev. Pyren. 67. d. May 1892.

Olson, Bot. Gaz. 28: 370. 21 May 1897.

Earle in Mohr, Contr. U. S. Nat. Herb. 6: 164. 31 July 1901.
         Acrospermum Ravenelli, Cke?
   *Cke. in Rav. Fung. Am. 735. 1882.
            NOTE. Probably the same as A. foliicolum, B. according to Ell. & Ev.
         Pyren. 68.
Acrospermum fultum, Hark.
         See Acrospermum corrugatum, Ell.
Acrospermum graminum, Lib.
    Lib. Pl. Crypt. Ard. 33. d. 1830.*
Pk. Rept. N. Y. Mus. 80: 52. Sept. 1878.
Hark. Bull. Cal. Acad. 1: 167. Feb. 1885.
Wint. & Demet. Hedw. 24: 198 (22). Oct. 1885.
Ell. & Ev. Pyren. 67. d. May 1892.
Olson, Bot. Gaz. 28: 370. 21 May 1897.
Henn. Hedw. 87: 275. 31 Dec. 1898.
Acrospermum Ravenelli, B. & C.
    B. Grev. 4: 161 (199) no. 999. d. June 187. Thm. Pilz. Weinstk. 199. d. 1878. Sacc. Syll. 2: 808. d. 13 June 1883. Cke. Grev. 12: 113. June 1884. Ell. & Ev. Jour. Myc. 8: 5. d. Jan. 1887.
                                                                      June 1876.
    Ell. & Ev. Jour. Myc. 8: 116. d. Oct. 1887.
Ell. & Ev. Pyren. 68. d. May 1892.
Olson, Bot. Gaz. 28: 370. 21 May 1897.
Aerospermum Ravenelii, Cke. in Rav. F. Am. 735.
        See Acrospermum foliicolum, B.
Acrospermum urceolatum, Olson.
    Olson, Bot. Gaz. 28: 371. d. pl. 29. 21 May 1897 and Rev. Myc. 43. d. pl. 198, f. 7-9. Jan. 1900.
Lindau & Syd. Hedw. 87: xxxv. 9 April 1898. [Beiblatt no 7.]
                                                                            21 May 1897 and Rev. Myc. 22:
    Sacc. & Syd. Syll. 14: 724. d. 20 Aug 1899.
Acrospermum viridulum, B. & C.
    M. A. Curtis, Bot. N. Car. 116. 1867.
 B. Grev. 4: 161 (199) no. 1001. d. June 1876.
Cke. Ann. N. Y. Acad. 1: 184. May 1878.
*Ell. N. A. F. 857. 1882.
Sacc. Syll. 2: 808. d. 13 June 1883.
Cke. Grev. 12: 113. June 1884.
    Ell. & Ev. Jour. Myc. 8: 4. d. Jan. 1887
Ell. in Cat. Pl. N. J. 513. 1889.
Ell. & Ev. Pyren. 67. d. May 1892.
Olson, Bot. Gaz. 28: 370. 21 May 1897.
                                                                  Jan. 1887.
Aerosporium fasciculatum, Grev.*
        See Oospora fasciculata, Berl. & Vogl.
```

Acrostalagmus, Cda.

Pound & Clements, Minn. Bot. Studies 9:665. d. 30 Nov. 1896.

Acrostalagmus cinnabarinus, Cda.

Hark. & Moore, Cat. Pac. Feb. 1880.

Webber, Rept. Nebr. Agr. 1889: 221 (81). 1890.

McClatchie, Proc. S. Calif. Acad. 1: 376. 5 June 1897.

Pk. Rept. N. Y. Mus. 53: 848. March 1901.

Acrostalagmus tetraclados, A. L. Smith.

Smith, A. L., Jour. Linn. Soc. 85: 11. d. pl. 1, f. 9, 10. 1 April 1901. West Indies.

Acrostalagmus, sp. indet.
MacMillan, Bull. Torr. Bot. Club 19: 10. pl. 123.
Pound & Clements, Minn. Bot. Studies 9: 665. d. Jan. 1892. 30 Nov. 1806.

Acrothamnium violaceum, Nees.

S. Syn. Am. Bor. 275 no. 2562. 1834.

NOTE. See Sacc. Syll. 4: 761. 10 April 1886. Is this perhaps an Hypochnus?

Acrothecium, (Preuss) Sacc. emend.

NOTE. Acrothecium founded by Corda as a subgenus of Trichothecium, Icones 2: 10, 1838, with the species A. parasitans, which is placed in the genus Blastotrichum, Sacc. Syll. 4: 191, 1886, was raised to generic rank by Preuss, Linnæa 24: 110, 1851, where Corda's generic description was retained and the species A. multisporum described. The latter species was again described and figured in Sturm's Deutschlands Flora, 3 Abt., xxx, 85, f. 43, of which the exact date is uncertain, but apparently about 1851 or 1852. The description of the genus in Sturm is again Corda's original description with the addition of a (?) after one word. In Michelia 1: 75, I June 1877, Saccardo extended the genus to include Cordana, Preuss and Acrotheca Fuckel without generic description. In Michelia 2: 29, 25 April 1880, the genus was described by Saccardo and the authority given as Corda, but in Sacc. Syll. 4: 483, 1886, the authority is given as (Preuss) Sacc. emend. Lindau in Engler & Prantl, Pflanzen-fam. 11**: 481, follows Saccardo's limitations, but gives Preuss as the authority.

Acrothecium crustaceum, (S.) Sacc.

Sacc. Syll. 4: 485. d. 10 April 1886.

Dactylium crustaceum, S

S. Syn. Am. Bor. 283 no. 2706. d. 1834:

Acrothecium delicatulum, B. & Br.

Johnson, Bull. Minn. Acad. 1: 367. 1880.

Acrothecium melanopus. (S.) Sacc.

Sacc. Syll. 4: 485. d. 10 April 1886.

Dactylium mėlanopus, S.

S. Syn. Am. Bor. 283 no. 2705. d. 1834.

Acrothecium obovatum, C. & E.

C. & E. Grev. **5**: 50. *d. pl. 80, f. 13.* Dec. 1876. Cke. Jour. Queckett Micr. Club **4**: *pl. 27, f. 30.* 1877. Sacc. Syll. **4**: 484. *d.* 10 April 1886. Ell. in Cat. Pl. N. J. 568. 1889.

Acrothecium recurvatum, Morg.

Morg. Jour. Cin. Soc. 18: 44. d. Dec. 1895. Sacc. Hedw. 85: xlviii. 25 Feb. 1896. [Reportorium no. 7.] Sacc. & Syd. Syll. 14: 1089. d. 20 Aug. 1899.

Acryophyton tuberculatum, Leb.

See *Isaria Sphingum*, S.

Actidium caricinum, S. S. Syn. Am. Bor. 240 no. 2019. d. 1834. Cke. Bull. Buf. Soc. 8: 36. Nov. 1875. Sacc. Syll. 2: 739. d. 13 June 1883. Actidium Crotalariæ, S. MS. See Parodiella grammodes, Cke. Actidium? diatrypoides, Cke. Cke. Grev. 7: 49. Dec. 1878. Sacc. Syll. 2: 739. 13 June 1883. Ell. & Ev. Pyren. 685. May 1892. Actigea, Raf. See Scieroderma, P. Actigea multifida, Raf. See Scleroderma flavidum, Ell. & Ev., var. Actigea sicula, Raf. See Scleroderma Geaster, Ell. & Ev., var. Actiniceps, B. & Br.
Pound & Clements, Minn. Bot. Studies 9: 727. d. 31 May 1897. Actiniceps Besseyi, Macmillan. See Volutella ciliata, Fr., var. stipitata, (Lib.) Sacc. NOTE. An authentic specimen of this species on examination seems to us to be the same as Volutella ciliata, Fr., var. stipitata, Sacc. Actinocladium Penicillus, Fr. See Sporocybe concentrica, Sacc. Actinodermium Sterrebeckii, Nees. See Geaster Linkii, Spreng. Actinomyces Bovis, Harz. NOTE. Information about this species is to be sought in works on animal pathology. Actinonema Psoraleæ, Ell. & Ev. Ell. & Ev. Proc. Phil. Acad. **1898**: 159. d. 28 Feb. 1893. Sacc. Syll. **11**: 526. d. July 1895. Smyth, Tr. Kans. Acad. **15**: 71. March 1898. Actinonema Rosæ, (Lib.) Fr.
Sacc. Syll. 8: 408. d. 15 Dec. 1884.
Pound, Bull. Nebr. Exp. Sta. 1: 357 (87). 18 Dec. 1889.
Humphrey, Rept. Mass. Exp. Sta. 7: 229. 1889.
Webber, Rept. Nebr. Agr. 1889: 218 (78). 1890.
Earle, Bull. U. S. Agr. Veg. Pathol. II: 88. 1890.
Scribner, Rept. U. S. Agr. 1887: 366. pl. 8, f. 1-3. pl. 9, f. 1-4. 1888.
Windle, Am. Florist 8: 424. f. 1-3. 1 May 1888 and Bot. Gaz. 18: 196.
Inly 1888. July 1888. Windle, Am. Mo. Micr. Jour. 9: 128-130. f. 1-3. J. Maynard, Bull. Hatch Exp. Sta. 4: 10. April 1889. July 1888. Maynard, Bull. Hatch Exp. Sta. 4: 16. April 1889. Kelsey, Jour. Myc. 5: 81. June 1889. Jennings, Bull. Tex. Exp. Sta. 9: 23. May 1890. Scrib. Orohard & Garden 12: 57. f. 267, 268. March 1890. Ell. & Ev. Pyren. 605. May 1892. Halsted, Rept. N. J. Exp. Sta. 1891: 303. 1892. Halsted, Rept. N. J. Exp. Sta. 1892: 280. 1893. Underwood, Proc. Ind. Acad. 1898: 43. Aug. 1894. Sturgis, Rept. Conn. Exp. Sta. 17: 86. 1894. *Ell. & Ev. Fung. Columb. 277. 1894. Halsted, Rept. N. J. Exp. Sta. 1894: 381. f. 63. 1895.

```
Tracy & Earle, Bull. Miss. Exp. Sta. 34: 109. May 1895. Halsted, Am. Gardening 16: 226. 22 June 1895. McClatchie in Reid's Hist. Pasadena 616. 1895.
        Millsp. & Nutt. Publ. Field Columb. Mus. Bot. 1: 116.
   McClatchie, Proc. S. Calif. Acad. 1: 374. 5 June 1897.

Halsted, Florists' Exchange 9: 917. f. 1a. 9 Oct. 1897.

Atk. Bull. Cornell Univ. 3: 28. 25 June 1897.

Underw. & Earle, Bull. Ala. Exp. Sta. 80: 163. 28 June 1897.

*Seymour & Earle, E. F. 469. 15 Oct. 1897.
       Seymour & Earle, E. F. 469. 15 Oct. 1897.

Stevens, Rept. Ohio Acad. 5: 63. 1897.

Orton, Rept. Vt. Exp. Sta. 12: 171. Dec. 1899 and Contr. Bot. Vt. 7: 171. Dec. 1899.

Lindau in Engler & Prantl, Pflanzen-fam. 11**: 370. f. 194 J.-L. 1900.

Selby, Bull. Ohio Exp. Sta. 121: 53. Sept. 1900.
   Selby, Bull. Ohio Exp. Sta. 121: 53. Sept. 1900.
Allescher, Rabh. Krypt.-Fl. 16: 708. d. f. 1900.
Sturgis, Rept. Conn. Exp. Sta. 24: 286. 1901.
Patterson, Bull. U.S. Agr. Pl. Industry 8: 23. 3 Feb. 1902.
Ricker, Univ. of Maine Studies 3: 25. 30 April 1902.

Asteroma Rosæ, Lib.
M. A. Curtis, Bot. N. Car. 118. 1867.
Cooke, Handbook 461. d. f. 174. 1871.
B. Grev. 2: 97 (78). Jan. 1874.
Pk. Rept. N. Y. Mus. 28: 58. 1876.
Cke. Grev. 6: 135. June 1878.
Vize, Grev. 7: 11. Sept. 1878.
Pk. Rept. N. Y. Mus. 29: 78. 1878.
Hark. & Moore, Cat. Pac. Fung. 23. Feb. 1880.
*Ell. N. A. F. 536. 1881.
*Rav. Fung. Am. 520. 1881.
    *Rav. Fung. Am. 520. 1881.
Pk. in Day's Cat. Bull. Buf. Soc. 4: 202 (138). 1883.
Hark. Bull. Cal. Acad. 1: 160. Feb. 1885.
       Scribner, Rept. U. S. Agr. 1886: 135. 1887.
Langlois, Cat. Pl. La. 27. 1887.
Ell. in Cat. Pl. N. J. 580. 1889.
Dothidea Rosæ, S.
   S. Syn. Am. Bor. 235 no. 1941. d. 1834.
*Rav. Fung. Car. 1: 68. 1852.
Frost, Proc. Boston Soc. 12: 80. 1869.
       Hark. & Moore, Cat. Pac. Fung. 42. Feb. 1880. Cke. Grev. 18: 41. Dec. 1884. Comes, Critt. Agr. 1: 365. 1891. Phyllachora Rosæ, Sacc.
       Sacc. Syll. 2:611. d. 13 June 1883.
        Tracy & Earle, Bull. Miss. Exp. Sta. 34: 103. May 1805.
Actinothyrium, Kze.
        Allescher, Rabh. Krypt.-Fl. 17: 386. d. f. 1902.
  Actinothyrium caulincolum, S.
       S. Syn. Am. Bor. 249 no. 2178. d. 1
Sacc. Syll. 8: 658. d. 15 Dec. 1884.
 Actinothyrium Cubense, B. & C.
B. & C. Jour. Linn. Soc. 10: 357. d. 1869.
Sacc. Syll. 8: 658. d. 15 Dec. 1884.
                                                                                                                                                                West Indies.
  Actinothyrium graminis, Kze.
       S. Syn. Am. Bor. 249 no. 2176. 1834.
Hark. & Moore, Cat. Pac. Fung. 22. Feb. 1880.
Langlois, Cat. Pl. La. 27. 1887.
       Rostrup, Meddelelser om Groenl. 18: 71 (29). 1894.
```

Actinothyrium Magnoliæ, S.

S. Syn. Am. Bor. 249 no. 2177. d. I Sacc. Syll. 8: 658. d. 15 Dec. 1884.

ACurtis, Fr.

Fr. Summa 337. 1849. Sacc. Cub. & Manc. Syll. 6: 691. d. 1 Aug. 1888. Sacc. Syll. 11: 139. d. July 1895.

ACurtis gigantea, (S.) Fr. Fr. Summa 337. 1849. Sacc. Cub. & Manc. Syll. 6:691. d. 1 Aug. 1888.

Cke. Grev. 20: 11. Sept. 1891.

NOTE. The genus A Curtis, Fr. was founded on Clavaria gigantea, S. which by later writers has been recognized as a monstrosity of some species of Lentinus. Writers are not agreed as to whether the species is Lentinus tigrinus (see B. Gard. Chron. II. 9: 339. 16 March 1878) or Lentinus lepideus (see W. G. Smith, Jour. Bot. 41: 322. Oct. 1903).

Aecidiella, Ell. & Kelsey. See Pucciniosira, Lagerh.

Aecidiella Triumfettæ, Ell. & Kelsey. See Pucciniosira pallidula, Lagerh.

Aecidium, P. Including Peridermium, (Lk.) Lev. and Ræstelia, Reb.

NOTE. Under the genus Aecidium are included all our æcidial forms whether their connection with definite teleutosporic forms is known or not. Where such connection is not yet known we have given all the references to the species known to us. Where such connection is known or is strongly suspected we have given under the æcidial name the references to the æcidial form itself with a cross-reference to the uredosporic and teleutosporic forms, where incidental references to the æcidia may also be found.

It should be remarked that the modern method of studying the Uredineze by infection experiments has resulted in the recognition of many races or form-species, and the older characterization and nomenclature of æcidial

forms can be regarded only as temporary.

Aecidium abietinum, A. & S.

NOTE. The species of Albertini and Schweinitz has been shown to include two forms: one connected with Chrysomyxa Rhododendri, the other with Chrysomyxa, Ledi. (See DeBary, Bot. Zeit. 37: 761 et seq. 1879, and, Schroeter, Beitr. Biol. Pflanzen 3: 51. 1879.) The Aecidium abietinum A. & S. (Peridermium abietinum, Thm.) as used by American mycologists probably does not include the form connected with Chrysomyxa Rhododendri, as that species has not been reported in America. Some of the references relate to the æcidial form of Chrysomyxa Ledi, but uncertainty exists in other cases because under Aecidium abietinum some writers have included as var. decolorans, Thm. the Peridermium decolorans of Peck.

For references to forms probably connected with species of Chrysomyxa on Ledum see Farl. Appalachia 3: 239, Jan. 1884, and Proc. Am. Acad. 20: 320, 1885; also Schroeter, Beitr. Biol. Pflanzen l. c. and Ber. Schles. Ges.

1887: 279.

Aecidium (Peridermium) abietinum, (Fung. Columb. 1479).

NOTE. The locality and host make it probable that the specimens in this case belong to a species which is not identical with those elsewhere given under Aecidium abietinum.

Aecidium abietinum, Auct. Amer. p. p. See Aecidium decolorans, (Pk.).

Aecidium abietinum, f. Engeimanni, Ell. & Ev. See Aecidium Coloradense, Diet.

Aecidium abundans, Pk. Pk. Bot. Gaz. 8: 34. d. April 1878. *Wint. Fung. Eur. 3016. 1884. Wint. & Demet. Hedw. 24: 179 (3). Oct. 1885. Wint. & Demet. Hedw. 24: 179 (3). Oct. 1885.

*Roum. Fung. Gall. 3866. 1886.

Roum. Rev. Myc. 8: 197. 1 Oct. 1886.

Hark. Bull. Cal. Acad. 2: 440. 16 June 1887.

Kellerm. & Carl. Tr. Kans. Acad. 10: 91. 1887.

*Ell. & Ev. N. A. F. 1814. 1887.

De Toni in Sacc. Syll. 7: 797. d. 28 Oct. 1888.

Kelsey, Jour. Myc. 5: 80. June 1889.

Webber, Bull. Nebr. Exp. Sta. 1: 329 (59). 18 D.

Gall. Bull. U. S. Agr. Veg. Pathol. 8: 55. 1889.

Williams, Am. Nat. 24: 780. Aug. 1890.

Webber, Rept. Nebr. Agr. 1889: 200 (60). 1800. 18 Dec. 1880. Williams, Am. Nat. 24: 780. Aug. 1890.

Webber, Rept. Nebr. Agr. 1889: 209 (69). 1890.

*Ell. & Ev. Fung. Columb. 873. April 1896.

Ell. in Nelson, Bull. Wyo. Exp. Sta. 28: 202. May 1896.

Tubeuf-Smith, Diseases of Plants 411. 1897.

Hume, Proc. Davenport Acad. 7: 251. 12 May 1899.

Barthol. Tr. Kans. Acad. 16: 186. June 1899.

Nelson, Rept. Wyo. Exp. Sta. 10: (34). 1900.

Tracy & Earle in Greene, Pl. Baker. 2: 22. 25 March 1901. Earle in Greene, Pl. Baker. 2: 2. 25 March 1901.
Patterson, Bull. U. S. Agr. Pl. Industry 8: 8. 3 Feb. 1902.
*Griffiths, West Am. Fung. 205. 22 March 1902.
*Barthol., Ell. & Ev. Fung. Columb. 1701. Feb. 1903. Aecidium Aconiti-Napelli, (DC.) Wint. *Ell. & Ev. N. A. F. 2212. Feb. 1880. Aecidium Actææ, Opiz. Muhl. Cat. Pl. Am. Sept. 1 ed. 104. 1813. 2 ed. 107. 1818.

Arth. Bull. Iowa Agr. Coll. 1884: 164. Jan. 1885,
Burrill, Bull. Ill. Lab. 2: 223. d. 1885 and Rept. Ill. Ind. Univ. 12:
140. d. 1885.

De Toni in Sacc. Syll. 7: 777. d. 28 Oct. 1888.

Gall. Bull. U. S. Agr. Veg. Pathol. 8: 55. 1889.

Detmers, Bull. Ohio Exp. Sta. 44: 138. Sept. 1892.

Davis. Tr. Wis. Acad. 9: 182. 21 Aug. 1802 Detmers, Bull. Ohio Exp. Sta. 44: 138. Sept. 1892.
Davis, Tr. Wis. Acad. 9: 182. 21 Aug. 1893.
Small & Vail, Mem. Torr. Bot. Club 4: 200. April 1894.
Pk. Rept. N. Y. Mus. 47: 146 (20). Nov. 1894.
Kellerm. & Werner, Geol. Ohio 72: 345. Jan. 1895.
Tubeuf-Smith, Diseases of Plants 409. 1897.
Diet. in Engler & Prantl, Pflanzen-fam. 11**: 76. 1897.
Freeman, Minn. Bot. Studies II. 5: 555. 20 July 1901.
Kellerm. Jour. Myc. 9: 12. 14 Feb. 1903. NOTE. The form on Actae spicate according to Ed. Fischer Bot. Centralbl.

Note. The form on Actae spicata according to Ed. Fischer Bot. Centralbl. 83: 75, 17 July 1900, and Fortsetzung Entwick. Untersuch. ueber Rostpilze, Ber. Schweitz. Bot. Ges. 11: 4-9, 1901, belongs to Puccinia Actae-Agropyri, Ed. Fisch. The authority for the æcidial name is given as Opiz by most authors, who evidently follow Wallroth (1833), and the date as given by Schroeter (quoting Steudel) is 1824. It should be noticed that the name Actidium Actae occurs in Muhlenberg's Catalogue, 1813, where no authority is given.

Aecidium Aetææ, Detmers, p. p. See Aecidium cimicifugatum, S
Aecidium Aegopodii, Reb. See Cæoma Aegopodii, Wint.

Aecidium Aesculi, Ell. & Kellerm.

Ell. & Kellerm. Bull. Torr. Bot. Club 11: 114. d. Oct. 1884. Kellerm. Bull. Wash. Lab. 1:74. Jan. 1885 and Tr. Kans. Acad. 9: 81. 1885. *Ell. N. A. F. 1429. 1885. *Roum. Fung. Gall. 3865. 1886. Roum. Rev. Myc. 8: 197. 1 Oct. 1886. Kellerm. & Carl. Tr. Kans. Acad. 10: 91.

*Kellerm. & Carl. 17. Kans. Acad. 10: 91. 1897.

De Toni in Sacc. Syll. 7: 785. d. 28 Oct. 1888.

*Kellerm. & Swingle Kansas Fungi 1. 1 May 1889.

Webber, Bull. Nebr. Exp. Sta. 1: 329 (59). 18 Dec. 1889.

Webber, Rept. Nebr. Agr. 1889: 209 (69). 1890.

Tubeuf-Smith, Diseases of Plants 410. 1897.

*Svd. Uredineen 1198. Feb. 1898.

*Ell. & Ev. Fung. Columb. 1296. May 1898. Barthol. Tr. Kans. Acad. 16: 186. June 1800.

Aecidium Aethusæ, Ell. & Ev. non Kirch.

See Aecidium Leptotæniæ. Lindr.

Aecidium Aikeni, Syd.

Syd. Ann. Myc. 1: 334. d. July 1903.

Aecidium Thalictri-flavi, Syd. non Wint.

*Syd. Uredineen, 1397. 1899.

Aecidium albescens. Grev.

*Ell. N. A. F. 223. 1879. Arth. Bull. Iowa Agr. Coll. 1884: 164. Jan. 1885. Arth. Bot. Gaz. 10: 369. Sept. 1885. Ell. & Ev. Jour. Myc. 1: 141. d. Nov. 1885.

NOTE. The teleutosporic stage of this species is usually understood to be Puccinia Adoxæ, D.C., but Bubák in Centralbl. Bact. 2 Abt. 10: 574, 1901, considers it to belong to Puccinia argentata, (Schultz) Wint.

Aecidium albiperidium, Arth.

Arth. Jour. Myc. 8: 53. d. 30 June 1902.

NOTE. The above name is given to an Aecidium produced by sowing on Ribes Cynosbati teleutospores obtained in the field on Carex pubescens. The teleutosporic stage is called Puccinia albiperidia, Arth. See also Davis, Tr. Wis. Acad. 14: 86, Sept. 1903, where it is stated that this is probably the same as Aecidium Grossulariæ, P. See also Klebahn, Pringsh. Jahrb. 34: 388 and 35: 701. 1900.

Aecidium album, Clint.

NOTE. In Hedw. 36: 297, 25 Oct. 1897, Dietel describes as new the teleutosporic stage of this species, using the name Uromyces albus, (Clint.) Diet. For synonymy of the æcidial stage see Diet. Hedw. 28: 183, June 1889, and Anderson, Jour. Myc. 6: 121, 6 Jan. 1891. See also Aecidium porosum? under Uromyces Coloradensis, Ell. & Ev. Erythea 1: 204, Oct. 1893.

Pk. Bull. Buf. Soc. 1:68. d. July 1873.
Pk. Rept. N. Y. Mus. 26:78. d. April 1874.
Pk. Rept. N. Y. Mus. 29:76. 1878.
Ell. & Ev. Jour. Myc. 1:86. July 1885.
*Ell. N. A. F. 1431. 1885.
De Toni in Sacc. Syll. 7:789. d. 28 Oct. 1888.
Diet. Hedw. 28:183. June 1889.
Anderson, Jour. Myc. 6:121. d. 6 Jan. 1891.
Tracy & Farle in Greene. Pl. Baker. 1:17. 22

Tracy & Earle in Greene, Pl. Baker. 1: 17. 22 Feb. 1901.

```
Kellerm. Ohio Nat. 2: 161. d. Dec. 1901.
   *Kellerm. Ohio Fungi 2. d. Dec. 1901.
*Griffiths, West Am. Fung. 84, 84. 22 March 1902.
            Aecidium porosum, Pk.
      Pk. Bot. Gaz. 8: 34. d. April 1878.
Arth. Bull. lowa Agr. Coll. 1884: 167. Jan. 1885.
Kellerm. Bull. Wash. Lab. 1: 75. Jan. 1885 and Tr. Kans. Acad. 9:
  81. 1885.

*Ell. N. A. F. 1430. 1885.
Arth. & Holw. Bull. Minn. Surv. 3: 31. 1 Oct. 1887.
Kellerm. & Carl. Tr. Kans. Acad. 10: 91. 1887.
De Toni in Sacc. Syll. 7: 787. d. 28 Oct. 1888.
Kelsey, Jour. Myc. 5: 80. June 1889.
Webber, Bull. Nebr. Exp. Sta. 1: 333 (63). 18 Dec. 1889.
Webber, Bull. U. S. Agr. Veg. Pathol. 8: 56. 1889.
Webber, Rept. Nebr. Agr. 1889: 211 (71). 1890.
Lagerh. Bot. Notiser 1890: 276. 1890.
Davis, Tr. Wis. Acad. 9: 182. 21 Aug. 1893.

*Ell. & Ev. Fung. Columb. 874. April 1896.
Barthol. Tr. Kans. Acad. 16: 191. June 1889.
Nelson, Rept. Wyo. Exp. Sta. 10: (36). 1900.
Kellerm. Ohio Nat. 2: 136. d. Nov. 1901.

*Kellerm. Ohio Fungi 2. d. Dec. 1901.
                 81. 1885.
   *Kellerm. Ohio Fungi 2. d. Dec. 1901.
 Aecidium Allenii, Clint.
  *Poschke Fung. Grid. 1872.

**Roum. Rev. Myc. 10: 86. 1872.

**Roum. Fung. Gall. 4412. 1888.

Roum. Rev. Myc. 10: 86. 1 April 1888.

De Toni in Sacc. Syll. 7: 821. d. 28 Oct. 1888.
  *Pazschke, Fung. Eur. 4039. April 1895.
Pound, Clements and others, Bot. Surv. Nebr. 4: 36. 20 Jan. 1896.
  Hume, Proc. Davenport Acad. 7: 247, 251. 12 May 1899. Nelson, Rept. Wyo. Exp. Sta. 10: (34). 1900. Earle in Greene, Pl. Baker. 2: 2. 25 March 1901. *Griffiths, West Am. Fung. 297. 22 March 1902. *Barthol., Ell. & Ev. Fung. Columb. 1702. Feb. 1903.
 Aecidium alliicolum, Wint.
  *Wint. Fung. Eur. 3317. d. 1885.

Wint. Hedw. 24: 260. d. Dec. 1885 and Jour. Myc. 2: 11. d. Jan. 1886.

De Toni in Sacc. Syll. 7: 830. d. 28 Oct. 1888.

Gall. Bull. U. S. Agr. Veg. Pathol. 8: 55. 1889.

Barthol. Tr. Kans. Acad. 16: 186. June 1899.
Aecidium Amorphæ, Cke.
           See Uropyxis Amorphæ, Schrt.
Aecidium amphigenum, Ell. & Kellerm.
           See Aecidium Kellermannii. De Toni.
Aecidium Anemones, P.

Muhl. Cat. Pl. Am. Sept. 1 ed. 104. 1813. 2 ed. 107. 1818.

Torrey, Cat. Pl. N. Y. 87. 1819.

*Ell. N. A. F. 225. 1879.

Farl. Proc. Am. Acad. 18: 74. July 1883.

*Ell. & F. V. N. A. F. 202. April 1800.
  *Ell. & Ev. N. A. F. 2403. April 1890.
           Aecidium leucospermum, D.C.
     Watt, Can. Nat. & Geol. II. 2: 391. Oct. 1865.
     B. Grev. 8: 60 (102). Dec. 1874.
```

Diet. in Engler & Prantl, Pflanzen-fam. 11**: 76. f. 50 A, B. 1897.

NOTE. Puccinia fusca, Relh. is considered by some botanists to be the teleutosporic stage of this species, but Magnus, Sitz.-Ber. naturforsch. Freunde 1890: 29, 18 Feb. 1890, and 1890: 145, 21 Oct. 1890, discredits this view and Tranzschel, Centralbl. Bact. 2 Abt. 11: 106, 27 Oct. 1903, states that this Aecidium belongs to Ochropsora Sorbi, (Oud.) Diet. Aecidium Anisacanthi, Pk. Pk. Bull. Torr. Bot. Club 10: 75. d. July 1883. De Toni in Sacc. Syll. 7: 819. d. 28 Oct. 1888. *Seymour, Pringle's Mex. Fungi 7. 1 Sept. 1896. Mexico. Aecidium Anisotomes, Reichardt. Pound, Clements and others, Bot. Surv. Nebr. 4: 36. 20 Jan. 1896. Barthol. Tr. Kans. Acad. 16: 186. June 1899. Lindr. Acta. Soc. Fauna et Fl. Fennica 221: 178. 1902. Aecidium Anogræ, Arth.
Arth. Bull. Torr. Bot. Club 28: 664. d. 30 Dec. 1901. Aecidium apocynatum, S. See *Aecidium Apocyni*, S. Aecidium Apocyni, S.
S. Syn. Car. 68 (42) no. 448. d. 1822.
Bon. Abh. Nat. Ges. Halle 5: 208 (42). 1860.
M. A. Curtis, Bot. N. Car. 124. 1867.
Burrill, Bull. Ill. Lab. 2: 236. 1885 and Rept. Ill. Ind. Univ. 12: 1885. Kellerm. & Carl. Tr. Kans. Acad. 10:91. 1887. De Toni in Sacc. Syll. 7: 808. d. 28 Oct. 1888. Webber, Bull. Nebr. Exp. Sta. 1: 329 (59). 18 I Gall. Bull. U. S. Agr. Veg. Pathol. 8: 55. 1889. Webber, Rept. Nebr. Agr. 1889: 209 (69). 1890. 18 Dec. 1880. 1800. Webber, Rept. Nebt. Agl. 1888. 229 (09). 1890.
Williams, Bull. S. Dak. Exp. Sta. 29: 49. Dec. 1891.
Cheney, Tr. Wis. Acad. 10: 69. Oct. 1895.
Tubeuf-Smith, Diseases of Plants 411. 1897.
*Ell. & Ev. Fung. Columb. 1295. May 1898.
Barthol. Tr. Kans. Acad. 16: 186. June 1899.
Patterson, Bull. U. S. Agr. Pl. Industry 8: 8. 3 Feb. 1902.

Cæoma apocynatum, Lk. Lk., L. Sp. Pl. ed. Willd. **6**²: 49. d. 1825. S. Syn. Am. Bor. 292 no. 2865. 1834. *Uredo Asterum*, Spreng. p. p. Spreng. in L. Syst. Veg. 16 ed. **4**¹: 572. d. 1827. Aecidium apocynatum, S. S. Syn. Am. Bor. 309. 1834. *Ell. & Ev. N. A. F. 1823. 1 Aecidium Aquilegiæ, P.
Cockerell, Science Gossip 24: 92. April 1888.
Underw. Proc. Ind. Acad. 1893: 49. Aug. 1894.
Tubeuf-Smith, Diseases of Plants 409. 1897.
Hume, Proc. Davenport Acad. 7: 251. 12 May 1899.
Nelson, Rept. Wyo. Exp. Sta. 10: (34). 1900.
*Shear, Ell. & Ev. Fung. Columb. 1474. May 1901. NOTE. According to Plowright, Gard. Chron. III. 8: 41, 12 July 1890, Aecidium Aquilegia on Aquilegia vulgaris and according to Jacky, Ber. Schweiz. Bot. Ges. Heft. 9: (18), 1899, that on Aquilegia alpina are the æcidia of Puccinia Agrostidis, Plowr.

Aeçidium Ari, Auct. Amer. See Aecidium Caladii, S. Aecidium aroidatum, S See Aecidium Caladii, S.

Aecidium Asperifolii, P. S. Syn. Car. 67 (41) no. 436. 1822. Kellerm. & Carl. Tr. Kans. Acad. 10: 91. 1887.

Cæoma urticatum, S. p. p

S. Syn. Am. Bor. 294 no. 2898. 1834.

NOTE. The European plant of Persoon is referred to Puccinia Rubigovera, (DC.) Wint. The American Aecidium called by this name has been seldom found and little studied. See note under Aecidium Impatientis, S.

Aecidium asteratum, S. p. p. See Aecidium Asterum, S.

Aecidium asteratum, S. p. p. See Aecidium Solidaginis, S.

Aecidium asteratum, S. p. p. See Aecidium Verbesinæ, S.

Aecidium Asterum, S.

NOTE. In the present state of our knowledge it is impossible to arrange the numerous and confused references to the æcidia or Aster, Solidago and related genera with any degree of definiteness. Arthur, Jour. Myc. 8: 54, 30 June 1902, refers Aecidium Asterum, S. to Puccinia Caricis-Asteris, Arth., but as American writers have used the name Aecidium Asterum to include forms on Solidago and other genera we have here arranged such references according to their host genera without attempting to indicate their real affinities.

S. Syn. Car. 67 (41) no. 444. d. 1822. Bon. Abh. Nat. Ges. Halle **5**: 208 (42) d. 1860. M. A. Curtis, Bot. N. Car. 124. 1867. Edwards, Bull. Torr. Bot. Club 2: 39. Oct. 1871. Burrill, Bull. Ill. Lab. 2: 230. d. 1885 and Rept. Ill. Ind. Univ. 12: 144. d. 1885.

Gall. Bull. U. S. Agr. Veg. Pathol. 8: 55. 1889.

Webber, Bull. Nebr. Exp. Sta. 1: 329 (59). 18 Dec. 1889.

Webber, Rept. Nebr. Agr. 1889: 209 (69). 1890.

Detmers, Bull. Ohio Exp. Sta. 44: 138. Sept. 1892.

Underw. Proc. Ind. Acad. 1893: 49. Aug. 1894.

Kellerm. & Werner, Geol. Ohio 72: 345. Jan. 1895.

Underw. & Earle, Bull. Ala. Exp. Sta. 80: 208. 28 June 1897. Stevens, Rept. Ohio Acad. Sci. 5: 66. 1897. Claassen, Rept. Ohio Acad. 5: 68. 1897.

Tubeuf-Smith, Diseases of Plants 411. 1897.
Snyder. Proc. Ind. Acad. 1896: 217. 1897.
Orton, Rept. Vt. Exp. Sta. 11: 210. Sept. 1898 and Contr. Bot. Vt. 2: 12. Sept. 1898.

*Ell. & Ev. Fung. Columb. 1391. May 1899. Barthol. Tr. Kans. Acad. 16: 186. June 18 June 1899.

Nelson, Rept. Wyo. Exp. Sta. 10: (35). 1900. Freeman, Minn. Bot. Studies II. 5: 557. 20 July 1901. Earle in Mohr, Contr. U. S. Nat. Herb. 6: 192. 31 Ju Ricker, Univ. of Maine Studies 3: 50. 30 April 1902. 31 July 1901.

*Griffiths, West Am. Fung. 370. 21 May 1902. Cæoma asteratum, Lk. p. p. Lk., L. Sp. Pl. ed. Willd. 62: 51. d. 1825. S. Syn. Am. Bor. 292 no. 2870. 1834.

Uredo Asterum, Spreng.
Spreng. in L. Syst. Veg. 16 ed. 41: 572. d. 1827.

```
Aecidium asteratum, S. p. p.
   S. Syn. Am. Bor. 300. 1834.
  Cke. Proc. Portland Soc. 1: 181. d. 1869.
Pk. Rept. N. Y. Mus. 25: 92. Sept. 1873.
Frost in Cat. Pl. Amherst 85. 1875.
 Pk. Rept. N. Y. Mus. 29: 77. 1878.
*Ell. N. A. F. 1019. 1883.
Arth. Bull. lowa Agr. Coll. 1884: 164. Jan. 1885.
Kellerm. Bull. Wash. Lab. 1: 74. Jan. 1885 and Tr. Kans. Acad. 9:
  Cobb, List Pl. Amherst 40. 1887.
Kellerm. & Carl. Tr. Kans. Acad. 10: 91. 1887.
Atk. Bull. Cornell Univ. 3: 21. 25 June 1897.
     Aecidium Compositarum, Auct. Amer. p. p.
  Trel. Tr. Wis. Acad. 6: 137 (33). Nov. 1884.
Ell. & Ev. Jour. Myc. 1: 86. July 1885.
Cockerell, Zoe 4: 282. Oct. 1893.
Nelson, Rept. Wyo. Exp. Sta. 10: (35). 1900.
   Pound & Clements, Bot. Surv. Nebr. 5: 24. 30 March 1901. 
Aecidium Compositarum, forma Asteris, Wint.
   Wint. & Demet. Hedw. 24: 179 (3). Oct. 1885.
Aecidium Asterum, Auct. Amer. p. p.
      See Aecidium Solidaginis, S.
Aecidium Astragali, Thm.
   Cockerell, Zoe 4: 283. Oct. 1893.
                  The host in the single reference to this species in America is said
      to be possibly Astragalus alpinus. In Northern Europe the Aecidium on
      that host, Aecidium Astragali, Eriks. non Thm. is connected with Uromyces
      lapponicus, Lagerh, See Lagerh. Bot. Notiser 1890: 274 and Eriksson,
      ditto 1891: 40.
Aecidium Atriplicis, Shear.
  Griffiths, West Am. Fung. 321. 21 May 1902.
Shear, Bull. Torr. Bot. Club 29: 453. d. 25 July 1902.
Aecidium (sub Ræstelia) aurantiacum. (Pk.)
        NOTE. Here are included references to the æcidial form of Gymnosporan-
     gium clavipes, C. & P. See Farlow 1885, 1886 and Thaxter 1887, 1889 given
below. See also Gymnosporangium clavipes. There is an Aecidium auran-
     tiacum of Bonorden, 1860, and therefore Aecidium aurantiacum as given
     here is to be understood to be merely an index name.
      Rœstelia aurantiaca, Pk.
```

Rœstella aurantiaca, Pk.
Pk. Bull. Buf. Soc. 1; 68 d. July 1873.
Pk. Rept. N. Y. Mus. 25; 91. d. pl. 1, f. 10-12. Sept. 1873.
Cke. & B. Fungi 42. 1875.
Frost in Cat. Pl. Amherst 84. 1875.
Farl. Bull. Bussey Inst. 2; 225. Jan. 1878.
Cke. Grev. 7; 45. Dec. 1878.
Pk. Rept. N. Y. Mus. 29; 76. 1878.
*Rav. Fung. Am. 271. 1879.
Farl. Anniv. Mem. Boston Soc. 31. d. 1880.
*Ell. N. A. F. 1084. 1883.
Farl. Proc. Am. Acad. 20; 318. 1885.
Farl. Bot. Gaz. 11; 190. July 1886.
Farl. Bot. Gaz. 11; 236. Sept. 1886.
Thax. Proc. Am. Acad. 22; 264. Jan. 1887 and Centralbl. Bact. 1; 433, 458-460. 1887.

```
Seymour, Tr. Am. Hort. Soc. 4: 155 (4), 160 (8). 7 April 1887. Cobb, List Pl. Amherst 39. 1887.

*Ell. & Ev. N. A. F. 2224. Feb. 1889.

Thax. Bot. Gaz. 14: 165, 171. July 1889.

Ell. in Cat. Pl. N. J. 504. 1889.

Jennings, Bull. Tex. Exp. Sta. 9: 28. May 1890.

Mayr, Waldungen von Nordamer. 139. 1890.

Gall. Rept. U. S. Agr. 1889: 416. 1890.

Pammel, Bull. lowa Exp. Sta. 13: 43. May 1891.

Halsted, Rept. N. J. Exp. Sta. 1892: 307. f. 10. 1893.

Bailey, Bull. Cornell Exp. Sta. 80: 626. f. 10-12. Dec. 1894.

Fischer, Hedw. 34: 4. f. 7. 15 Feb. 1805.
    Fischer, Hedw. 34: 4. f. 7. 15 Feb. 1895.
Tracy & Earle, Bull. Miss. Exp. Sta. 34: 91. May 1895.
Sturgis, Rept. Conn. Exp. Sta. 18: 137. 1895.
Underw. & Earle, Bull. Ala. Exp. Sta. 80: 218. 28 June 1897.
Jones, Oberlin College Lab. Bull. 9: 7. 15 June 1898.
    Jones, Oberlin College Lad. Bull. 9: 7. 13 June 1090. Herbst, Fungal Fl. Lehigh Valley 174. d. 1899. Polson, Rept. Wyo. Exp. Sta. 10: (36). 1900. Ricker, Univ. of Maine Studies 3: 53. 30 April 1902. Raestelia lacerata, B. in Grev. p. p. B. Grev. 8: 59 (101). Dec. 1874. Praestelia cancellata, Auct. Amer. p. p. On Cydonia.
     Pk. Rept. N. Y. Mus. 33: 38. Oct. 1883.
Aecidium auriellum, Pk.
     Pk. Bull. Torr. Bot. Club 10: 74. d. July 1883
De Toni in Sacc. Syll. 7: 778. d. 28 Oct 1888.
Aecidium Bahiæ, B. & C.
    Billings & Frost in Bot. 40th Parallel 414. 1871.
B. Grev. 8: 60 (102) d. Dec. 1874.
De Toni in Sacc. Syll. 7: 801. d. 28 Oct. 1888.
Aecidium balsameum, (Pk.) Diet.
         NOTE. It has been conjectured that this species is connected with a species of Calpptospora common on Vaccinia in North America since Aecidium
          columnare A. & S. closely related morphologically was shown by Hartig, Allg.
          Forst & Jagdzeit. 1880 (see Bot. Zeit. 38: 618) to belong to Calyptospora
          Goeppertiana, J. Kuehn. The teleutosporic stage of Aecidium pseudo-col-
          umnare, J. Kuehn, Hedw. 23: 168, Nov. 1884, a species still more closely
          related to Aecidium balsameum is not known. See also notes under Aecidium
          Peckii, (Thm.) Diet.
     Diet. in Engler & Prantl, Pflanzen-fam. 11**: 78. 1897.
    Peridermium balsameum, Pk.
Pk. Rept. N. Y. Mus. 27: 104. d. pl. 2, f. 24-26. 1875.
Pk. Rept. N. Y. Mus. 29: 77. 1878.
Thm. Mittheil. forstl. Versuchs. Oest. 2: 319 (23). d. 1880.
 *Ell. N. A. F. 1025. 1883.
Farl. Appalachia 8: 239, 241. Jan. 1884.
*Thm. Myc. Univ. 2228. 1884.
Farl. Proc. Am. Acad. 20: 322. 1885.
Arth. & Holw. Bull. Minn. Surv. 3: 31. 1 Oct.
De Toni in Sacc. Syll. 7: 836. d. 28 Oct. 1888.
                                                                                                        1 Oct. 1887.
*Roum. Fung. Gall. 4836. 1888.
Roum. Rev. Myc. 11: 64. 1 April 1889.
Millsp. Bull. W. Va. Exp. Sta. 24: 509. June 1892.
Millsp. & Nutt. Publ. Field Columb. Mus. Bot. 1: 130. Jan. 1896.
```

Tubeuf-Smith, Diseases of Plants 417. 1897. Pk. Bull. N. Y. Mus. 6: 227. July 1899. [Rept. N. Y. Mus. 52:] Freeman, Minn. Bot. Studies II. 5: 559. d. 20 July 1901. *Barthol., Ell. & Ev. Fung. Columb. 1629. Oct. 1902.

Aecidium Barbarese, D.C.

B. Grev. 8: 60 (102). Dec. 1874. Cke. Grev. 8: 34. Sept. 1879.

NOTE. See Sydow, Mon. Ured. 1:517. 15 May 1903. North American specimens of Aecidium Barbareæ probably belong to Puccinia Barbareæ,

Aecidium Berberidis, P.

NOTE. This form belongs to Puccinia graminis. The following references are all that it seems desirable to insert here, for although the Aecidium has frequently been mentioned, the references are mainly in popular writings or are of slight value to mycologists.

S. Syn. Car. 67 (41) no. 437. 1822.
Grev. Scot. Crypt. Fl. 2: pl. 97. 1824.
Sprague, Proc. Boston Soc. 5: 329. 1856.
M. A. Curtis, Bot. N. Car. 124. 1867.
Russell, Am. Nat. 2: 565. f. 1. Jan. 1869.
Cooke, Handbook 538. d. f. 220. 1871.
Pk. Rept. N. Y. Mus. 24: 91, 106. 1872.
Frost in Cat. Pl. Amherst 85. 1875.
Pk. Rept. N. Y. Mus. 29: 76. 1878.
Hark. & Moore, Cat. Pac. Fung. 27. Feb. 1880.
Farl. Bull. Torr. Bot. Club 8: 86. Aug. 1881.
Bundy, Geol. Wis. 1873-79, 1: 400. 1883.
*Ell. N. A. F. 1010. 1883.
Arth. Bull. lowa Agr. Coll. 1884: 164. Jan. 18 Arth. Bull. Iowa Agr. Coll. 1884: 164. Jan. 1885. Cobb, List Pl. Amherst 40. 1887. Bennett, Cat. Pl. R. I. 89. 1888. Bennett, Cat. Pl. R. I. 89. 1888.
Kelsey, Jour. Myc. 5: 80. June 1889.
Bolley, Am. Mo. Micr. Jour. 10: 173. f. 6. 178, 179. pl., f. 3. Aug. 1889 and Jour. Myc. 5: 167. Sept. 1889.
Ell. in Cat. Pl. N. J. 505. 1889.
*Seymour & Earle, E. F. 85. 1 Jan. 1891.
Cockerell, Zoe 4: 283. Oct. 1893.
Underw. Proc. Ind. Acad. 1898: 49. Aug. 1894.
Harbet Fungal Fl. Labigh Valley 174. d. 1800. Herbst, Fungal Fl. Lehigh Valley 174. d. 1899. Jelliffe, Flora of Long Island 36. 1899. Selby, Bull. Ohio Exp. Sta. 121: 17. Sept. 1900. *Shear, Ell. & Ev. Fung. Columb. 1472. May 1901. Cæoma berberidatum, Lk. S. Syn. Am. Bor. 293 no. 2881. 1834.

Aecidium Bermudianum, Farl.

Farl. Bot. Gaz. 12: 206. d. Sept. 1887 and Rev. Myc. 10: 33. d. 1 Jan. 1888.

De Toni in Sacc. Syll. 7: 825. d. 28 Oct. 1888.

NOTE. Gymnosporangium Bermudianum, (Farl.) Earle is the teleutosporic stage of this fungus.

Aecidium biforme, Pk.

Pk. in Parry, Am. Nat. 9: 351. d. June 1875. De Toni in Sacc. Syll. 7: 811. d. 28 Oct. 1888. Anderson, Jour. Myc. 6: 122. 6 Jan. 1891. Sacc. Syll. 9: 324. 15 Sept. 1891. Jacz. Hedw. Beibl. 89: (133). 10 Aug. 1900.

Aecidium Heliotropii, Tracy & Gall. Tracy & Gall. Jour. Myc. 4: 21. d. March 1888. De Toni in Sacc. Syll. 7: 811. d. 28 Oct. 1888. Aecidium Bigeloviæ, Pk. Pk. Bot. Gaz. **3**: 34. *d*. April 1878.

De Toni in Sacc. Syll. **7**: 801. *d*. 28 Oct. 1888.

*Barthol. Ell. & Ev. Fung. Columb. 1703. Feb. 1903. Aecidium Blasdaleanum, Diet. & Holw. Diet. Erythea 8: 77. d. 1 May 1895. *Syd. Uredineen 1149. 1897. Lindau & Syd. Hedw. 87: xvii. 9 April 1898. [Beiblatt no. 7.] Sacc. & Syd. Syll. 14: 376. d. 20 Aug. 1899. Aecidium Boltoniæ, Arth. Arth. Bull. Torr. Bot. Club 28: 664. d. 30 Dec. 1901. NOTE. On the same page with the above, the author suggests that Puccinia Panicularia, Arth. on Glyceria grandis may be the teleutosporic stage. Aecidium Borrichiæ, Syd. Syd. Hedw. Beibl. **40** : (129). *d*. 20 Oct. 1901. Sacc. & Syd. Syll. **16** : 1122. 1 Feb. 1902. Aecidium Botryapites, (S.) Bennett. Note. This is the æcidium of Gymnosporangium biseptatum, Ell. See Farlow 1885, 1886 and Thaxter 1887, 1889 given below and Bull. Conn. Exp. Sta. 107: 15 April 1891. Bennett, Cat. Pl. R. I. 80. Cæoma Botryapites, S. 1888. S. Syn. Am. Bor. 204 no. 2002. 1834. Ræstelia Ellisii, Pk. Pk. Bull. Torr. Bot. Club 6: 13. d. Feb. 1875. *Thm. Myc. Univ. 431. d. 1876.

Thm. Flora 60: 170. d. 11 April 1877.

Pk. Rept. N. Y. Mus. 33: 28. Oct. 1883.

*Roum. Fung. Gall. 4534. 1888.

Roum. Rev. Myc. 10: 143. I July 1888.

*Rostelia Botryapites, C. & E.

**E. Grav. 5: 24. Sept. 1876. Resieva Botryapites, C. & E.
C. & E. Grev. 5: 34. Sept. 1876.
Farl. Bull. Bussey Inst. 2: 225. Jan. 1878.
Farl. Anniv. Mem. Boston Soc. 25. d. 1880.
Farl. Proc. Am. Acad. 18: 75. July 1883.
*Ell. N. A. F. 1087. 1883.
Farl. Proc. Am. Acad. 20: 319. 1885 and Jour. Myc. 1: 46. March 1885. Farl. Bot. Gaz. 11: 236. Sept. 1886. Thax. Proc. Am. Acad. 22: 263, 269. Jan. 1887 and Centralbl. Bact. 1: 432, 433, 460. 1887. Seymour, Tr. Am. Hort. Soc. 4: 155 (4). 7 April 1887. Thax. Bot. Gaz. 14: 165, 171. July 1889. Ell. in Cat. Pl. N. J. 504. 1889. Fischer, Hedw. 34: 4. f. 10. Jan. 1895. *Ell. & Ev. Fung, Columb. 1075. 22 Dec. 1896.
Seymour & Patterson in Deane's Flora of Reservations 138. 1896. Jelliffe, Flora of Long Island 35. 1899. Aecidium Bouvardiæ, Diet. & Holw. Holw. Bot. Gaz. 24: 36. d. 31 July 1897. Mexico. Lindau & Syd. Hedw. 87; xvii. 9 April 1898. [Beiblatt no. 7.]

Sacc. & Syd. Syll. 14: 381. d. 20 Aug. 1899. NOTE. Griffiths in Bull. Torr. Bot. Club. 29: 298, 26 May 1902 suggests that this may be the æcidial stage of his new species Puccinia Bouvardia. Aecidium Brandegei, Pk. Pk. Bot. Gaz. 8: 34. d. April 1878.

De Toni in Sacc. Syll. 7: 808. d. 28 Oct. 1888.

Webber, Bull. Nebr. Exp. Sta. 1: 329 (59). 18 Dec. 1889.

Webber, Rept. Nebr. Agr. 1889: 209 (69). 1890.

Tubeuf-Smith, Diseases of Plants 411. 1897. Barthol. Tr. Kans. Acad. 16: 187. June 1899. Aecidium Brodiææ, Ell. & Hark. Ell. & Hark. Bull. Cal. Acad. 1: 28 (8) d. Feb. 1884. NOTE. Described as the æcidial stage of Uromyces Brodiaa, Ell. & Hark. Aecidium Caladii, S. NOTE. This is the æcidial stage of *Uromyces Caladii*, (S.) Farl. and *Aecidium importatum*, Henn. Verh. Bot. Ver. Brandenb. 73: xxv. d. 1896, is probably not distinct. S. Syn. Car. 69 (43) no. 457. d. 1822. *Ell. N. A. F. 233. 1879. Arth. Bull. lowa Agr. Coll. 1884: 165. Jan. 1885. Ell. & Ev. Jour. Myc. 1: 86. July 1885. Kellerm. & Carl. Tr. Kans. Acad. 10: 91. 1887. Ell. in Cat. Pl. N. J. 505. 1889. Ell. In Cat. Fl. IV. J. 305. 1009.

*Pazschke, Fung. Eur. 3624. 1890.

*Shear, N. Y. Fungi 129. 1893.

*Ell. & Ev. Fung. Columb. 58. 1893.

*Ell. & Ev. Fung. Columb. 659. 24 April 1895.

Stevens, Rept. Ohio Acad. 5: 66. 1897.

Barthol. Tr. Kans. Acad. 16: 187. June 1899. June 1800. Jelliffe, Flora of Long Island 36. 1899. Cæoma aroidatum, Lk. Lk., L. Sp. Pl. ed. Willd. **6**²: 43. d. 1825. S. Syn. Am. Bor. 292 no. 2860. 1834. Uredo Caladii, Spreng. l. Spreng. in L. Syst. Veg. 16 edt **4**¹: 574. d. 1827. Cæoma dracontinatum, S. S. Syn. Am. Bor. 292 no. 2861. d. 1834. NOTE. The spelling dracontionatum in the index of Syn. Am. Bor. is usually adopted. See below. *Aecidium aroidatum,* S. Aecidium aroidatum, S.
S. Syn. Am. Bor. 309. 1834.
*Rav. Fung. Car. 4: 95. 1855.
Sprague, Proc. Boston Soc. 5: 329. 1856.
Pk. Rept. N. Y. Mus. 23: 59. 1872.
Pk. Rept. N. Y. Mus. 24: 105. 1872.
Frost in Cat. Pl. Amherst 85. 1875.
Pk. Rept. N. Y. Mus. 29: 77. 1878.
Cobb, List Pl. Amherst 40. 1887.
Bennett, Cat. Pl. R. I. 89. 1888.
Aecidium dracontionatum. S.

Aecidium dracontionatum, S.

B. Grev. 8: 59 (101). Dec. 1874. Pk. Rept. N. Y. Mus. 28: 61. 1876. Pk. Rept. N. Y. Mus. 29: 77. 1878.

S. Syn. Am. Bor. 300. 1834. Watt, Can. Nat. & Geol. II. 2: 390. Oct. 1865.

Wint. & Demet. Hedw. 24: 180 (4). Oct. 1885. Tracy & Earle, Bull. Miss. Exp. Sta. 34: 89. May 1895. Aecidium Ari, Auct. Amer. M. A. Curtis, Bot. N. Car. 123. *Rav. Fung. Am. 728. 1882.
De Toni in Sacc. Syll. 7: 831. d. 28 Oct. 1888.
Bennett, Cat. Pl. R. I. 89. 1888.

*Aecidium Dracontil, M. A. Curtis. M. A. Curtis, Bot. N. Car. 124. 1867. Edwards, Bull. Torr. Bot. Club 2: 39. Oct. 1871. Cooke, Handbook 538. d. 1871.

De Toni in Sacc. Syll. 7: 831 d. 28 Oct. 1888.

Long, Bull. Torr. Bot. Club 27: 586. 14 Nov. 1900. Pound & Clements, Bot. Surv. Nebr. 5: 24. 30 March 1901. **Aecidium Callirrhoes,** Ell. & Kellerm. Ell. & Kellerm. Jour. Myc. 2: 4. d. Jan. 1886. Kellerm. & Carl. Tr. Kans. Acad. 10: 91. 1887. De Toni in Sacc. Syll. 7: 782. d. 28 Oct. 1888. De 1011 in Sacc. Syll. 7; 702. a. 20 Oct. 1000.

*Kellerm. & Swingle, Kansas Fungi 26. 1 Aug. 1889.

Jennings, Bull. Tex. Exp. Sta. 9: 23. May 1890.

Webber, Tr. St. Louis Acad. 6: 14. 12 March 1892 and Contr. Bot.

Dept. Univ. Nebr. 3: 14. 14 June 1892.

*Syd. Uredineen 1245. 1898.

*Ell. & Ev. Fung. Columb. 1393. May 1899.

Rarthal Tr. Kans. Acad. 16: 187. June 1800. Barthol. Tr. Kans. Acad. 16: 187. June 1890. Aecidium Calthæ, Grev. NOTE. In Europe, Aecidium Caltha, Grev. grows in company with Puccinia Caltha, Lk. and is supposed to be its æcidial stage. Pk. Rept. N. Y. Mus. 25: 91. Sept. 1873. Pk. Rept. N. Y. Mus. 29: 76. 1878. Ell. in Cat. Pl. N. J. 505. 1889. Herbst, Fungal Fl. Lehigh Valley 175. d. 1889. Aecidium Calystegiæ, Desm. *Ell. N. A. F. 1011. 1883. Hark. Bull. Cal. Acad. 2: 441. 16 June Arth. Science II. 10: 564. 20 Oct. 1899. 16 June 1887. Aecidium dubium, Clint. Pk. Rept. N. Y. Mus. 27: 104. d. 1875. Pk. Rept. N. Y. Mus. 29: 77. 1878. NOTE. This Aecidium is the æcidial stage of Puccinia Convolvuli, Cast. **Aecidium cancellatum**, (Jacq.) P. in Gmel.

NOTE. There is good reason for supposing that few if any of the following references to Aecidium cancellatum really relate to the European species of that name which is connected with Gymnosporangium Sabina, (Dicks.) Wint. This Gymnosporangium has been recorded in America on an imported species of juniper, although it is very rare, but, supposing that the determination of the species in that case is correct, there is no reason why the true Aecidium cancellatum might not be found also.

Muhl. Cat. Pl. Am. Sept. 1 ed. 104. 1813. 2 ed. 107. 1818. S. Syn. Car. 66 (40) no. 431. 1822. Rœstelia cancellata, Reb. M. A. Curtis, Bot. N. Car. 123. 1867. Cke. Proc. Portland Soc. 1: 180. d. 1869.

Cooke, Handbook 533. d. 1871. Cke. Grev. 5: 151. June 1877. Farl. Bull. Bussey Inst. 2: 225. Jan. 1878. Vize, Grev. 7: 12. Sept. 1878. Hark. & Moore, Cat. Pac. Fung. 27. Feb. 1880. Farl. Anniv. Mem. Boston Soc. 27. d. 1880. Cæoma Ræstelites, S. Am. Bor. S. Syn. Am. Bor. 204 no. 2000. 1834. Aecidium candidum, P.

See Cystopus candidus, Lev.

Aecidium carneum, (Bosc.) n. n.

NOTE. We have placed under Aecidium carneum references to the foliicolous forms of Aecidium on Pinus palustris and doubtfully on some other species of Pinus of the southern states, for, although the original specimens of Bosc are not to be found in that part of his herbarium, now at Padua, his original figure and description make it probable that his Tubercularia carnea included what has generally been called by American mycologists, Aecidium orientale, Cke. which is an Indian species. It should be added, that although according to Cooke, Bull. Soc. Bot. Fr. 24: 315, Oct. 1877, Aecidium orientale is a foliicolous species, the name has been extended by collectors to include in some cases corticolous forms. Inasmuch as the corticolous and foliicolous forms of Aecidium Pini have been shown by experiment to belong to several distinct species it is not improbable that the same may prove to be true in the present case. But in the absence of cultures to show the development of the Aecidia of this group, the arrangement here given must be regarded as one of convenience only. See also note under Aecidium Pini, (Willd.) P.

Tubercularia carnea, Bosc. Bosc, Ges. Nat. Freunde Mag. 5: 88 (6). d. pl. 6, f. 13. 1811. S. Syn. Car. 56 (30) no. 295. d. 1822. Lk., L. Sp. Pl. ed. Willd. 62: 100. 1825. Spreng. in L. Syst. Veg. 16 ed. 41: 564. d. 1827. Farlow & Seymour, H. I. 161. June 1891. Aecidium Pini, Rav. Fung. Car. *Rav. Fung. Car. 1: 93. 1852. Peridermium Pini, Auct. Amer. p. p.? ? M. A. Curtis, Bot. N. Car. 124. 1867. p. p. Peridermium oblongisporium, var. Ravenelli, Thm. Thm. Mittheil. forstl. Versuchs. Oest. 2: 316 (20). d. 1880. *Rav. Fung. Am. 270. 1879 (sec. Thm.). Peridermium orientale, Cke. (p. p.?). Cke. Grev. 7: 45. Dec. 1878. *Rav. Fung. Am. 270. 1879. Farl. Proc. Am. Acad. 18: 75. July 1883. *Ell. N. A. F. 1026 b. 1883. Wint. & Demet. Hedw. 24: 182 (6). Oct. 1885. Wint. & Demet. Fieuw. 27. 102 (0). Cot. 103.

*Wint. Fung. Eur. 3315. 1885.

Gall. Bull. U. S. Agr. Veg. Pathol. 8: 57. 1889.

Tracy & Earle, Bull. Miss. Exp. Sta. 34: 91. May 1895.

Tracy & Earle, Bull. Miss. Exp. Sta. 38: 138. May 1896.

Underw. & Earle, Bull. Torr. Bot. Club 28: 401. d. 25 Oct. 1896. Atk. Bull. Cornell. Univ. 3: 22. 25 June 1897. Underw. & Earle, Bull. Ala. Exp. Sta. 80: 213. 28 June 1897. Tubeuf-Smith, Diseases of Plants 415. 1897. Earle in Mohr, Contr. U. S. Nat. Herb. 6: 192. 31 July 1901. Massee, Textbk. Pl. Diseases 267. 1800.

Peridermium Ravenelii, Klebahn. Klebahn, Ber. Deutsch. Bot. Ges. 8: (69). 29 Dec. 1890. Tubeuf-Smith, Diseases of Plants 416. 1897. Diet. in Engler & Prantl, Pflanzen-fam. 11**: 42. 1897. *Peridermium Pini, var. acicolum, E. F. 224.

*Seymour & Earle, E. F. 224. I Feb. 1893.

*Aecidium Ravenelli, Diet. Diet. in Engler & Pranti, Pflanzen-fam. 11**: 78. 1897. ?Aecidium orientale, Diet. Diet. in Engler & Prantl, Pflanzen-fam. 11**: 78. 1897. Peridermium carneum, Seymour & Earle. *Seymour & Earle, E. F. 550. 7 June 1899. Aecidium Cassiæ, Ell. & Kellerm.
Kellerm. & Carl. Tr. Kans. Acad. 10: 91. 1887.

*Ell. & Ev. N. A. F. 1825. 1887.

Webber, Bull. Nebr. Exp. Sta. 1: 330 (60). 18 Dec. 1889.
Webber, Rept. Nebr. Agr. 1889: 210 (70). 1890.
Cke. Grev. 20: 110. June 1892.
Sacc. Svil. 11: 215. July 1805. Sacc. Syll. 11: 215. July 1895 Barthol. Tr. Kans. Acad. 16: 187, June 1899. Aecidium Ceanothi, Ell. & Kellerm. Ell. & Kellerm. Bull. Torr. Bot. Club 11: 114. d. Oct. 1884. Kellerm. Bull. Wash. Lab. 1: 74. Jan. 1885 and Tr. Kans. Acad. 9: 81. 1885. *Ell. N. A. F. 1428. 1885. Kellerm. & Carl. Tr. Kans. Acad. 10: 91. Webber, Bull. Nebr. Exp. Sta. 1: 330 (60). 1887 18 Dec. 1880. Webber, Rept. Nebr. Agr. 1889: 210 (70). 18
Tubeuf-Smith, Diseases of Plants 411. 1897.
*Ell. & Ev. Fung. Columb. 1387. May 1899.
Barthol. Tr. Kans. Acad. 16: 187. June 1899. Aecidium Cephalanthi, Seymour. NOTE. Suspected to belong to Puccinia Seymouriana, Arth. See last reference. Seymour, Bot. Gaz. 9: 191. d. Dec. 1884. Burrill, Bull. Ill. Lab. 2: 228. d. 1885 and Rept. Ill. Ind. Univ. 12: 143. d. 1885. *Roum. Fung. Gall. 3864. 1886. Roum. Rev. Myc. 8: 197. 1 Oct. 1886. *Wint. Fung. Eur. 3518. 1886.

*Wint. Fung. Eur. 3518. 1886.

Kellerm. & Carl, Tr. Kans. Acad. 10; 91. 1887.

*Ell. & Ev. N. A. F. 1817. 1887.

De Toni in Sacc. Syll. 7; 797. d. 28 Oct. 1888.

Gall. Bull. U. S. Agr. Veg. Pathol. 8: 55. 1889.

*Syd. Uredineen 496. May 1891.

*Carleton, Ured. Amer. 20. 1804. *Carleton, Ured. Amer. 20. 1894.
Tubeuf-Smith, Diseases of Plants 411. 1897.
Barthol. Tr. Kans. Acad. 16: 187. June 1899.
Arth. Bot. Gaz. 34: 12. 16 July 1902. Aecidium Cerastii, Wint.
Wint. Jour. Myc. 1: 126. d. Oct. 1885.
Wint. & Demet. Hedw. 24: 179 (3). d. Oct. 1885.
De Toni in Sacc. Syll. 7: 780. d. 28 Oct. 1888.
Gall. Bull. U. S. Agr. Veg. Pathol. 8: 55. 1889.
Tubeuf-Smith, Diezaeses of Plants 410. 1897.
Henn Hedy. 87: 282. 25 Oct. 1889. Henn. Hedw. 37: 272. 25 Oct. 1898.

Aecidium cerebrum, (Pk.) Diet.

NOTE. This species is said by Cooke, Bull. Soc. Bot. Fr. 24: 315, 22 Oct. 1877, to be the same as Aecidium corticolum, (Lk.) but is generally considered distinct. The teleutosporic stage is not known. See also Aecidium piriforme, (Pk.) and Aecidium Pini, (Willd.) P.

11**: 79. 1897. Diet. in Engler & Prantl, Pflanzen-fam. ?Cæoma pineum, S. Am. Bor. non Lk. S. Syn. Am. Bor. 294 no. 2903. 1834 (Excl. Syn.). Peridermium cerebrum, Pk. Pk. Bull. Buf. Soc. 1:68. d. July 1873.
Pk. Rept. N. Y. Mus. 25:01. d. Sept. 1873.
Frost in Cat. Pl. Amherst 84. 1875.
Farl. Bull. Bussey Inst. 2:239. Jan. 1878.
Pk. Rept. N. Y. Mus. 29:77. 1878.
Thm. Mittheil. forstl. Versuchs. Oest. 2:312 (16). d. 1880. *Ell. N. A. F. 1022. 1883. EII. N. A. F. 1022. 1883.
Cobb, List Pl. Amherst 39. 1887.
De Toni in Sacc. Syll. 7: 837. d. 28 Oct. 1888.
Ell. in Cat. Pl. N. J. 505. 1889.
Klebahn, Ber. Deutsch. Bot. Ges. 8: (69). 29 Dec. 1890.
Tracy & Earle, Bull. Miss. Exp. Sta. 38: 138. May 1896.
Underw. & Earle, Bot. Gaz. 22: 232. 23 Sept. 1896.
Underw. & Earle, Bull. Torr. Bot. Club 28: 403. d. 25 Oct. 1896.
Ath. Bull. Cornell Univ. 2: 23. 25 June 1807. Underw. & Earle, Bull. Torr. Bot. Club 28: 403. d. 25 Oct. 18 Atk. Bull. Cornell Univ. 3: 22. 25 June 1897. Underw. & Earle, Bull. Ala. Exp. Sta. 80: 213. 28 June 1897. Tubeuf-Smith, Diseases of Plants 414. 1897. Hume, Proc. Davenport Acad. 7: 247, 253. 12 May 1899. Massee, Textbk. Pl. Diseases 267. 1899. Pound & Clements, Bot. Surv. Nebr. 5: 24. 30 March 1901. Earle in Mohr, Contr. U. S. Nat. Herb. 6: 192. 31 July 1901. Schrenk, Yearb. U. S. Agr. 1900: 200. 1901.

Peridermium corticolum, Cke.

Cke. Bull. Soc. Bot. Fr. 24: 315. d. 22 Oct. 1877. Cke. Grev. 7: 45. Dec. 1878.

*Rav. Fung. Am. 269. 1879.

Peridermium Pini, var. corticolum, Ell. in N. A. F.

*Ell. N. A. F. 1021. 1883.

Aecidium Cestri, Mont.

Carl. in Hitchcock, Rept. Mo. Bot. Gard. 9: 117. 20 April 1898. West Indies.

Henn. Hedw. 37: 279. 31 Dec. 1898.

Aecidium Chelonis, Gerard.

Acetalum Chelonis, Gerard.

Gerard, Bull. Torr. Bot. Club 5; 40. d. Sept. 1874 and Hedw. 18; 173. d. Nov. 1874.

Pk. Rept. N. Y. Mus. 29: 77. 1878.

*Wint. Fung. Eur. 3018. 1884.

*Ell. N. A. F. 1433. 1885.

Cke. Grev. 20: 110. June 1892.

Sacc. Syll. 11: 219. July 1895.

*Shear, N. Y. Fungi 322. March 1896.

Aecidium Chenopodii-fruticosi, D.C.

D C. Fl. Fr. 6: 92. d. 1815.*

Smith & Pound, Bot. Surv. Nebr. 2: 28. 15 April 1893. *Ell. & Ev. Fung. Columb. 1294. 1899. (Émended label.)

*Barthol., Ell. & Ev. Fung. Columb. 1501. Dec. 1901.

Aecidium Salicorniæ, F. Columb. *Ell. & Ev. Fung. Columb. 1294. May 1898. Aecidium Chrysopsidis, Ell. & Anderson. Kelsey, Jour. Myc. **5**: 80. Jan. 1889. Ell. & Anderson, Bot. Gaz. **16**: 48. *d*. Sacc. Syll. **9**: 324. *d*. 15 Sept. 1891. Aecidium Cimicifugæ, M. A. Curtis. See Aecidium cimicifugatum, S. Aecidium cimicifugatum, S. S. Syn. Am. Bor. 309. 1834. Lea, Cat. Pl. Cin. 71. 1849. James, Jour. Cin. Soc. 2: 67 (26). April 1879. *Rav. Fung. Car. 1: 94. 1852. Watt, Can. Nat. & Geol. II. 2: 390. Oct. 1865. Watt, Can. Nat. & Geol. II. 2: 390. Oct. 1865.
B. Grev. 3: 60 (102). Dec. 1874.

*Ell. N. A. F. 227. 1879.
Pk. Rept. N. Y. Mus. 33: 28. Oct. 1883.

*Wint. Fung. Eur. 3420. 1886.
De Toni in Sacc. Syll. 7: 777. d. 28 Oct. 1888.
Gall. Bull. U. S. Agr. Veg. Pathol. 8: 55. 1889.
Detmers, Bull. Ohio Exp. Sta. 44: 140. Sept. 1892.
Detmers, Bull. Ohio Exp. Sta. tech. ser. 1: 174. April 1893.
Kellerm. & Werner, Geol. Ohio 72: 345. Jan. 1895.
Lagerh. Tromsoe Mus. Aarshefter 17: 100. d. 1895.

*Syd. Uredineen 1243. 1800. *Syd. Uredineen 1343. 1899.

Kellerm. Jour. Myc. 8: 57. d. 30 June 1902.

*Kellerm. Ohio Fungi 61. d. July 1902.

?Freeman, Minn. Bot. Studies U. 5: 555. d. 20 July 1901.

Cæoma cimicifugatum, S. S. Syn. Am. Bor. 203 no. 2876. d. 1834. Aecidium Cimicifugæ, M. A. Curtis. M. A. Curtis, Bot. N. Car. 123. 1867. Aecidium Actem, Detmers, p. p. Detmers, Bull. Ohio Exp. Sta. 44: 138. Sept. 1892. Aecidium Cissi, Wint. Carl. in Hitchcock, Rept. Mo. Bot. Gard. 9: 117. 20 April 1898. West Indies. Henn. Hedw. 37: 279. 31 Dec. 1898. Aecidium Clarkiæ, Diet. & Holw. Diet. Erythea 2: 129. d. 1 Aug. 1894. NOTE. This accompanies Puccinia Clarkia, Pk. to which it probably belongs. Aecidium claytoniatum, S. NOTE. The teleutosporic stage of this fungus was afterwards described under the name Puccinia Mariæ-Wilsoni, Clint. See Puccinia claytoniata, (S.) Pk. S. Syn. Am. Bor. 309. 1834. Watt, Can. Nat. & Geol. II. 2: 300. Pk. Rept. N. Y. Mus. 23: 59. 1872. Pk. Rept. N. Y. Mus. 24: 106. 1872. Oct. 1865. 1872. B. Grev. 8: 61 (103). Dec. 1874. Pk. Rept. N. Y. Mus. 29: 76. 1878. *Ell. N. A. F. 1017. 1883. *Shear, N. Y. Fungi 131. 1893. Kellerm. & Werner, Geol. Ohio 72: 345. Jan. 1895.

*Ell. & Ev. Fung. Columb. 875. April 1896. *Seymour & Earle, E. F. Suppl. B 27. 5 April 1898. Syd. Mon. Ured. 1: 561. 15 May 1903. Aecidium Claytoniæ, Torr. Torrey, Cat. Pl. N. Y. 87. 1819. Cæoma claytoniatum, S. S. Syn. Am. Bor. 294 no. 2892. d. 1834. Burrill, Bull. Ill. Lab. 2: 175. d. 1885. Aecidium Clematidis, D.C. NOTE. This is held to be the æcidial stage of Puccinia Clematidis, (DC.) Lagerh. (Puccinia Agropyri, Ell. & Ev.). See Diet. Oest. Bot. Zeit. 42: 261 (1), Aug. 1892 and Lagerh. Tromsoe Mus. Aarshefter 17: 54. 1895. B. Grev. 3:60 (102). Dec. 1874. *Thm. Myc. Univ. 1221. **Fill. N. A. F. 1005.

**Farl. Appalachia 8: 230. Jan. 1884.

Arth. Bull. lowa Agr. Coll. 1884: 165. Jan. 1885. **Arth. Bull. Iowa Agr. Coll. 1884: 165. Jan. 1885.

**Wint. Fung. Eur. 3421. 1886.

Halsted, Bull. Iowa Agr. Coll. 1886: 58. 1887.

De Toni in Sacc. Syll. 7: 774. d. 28 Oct. 1888.

Kelsey, Jour. Myc. 5: 80. June 1889.

Webber, Bull. Nebr. Exp. Sta. 1: 330 (60). 18 Dec. 1889.

Gall. Bull. U. S. Agr. Veg. Pathol. 8: 55. 1889.

Williams, Am. Nat. 24: 780. Aug. 1890.

Webber, Rept. Nebr. Agr. 1889: 210 (70). 1890.

Woods, Bot. Surv. Nebr. 2: 38. 15 April 1893.

Davis, Tr. Wis. Acad. 9: 182. 21 Aug. 1893.

*Ell. & Ev. Fung. Columb. 61a, 61b. 1893.

*Folar, N. Y. Fungi 80. 1893.

*Pazschke, Fung. Eur. 3934. Feb. 1894.

Small & Vail, Mem. Torr. Bot. Club 4: 200. April 1894.

Pound, Bot. Surv. Nebr. 3: 9. 18 June 1894.

*Syd. Uredineen 899. Aug. 1894. 18 Dec. 1880. *Syd. Uredineen 899. Aug. 1894. McClatchie in Reid's Hist. Pasadena 615. 1895. McClatchie, Proc. S. Cal. Acad. 1: 372. 5 June 1897.
Claassen, Rept. Ohio Acad. 5: 68. 1897.
Tubeuf-Smith, Diseases of Plants 409. 1897.
Orton, Rept. Vt. Exp. Sta. 11: 210. Sept. 1898 and Contr. Bot. Vt. 2: 12. Sept. 1898.
Hume, Proc. Davenport Acad. 7: 251. 12 May 1899.
Parthal Tr Kans Acad 18: 187. June 1800. Nelson, Rept. Wyo. Exp. Sta. 10: (35). 12 May 1999.
Nelson, Rept. Wyo. Exp. Sta. 10: (35). 1900.
Tracy & Earle in Greene, Pl. Baker 1: 17. 22 Feb. 1901.
Earle in Greene, Pl. Baker 2: 2. 25 March 1901.
Freeman, Minn. Bot. Studies 11. 5: 555. 20 July 1901.
*Griffiths, West Am. Fung. 292. 22 March 1902.
Ricker Univ. of Maine Studies 2: 50. 20 April 1902. Ricker, Univ. of Maine Studies 3: 50. 30 April 1902. Aecidium Clematitis, S. S. Syn. Car. 68 (42) no. 447. d. 1822. Lk., L. Sp. Pl. ed Willid. 62: 54. d. 1825. Spreng. in L. Syst. Veg. 16 ed. 41: 571. d. M. A. Curtis, Bot. N. Car. 124. 1867. Pk. Rept. N. Y. Mus. 23: 61. 1872. Pk. Rept. N. Y. Mus. 24: 106. 1872. Pk. Rept. N. Y. Mus. 26: 91. April 1874.

Frost in Cat. Pl. Amherst 85. 1875.
Cobb, List Pl. Amherst 40. 1887.

Cæoma clematitatum, S.
S. Syn. Am. Bor. 293 no. 2874. 1834.

Aecidium clematitatum, S.
S. Syn. Am. Bor. 309. 1834.
Pk. Rept. N. Y. Mus. 29: 76. 1878.

Aecidium Ranunculacearum, var. Clematidis, Cke.
Cooke, Handbook 539. d. 1871.

Aecidium Cleomis, Ell. & Anderson.

Anderson, Jour. Myc. 5: 82. June 1889.

Ell. & Anderson, Bot. Gaz. 16: 48. d. Feb. 1891.

Sacc. Syll. 9: 325. d. 15 Sept. 1891.

Aecidium Clibadii, Syd.

Syd. Ann. Myc. 1: 333. d. July 1903.

Cent. Amer.

Aecidium Collinsiæ, Ell. & Ev. Ell. & Ev. Bull. Wash. Lab. 1: 4. d. Sept. 1884. De Toni in Sacc. Syll. 7: 813. d. 28 Oct. 1888. Henn. Hedw. 87: 272. 25 Oct. 1898.

NOTE. Hennings describes an æcidium as part of his plant and Syd. Mon. Ured. 1: 246, 15 Nov. 1902, assumes the present *Aecidium* to be the same.

Aecidium Coloradense, Diet.

Diet. in Engler & Prantl, Pflanzen-fam. 1 1**: 78. d. 1897. Sacc. & Syd. Syll. 14: 388. d. 20 Aug. 1899. Peridermiam abietinum, f. Engelmanni, Ell. & Ev. *Ell. & Ev. N. A. F. 2223. Feb. 1889. Aecidium abietinum, f. Engelmanni, Ell. & Ev.

*Ell. & Ev. Fung. Columb. 876. April 1896.

Aecidium Columbiense, Ell. & Ev. Ell. & Ev. Erythea 1: 206. d. 20 Oct. 1893. Sacc. Syll. 11: 217. d. July 1895.

Aecidium Compositarum, Auct. Amer. p. p.

NOTE. Very little is known in regard to the development of the Aecidia on Compositæ in America, but some belong to autoecious and others to heter-ecious species. The number of references is so great and in some instances they are so uncertain that for practical use by mycologists it has seemed best under Aecidium Compositarum to group the Aecidia on all the genera of Compositæ.

Where in the original references no particular host-genus is mentioned, the references are grouped chronologically with the heading of Miscellanea. Where definite genera are mentioned, the hosts are arranged alphabetically, each with its references; e. g., all references to Aecidia on Ambrosia are

placed under Aecidium Compositarum, var. Ambrosia.

For information in regard to European Aecidia on Composita see Jacky, Die Compositen-bewohnenden Puccineen von Typus der Puccinia Hieracii und deren Specialiserung, Inaugural Diss. Bern 1889 and Zeit. Pflanzenkr. 9: 193, 20 Oct. 1899; Klebahn, Bot. Zeit. 58: 133, 1 May 1900, and Magnus, Hedw. Beibl. 39: (147), Oct. 1900. Also see Magnus, Ber. Deutsch Bot. Ges. 11: 453, 29 Aug. 1893, and Lindroth, Ueber einige Compositenbewohnende Puccinien, Acta Soc. Fauna et Fl. Fennica 20?: 1901.

Miscellanea.

Lea, Cat. Pl. Cin. 71. 1849. James, Jour. Cin. Soc. 2: 67 (26). April 1879. Sprague, Proc. Boston Soc. 5: 329. 1856. Sprague, Proc. Boston Soc. 5: 329. 1856.

*Rav. Fung. Car. 5: 97. 1860.

Watt, Can. Nat. & Geol. Il. 2: 390. Oct. M. A. Curtis, Bot. N. Car. 123. 1867.

Pk. Rept. N. Y. Mus. 22: 93. 1869.

Cooke, Handbook 542. d. 1871.

Pk. Rept. N. Y. Mus. 24: 107. 1872.

Frost in Cat. Pl. Amherst 85. 1875.

Pk. Rept. N. Y. Mus. 29: 77. 1878.

Bundy, Geol. Wis. 1873-79 1: 400. 1883.

Brendel, Fl. Peoriana 2 ed. 69. 1887.

Cobb. List Pl. Amherst 40. 1887. Oct. 1865. Cobb, List Pl. Amherst 40. 1887. Halsted, Bull. Iowa Agr. Coll. 1886: 58. Hanglois, Cat. Pl. La. 27. 1887. Bennett, Cat. Pl. R. I. 89. 1888. Ell. in Cat. Pl. N. J. 505. 1889. Tracy & Earle, Bull. Miss. Exp. Sta. 34: 89. May 1895. Aecidium Compositarum, var. Ambrosiæ, Burrill. Burrill, Bull. Ill. Lab. 2: 231. d. 1885 and Rept. Ill. Ind. Univ. 12; 144. d. 1885.

De Toni in Sacc. Syll. 7: 798. d. 28 Oct. 1888.

Cockerell, Zoe 4: 283. Oct. 1893.

Paecidium Compositarum, Auct. Amer. p. p. Claassen, Rept. Ohio Acad. 5: 68. 1897. Aecidium Compositarum, var. Artemisiæ, C. & E. C. & E. Grev. 6: 86. March 1878. Aecidium Tanaceti, Cockerell. Cockerell, Jour. Myc. 5: 85. June 1889. Aecidium Compositarum, var. Artemisiarum, Ell. & Ev. *Ell. & Ev. N. A. F. 2219. 1889.

Aecidium Compositarum, Auct. Amer. p. p.
Patterson, Bull. U. S. Agr. Pl. Industry 8: 8. 3 Feb. 1902. Aecidium Compositarum, var. Asteris, Wint. See Aecidium Asterum, S. Aecidium on Baccharis. See Aecidium fragile, Diet. & Holw. **Aecidium** on **Bahia**. See Aecidium Bahiæ, B. & C. Aecidium Compositarum, var. Bidentis, Burrill.
Burrill, Bull. Ill. Lab. 2: 232. d. 1885 and Rept. Ill. Ind. Univ. 12: 145. d. 1885. De Toni in Sacc. Syll. 7: 799. d. 28 Oct. 1888. ? Aecidium Compositarum, Auct. Amer. p. p. Davis, Tr. Wis. Acad. 9: 161. 21 Aug. 1893. Davis, Tr. Wis. Acad. 14: 88. Sept. 1903. Aecidium on Bigelovia. See Aecidium Bigeloviæ, Pk. Aecidium on Boltonia. See **Aecidium Boltoniæ**, Arth. **Aecidium** on **Borrichia**. See Aecidium Borrichiæ, Syd.

Aecidium on Brickellia. See Aecidium Guadalajaræ, Syd. On Cacalia. Aecidium Compositarum, Auct. Amer. p. p. *Ell. & Ev. N. A. F. 1811. 1887. Kellerm. & Carl. Tr. Kans. Acad. 10: 91. 1887. Davis, Tr. Wis. Acad. 11: 167. Aug. 1897. Barthol. Tr. Kans. Acad. 16: 187. June 1899. ?Aecidium, sp. indet. Davis, Bot. Gaz. 19: 415. 17 Oct. 1894. Aecidium on Chrysopsis. See Aecidium Chrysopsidis, Ell. & Anderson. Aecidium on Clibadium See Aecidium Clibadii, Svd. Aecidium on Crepis. See **Aecidium crepidicolum**, Ell. & Ev. Aecidium Compositarum, var. Erigerontis, Wint. See Aecidium erigeronatum, S. Aecidium Compositarum, var. Eupatoriæ, (S.) B. Note. For the Aecidium on Eupatorium ageratoides, see Aecidium tenue, S. See also Aecidium roseum, Diet. & Holw. B. Grev. 3: 60 (102). Dec. 1874.
Burrill, Bull. Ill. Lab. 2: 231. d. 1885 and Rept. Ill. Ind. Univ. 12: *Ell. N. A. F. 1419. 1885.

De Toni in Sacc. Syll. 7: 798. d. 28 Oct. 1888.

Webber, Bull. Nebr. Exp. Sta. 1: 330 (60). 18 Dec. 1889.

Webber, Rept. Nebr. Agr. 1889: 210 (70). 1890.

Detmers, Bull. Ohio Exp. Sta. 44: 140. Sept. 1892.

*Shear N Y Fungiag 1882. *Shear, N. Y. Fungi 127. 1893. Freeman, Minn. Bot. Studies II. 5: 557. 20 Ju Cæoma compositarum, var. Eupatoriæ, S. 20 July 1901. S. Syn. Am. Bor. 292 no. 2867. 1834.

PAecidium Compositarum, Auct. Amer. p. p. Trel. Tr. Wis. Acad. 6: 137 (33). Nov. 1884.
Davis, Tr. Wis. Acad. 9: 161. 21 Aug. 1893.
Kellerm. & We ner, Geol. Ohio 72: 346. Jan. 1895.
Underw. & Earle, Bull. Ala. Exp. Sta. 80: 208. 28
Underw. Proc. Ind. Acad. 1894: 151. June 1897. 28 June 1807. Snyder, Proc. Ind. Acad. 1896: 217. Barthol. Tr. Kans. Acad. 16: 187. Ju 1897. June 1899. Earle in Mohr, Contr. U. S. Nat. Herb. 6: 192. 31 July 1901. Aecidium on Euthamia. See under **Aecidium Asterum**, S. sec. Freeman. Aecidium on Gnaphalium. See *Aecidium gnaphallatum*, S. **Aecidium** on **Grindelia**. See Aecidium Grindeliæ, Syd. Aecidium Compositarum, Auct. Amer. p. p. On Helenium. *Seymour & Earle E. F. Suppl. B 28. 5 April 1898.

*PAecidium Prenanthis, Auct. Amer. p.p.

Tracy & Earle in Greene, Pl. Baker. 1: 19. 22 Fe
Earle in Greene, Pl. Baker 2: 25 March 1901. 22 Feb. 1901.

Aecidium on Helianthella.

See **Aecidium Helianthellæ,** Arth.

```
Aecidium Compositarum, var. Helianthi, Burrill.
            NOTE. See also Aecidium Helianthi-mollis, S. and Aecidium trachelifo-
        liatum, S. See Burrill, 1885, Barthol. 1889, for notes on Aecidia of Heli-
    Burrill, Bull. Ill. Lab. 2: 232. d. 1885 and Rept. Ill. Univ. 12: 145.
    De Toni in Sacc. Syll. 7: 799. d. 28 Oct. 1888.

Webber, Rept. Nebr. Agr. 1889: 210 (70). 1890.

Williams, Bull. S. Dak. Exp. Sta. 29: 49. Dec. 1891.

Smith & Pound, Bot. Surv. Nebr. 2: 28. 15 April 1893.

Detmers, Bull. Ohio Exp. Sta. tech. ser. 1: 174. April 1893.

Cockerell, Zoe 4: 282. Oct. 1893.
 *Syd. Uredineen 1247. 1898.
 Hume, Proc. Davenport Acad. 7: 251. 12 May 1899. *Ell. & Ev. Fung. Columb. 1392. May 1899. Barthol. Tr. Kans. Acad. 16: 188. June 1899.
 *Syd. Uredineen 1394. 1899.
Freeman, Minn. Bot. Studies II. 5: 557. 20 July 1901.
   Freeman, Minn. Bot. Studies II. 5: 557. 20 July 1901. Aecidium Helianthi, Pk.

Pk. Rept. N. Y. Mus. 24: 107. 1872.

**PAecidium Compositarum, Auct. Amer. p. p. Arth. Bull. lowa Agr. Coll. 1884: 165. Jan. 1885.

Gall. Bull. U. S. Agr. Veg. Pathol. 8: 55. 1889.

Kellerm. & Werner, Geol. Ohio 72: 346. Jan. 1895.

Underw. & Earle, Bull. Ala. Exp. Sta. 80: 208. 28 June 1897.

Claassen, Rept. Ohio Acad. 5: 68. 1897.

Barthol. Tr. Kans. Acad. 16: 187. June 1899.

Nelson. Rept. Wvo. Exp. Sta. 10: (35). 1000.
    Nelson, Rept. Wyo. Exp. Sta. 10: (35). 1900.
Earle in Mohr, Contr. U. S. Nat. Herb. 6: 192. 31 July 19
Patterson, Bull. U. S. Agr. Pl. Industry 8: 8. 3 Feb. 1902.
                                                                                                    31 July 1901.
Aecidium Compositarum, var. Heliopsidis, Wint. Wint. & Demet. Hedw. 24: 179 (3). Oct. 1885.
        ? Aecidium Compositarum, Auct. Amer. p. p.
     Claassen, Rept. Ohio Acad. 5: 68. 1897.
Aecidium on Hieracium.
        See Aecidium Columbiense, Ell. & Ev. See Aecidium hieraciatum, S.
Aecidium on Iva.
        See Aecidium intermixtum, Pk.
Aecidium on Krigia.
        See Aecidium Dandelionis, S.
Aecidium Compositarum, var. Lactucæ, Burrill.
    Burrill, Bull. Ill. Lab. 2: 232. d. 1885 and Rept. Ill. Ind. Univ. 12:
                             1885.
 The Toni in Sacc. Syll. 7: 709. d. 28 Oct. 1888. Webber, Rept. Nebr. Agr. 1889: 210 (70). 1890. Seymour & Earle, E. F. 484. 15 Oct. 1897. Hume, Proc. Davenport Acad. 7: 252. 12 May 1899.
    Tracy & Earle in Greene, Pl. Baker. 1: 17. 22 Feb. 1901.
 Freeman, Minn. Bot. Studies II. 5: 557. 20 July 1901. Lindr. Acta Soc. Fauna et Fl. Fennica 209: 21. 1901. *Barthol., Ell. & Ev. Fung. Columb. 1601. Oct. 1902. Bubak, Centralbl. Bact. 2 Abt. 9: 924. 30 Dec. 1902.
        ?Aecidium Compositarum, Auct. Amer. p. p.
    Trel. Tr. Wis. Acad. 6: 137 (33). Nov. 1884. Arth. Bull. lowa Agr. Coll. 1884: 165. Jan. 1885.
```

Ell. & Ev. Jour. Myc. 1: 86. July 1885. Pammel, Agr. Sci. 7: 26. Jan. 1893. Underw. Proc. Ind. Acad. 1894: 151. Oct. 1895. Barthol, Tr. Kans. Acad. 16: 187. June 1899.

Aecidium on Lactuca.

See also Aecidium hemisphæricum, Pk. See also Aecidium Prenanthis, Auct. Amer. p. p.

Aecidium Compositarum, var. Liatridis, Webber. See Aecidium Liatridis, Ell. & Anderson.

Aecidium Compositarum, var. Lygodesmiæ, Webber. See Aecidium Lygodesmiæ, Shear.

Aecidium Compositarum, Auct. Amer. p. p. On Mikania. B. Grev. 8: 60 (102). Dec. 1874.

Aecidium on Montanoa.

See Aecidium Montanoæ, Diet. & Holw.

On Polymnia. Aecidium Compositarum, Auct. Amer. p. p. Davis, Tr. Wis. Acad. 9: 161. 21 Aug. 1893.

Aecidium Compositarum, var. Prenanthis, Auct. Amer.

NOTE. It is uncertain to what species the following references to æcidia on *Prenanthes* relate, but apparently some are the æcidia of *Puccinia Prenanthis*, (P.) as limited by Lindroth, q. v. As far as we know the name Aecidium Prenanthis on Prenanthes does not occur in American literature except incidentally in Pk. Rept. N. Y. Mus. 50: 115. March 1898. See Aecidium Prenanthis, Auct. Amer. p. p.

Freeman, Minn. Bot. Studies II. 5: 556. 20 July 1901. PAecidium Compositarum, Auct. Amer. p. p.

Trel. Tr. Wis. Acad. 6: 137 (33). Nov. 1884.

Arth. Bull. lowa Agr. Coll. 1884: 165. Jan. 1885.

Orton, Rept. Vt. Exp. Sta. 11: 210. Sept. 1898 and Contr. Bot. Vt. 2: 12. Sept. 1898.

Patterson, Bull. U. S. Agr. Pl. Industry 8: 8. 3 Feb. 1902.

Aecidium Compositarum, var. Rudbeckiæ, Pk. in litt. *Ell. N. A. F. *1018 a*. 1883.

?Aecidium Compositarum, Auct. Amer. p. p. Arth. Bull. lowa Agr. Coll. 1884: 165. Jan. 1885.

*Syd. Uredineen 97. 1889.

Davis, Tr. Wis. Acad. 9: 161. 21 Aug. 1893. Pound, Bot. Surv. Nebr. 3: 9. 18 June 1894. Hume, Proc. Davenport Acad. 7: 252. 12 May 1899.

Aecidium Compositarum, var. Senecionis, Auct. Amer.

NOTE. The Aecidia on Senecio in references here given probably belong to some heteroccious species of Puccinia but their development has not been studied. See also Aecidium sclerothecioides, Ell. & Ev. For further information see Diet. Hedw. 30: 297. Dec. 1891 and Klebahn, Rostpilze 308. 1904.

Webber, Bull. Nebr. Exp. Sta. 1: 330 (60). 18 Dec. 1889. Webber, Rept. Nebr. Agr. 1889: 210 (70). 1890. *PAecidium Compositarum*, Auct. Amer. p. p.

Arth. Bull. lowa Agr. Coll. 1884: 165. Jan. 1885. Davis, Tr. Wis. Acad. 11: 167. Aug. 1897.

PAecidium Senecionis. Auct. Amer.

*Ell. N. A. F. 1425. 1885. Cockerell, Zoe 4: 283. Oct. 1893.

Pk. Rept. N. Y. Mus. 50: 115. 28 March 1898.

?Aecidium Jacobeæ, Auct. Amer.

Freeman, Minn. Bot. Studies II. 5: 556. 20 July 1901.

Aecidium Compositarum, var. Silphii, Burrill. See Aecidium Silphii, Syd.

Aecidium Compositarum, var. Solidaginis, Ell. See Aecidium Solidaginis, S.

Aecidium on Solidago.

See Aecidium recedens, Arth.

See Aecidium solidaginicolum, Ell. & Ev.

Aecidium on **Taraxacum**.

See Aecidium Taraxaci, Schm. & Kze.

Aecidium Compositarum, Auct. Amer. p. p. Anderson, Jour. Myc. 5: 82. June 1889. Nelson, Rept. Wyo. Exp. Sta. 10: (35). On Troximon.

Aecidium Compositarum, Auct. Amer. p. p. On Vernonia. Trel. Tr. Wis. Acad. 6: 137 (33). Nov. 1884.

Aecidium on Wedelia.

See Aecidium Wedeliæ, Earle.

Aecidium Compositarum, var. Xanthii, Ell.

NOTE. Thought by some botanists to be the aecidial stage of Puccinia Xanthii, S. with which it has been found.

*Ell. N. A. F. 1018 b. Burrill, Bull. Ill. Lab. 2: 231. d. 1885 and Rept. Ill. Ind. Univ. 12: 145. d. 1885.

De Toni in Sacc. Syll. 7: 799. d. 28 Oct. 1888.
Pound & Clements, Bot. Surv. Nebr. 5: 24. 30 March 1901.

PAecidium Compositarum, Auct. Amer. p. p. Davis, Tr. Wis. Acad. 9: 161. 21 Aug. 1893.

Aecidium conorum-Piceæ, Reess.

NOTE. Peridermium conorum-Piceae, Pk. in litt. was described by Thuemen, Mittheil. forstl. Versuchs. Oest. 2: 314 (18), 1880 as Peridermium Engelmanni, Thm., q. v., the host being Picea Engelmanni. Farlow, Bull. Bussey Inst. 2: 239, 1878, given below is probably the same. In Farlow, Bull. Bussey Inst. 1: 433, March 1876, the host was *Picea excelsa*. For further information see Klebahn, Rostpilze 391. 1904.

Farl. Bull. Bussey Inst. 1: 433. March 1876. Farl. Bull. Bussey Inst. 2: 239. Jan. 1878. Peridermium conorum, Thm.

Thm. Mittheil. forstl. Versuchs. Oest. 2: 313 (17). d. 1880. *Seymour & Earle, E. F. 220. 1 Feb. 1893.

Aecidium Convallariæ, Schum.

NOTE. According to Soppitt, Jour. of Bot. 28: 213, July 1890, this is the æcidial stage of Puccinia Digraphidis, Soppitt. For further information see Klebahn, Rostpilze 265, 267. 1904.

Pk. Rept. N. Y. Mus. **25**: 92. Sept. 1873. Pk. Rept. N. Y. Mus. **29**: 77. 1878.

*Ell. N. A. F. 229. 1879.

*Wint. Fung. Eur. 3026. 1884. Trel. Tr. Wis. Acad. 6: 136 (32). Nov. 1884. Arth. Bull. lowa Agr. Coll. 1884: 165. Jan. 1885. Burrill, Bull. Ill. Lab. 2: 239. d. 1885 and Rept. Ill. Ind. Univ. 12: 149. d. 1885.

*Ell. N. A. F. 1421. 1885.
Kellerm. & Carl. Tr. Kans. Acad. 10: 91. 1887.
De Toni in Sacc. Syll. 7: 828. d. 28 Oct. 1888.
Webber, Bull. Nebr. Exp. Sta. 1: 330 (60). 18 Dec. 1889.
Gall. Bull. U. S. Agr. Veg. Pathol. 8: 55. 1889.
Webber, Rept. Nebr. Agr. 1889: 210 (70). 1890.
Davis, Tr. Wis. Acad. 9: 161. 21 Aug. 1893.
Tubeuf-Smith, Diseases of Plants 410. 1897.
Herbst, Fungal Fl. Lehigh Valley 176. d. 1899.
Freeman. Minn. Rot. Studies II. 5: 554. 20 July 1001. Freeman, Minn. Bot. Studies II. 5: 554. 20 July 1901. Cæoma convallariatum, Lk.

S. Syn. Am. Bor. 292 no. 2857.

Aecidium Convallariæ, Schum., var. Lilii, Farl.

NOTE. This variety is not connected with Puccinia Digraphidis, Soppitt, but may possibly be the aecidium of Uromyces Holwayi, Lagerh.

*Ell. N. A. F. 228. 1879. Farl. Proc. Am. Acad. 18: 74. July 1883.

Aecidium convolvulatum, S. See Cystopus IpomϾ-panduranæ, Farl.

Aecidium Convolvuli, M. A. Curtis. See Cystopus IpomϾ-panduranæ, Farl.

Aecidium Cordiæ, Henn. Magn. in Bres. Henn. & Magn. in Engler, Bot. Jahrb. 17: 491. d. 1893. West Indies.

Aecidium cornutum, P. in Gmel.

Note. Since what is believed to be the true Gymnosporangium conicum, D C. occurs in New England and northward on Juniperus communis, the citations of Aecidium cornutum on Pirus Americana in those regions probably refer to the true Aecidium cornutum of Europe. Citations of Aecidium cornutum in more southern regions and on Pirus arbutifolia and Amelanchier may relate to Gymnosporangium globosum which has also been cultivated on Pirus Americana. See also Aecidium globosum, (Farl.) and Aecidium Nidus-avis, (Thax.). R. T.

Rœstelia cornuta, Fr. Pk. Rept. N. Y. Mus. 24: 93. 1872. Pk. Rept. N. Y. Mus. 29: 76. 1878. Farl. Bull. Bussey Inst. 2: 225. Jan Jan. 1878. Farl. Anniv. Mem. Boston Soc. 28. 1880. *Ell. N. A. F. 1089. 1883. Farl. Proc. Am. Acad. 18: 75. July 1883. Seymour, Tr. Am. Hort. Soc. 4: 155 (4). 7 April 1887. Thax. Bot. Gaz. 14: 169. July 1889. Ell. in Cat. Pl. N. J. 504. 1889. Tubeuf, Centralbl. Bact. 9: 93. 2 Feb. 1891. Thax. Bull. Conn. Exp. Sta. 107: 4. 15 April 1891. *Seymour & Earle, E. F. 248 x. 1 Feb. 1893. Ricker, Univ. of Maine Studies 3: 54. 30 April 1902. On Pirus arbutifolia.

Thax. Bot. Gaz. 14: 169. July 1889.

Host unknown.

Muhl. Cat. Pl. Am. Sept. 1 ed. 104. 1813. 2 ed. 107. 1818 (as

Aecidium).
Bundy, Geol. Wis. 1873-79, 1:400. 1883.
Præstelia lacerata, Auct. Amer. p. p. On Pirus Americana. Ricker. Univ. of Maine Studies 3: 54. 30 April 1902.

Aecidium cornutum, var. Amelanchieris, (Auct. Amer.). References to Ræstelia cornuta on Amelanchier alnifolia are to be found under Aecidium Nelsoni, (Arth.) Aecidium cornutum, Auct. Amer. p. p. Pk. Rept. N. Y. Mus. 24: 93. 1872. Pk. Rept. N. Y. Mus. 29: 76. 1878. Farl. Anniv. Mem. Boston Soc. 28. 1880. Seymour, Tr. Am. Hort. Soc. 4: 155 (4). 7 April 1887. Thax. Bot. Gaz. 14: 169. July 1889. Ræstelia Amelanchieris, Auct. Amer. *Ell. & Ev. N. A. F. 2715. May 1892. *Restelia cornuta, var. Amelanchieris, Seymour & Earle. *Seymour & Earle, E. F. 248. 1 Feb. 1893. Orton, Rept. Vt. Exp. Sta. 11: 212. Sept. 1898 and Contr. Bot. Vt. 2: 14. Sept. 1898. Aecidium corticolum, Auct. Amer. p. p. See Aecidium Pini, (Willd.) P. Aecidium Corydalis, (Ell. & Kellerm.) Webber. Webber, Rept. Nebr. Agr. 1889: 210 (70). 1890. Aecidium Dicentræ, var. Corydalis, Ell. & Kellerm. *Ell. N. A. F. 1435. 1885. Aecidium Fumariacearum, Kellerm. & Swingle. Kellerm. & Swingle, Jour. Myc. 4: 95. d. Sept. 1888. Sacc. Syll. 9: 322. d. 15 Sept. 1891. Freeman, Minn. Bot. Studies II. 5: 555. 20 July 1901. Aecidium crassum, P. See Aecidium Rhamni, P. in Gmel. Aecidium Cratægi, var. Oxyacanthæ, S. See Aecidium globosum, (Farl.). Aecidium crepidicolum, Ell. & Gall. NOTE. This may belong to Puccinia Crepidis-acuminata, Syd. An Aecidium on Crepis is said to belong to a Puccinia on Carex. See Klebahn, Rostpilze 303. 1904. Ell. & Gall. Jour. Myc. 6: 31. d. March 1890. Sacc. Syll. 9: 324. d. 15 Sept. 1891. Magn. Hedw. Beibl. 40: (32). 20 April 1901. Aecidium Cressæ, D.C. Cressæ, (D.C.) Lagerh. in Southern California; but compare also Puccinia cretica, Holw. B. Grev. 8:60 (102). Dec. 1874. Diet. in Engler & Prantl. Pflanzenfam. 11**: 34. Patterson, Bull. U. S. Agr. Pl. Industry 8: 8. 3 Feb. 1902. Aecidium Crotonopsidis, Burrill. Burrill, Bot. Gaz. 9: 190. d. Dec. 1884. Burrill, Bull. Ill. Lab. 2 237. d. 1885 and Rept. Ill. Ind. Univ. 12: 148. d. 1885. *Ell. & Ev. N. A. F. 1824. 1887. De Toni in Sacc. Syll. 7: 824. d. Aecidium splendens, Wint. 28 Oct. 1888. Wint. & Demet. Hedw. 24: 181 (5). Oct. 1885. *Wint. Fung. Eur. 3224. 1885 and Hedw. 24: 256. Dec. 1885.

*Roum. Fung. Gall. 3860. 1886. Roum. Rev. Myc. 8: 196. 1 Oct. 1886.

```
De Toni in Sacc. Syll. 7: 784. d. 28 Oct. 1888. Gall. Bull. U. S. Agr. Veg. Pathol. 8: 56. 1889. Tubeuf-Smith, Diseases of Plants 410. 1897.
Aecidium cylindricum, Ell. & Ev.
    Ell. & Ev. Bull. Torr. Bot. Club 22: 61. d. 26 Feb. 1895.
    Sacc. Hedw. 85: xviii. 25 Feb. 1896. [Reportorium No. 7.]
Smyth, Tr. Kans. Acad. 15: 70. March 1898.
Sacc. & Syd. Syll. 14: 382. d. 20 Aug. 1899.
Aecidium Cyparissiæ, Auct. Amer.
See Aecidium Euphorbiæ, S.
Aecidium Dakotensis, Griffiths.
  *Griffiths, West Am. Fung. 389. 21 May 1902.
Griffiths, Bull. Torr. Bot. Club 29: 300. d. 26 May 1902.
Aecidium Dalese, Kellerm. & Swingle.
    Kellerm. & Swingle, Jour. Myc. 5: 13. d. March 1889. Webber, Bull. Nebr. Exp. Sta. 1: 331 (61). 18 Dec. 1889. Webber, Rept. Nebr. Agr. 1889: 210 (70). 1890. Sacc. Syll. 9: 320. d. 15 Sept. 1891. Barthol., Tr. Kans. Acad. 16: 188. June 1899.
*Syd. Uredineen 1448. June 1900.
*Shear, Ell: & Ev. Fung. Columb. 1473. May 1901.
Aecidium Dandelionis, S.
                                                                   On Krigia.
    S. Syn. Car. 66 (40) no. 434. d. 1822.

Cæoma compositatum, var. Prenanthis, S.

S. Syn. Am. Bor. 292 no. 2867. 1834.
    Uredo Compositarum, Spreng.
Spreng. in L. Syst. Veg. 16 ed. 41: 572. d. 1827.
PAecidium Compositarum, Auct. Amer. p. p.
     Trel. Tr. Wis. Acad. 6: 137 (33). Nov. 1884.
Freeman, Minn. Bot. Studies II. 5: 556. 20 July 1901.
 Aecidium decolorans, (Pk.).
             NOTE. The development of this species is unknown and its relation to
         other acicolous Aecidia on Abies is uncertain. See note under Aecidium
         abietinum, A. & S.
  Peridermium decolorans, Pk.
Pk. Rept. N. Y. Mus. 27: 104. d. pl. 1, f. 19-21. 1875.
Pk. Tr. Albany Inst. 8: 292 (12). 1876.
Pk. Rept. N. Y. Mus. 29: 77. 1878.
Pk. Pl. Summit Mt. Marcy 405, 409. 1880.
Thm. Mitth. forstl. Versuchs. Oest. 2: 321 (25). 1880.
Pk. Rept. N. Y. Mus. 88: 38. Oct. 1883.
De Toni in Sacc. Syll. 7: 837. 28 Oct. 1888.
Pk. Rept. N. Y. Mus. 44: 119 (7). Dec. 1891.
*Seymour & Earle, E. F. 221. 1 Feb. 1893.
Orton, Rept. Vt. Exp. Sta. 11: 212. Sept. 1898 and Contr. Bot. Vt 2: 14. Sept. 1898.
Pk. Bull. N. Y. Mus. 6: 227. July 1899.
Pk. Rept. N. Y. Mus. 6: 265, 672. Dec. 1890. [Bull. 5: no. 25.]
         Peridermium decolorans, Pk.
     Pk. Rept. N. Y. Mus. 52: 665, 672. Dec. 1899. [Bu Davis, Tr. Wis. Acad. 14: 103. Sept. 1903. Peridermium abietinum, var. decolorans, Thm.
                                                                                                       [Bull. 5: no. 25.]
  Thm. Mittheil. forstl. Versuchs. Oest. 2: 321 (25). d. *Ell. N. A. F. 1024. 1883.
     Arth & Holw. Bull. Minn. Surv. 3: 31. 1 Oct. 1887.
     Freeman, Minn. Bot. Studies II. 5: 559. 20 July 1901. Chrysomyxa Ledi, (Aecidium) Wint. Fung. Eur.
  *Wint. Fung. Eur. 3607. 1890.
```

Aecidium deformans, Mayr.

NOTE. This species on Pinus mitis was named and figured but not described by the author. The Japanese species, Aecidium giganteum, Mayr, nearly related to the above, is said by Shirai, Tokio Bot. Mag. 13: (1-6) pl. 4, 5, 1899, and Zeit. Pflanzenkr. 10: 218, 8 Sept. 1900, to belong to Cronartium Quercuum, (B.) Miyabe, a species found also in North America.

Mayr, Waldungen von Nordamer. 119, 434. pl. 10. 1890.

Peridermium deformans, Tubeuf-Smith.

Tubeuf-Smith, Diseases of Plants 416. 1897.

Aecidium Delphinii, Barthol.

NOTE. See also Aecidium Ranunculacearum, Auct. Amer. p. p. on Delphinium. See also Ell. & Ev. N. A. F. 3480. 1896.

Ell. & Barthol. Jour. Myc. 8: 173. d. 20 Dec. 1902.

Aecidium Dicentræ, Trel.

Trel. Tr. Wis. Acad. **6**: 136 (32). d. Nov. 1884 and Jour. Myc. **1**: 15. d. Jan. 1885. Kellerm. Bull. Wash. Lab. **1**: 75. Jan. 1885 and Tr. Kans. Acad. **9**:

81. 1885. Burrill, Bull. Ill. Lab. 2: 223. d. 1885 and Rept. Ill. Ind. Univ. 12:

140. d. 1885.

Kellerm. & Carl, Tr. Kans. Acad. 10: 91. 1887.

De Toni in Sacc. Syll. 7: 777. d. 28 Oct. 1888.

*Kellerm. & Swingle, Kansas Fungi 2. 1 May 1889.

Webber, Bull. Nebr. Exp. Sta. 1: 331 (61). 18 Dec. 1889.

*Pazschke, Fung. Eur. 3634. 1890.

*Syd. Uredineen 497. May 1891.

Detmers, Bull. Ohio Exp. Sta. tech. ser. 1: 174. April 1893.

Underw. Proc. Ind. Acad. 1893: 49. Aug. 1894.

Kellerm. & Werner, Geol. Ohio 72: 346. Jan. 1895.

Tubeuf-Smith, Diseases of Plants 410. 1897. Barthol., Tr. Kans. Acad. 16: 188. July 1899.

*Pazschke, Fung. Eur. 4335. J. Aecidium Dicentræ, Burrill. June 1903.

Burrill, Bot. Gaz. 9: 180. d. Dec. 1884. Aecidium Dicentræ, var. Corydalis, Ell. & Kellerm.

See Aecidium Corydalis, Webber.

Aecidium Diodiæ, Burrill.

Burrill, Bot. Gaz. 9: 189. d. Dec. 1884.

Burrill, Bull. Ill. Lab. 2: 228. d. 1885 and Rept. Ill. Ind. Univ. 12:

143. d. 1885.

De Toni in Sacc. Syll. 7: 795. d. Oct. 28, 1888.

Tracy & Earle, Bull. Miss. Exp. Sta. 34: 89. May 1895.

*Barthol., Ell. & Ev. Fung. Columb. 1704. Feb. 1903.

Aecidium Drabæ, Tracy & Gall.

NOTE. See also Aecidium monoicum, Pk.

Tracy & Gall. Jour. Myc. 4: 21. d. March 1888. De Toni in Sacc. Syll. 7: 779. d. 28 Oct. 1888. Jones, Proc. Cal. Acad. II. 5: 730. 3 Oct. 1895. Tubeuf-Smith, Diseases of Plants 410. 1897.

Aecidium Dracontii, M. A. Curtis.

See Aecidium Caladii, S.

Aecidium dracontionatum, S. See Aecidium Caladii, S.

Aecidium dubium, Clint. See Aecidium Calystegiæ, Desm.

Aecidium elatinum, A. & S.

Note. This is the æcidium of Melampsorella Caryophyllacearum, (D.C.) Schrt. See Ed. Fischer, Ber. Deutsch. Bot. Ges. 19: 397. 26 June 1901, and Zeit. Pflanzenkr. 12: 193. 7 Oct. 1902. It may be remarked that the distribution of Melampsorella Caryophyllacearum, (D.C.) Schrt. in the Eastern United States corresponds with that of Aecidium elatinum. For further information see Klebahn, Rostpilze 396. 1904.

De Toni in Sacc. Syll. 7: 825. d. 28 Oct. 1888.

Anderson, A. P., Bot. Gaz. 22: 235. 23 Sept. 1896.

Anderson, A. P., Bot. Gaz. 24: 309. pl. 14, 15. 17 Nov. 1897.

Diet. in Engler & Prantl, Pflanzenfam. 11**: 78. f. 52, 53 A. 18

Tubeuf-Smith, Diseases of Plants 404. f. 241, 242. 1897.

Anderson, A. P., Bull. Torr. Bot. Club 29: 31. 28 Jan. 1902.

Ricker, Univ. of Maine Studies 3: 51. 30 April 1902.

Peridermium elatinum, Schm. & Kze.

Pk. Rept. N. Y. Mus. 27: 104. 1875.

Pk. Rept. N. Y. Mus. 28: 86. 1876.

Pk. Rept. N. Y. Mus. 29: 77. 1878.

Thm. Mitth. forstl. Versuchs. Oest. 2: 317 (21). d. 1880.

Farl. Appalachia 8: 243. Jan. 1884.

*Ell. N. A. F. 1437. 1885.

Richards, Proc. Am. Acad. 31: 264. pl. 1, f. 14. 1896.

Davis, Tr. Wis. Acad. 11: 174. Aug. 1897.

Pk. Bull. N. Y. Mus. 6: 227. July 1899.

Nelson, Rept. Wyo. Exp. Sta. 10: (30). 1900.

Aecidium elegans, B. & C.

NOTE. This is understood to be the æcidial stage of Uromyces elegans, Lagerh.

*Rav. Fung. Car. 2: 88. 1853. *Rav. Fung. Am. 727. 1882. Farl. & Seymour, H. I. 30. Aug. 1888. *Seymour & Earle, E. F. 508. 7 June 1899. *Aecidium Orobi, var. elegans, B. B. Grev. 8: 61 (103). d. Dec. 1874. *Thm. Myc. Univ. 1024. 1878.

Aecidium Ellisii, Tracy & Gall.

Note. In Bot. Gaz. 35: 20. 20 Jan. 1903, Arthur states that this is the æcidium of *Puccinia subnitens*, Diet. N. B. This species is not to be confounded with *Ræstelia Ellisii*, Pk., a synonym of *Aecidium Botryapites*, (S.). See also Syd. Mon. Ured. 1: 748. 1 Nov. 1903.

Tracy & Gall. Jour. Myc. 4: 21. d. March 1888. De Toni in Sacc. Syll. 7: 819 d. 28 Oct. 1888. Hume, Proc. Davenport Acad. 7: 252. 12 May 1899. Arth. Bot. Gaz. 85: 20. 20 Jan. 1903. Kellerm. Jour. Myc. 9: 234. 31 Dec. 1903.

Aecidium Engelmanni, (Thm.) Diet.

NOTE. See note under Aecidium conorum-Picea, Reess.

Diet. in Engler & Prantl, Pflanzenfam. 11**: 79. 1897. Peridermium Engelmanni, Thm.

Thm. Mitth. forstl. Versuchs. Oest. 2: 314 (18). d. 1880.

De Toni in Sacc. Syll. 7: 836. d. 28 Oct. 1888.

Tubeuf-Smith, Diseases of Plants 417. 1897. Pk. Bull. N. Y. Mus. 6: 227. July 1899.
Pk. Rept. N. Y. Mus. 52: 650. Dec. 1899. [Bull. 5: no. 25.]

Aecidium Ephedræ, (Cke.) Diet.
Diet. in Engler & Prantl, Pflanzenfam. 11**: 79. 1897.

Aecidium Pini, var. Ephedræ, B. & C.

*Rav. Fung. Car. 3: 95. 1855.

Peridermium Pini, var. minus, B. & C.
B. Grev. 3: 59 (101) no. 576. d. Dec. 1874.

Coleosporium senecionis, var. minus, De Toni. I.
De Toni in Sacc. Syll. 7: 752. d. 28 Oct. 1888.

Peridermium Ephedræ, Cke.
Cke. Ann. N. Y. Acad. 1: 182. May 1878.
Thm. Mitth. forstl. Versuchs Oest. 2: 323 (27). d. 1880.
De Toni in Sacc. Syll. 7: 835. d. 28 Oct. 1888.
Tubeuf-Smith, Diseases of Plants 417. 1897.
Cockerell, Jour. Myc. 10: 50. 19 March 1904.

Aecidium Epilobii, D.C. On Epilobium.

NOTE. The true Aecidium Epilobii, D.C. belongs to Puccinia Epilobii-tetragoni, (D.C.) Wint. and we have included here references to Aecidia on species of Epilobium, most of which at least seem really to belong to this species. With regard to the references here given to Aecidia on species of Oenothera there is some doubt, for although by recent writers they are generally placed here, their position cannot be considered certain. Compare also Aecidium Oenothera, Pk.

Farl. Bot. Gaz. 8: 276. Aug. 1883.
Farl. Appalachia 8: 239. Jan. 1884.
Halsted, Bull. Iowa Agr. Coll. 1888: 116. April 1888.
*Ell. & Ev. N. A. F. 3580. 24 Jan. 1898.
*Ell. & Ev. Fung. Columb. 1300. May 1898.
Tracy & Earle in Greene, Pl. Baker. 1: 17. 22 Feb. 1901.
Trel. in Sacc. Pk. & Trel., Harriman Alaska Exp. 5: 37. 5 April 1904.

*Cæoma Epilobii, Schl.
Ehrb. Horæ Phys. Berol. 96. 1820.

*Aecidium Epilobii, Auct. Amer. On Oenothera.
Sprague, Proc. Boston Soc. 6: 319. 1859.
Pk. Rept. N. Y. Mus. 28: 58. 1872.
Pk. Rept. N. Y. Mus. 24: 106. 1872.
Frost in Cat. Pl. Amherst 85. 1875.
Pk. Rept. N. Y. Mus. 29: 76. 1878.
*Ell. N. A. F. 226. 1879.
Bundy, Geol. Wis. 1873-79 1: 400. 1883.
Arth. Bull. lowa Agr. Coll. 1884: 165. Jan. 1885.
Burrill, Bull. Ill. Lab. 2: 227. d. 1885 and Rept. Ill. Ind. Univ. 12: 142. d. 1885.

Cobb, List Pl. Amherst 40. 1887.
Kellerm. & Carl. Tr. Kans. Acad. 10: 91. 1887.
*Seymour & Earle, E. F. 281. 1 May 1893.
Halsted, Rept. N. J. Exp. Sta. 1892: 347. 1893.
Tracy & Earle, Bull. Miss. Exp. Sta. 34: 89. May 1895.
Atk., Bull. Cornell Univ. 8: 21. 25 June 1897.
Underw. & Earle, Bull. Ala. Exp. Sta. 80: 200. 28 June 1897.
Halsted, Rept. N. J. Exp. Sta. 1898: 368. 1899.
Earle in Mohr, Contr. U. S. Nat. Herb. 6: 192. 31 July 1901.
Davis, Tr. Wis. Acad. 14: 103. Sept. 1903.

Aecidium Oenotheræ, Fung. Columb. non Pk. *Ell. & Ev. Fung. Columb. 1388. May 1899. Aecidium Epilobii, Auct. Amer. p. p. See Aecidium Isnardiæ, Lagerh.

Aecidium erigeronatum, S.

NOTE. On the basis of cultures Arthur describes this plant in Jour. Myc. 8: 54, 30 June, 1902, as the æcidium of *Puccinia Caricis-Erigerontis*, Arth. See also Arth. Bot. Gaz. 35: 16. 20 Jan. 1903.

N.B. Another *Accidium*, A. incurvum, Tracy & Earle, on *Erigeron* is described.

S. Syn. Am. Bor. 309. 1834. Pk. Rept. N. Y. Mus. 24: 92, 107. 1872. Pk. Rept. N. 1. Mus. 24: 92, 107. 1872.

*Thm. Myc. Univ. 151. 1875.

Pk. Rept. N. Y. Mus. 29: 77. 1878.

Bundy, Geol. Wis. 1873-79, 1: 400. 1883.

Arth. Bull. Iowa Agr. Coll. 1884: 165. Jan. 1885.

Burrill, Bull. Ill. Lab. 2: 229. d. 1885 and Rept. Ill. Ind. Univ. 12: 143. d. 1885. 143. d. 1885.
Brendel, Flora Peoriana 2 ed. 69. 1887.
De Toni in Sacc. Syll. 7: 801. d. 28 Oct. 1888.
Webber, Bull. Nebr. Exp. Sta. 1: 331 (61). 18 Dec. 1889.
Webber, Rept. Nebr. Agr. 1889: 211 (71). 1890.
*Ell. & Ev. N. A. F. 2402. 1890.
Detmers, Bull. Ohio Exp. Sta. 44: 138. Sept. 1892.
Detmers, Bull. Ohio Exp. Sta. tech. ser. 1: 178. April 1893.
*Fil. & Fy. N. A. F. 2402. b. Oct. 1803. (Issued with Cent. *Ell. & Ev. N. A. F. 2402 b. Oct. 1893. (Issued with Cent. 30.)

*Ell. & Ev. Pung. Columb. 64. 1893.

*Carl. Ured. Amer. 45. 1894.

Kellerm. & Werner, Geol. Ohio 72: 346. Jan. 1895.

Underw. Proc. Ind. Acad. 1894: 151. Oct. 1895.

Tubeuf-Smith, Diseases of Plants 411. 1897.

Barthol. Tr. Kans. Acad. 16: 188. June 1899.

*Barthol. Fll. & Ev. Fung. Columb. 1893. *Barthol., Ell. & Ev. Fung. Columb. 1502. Dec. 1901. Kellerm. Jour. Myc. 9: 237. 31 Dec. 1903. Cæoma erigeronatum, S. S. Syn. Am. Bor. 202 no. 2869. d. 1834. PĂecidium Compositarum, Auct. Amer. p. p. Trel. Tr. Wis. Acad. 6: 137 (33). Nov. 1884. Kellerm. Bull. Wash. Lab. 1: 75. Jan. 1885 and Tr. Kans. Acad. 9: 1885. 81. Kellerm. & Carl. Tr. Kans. Acad. 10:91. 1887. Gall. Bull. U. S. Agr. Veg. Pathol. 8:55. 1889. Hume, Proc. Davenport Acad. 7:252. 12 May 1899. Pound & Clements, Bot. Surv. Nebr. 5: 24. 30 March 1901. Aecidium Compositarum, forma Erigerontis, Wint. Wint. & Demet. Hedw. 24: 179 (3). Oct. 1885. Freeman, Minn. Bot. Studies II. 5: 556. 20 July 1901.

Aecidium Euphorbiæ, S.

Note. Aecidium Euphorbia, P. in Gmel. 1791 was shown by Schroeter, Hedw. 14: 98. July 1875 to be the Aecidium of Uromyces Pisi, (P.) D By. This Aecidium on Euphorbia Cyparissias must be rare, even if it occurs at all, in the United States and we find scanty references to Uromyces Pisi in this country unless it has been published under some synonym which we are not able to recognize. See also Jordi, Centralbl. Bact. 2 Abt. 10: 777. 3 Sept. 1903 where Uromyces Astragali, (Opiz) Sacc. is said to have

its æcidium on Euphorbia Cyparissias. For further information consult

Klebahn, Rostpilze 330. 1904. The Aecidium Euphorbiæ, S. dates from 1822 and is the æcidium of Uromyces Euphorbia, C. & P. (see Magnus, Ber. Deutsch. Bot. Ges. 14: 376. 28 Dec. 1896) and under this name we give all references to Aecidia on different Euphorbia, since evidently the greater part relate to the æcidium of Uromyces Euphorbia, C. & P. Some references, especially those pertaining to the Western States, may perhaps be distinct but at present their development is unknown. Several species of Uromyces are known on Euphorbia in North America but some of them are believed to be destitute of an æcidial stage. See also Arth. Bot. Gaz. 29: 270. 20 April 1900 and Jour. Myc. 8; 51. 30 June 1902 and Carl. Science II. 13: 250. 15 Feb. 1901.

Muhl. Cat. Pl. Am. Sept. 1 ed. 104. 1813. 2 ed. 107. 1818. Lea, Cat. Pl. Cin. 71. 1849.

Cke. Handbook 537. 1871.

Frost in Cat. Pl. Amherst 84. 1875.

Johnson, Bull. Minn. Acad. 1: 296. 1877 and Rept. Minn. Surv. 5: 85. 1877.
Pk. Rept. N. Y. Mus. 29: 77. 1878.
Pk. Rept. N. Y. Mus. 30: 76. Sept. 1878.
James, Jour. Cin. Soc. 2: 67 (26). April 1879.
*Ray. Fung. Am. 484. 1881. *Rav. Fung. Am. 484. 1881.

Brendel, Flora Peoriana 1 ed. 362 (94). 1882. 2 ed. 69. 1887.

Arth. Bull. Ilowa Agr. Coll. 1884: 166. Jan. 1885.

Burrill, Bull. Ill. Lab. 2: 237. d. 1885 and Rept. Ill. Ind. Univ. 12: 148. d. 1885.

*Ell. & Ev. N. A. F. 1820. 1887.

Cobb, List Pl. Amherst 40. 1887.

De Toni in Sacc. Syll. 7: 823. d. 28 Oct. 1888.

Bennett, Cat. Pl. R. I. 89. 1888.

*Ell. & Ev. N. A. F. 2215. Feb. 1889.

Cockerell, Jour. Myc. 5: 85. June 1889.

Seymour, Proc. Boston Soc. 24: 190. 8 Nov. 1889.

Webber, Bull. Nebr. Exp. Sta. 1: 331 (61). 18 Dec. 1889.

Ell. in Cat. Pl. N. J. 505. 1889.

Gall. Bull. U. S. Agr. Veg. Pathol. 8: 55. 1889.

Webber, Am. Nat. 24: 178. Feb. 1890.

Webber, Rept. Nebr. Agr. 1889: 211 (71). 1890.

Williams, Bull. S. Dak. Exp. Sta. 29: 49. Dec. 1891. Webber, Rept. Nebr. Agr. 1889: 211 (71). 1890.
Williams, Bull. S. Dak. Exp. Sta. 29: 49. Dec. 1891.
*Seymour & Earle, E. F. 385. 1 May 1893.
Halsted, Rept. N. J. Exp. Sta. 1892: 349. 1893.
Underw. Proc. Ind. Acad. 1898: 49. Aug. 1894.
*Ell. & Ev. Fung. Columb. 338. 1894.
*Ell. & Ev. Fung. Columb. 72: 346. Jan. 1895.
Tracy & Earle, Bull. Miss. Exp. Sta. 34: 89. May 1895.
Ell. & James in Holzinger, Contr. U. S. Nat. Herb. 8: 275. 23 Nov. 1895...
McClatchie in Reid's Hist. Pasadena 615. 1895.
McClatchie, Proc. S. Cal. Acad. 1: 372. 5 June 1897.
Atk. Bull. Cornell Univ. 3: 21. 25 June 1897.
Underw. & Earle, Bull. Ala. Exp. Sta. 80: 209. 28 June 1897.
Diet. in Engler & Prantl, Pflanzenfam. 11**: 77. 1897.
Snyder, Proc. Ind. Acad. 1896: 217. 1897.
Tubeuf-Smith, Diseases of Plants 410. 1897.
Orton, Rept. Vt. Exp. Sta. 11: 210. Sept. 1898 and Contr. Bot. Vt. 2: 25 Sept. 1808. Sept. 1898. Hume, Proc. Davenport Acad. 7: 252. 12 May 1899.

Barthol. Tr. Kans. Acad. 16: 188. June 1899.
Long, Bull. Torr. Bot. Club 27: 586. 14 Nov. 1900.
Nelson, Rept. Wyo. Exp. Sta. 10: (35). 1900.
Earle in Mohr, Contr. U. S. Nat. Herb. 6: 192. 31 July 1901.
*Barthol., Ell. & Ev. Fung. Columb. 1503. Dec. 1901.
Patterson, Bull. U. S. Agr. Pl. Industry 8: 8. 3 Feb. 1902.
*Barthol., Ell. & Ev. Fung. Columb. 1602. Oct. 1902.

*Caoma Euphorbiæ-hynericitoliæ. S Cæoma Euphorbiæ-hypericifoliæ, S. S. Syn. Am. Bor. 293 no. 2890. d. Aecidium Euphorbiæ-hypericifoliæ, S. S. Syn. Am. Bor. 300. 1834.
M. A. Curtis, Bot. N. Car. 123. 1867.
Pk. Rept. N. Y. Mus. 24: 92, 106. 1872.
Aecidium Cyparissiæ, Auct. Amer.
Arth. Bull. lowa Agr. Coll. 1884: 165. Jan. 1885. Underw. Proc. Ind. Acad. 1896: 171. 1897. Aecidium Euphorbiæ-hypericifoliæ, S. See Aecidium Euphorbiæ, S. Aecidium Eurotiæ, Ell. & Ev. Ell. & Ev. Jour. Myc. 6: 119. d. 6 Jan. 1891. Sacc. Syll. 9: 319. d. 15 Sept. 1891. *Ell. & Ev. N. A. F. 2709. May 1892. *Ell. & Ev. Fung. Columb. 271. 1894. Nelson, Rept. Wyo. Exp. Sta. 10: (35). 1900. Aecidium Fendleri, Tracy & Earle. NOTE. Cockerell, 1893, reports Aecidium Berberidis, P. on Berberis Fendleri. Tracy & Earle in Greene, Pl. Baker. 1: 17. d. 22 Feb. 1901. Earle in Greene, Pl. Baker. 2: 2. 25 March 1901. Sacc. & Syd. Syll. 16: 1121. 1 Feb. 1902. Aecidium filamentosum, (Pk.) n. n. Peridermium fllamentosum, Pk. Pk. Bot. Gaz. 7: 56. d. May 1882. De Toni in Sacc. Syll. 7: 837. d. 28 Oct. 1888. Klebahn, Ber. Bot. Ges. 8: (69). 29 Dec. 1890. Tubeuf-Smith, Diseases of Plants 415. 1897. Aecidium fimbriatum, (Arth.) n. n. Ræstelia fimbriata, Arth. Arth. Bull. Torr. Bot. Club 28: 666. d. 30 Dec. 1901. Aecidium flaviformis, (Atk.) n. n. Note. The name Rastelia flaviformis given below is a misprint for Ræstelia floriformis, Thaxter in Herb. Atkinson of which no description has been published. See Gymnosporangium flaviforme, Earle. Rœstelia flaviformis, Atk. Underw. & Earle, Bull. Ala. Exp. Sta. 80: 218. 28 June 1897. *Syd. Uredineen 1194. Feb. 1898. Earle in Mohr, Contr. U. S. Nat. Herb. 6: 186. 31 July 1901. Aecidium fragile, Diet. & Holw. NOTE. Perhaps the æcidial stage of Puccinia Oaxacana, Diet. & Holw. which accompanies it. See also Syd. Mon. Ured. 1; 24. 30 June 1902.

Trel. in Sacc., Pk. & Trel., Harriman Alaska Exp. 5: 36. 5 April 1904.

Holw. Bot. Gaz. **31**: 331. 18 May 1901.

Aecidium Fraseræ, Trel.

Digitized by Google

Mexico.

```
Aecidium Fraxini, S.
                  NOTE. On the basis of cultures, Arthur 1899, 1900 reports this as the
            æcidial stage of a Puccinia, now Puccinia fraxinata, (Lk.) Arth. q. v.
       Muhl. Cat. Pl. Am. Sept. 1 ed. 104. 1813. 2 ed. 107. 1818.
      S. Syn. Car. 66 (40) no. 430. d. 182
Fr. S. M. 8; 513. 1832.
Pk. Rept. N. Y. Mus. 28: 59. 1872.
       Pk. Rept. N. Y. Mus. 24: 106. 1872.
 Pk. Rept. N. Y. Mus. 24: 106. 1872.

B. Grev. 3: 61 (103). Dec. 1874.

Pk. Rept. N. Y. Mus. 29: 77. 1878.

*Ell. N. A. F. 222. 1879.

Trel. Tr. Wis. Acad. 6: 136 (32). Nov. 1884.

Arth. Bull. lowa Agr. Coll. 1884: 166. Jan. 1885.

Bessey, Am. Nat. 19: 886, 887. Sept. 1885.

Burrill, Bull. Ill. Lab. 2: 236. d. 1885 and Rept. Ill. Ind. Univ. 12: 148. d. 1885.

Ressey, Am. Nat. 20: 806. Sept. 1886.
       Bessey, Am. Nat. 20: 806. Sept. 1886.
      Bessey, Am. Pomol. Soc. 1885: 43. 18 Roum. Rev. Myc. 9: 103. 1 April 1887.
 Roum. Rev. Myc. 8: 103. 1 April 1007.

*Roum. Fung. Gall. 4040. 1887.

Bessey, Am. Nat. 21: 666. July 1887.

Halsted, Bull. Iowa Agr. Coll. 1886: 55. 1887.

Kellerm. & Carl. Tr. Kans. Acad. 10: 91. 188

Langlois, Cat. Pl. La. 27. 1887.

De Toni in Sacc. Syll. 7: 806. d. 28 Oct. 1888.
De Toni in Sacc. Syll. 7:806. d. 28 Oct. 1888.

Pound, Am. Nat. 22: 1117. Dec. 1888.

Farl. Proc. Soc. Prom. Agr. Sci. 1888: 26. 1888.

Gall. Jour. Myc. 5:95. June 1889.

Webber, Bull. Nebr. Exp. Sta. 1:331 (61). 18 Dec. 1889.

Pound, Bull. Nebr. Exp. Sta. 1:356 (86). Dec. 1889.

Gall. Bull. U. S. Agr. Veg. Pathol. 8:55. 1889.

Gall. Bull. U. S. Agr. Veg. Pathol. 8:55. 1889.

Farl. Gard. & For. 8:627. 24 Dec. 1890.

Webber, Rept. Nebr. Agr. 1889: 211 (71). 1890.

Williams, Bull. S. Dak. Exp. Sta. 29:41. Dec. 1891.

Pammel, Agr. Sci. 7:25. Jan. 1893.

*Seymour & Earle, E. F. 209. 1 Feb. 1893.

Carl. Bot. Gaz. 18:451, 454, pl. 37, f. 5, 6. 25 Dec. 1893.

*Carl. Ured. Amer. 33. 1894.

*Ell. & Ev. Fung. Columb. 409. 1894.

Tracy & Earle, Bull. Miss. Exp. Sta. 34:89. May 1895.

Diet. in Engler & Prantl, Pflanzenfam. 11**:77. 1897.

Tubeuf-Smith, Diseases of Plants 410. 1897.
      Tubeuf-Smith, Diseases of Plants 410. 1897.
Orton, Rept. Vt. Exp. Sta. 11: 211. Sept. 1898 and Contr. Bot. Vt. 2: 13. Sept. 1898.
Barthol. Fr. Kans. Acad. 16: 188. June 1899.
Arth Science II. 10: 66. 20. Oct. 1899.
       Arth. Science II. 10: 565. 20 Oct. 1899.
       Jelliffe, Flora of Long Island 36. 1899.
      Arth. Bot. Gaz. 29: 275. 30 April 1900.
Freeman, Minn. Bot. Studies II. 5: 559. 20 July 1901.
Earle in Mohr, Contr. U. S. Nat. Herb. 6: 1922. 31 July 1901.
      Holw. Jour. Appl. Micr. 5: 1655. f. 1. Feb. 1902.
Schrenk, Bull. U. S. Agr. Pl. Industry 32: 9. 28 Feb. 1903.
             Cæoma fraxinatum, Lk.
     Lk., L. Sp. Pl. ed. Willd. 62: 62. d. 1825.

Uredo Fraxini, Spreng.

Spreng. in L. Syst. Veg. 16 ed. 41: 571. d. 1827.

Cæoma Fraxinites, S.
      S. Syn. Am. Bor. 294 no. 2901. 1834.
```

Rœstelia Fraxini, M. A. Curtis. M. A. Curtis, Bot. N. Car. 123. 1867. Aecidium, sp. Mayr. Mayr, Waldungen von Nordamer. 139, 434. 1890. Aecidium Fumariacearum, Kellerm. & Swingle. See Aecidium Corydalis, (Ell. & Kellerm.) Webber. Aecidium Galii, P. NOTE. Compare Puccinia Galii, (P.) S. and Puccinia troglodytes, Lindr. Johnson, Bull. Minn. Acad. 1: 366. 1880. Arth. Bull. Iowa Agr. Coll. 1884: 166. Jan. 1885. Davis, Tr. Wis. Acad. 14: 87. Sept. 1903. ? Aecidium Galiorum, Langl. Langlois, Cat. Pl. La. 27. 1887. Aecidium Gauræ, Ell. & Ev. Ell. & Ev. Erythea 1: 205. d. 2 Oct. 1893. Sacc. Syll. 11: 215. d. July 1895. Pound & Clements, Bot. Surv. Nebr. 5: 24. 30 March 1901. **Aecidium gaurinum,** Pk. NOTE. The teleutosporic stage is Uromyces gaurinus, (Pk.) Snyder. Pk. Bot. Gaz. 4: 218. d. Oct. 1879. De Toni in Sacc. Syll. 7: 790. d. 28 Oct. 1888. *Ell. & Ev. N. A. F. 2894. March 1893.

*Ell. & Ev. Fung. Columb. 872. April 1896.

*Seymour & Earle, E. F. Suppl. B 29. 5 April 1898.

Barthol. Tr. Kans. Acad. 16: 189. June 1899.

*Griffiths, West Am. Fung. 40. 22 March 1902. Aecidium Gayophyti, Vize. NOTE. Said to belong to Puccinia Gayophyti, Billings. Vize, Grev. 7: 12. d. Sept. 1878. Hark. & Moore, Cat. Pac. Fung. 27. Feb. 1880. *Ell. N. A. F. 1426. 1885. De Toni in Sacc. Syll. 7: 701. d. 28 Oct. 1888. Ell. & Varney in Coville, Contr. U. S. Nat. Herb. 4: 232. 29 Nov. 1893. Aecidium Geranii, Auct. Amer. See Aecidium Geranii-maculati, S. Aecidium Geranii-maculati, S. NOTE. Under this name Schweinitz in 1822 described an Aecidium on Geranium which was not recorded again by any other American botanist till 1865. The Schweinitz species had been assumed to be identical with Aecidium Geranii, D.C. which is said to belong to Uromyces Geranii, (D.C.) Otth & Wartm. until Lindroth, in 1900, regarding the two as distinct, gave the name of Aecidium sanguinolentum to the common North American form. From the description of Aecidium Geranii-maculati given by Schweinitz we feel jus-tified in regarding Aecidium sanguinolentum, Lindr. as a synonym See also Klebahn, Rostpilze 322. 1904. See also Aecidium violascens, Irel. on Geranium erianthus in Alaska. S. Syn. Car. 67 (41) no. 443. d. 1822. Lk., L. Sp. Pl. ed. Willd. 62: 57. d. 1825. Uredo hemisphærica, Spreng. Spreng. in L. Syst. Veg. 16 ed. 41: 571. d. 1827.

Cæoma geraniatum, S. S. Syn. Am. Bor. 293 no. 2879. 1834.

Aecidium Geranii, Auct. Amer. Watt, Can. Nat. & Geol. II. 2: 390. Oct. 1865. M. A. Curtis, Bot. N. Car. 124. 1867. Cke. Proc. Portland Soc. 1: 180. d. 1869. Cke. Froc. Foldand Soc. 1. 180. a. 1809. Cke. Handbook 543. 1871. Pk. Rept. N. Y. Mus. 28: 59. 1872. Pk. Rept. N. Y. Mus. 24: 107. 1872. B. Grev. 8: 60 (102). Dec. 1874. Frost in Cat. Pl. Amherst 85. 1875. Farl. Bull. Bussey Inst. 2: 226. 1878. Pk. Rept. N. Y. Mus. 29: 76. 1878. *Ell. N. A. F. 221. 1879. Johnson, Bull. Minn. Acad. 1: 366. 1880. Bundy, Geol. Wis. 1873-79 1: 400. 1883. Trel. Tr. Wis. Acad. 6: 135 (31). Nov. 1884. Arth. Bull. lowa Agr. Coll. 1884: 166. Jan. 1885. Burrill, Bull. Ill. Lab. 2: 224. d. 1885 and Rept. Ill. Ind. Univ. 12: Burrill, Bull. Ill. Lab. 2: 224. d. 1885 and Rept. Il 141. d. 1885.
Cobb, List Pl. Amherst 40. 1887.
Bennett, Cat. Pl. R. l. 89. 1888.
Detmers, Bull. Ohio Exp. Sta. 44: 138. Sept. 1892.
Underw. Proc. Ind. Acad. 1893: 49. Aug. 1894.
Kellerm. & Werner, Geol. Ohio 72: 346. Jan. 1895.
*Ell & Ev. Fung. Columb. 762. 24 April 1895.
Claassen, Rept. Ohio Acad. 5: 68. 1897.
Snyder, Proc. Ind. Acad. 1896: 217. 1897.
Barthol. Tr. Kans. Acad. 16: 189. June 1899.
Snyder, Proc. Ind. Acad. 1898: 188. Dec. 1899.
Herbst, Fungal Fl. Lehigh Valley 176. d. 1899.
Freeman. Minn. Bot. Studies Il. 5: 556. 20 July 1901 Freeman, Minn. Bot. Studies II. 5: 556. 20 July 1901. Uromyces Geranii, Auct. Amer.

De Toni in Sacc. Syll. 7: 535. 28 Oct. 1888. I.

Detmers, Bull. Ohio Exp. Sta. tech. ser. 1: 172. April 1893. [1?]

Orton, Rept. Vt. Exp. Sta. 11: 218. Sept. 1898 and Contr. Bot. Vt. 2: 20. Sept. 1898. I. Aecidium sanguinolentum, Lindr. Lindr. Bot. Notiser 1900: 241-246. d. Dec. 1900 and Bot. Centralbl. 86: 260. d. 15 May 1901. Sacc. & Syd. Syll. 16: 331. d. 1 Feb. 1902. Aecidium Gerardiæ, Pk. Accidium Gerardiæ, Pk.
Pk. Bull. Buf. Soc. 1: 68. d. July 1873.
Pk. Rept. N. Y. Mus. 25: 92. d. Sept. 1873.
Pk. Rept. N. Y. Mus. 29: 77. 1878.
*Thm. Myc. Univ. 1225. 1879.
De Toni in Sacc. Syll. 7: 813. d. 28 Oct. 1888.
*Roum. Fung. Gall. 46/8. 1888.
Roum. Rev. Myc. 10: 186. 1 Oct. 1888.
*Ell. & Ev. N. A. F. 2710. May 1892.
Underw. & Earle, Bull. Ala. Exp. Sta. 80: 209. 28 June 1897.
*Seymour & Earle, E. F. Suppl. B 30. 5 April 1898.
Earle in Mohr, Contr. U. S. Nat. Herb. 6: 192. 31 July 1901.
Patterson, Bull. U. S. Agr. Pl. Industry 8: 8. 3 Feb. 1902.

Aecidium Giliæ, Pk.

NOTE. Although Aecidium Giliæ, Pk. and Aecidium Polemonii, Pk. resemble one another, in the absence of cultures to show their identity, they are here kept distinct. Under the first named species we have placed those

references to Aecidia on Gilia and Phlox which are assumed to belong to Puccinia plumbaria, Pk. including the Aecidium Wilcoxianum of exsiccati,

of which, so far as we know, no description was ever published.

Specimens in different exsiccati of Accidium Phlogis seem to us not to differ from Accidium Gilia, Pk. Accidium Phlogis, Pk. cited by Arthur, 1885, should probably be in part Accidium Polemonii, Pk. as there is no Accidium Phlogis, Pk. and Accidium Phlogis, Ell. & Ev. dates from 1897. Accidium Polemonii has also been recorded in several cases on Phlox pilosa, but the name in this case is doubtful and we are not able to refer the Accidium in question to Accidium Gilia, Pk. with certainty nor does it seem to be the true Accidium Polemonii, Pk.

The form on Phlox divaricata called Aecidium Polemonii is probably

Aecidium Giliæ, Pk.

Pk. Bot. Gaz. 4: 230. d. Nov. 1879.
Thm. Myc. Univ. 2032. 1881. (Note only.)
*Wint. Fung. Eur. 3519. 1886.
*Roum. Fung. Gall. 3926. 1887.
Roum. Rev. Myc. 9: 23. 1 Jan. 1887.
*Ell. & Ev. N. A. F. 1831. 1887.
De Toni in Sacc. Syll. 7: 814. d. 28 Oct. 1888.
*Ell. & Ev. Fung. Columb. 763. 24 April 1895.
Tubeuf-Smith, Diseases of Plants 411. 1897.
Aecidium Wilcoxianum, Thm.
*Thm. Myc. Univ. 2226. 1884.
*Ell. N. A. F. 1432. 1885.
*Roum. Fung. Gall. 5213. 1890.
Roum. Rev. Myc. 12: 62. April 1890.
Sacc. Syll. 11: 219. July 1895.
Aecidium Phiogis, Arth. p. p.
Arth. Rull. Iowa Agr. Coll. 1884: 167. Jan. 1885. Phlox divaricata.
*PAecidium Polemonii, Auct. Amer. p. p.
Gall. Bull. U. S. Agr. Veg. Pathol. 8: 56. 1889.
Pound & Clements, Bot. Surv. Nebr. 5: 24. 30 March 1901.
Aecidium Phiogis, Ell. & Ev.
Ell. & Ev. Bull. Torr. Bot. Club 24: 284. d. 29 June 1897.
*Ell. & Ev. Bull. Torr. Bot. Club 24: 284. d. 29 June 1897.
*Ell. & Ev. Bull. Torr. Bot. Club 24: 284. d. 29 June 1897.
*Ell. & Ev. Bull. Torr. Bot. Club 24: 289. [Beiblatt no. 7.]
Sacc. & Syd. Syll. 14: 383. d. 20 Aug. 1899.
Nelson, Rept. Wyo. Exp. Sta. 10: (36). 1900.
Earle in Greene, Pl. Baker. 2: 2. 25 March 1901.

Aecidium on Gillenia.

Roestelia lacerata, Wint. & Demet. p. p. Wint. & Demet. Hedw. 24: 183 (7). Oct. 1885. *Wint. Fung. Eur. 3323. 1885. Gall. Bull. U. S. Agr. Veg. Pathol. 8: 58. 1889.

Aecidium Glaucis, Dozy & Molkenb.

NOTE. Said by Plowright, Grev. 21:111. June 1893 to belong to Uromyces lineolatus, (Desm.) Schrt. In this connection see also Diet. Hedw. 29: 149. June 1890 and Klebahn, Rostpilze 328. 1904.

Dozy & Molkenb. in Tijdschr. v. Natuur. Geschied. 12: 16. pl. 2, f. 1-3. [1846?] *
Kelsey, Jour. Myc. 5: 80. June 1889.
Nelson, Rept. Wyo. Exp. Sta. 10: (35). 1900.

Aecidium globosum, (Farl.) n. n.

Note. Under this name are given references believed to relate to the ecidium of Gymnosporangium globosum, Farl. which was by early American writers called Aecidium Cratagi, var. and by later writers Ræstelia lacerata. Plants so designated are not the same as European species with these names. Some of the references below are uncertain but it is not unlikely that a majority of citations of Ræstelia lacerata on Cratægus relate to this species. Most of the references by Berkeley in Grev. 3: 59 (101). Dec. 1874 to Ræstelia lacerata on Cratægus prove to be Aecidium aurantiacum. This applies to nos. 180, 182, 243 there cited, but no. 161 on Cratægus is Aecidium globosum. For account of culture experiments and results see references below, Farlow 1886, Thaxter 1887, 1889, 1891. It should be noted that the true Aecidium laceratum has been produced by cultures on Cratægus (Farlow 1886 p. 190, 238, Thaxter 1887 p. 266), but aside from this it is not definitely known on this host in America.

Aecidium Cratægi, var. Oxyacanthæ, S. S. Syn. Car. 66 (40) no. 432. 1822. Cæoma cylindrites, S. Syn. Am. Bor. S. Syn. Am. Bor. 294 no. 2899. 1834. Ræstelia lacerata, Auct. Amer. p. p. *Rav. Fung. Car. 5: 96. 1860.
M. A. Curtis, Bot. N. Car. 123. 1867. (p. B. Grev. 8: 59 (101). Dec. 1874. p. p. Farl. Bull. Bussey Inst. 2: 225. Jan. 1878. 1867. (p. p.?) Farl. Anniv. Mem. Boston Soc. 29. d. 1880. *Rav. Fung. Am. 481. 1881. *Ell. N. A. F. 1085. 1883. Burrill, Bull. Ill. Lab. 2: 240. d. 1885 and Rept. Ill. Ind. Univ. 12: Durriii, Buil. III. Lab. 2: 240. d. 1885 and Rept. III. 150. d. 1885. Seymour, Tr. Am. Hort. Soc. 4: 155 (4). 7 April 1887. Brendel, Fl. Peoriana 2 ed. 69. 1887. *Underw. & Cook, Illustr. Fungi 54. Sept. 1889. Seymour, Proc. Boston Soc. 24: 190. 8 Nov. 1889. *Syd Uredinger and May 1809. *Syd. Uredineen 296. May 1890. *Shear, N. Y. Fungi 79. 1893. *Shear, N. Y. Fungi 79. 1893. Ricker, Univ. of Maine Studies 3: 54. 30 April 1902. Restella lacerata y, 7, Thax.
Farl. Bot. Gaz. 11: 240. Sept. 1886.
Thax. Proc. Am. Acad. 22: 263, 266, 267. Jan. 1887
Bact. 1: 432, 457, 458. 1887.
Thax. Bot. Gaz. 14: 165, 167, 168, 171. July 1889.
Thax. Bull. Conn. Exp. Sta. 107: 4. 15 April 1891. and Centralbl. **Ræstella lacerata**, Auct. Amer. p. p. Cke. Handbook, 534. 1871.

Frost in Cat. Pl. Amherst 84. 1875.

Pk. Rept. N. Y. Mus. 29: 76. 1878.

Trel. Tr. Wis. Acad. 6: 138 (34). Nov. 1884.

Arth. Bull. Iowa Agr. Coll. 1884: 168. Jan. 1885.

Ell. & Ev. Jour. Myc. 1: 86. July 1885.

Wint. & Demet. Hedw. 24: 183 (7). Oct. 1885.

Bessey, Am. Pomol. Soc. 1885: 43. 1886.

Cobb, List Pl. Amherst 39. 1887.

Pound, Bull. Nebr. Exp. Sta. 1: 356 (86). 18 Dec. 1889.

Gall. Bull. U. S. Agr. Veg. Pathol. 8: 58. 1889.

Small & Vail, Mem. Torr. Bot. Club 4: 200. April 1894.

Underw. Proc. Ind. Acad. 1893: 56. Aug. 1894.

Tracy & Earle, Bull. Miss. Exp. Sta. 34: 91. May 1895. ?Ræstelia lacerata, Auct. Amer. p. p.

Underw. Proc. Ind. Acad. 1894: 153. June 1897. Snyder, Proc. Ind. Acad. 1896: 222. 1897. Barthol. Tr. Kans. Acad. 16: 192. June 1899. Snyder, Proc. Ind. Acad. 1898: 188. Dec. 1899. Herbst, Fungal Fl. Lehigh Valley 174. 1899. Ræstelia globosa, Shear. *Shear, N. Y. Fungi 79. 1893. [Corrected label.]
Fischer, Hedw. 84: 4. f. 6. Jan. 1895.
Seymour & Patterson in Deane's Flora of Reservations 138. 1896. Stevens, Rept. Ohio Acad. 4: 20. 1806. NOTE. The following references also probably relate to the present plant, but it may be stated that one herbarium specimen examined bears undoubted æcidium of Gymnosporangium macropus. Compare also note and references to Peck's Reports, 1872, 1878 under Aecidium cornutum. Ræstelia cornuta, Auct. Amer. p. p. Pk. Rept. N. Y. Mus. 24: 93. 1872 Frost in Cat. Pl. Amherst 84. 1875. Frost in Cat. Ft. Amnerst 64. 1675.
Farl. Anniv. Mem. Boston Soc. 28. 1880.
Seymour, Tr. Am. Hort. Soc. 4: 155 (4). 7 April 1887.
Cobb, List Pl. Amherst 30. 1887.

Ræstella penicillata, Auct. Amer. p. p.
Jones, Oberlin College Lab. Bull. 9: 7. 15 June 1898. Ræstelia pirata, Auct. Amer. p. p. Barthol. Tr. Kans. Acad. 16: 192. June 1899. Aecidium gnaphaliatum, S. NOTE. Possibly a stage of Puccinia investita, S. S. Syn. Am. Bor. 309. 1834. Pk. Rept. N. Y. Mus. 22: 93. Pk. Rept. N. Y. Mus. 24: 106. 1872. Pk. Rept. N. Y. Mus. 24: 106. 1872.
B. Grev. 3: 60 (102). Dec. 1874.
Pk. Rept. N. Y. Mus. 29: 77. 1878.
De Toni in Sacc. Syll. 7: 804. d. 28 Oct. 1888.
McClatchie, Proc. S. Cal. Acad. 1: 372. 5 June 1897.
Underw. & Earle, Bull. Ala. Exp. Sta. 80: 209. 28 June 1897.
*Ell. & Ev. N. A. F. 3569. 24 Jan. 1898.
*Ell. & Ev. Fung. Columb. 1285. May 1898.
Orton, Rept. Vt. Exp. Sta. 11: 211. Sept. 1898 and Contr. Bot. Vt. 2: 13. Sept. 1898.
Earle in Mohr. Contr. U. S. Nat. Herb. 6: 102. 21 July 1001. Earle in Mohr, Contr. U. S. Nat. Herb. 6: 192. 31 July 1901. Cæoma gnaphaliatum, S. S. Syn. Am. Bor. 292 no. 2873. d. Wint. Hedw. 24: 255. Dec. 1885. Aecidium Gossypii, Ell. & Ev. Ell. & Ev. Erythea **5**: 6. *d*. 31 Jan. 1897. Lindau & Syd. Hedw. **87**: xvii. 9 April 1898. | Sacc. & Syd. Syll. **14**: 371. *d*. 20 Aug. 1899. Earle, Bull. Ala. Exp. Sta. 107: 317. April 1900. [Beiblatt no. 7.] Aecidium gracilens, Pk. Pk. Bot. Gaz. 4: 128. d. Feb. 1879. De Toni in Sacc. Syll. 7: 792. d. 28 Oct. 1888.

Henn. Hedw. **87**: 273. d. 31 Dec. 1898. Sacc. & Syd. Syll. **16**: 347. d. 1 Feb. 1902. *Syd. Uredineen 1799. 1903.

NOTE. See also Aecidium Orchidearum, Desm.

Aecidium Graebnerianum, Henn.

Aecidium Grindeliæ, Syd. Syd. Hedw. Beibl. 40: (1). d. 21 Feb. 1901. Sacc. & Syd. Syll. 16: 1122. 1 Feb. 1902. Syd. Ann. Myc. 1: 20. 30 Jan. 1903. Kellerm. Jour. Myc. 9: 117 (142). 20 Aecidium Grindeliæ, Griffiths. 29 May 1903. *Griffiths, West Am. Fung. 388. 21 May 1902.
Griffiths, Bull. Torr. Bot. Club 29: 299. d. f. 10. 26 May 1902.
*Barthol., Ell. & Ev. Fung. Columb. 1705. Feb. 1903.
Garrett, Tr. Kans. Acad. 18: 147. 1903. Aecidium Grossulariæ, (P. in Gmel.) Schum. NOTE. Under the name Aecidium Grossulariæ, American writers include a number of æcidial forms, none of which can be connected with Puccinia Ribis, which is a Micropuccinia. See Eriksson, Rev. Gen. de Bot. 10: 506. 15 Dec. 1898. The European Accidium Grossularia, (P.) Schum. has been shown to belong to Puccinia on Carex, of which Klebahn has described several form-species. See Klebahn, Zeit. Pflanzenkr. 12: 144. 15 July 1902 and Pringsheim, Jahrb. 34: 388. 1902. See also Syd. Mon. Ured. 1: 652. I Nov. 1903 and Klebahn, Rostpilze 295 et seq. 1904. See also note under Aecidium albiperidium, Arth. Probably the references given below relate to Aecidia of heteroccious Pucciniæ, but whether the same as the European species is not known. We have arranged the citations by hosts, beginning with those in which several hosts are given. It should be said that only on *Ribes prostratum* have been frequently recorded both Aecidium Grossularia and Puccinia Ribis or Puccinia pulchella, Pk., said to be the same. On **Ribes**, sp. plur. Trel. Tr. Wis. Acad. **6**: 135 (31). Nov. 1884. Arth. Bull. Iowa Agr. Coll. **1884**: 166. Jan. 1885. Burrill, Bull. Ill. Lab. 2: 227. d. 1885 and Rept. Ill. Ind. Univ. 12: 142. d. 1885.

De Toni in Sacc. Syll. 7: 792. d. 28 Oct. 1888.

Williams, Bull. S. Dak. Exp. Sta. 29: 41. Dec. 1891.

Pammel, Jour. Myc. 7: 101. April 1892.

Pammel, Agr. Sci. 7: 25. Jan. 1893.

Underw. Proc. Ind. Acad. 1898: 50. Aug. 1894. Pammel, Tr. Iowa Hort. Soc. 28: 473. 1894. Pammel, Proc. Iowa Acad. 1894: 206. 1895. Pammel & Carver, Proc. Iowa Acad. 8: 143. 1896. Tubeuf-Smith, Diseases of Plants 409. 1897.
Orton, Rept. Vt. Exp. Sta. 11: 211. Sept. 1898 and Contr. Bot. Vt. 2: 13. Sept. 1898. 2: 13. Sept. 1898.
Barthol. Tr. Kans. Acad. 16: 189. June 1899.
Freeman, Minn. Bot. Studies II. 5: 558. 20 July 1901.
Ricker, Univ. of Maine Studies 3: 51. 30 April 1902. On Ribes aureum, Pursh. *Kellerm. & Swingle, Kansas Fungi 27. 1 Aug. 1889. On Ribes Cynosbati, L. Pk. Rept. N. Y. Mus. 22: 93. 1869. гк. керт. N. 1. Mus. 22: 93. 1809.

B. Grev. 8: 61 (103). Dec. 1874.

Detmers, Bull. Ohio Exp. Sta. 44: 138. Sept. 1892.

Detmers, Bull. Ohio Exp. Sta. tech. ser. 1: 178. April 1893.

*Shear, N. Y. Fungi 132. 1893.

*Seymour & Earle, E. F. 435. 1 July 1895.

Claassen, Rept. Ohio Acad. 5: 68. 1897.

Snyder, Proc. Ind. Acad. 1898: 188. Dec. 1899.

*Kellerm. Ohio Fungi 8. 4. Oct. 1002.

*Kellerm. Ohio Fungi 81. d. Oct. 1902.

Kellerm. Jour. Myc. 8: 120. d. 14 Oct. 1902. *Kellerm. Ohio Fungi 121. 28 May 1903. Kellerm. Jour. Myc. 9: 111. 29 May 1903. On Ribes floridum, L'Her. Kelsey, Jour. Myc. 5: 80. June 1889. *Seymour & Earle, E. F. 207. I Feb. 1803 Underw. Proc. Ind. Acad. 1894: 154. Oct. 1805. On Ribes gracile, Michx. Davis, Tr. Wis. Acad. 14: 87. Sept. 1903. On Ribes Grossularia, L. Sturgis, Rept. Conn. Exp. Sta. 24: 270. 1901. Tracy & Earle, Bull. Miss. Exp. Sta. 34: 90. May 1895. On Ribes lacustre, Poir. Halsted, Bull. lowa Agr. Coll. 1886: 58. *Ell. & Ev. Fung. Columb. 357. 1894. On Ribes oxyacanthoides, L. Davis, Tr. Wis. Acad. 9: 161. 21 Aug. 1893. On Ribes prostratum, L'Her. ิ 1883. *EII. N. A. F. 1006. Farl. Appalachia 8: 239. Jan. 1884. On *Ŕibes rotundifolium, Michx.* Kellerm. Bull. Wash. Lab. 1:75. Jan. 1885 and Tr. Kans. Acad. 9: 81. 1885. Kellerm. & Carl. Tr. Kans. Acad. 10: 91. 1887. Roum. Fung. Gall. 4414. 1888.
Roum. Rev. Myc. 10: 86. 1 April 1888.
Webber, Bull. Nebr. Exp. Sta. 1: 332 (62). 18 Dec. 1889.
Gall. Bull. U. S. Agr. Veg. Pathol. 8: 55. 1889.
Webber, Rept. Nebr. Agr. 1889: 211 (71). 1890. On Ribes, sp. cult. Bessey, Am. Pomol. Soc. 1885: 43. 1886. Pound, Bull. Nebr. Exp. Sta. 1: 356 (86). 18 Dec. 1889. Stone, Rept. Mass. Agr. Coll. 82: 148 (12). 1895. On Ribes, sp. indet. M. A. Curtis, Bot. N. Car. 123. 186 Frost in Cat. Pl. Amherst 85. 1875. Cke. Grev. 5: 151. June 1877.

Johnson, Bull. Minn. Acad. 1: 365. 1880.

Cragin, Bull. Wash. Lab. 1: 68. Jan. 1885.

Cobb, List. Pl. Amherst 40. 1887.

*Underw. & Cook, Illustr. Fungi 52. Sept. 1889.

Kellerm. & Werner, Geol. Ohio 72: 346. Jan. 1895. Hume, Proc. Davenport Acad. 7: 252. 12 May 1899.
Herbst, Fungal Fl. Lehigh Valley 175. d. 1899.
Nelson, Rept. Wyo. Exp. Sta. 10: (35). 1900.
Garrett, Tr. Kans. Acad. 18: 147. 1903.
Trel. in Sacc., Pk. & Trel., Harriman Alaska Exp. 5: 36. 5 April 1904. Host not stated. Watt, Can. Nat. & Geol. II. 2: 390. Oct. 1865. Edwards, Bull. Torr. Bot. Club 2: 39. Oct. 1871. Cke. Handbook 541. d. 1871.
Pk. Rept. N. Y. Mus. 24: 107. 1872.
Bundy, Geol. Wis. 1873-79 1: 400. 1883.
Ell. & Ev. Jour. Myc. 1: 86. July 1885.
Brendel, Fl. Peoriana 2 ed. 69. 1887.
Bennett, Cat. Pl. R. I. 89. 1888.

Williams, Am. Nat. 24: 780. Aug. 1890. Humphrey, Rept. Mass. Exp. Sta. 10: 241 (33). 1893. Cheney, Tr. Wis. Acad. 10: 69. Oct. 1895. Aecidium Rumicis, S. Car. p. p. S. Syn. Car. 66 (40) no. 433. I. Cæoma grossulariatum, Lk. S. Syn. Am. Bor. 293 no. 2882. 1834. **Aecidium Guadalajaræ,** Syd. Syd. Oest. Bot. Zeit. 52: 183. d. May 1902. Mexico. Aecidium Hamiltoniæ, Thm. See Aecidium pustulatum, M. A. Curtis. Aecidium Harknessianum, (Ell. & Ev.) n. n. NOTE. Arthur, 1901, suggests that this may belong to Gymnosporangium speciosum, Pk. Ræstelia Harknessiana, Ell. & Ev. *Ell. & Ev. N. A. F. 2714. May 1892. *Ell. & Ev., Fung. Columb. 1293. May 1898. Arth. Proc. Ind. Acad. 1900: 136. June 19 June 1901. ?Ricker Jour. Myc. 8: 127. 14 Oct. 1902. Aecidium Harknessii, (Moore) Diet. Diet. in Engler & Prantl, Pflanzenfam. 11**: 79. Peridermium Harknessii, Moore. Hark. & Moore, Cat. Pac. Fung. 27. Feb. 1880.
Thm. Mittheil. forstl. Versuchs Oest. 2: 313 (17). 1880.
Hark. Bull. Cal. Acad. 1: 37 (17). d. Feb. 1884.
De Toni in Sacc. Syll. 7: 838. d. 28 Oct. 1888.
Klebahn, Ber. Deutsch. Bot. Ges. 8: (69). 29 Dec. 1890.
Blasdale, Asa Gray Bulletin 18933: 2. 1893.
Tubeuf-Smith, Diseases of Plants 415. 1897.
Massee Teythle Pl. Diseases 264 f 68. 1800. Massee, Textbk. Pl. Diseases 264. f. 68. 1899. Aecidium helianthatum, S. See Aecidium Helianthi-mollis, S. Aecidium Helianthellæ, Arth. NOTE. In Bull. Torr. Bot. Club 31: 5. 19 Jan. 1904 Arthur describes Puccinia Helianthellæ suggesting that this Aecidium may belong to it. Arth. in Earle, Bull. N. Y. Bot. Gard. 2: 348. d. 25 April 1902. Aecidium Helianthi, Pk. See Aecidium Compositarum, var. Helianthi, Burrill. Aecidium Helianthi-mollis, S. NOTE. For account of cultures showing relationship to teleutosporic stage see Arth. Bot. Gaz. 35: 17. 20 Jan. 1903, Arth. Jour. Myc. 10: 12, 20. 30 Jan. 1904 and Kellerm. Jour. Myc. 9: 230-232. 31 Dec. 1903. S. Syn. Car. 68 (42) no. 450. d. 1822.
Lk., L. Sp. Pl. ed. Willd. 62: 52. d. 1825.
Hitchcock, Cat. Pl. Amherst 59. 1829.
Hitchcock, Cat. Pl. Mass. 644. 1833. 2 ed. 645 (125). 1835.
M. A. Curtis, Bot. N. Car. 124. 1867.
Cæoma asteratum, Lk. p. p.
Lk., L. Sp. Pl. ed. Willd. 62: 51. d. 1825.
Uredo Asterum, Spreng. p. p.
Spreng. in L. Syst. Veg. 16 ed. 41: 572. d. 1827.
Cæoma helianthatum. S. Cæoma helianthatum, S. S. Syn. Am. Bor. 292 no. 2871. 1834.

Aecidium helianthatum, S. S. Syn. Am. Bor. 309. 1834. Kellerm. & Carl. Tr. Kans. Acad. 10: 91. 1887. Aecidium Heliotropii, Tracy & Gall. See Aecidium biforme, Pk. Aecidium hemisphæricum, Pk. NOTE. This is understood to be the æcidial stage of Puccinia hemisphærica, (Pk.) Ell. & Ev. Pk. Bot. Gaz. 8: 34. d. April 1878. Wint. Hedw. 22: 68 (2). May 1883. De Toni in Sacc. Syll. 7: 805. d. 28 Oct. 1888. *Ell. & Ev. N. A. F. 2221. 1889.

*Ell. & Ev. N. A. F. 2221. 1889.

*Ell. & Ev. N. A. F. 2993. Oct. 1893.

*Ell. & Ev. N. A. F. 2993. Oct. 1893.

Tracy & Earle in Greene, Pl. Baker. 1: 18. 22 Feb. 1901. Earle in Greene, Pl. Baker. 2: 2. 25 March 1901. Lindr. Acta Soc. Fauna et Fl. Fennica 209: 10. 1901. Aecidium hepaticatum, S. See Aecidium punctatum, P. Aecidium Hibisci, M. A. Curtis. See Aecidium hibisciatum, S. Aecidium hibisciatum, S. NOTE. Kellerman in Jour. Myc. 9: 109. 29 May 1903, and Jour. Myc. 9: 232. 31 Dec. 1903 gives account of cultures by which he produced this Aecidium from teleutospores of Puccinia Muhlenbergia, Arth. See Puccinia hibisciata, (S.) Kellerm. See also Syd. Mon. Ured. 1: 765. I Nov. S. Syn. Am. Bor. 309. 1834. B. Grev. 8: 61 (103). Dec. 1874. Wint. & Demet. Hedw. 24: 180 (4). Oct. 1885. Burrill, Bull. Ill. Lab. 2: 224. d. 1885 and Rept. Ill. Ind. Univ. 12: 1885 141. d. 141. d. 1885.
Ludwig, Centralbl. Bact. 1: 692. June 1887.
*Ell. & Ev. N. A. F. 1830. 1887.
De Toni in Sacc. Syll. 7: 781. d. 28 Oct. 1888.
Webber, Bull. Nebr. Exp. Sta. 1: 332 (62). 18 Dec. 1889.
Gall. Bull. U. S. Agr. Veg. Pathol. 8: 55. 1889.
Webber, Rept. Nebr. Agr. 1889: 211 (71). 1890.
Lagerh. Tromsæ Mus. Aarshefter 17: 102. d. 1895.
Lindeny & Farle Bull. Als. Exp. Sta. 88. 202. 28. June 1 Underw. & Earle, Bull. Ala. Exp. Sta. 80: 200. 28 June 1897. *Ell. & Ev. Fung. Columb. 1297. May 1898. Earle in Mohr. Contr. U. S. Nat. Herb. 6: 192. 31 July 1901. *Kellerm. Ohio Fungi 82. d. Oct. 1902. Kellerm. Jour. Myc. 8: 120. d. 14 Dec. 1902. Kellerm. Jour. Myc. 9: 109. 29 May 1903. Kellerm. Jour. Myc. 9: 170. 29 Oct. 1903. Kellerm. Jour. Myc. 9: 232, 238. 31 Dec. 1903. Cæoma hibisciatum, S. S. Syn. Am. Bor. 293 no. 2877. d. Aecidium Hibisci, M. A. Curtis. M. A. Curtis, Bot. N. Car. 123. 1867. Aecidium hieraciatum, S. S. Syn. Am. Bor. 309. 1834. Cæoma hieraciatum, S. S. Syn. Am. Bor. 292 no. 2868. d. 1834.

```
?Aecidium Compositarum, Auct. Amer. p. p.
    Freeman, Minn. Bot. Studies II. 5: 556. 20 July 1901.
Aecidium Holbællii, Hornem.
See Puccinia Holbællii, Rostr.
Aecidium Holwayi, (Syd.) n. n.
        ?Peridermium, sp. indet.
                                                              On Pseudotsuga.
    Halsted, Bull. Iowa Agr. Coll. 1886: 59. 1887. 
Peridermium Holwayi, Syd.
    Syd. Ann. Myc. 1: 19. d. Jan. 1903.
Aecidium houstoniatum, S.
    S. Syn. Am. Bor. 309. 1834.
Pk. Rept. N. Y. Mus. 22: 93.
                                                            186g.
     Pk. Rept. N. Y. Mus. 24: 106. 1872.
     Pk. Rept. N. Y. Mus. 25: 109.
                                                                Sept. 1873.
    Frost in Cat. Pl. Amherst 85. 1875.
Pk. Rept. N. Y. Mus. 29: 77. 1878.
Burrill, Bull. Ill. Lab. 2: 229. d. 1885 and Rept. Ill. Ind. Univ. 12:
  143. d. 1885.
*Ell. N. A. F. 1422.
                                        1885.
    Cobb, List. Pl. Amherst 40. 1887.
De Toni in Sacc. Syll. 7: 795. d. 28 Oct. 1888.
Gall. Bull. U. S. Agr. Veg. Pathol. 8: 55. 1889.
Jennings, Bull. Tex. Exp. Sta. 9: 23. May 1890.
Millsp. Bull. W. Va. Exp. Sta. 24: 508. June 18
Detmers, Bull. Ohio Exp. Sta. 44: 139. Sept. 184.
                                                                               June 1802.
                                                                               Sept. 1892.
  *Pazschke, Fung. Eur. 3936. Feb. 1894.
  *Ell. & Ev. Fung. Columb. 497. 1894.

Kellerm. & Werner, Geol. Ohio 72: 346. Jan. 1895.

Millsp. & Nutt. Publ. Field Columb. Mus. Bot. 1: 130. Jan. 1896.
  Millsp. & Nutt. Publ. Field Columb. Mus. Bot. 1: 130. Jan. 1896.

*Ell. & Ev. Fung. Columb. 1078. 22 Dec. 1896.

Atk. Bull. Cornell Univ. 8: 21. 25 June 1897.

Orton, Rept. Vt. Exp. Sta. 11: 211. Sept. 1898 and Contr. Bot. Vt. 2: 13. Sept. 1898.

Barthol. Tr. Kans. Acad. 16: 189. June 1899.

Pk. Rept. N. Y. Mus. 52: 665. Dec. 1899. [Bull. 5: no. 25.].

Earle in Mohr, Contr. U. S. Nat. Herb. 6: 193. 31 July 1901.

Patterson, Bull. U. S. Agr. Pl. Industry 8: 8. 3 Feb. 1902.
         Cæoma houstoniatum, S.
     S. Syn. Am. Bor. 293 no. 2891. d. 1834.
        Aecidium oldenlandianum, Underw. & Earle non Ell. & Tracy.
     Underw. & Earle, Bull. Ala. Exp. Sta. 80: 209. 28 June 1897.
 Aecidium hyalinum, (Cke.) n. n. 

Ræstella hyalina, Cke.
Cke. Bull. Soc. Bot. Fr. 24: 315. d. 22 Oct. 1877.
Cke. Hedw. 17: 38. d. March 1878.
     Cke. Grev. 6: 137. pl. 101, f. 15. June 1878 and Grev. 7: 96. March
             1879,
  *Rav. Fung. Am. 37. 1878.
Farl. Anniv. Mem. Boston Soc. 31. d. 1880.
Seymour, Tr. Am. Hort. Soc. 4: 155 (4). 7 April 1887.
Farl. Suppl. List Works on N. Am. Fungi p. 6 no. 687. 1888.
De Toni in Sacc. Syll. 7: 834. d. 28 Oct. 1888.
 Aecidium hydnoideum, B. & C.
            NOTE. In Jour. Myc. 10: 19, 20. 30 Jan. 1904 Arthur gives an account
        of cultures of this Aecidium producing teleutospores on Bromus ciliatus. See Puccinia hydnoidea, (B. & C.) Arth.
```

```
*Rav. Fung. Car. 4: 94. 1855.
Pk. Rept. N. Y. Mus. 22: 93.
Pk. Rept. N. Y. Mus. 24: 106.
                                                                         1869.
                                                                         1872.
 B. Grev. 8: 61 (103) no. 582. d. Dec. 1874. Frost in Cat. Pl. Amherst 84. 1875. Pk. Rept. N. Y. Mus. 29: 77. 1878. *Thm. Myc. Univ. 1120. 1878. *Wint. Fung. Eur. 3017. 1884.
 *Wint. Fung. Eur. 3017. 1884.
Arth. Bull. Iowa Agr. Goll. 1884: 166.
    Wint. & Demet. Hedw. 24: 180 (4). Oct. 1885.
 *Roum. Fung. Gall. 3862. 1886.
Roum. Rev. Myc. 8: 196. 1 Oct. 1886.
*Ell. & Ev. N. A. F. 1816. 1887.
    Cobb, List. Pl. Amherst 40. 1887.
   Cobb, List. Pl. Amherst 40. 1887.

De Toni in Sacc. Syll. 7: 790. d. 28 Oct. 1888.

Gall. Bull. U. S. Agr. Veg. Pathol. 8: 55. 1880.

Detmers, Bull. Ohio Exp. Sta. 44: 130. Sept. 1892.

Davis, Tr. Wis. Acad. 9: 182. 21 Aug. 1893.

Underw. Proc. Ind. Acad. 1898: 50. Aug. 1894.

Kellerm. & Werner, Geol. Ohio 72: 346. Jan. 1895.

Lagerh. Tromsæ Mus. Aarshefter 17: 102. d. 1895.

Underw. & Earle, Bull. Ala. Exp. Sta. 80: 209. 28 June 1897.

Freeman Minn Ret. Studies II pr. 558. 20 July 1904.
   Freeman, Minn. Bot. Studies II. 5: 558. 20 July 1901.
Earle in Mohr, Contr. U. S. Nat. Herb. 6: 193. 31 July 1901.
Patterson, Bull. U. S. Agr. Pl. Industry 8: 8. 3 Feb. 1902.
    Ricker, Univ. of Maine Studies 3: 51. 30 April 1902.
Aecidium Hydrophylli, Pk.
    Pk. Bull. Buf. Soc. 1: 68. d. July 1873.
Pk. Rept. N. Y. Mus. 26: 78. d. April 1874.
Pk. Rept. N. Y. Mus. 29: 77. 1878.
Arth. Bull. Iowa Agr. Coll. 1884: 166. Jan. 1885.
Burrill, Bull. Ill. Lab. 2: 234. d. 1885 and Rept. Ill. Ind. Univ. 12:
                                1885.
              147. d.
     De Toni in Sacc. Syll. 7:810. d. 28 Oct. 1888.
    Webber, Rept. Nebr. Exp. Sta. 1: 332 (62). 18 Dec. 1889.
Webber, Rept. Nebr. Agr. 1889: 211 (71). 1890.
Ell. & James in Holzinger, Contr. U. S. Nat. Herb. 8: 276. 23 Nov.
    Nelson, Rept. Wyo. Exp. Sta. 10: (35). 1900.
Tracy & Earle in Greene, Pl. Baker. 1: 18. 22 Feb. 1901.
     Earle in Greene, Pl. Baker. 2: 2. 25 March 1901.
 *Syd. Uredineen 1544. April 1901.
Freeman, Minn. Bot. Studies II. 5: 559. 20 July 1901.
Blasdale in Davy, Bull. U. S. Agr. Pl. Industry 12: 75. 1902.
Cockerell, Jour. Myc. 10: 51. 19 March 1904.
Aecidium hypericatum, S
         See Aecidium Hyperici-trondosi, S.
Aecidium Hyperici-frondosi, S.
                              The teleutosporic stage is Uromyces Hyperici-frondosi, (S.)
             Note.
         Arth.
 S. Syn. Car. 68 (42) no. 451. d. 1822.
M. A. Curtis, Bot. N. Car. 124. 1867.
*Ell. & Ev. N. A. F. 2209. Feb. 1889.
Garrett, Tr. Kans. Acad. 18: 150. 1903.
         Cæoma hypericatum, Lk.
     Lk., L. Sp. Pl. ed. Willd. 62: 58. d. 1825.
     S. Syn. Am. Bor. 293 no. 2883. 1834.
```

Uredo Hyperici, Spreng.
Spreng. in L. Syst. Veg. 16 ed. 41: 572. d. 1827.
Aecidium hypericatum, S. Account hyperkalum, 5.
S. Syn. Am. Bor. 300. 1834.
Watt, Can. Nat. & Geol. II. 2: 390. Oct. 1865.
Cke. Proc. Portland Soc. 1: 181. d. 1869.
Pk. Rept. N. Y. Mus. 25: 92. Sept. 1873.
Pk. Rept. N. Y. Mus. 29: 76. 1878.
Arth. Bull. Iowa Agr. Coll. 1884: 166. Jan. 1885.
De Tonl in Sacc. Syll. 7: 781. d. 28 Oct. 1888.
FEIL & Fy. N. A. F. 2004. Oct. 1803. *Ell. & Ev. N. A. F. 2994. Oct. 1893.

Tracy & Earle, Bull. Miss. Exp. Sta. 34: 90. May 1895.

Patterson, Bull. U. S. Agr. Pl. Industry 8: 8. 3 Feb. 1902.

Ricker, Univ. of Maine Studies 3: 51. 30 April 1902. Aecidium oblongum, Bon. Bon. Abh. Nat. Ges. Halle 5: 212 (46). d. 1860. Aecidium minutissimum, Gerard. Gerard, Bull. Torr. Bot. Club 5: 40 d. Sept. 1874 and Hedw. 18: 173.
d. Nov. 1874. d. Nov. 1874. Aecidium Hypericorum, B. & C. B. Grev. 8: 61 (103) no. 581. d. Dec. 1874. De Toni in Sacc. Syll. 7: 781. d. 28 Oct. 1888. Underw. & Earle, Bull. Ala. Exp. Sta. 80: 209. 28 June 1897. Earle in Mohr, Contr. U. S. Nat. Herb. 6: 193. 31 July 1901. Aecidium Hypericorum, B. & C. See Aecidium Hyperici-frondosi, S. Aecidium ilicinum, Ell. & Ev. Ell. & Ev. Bull. Torr. Bot. Club **24**: 284. *d*. 29 June 1897. Lindau & Syd. Hedw. **37**: xvii. 9 April 1898. [Beiblatt no. 7.] Sacc. & Syd. Syll. 14: 373. d. 20 Aug. 1899. Aecidium impatientatum, S. See Aecidium Impatientis, S. Aecidium Impatientis, S. NOTE. As the result of cultures Arthur in Bot. Gaz. 35: 18. 20 Jan. 1903, states this to be the æcidial stage of Puccinia Impatientis, (S.) Arth. See also Klebahn, Rostpilze 292. 1904 and Arth. Jour. Myc. 10: 11, 20. 30 Jan. 1904. S. Syn. Car. 67 (41) no. 442. d. 1822. Lk., L. Sp. Pl. ed. Willd. 62: 57. d. I. M. A. Curtis, Bot. N. Car. 124. 1867. Pk. Rept. N. Y. Mus. 23: 59. 1872. Pk. Rept. N. Y. Mus. 24: 107. 1872. *Thm. Myc. Univ. 1121. 1878. Wint & Demot Hedy. 24: 188. (4) Wint. & Demet. Hedw. 24: 180 (4). Oct. 1885.

*Wint. Fung. Eur. 3318. 1885.

Burrill, Bull. Ill. Lab. 2: 224. d. 1885 and Rept. Ill. Ind. Univ. 12: 141. d. 1885. Roum. Rev. Myc. 8: 197. 1 Oct. 1886. Roum. Rev. Myc. 8: 107. I Oct. 1886.

*Roum. Fung. Gall. 3867. 1886.

De Toni in Sacc. Syll. 7: 784. d. 28 Oct. 1888.

Webber, Bull. Nebr. Exp. Sta. 1: 332 (62). 18 Dec. 1889.

Gall. Bull. U. S. Agr. Veg. Pathol. 8: 55. 1889.

Webber, Rept. Nebr. Agr. 1889: 211 (71). 1890.

Detmers, Bull. Ohio Exp. Sta. 44: 139. Sept. 1892.

Detmers, Bull. Ohio Exp. Sta. tech. ser. 1: 178. April 1893.

*Ell. & Ev. Fung. Columb. 166. 1803. *Ell. & Ev. Fung. Columb. 196. 1893.

```
Underw. Proc. Ind. Acad. 1898: 50. Aug. 1894.
Underw. Froc. Ind. Acad. 1898: 50. Aug. 1894.
Kellerm. & Werner, Geol. Ohio 72: 346. Jan. 1895.
Millsp. & Nutt. Publ. Field Columb. Mus. Bot. Ser. 1: 130. Jan. 1896.
*Shear, N. Y. Fungi 323. March 1896.
Stevens, Rept. Ohio Acad. 4: 20. 1896.
Atk. Bull. Cornell Univ. 8: 21. 25 June 1897.
Underw. & Earle, Bull. Ala. Exp. Sta. 80: 209. 28 June 1897.
Classen Rept. Ohio Acad. 5: 68. 1807.
   Claassen, Rept. Ohio Acad. 5:68. 1897.
   Snyder, Proc. Ind. Acad. 1896: 217. 1897.
Orton, Rept. Vt. Exp. Sta. 11: 211. Sept. 1898 and Contr. Bot. Vt. 2: 13. Sept. 1898.
   Barthol. Tr. Kans. Acad. 16: 189. June 1899.
*Syd. Uredineen 1346. 1899.
Freeman, Minn. Bot. Studies II. 5: 556. 20 July 1901.
*Kellerm. Ohio Fungi 1. d. Dec. 1901.

*Kellerm. Ohio Fungi 1. d. Dec. 1901.

*Kellerm. Ohio Fungi 1. d. Dec. 1901.

*Kellerm. Ohio Fungi 1. d. Dec. 1901.

Patterson, Bull. U. S. Agr. Pl. Industry 8: 8. 3 Feb. 1902.

*Griffiths, West Am. Fung. 299. 22 March 1902.
   Arth Bot. Gaz. 85: 18. 20 Jan. 1903.
   Syd. Mon. Ured. 1:751. 1 Nov. 1903.
      Uredo Schweinitziana, Spreng.
   Spreng. in L. Syst. Veg. 16 ed. 41: 571. d. 1827.
       Cæoma impatientatum, S
   S. Syn. Am. Bor. 293 no. 2880.
                                                      1834.
      Aecidium impatientatum, S.
S. Syn. Am. Bor. 309. 1834.
Pk. Rept. N. Y. Mus. 29: 76. 1878.
*Ell. N. A. F. 1001. 1883.
Trel. Tr. Wis. Acad. 6: 135 (31). Nov. 1884.
Arth. Bull. lowa Agr. Coll. 1884: 166. Jan. 1885.
   Kellerm. Bull. Wash. Lab. 1:75. Jan. 1885 and Tr. Kans. Acad. 9:
          81. 1885.
   Kellerm. & Carl. Tr. Kans. Acad. 10: 91. 1887.
Aecidium incurvum, Tracy & Earle.
     . Note. See also Aecidium erigeronatum, S.
   Tracy & Earle in Greene, Pl. Baker 1: 18. d. 22 Feb. 1901.
   Sacc. & Syd. Syll. 16: 1121. 1 Feb. 1902.
Aecidium intermixtum, Pk.
         NOTE. "This occurs in company with Puccinia intermixta, of which it
      is probably a form." Peck 1879.
   Pk. Bot. Gaz. 4: 231. d.
                                              Nov. 1879.
   Langlois, Cat. Pl. La. 27. 1887.
De Toni in Sacc. Syll. 7: 800. d.
                                                          28 Oct. 1888.
Kelsey, Jour. Myc. 5: 80. June 1889.

*Ell. & Ev. N. A. F. 2405. April 1890.

*Ell. & Ev. Fung. Columb. 63. 1893.

Tracy & Earle in Greene, Pl. Baker. 1: 18. 22 Feb. 1901.
   Syd. Mon. Ured. 1: 101. 30 June 1902.
Aecidium interveniens, (Pk.) n. n.
```

NOTE. Possibly the Aecidium on Malvastrum mentioned by Farlow in Bull. Bussey Inst. 2; 242. Jan. 1878 as growing with Puccinia Malvastri may be the same as Aecidium interveniens, Pk. but although growing with the Puccinia there is no proof that it is a stage of it. Compare also Aecidium Malvastri, Ell. & Tracy and Aecidium Sphæralceæ, Ell. & Ev.

Roestelia interveniens, Pk.

Pk. Bull. Torr. Bot. Club 10: 74. d. July 1883. Halsted, Bull. Iowa Agr. Coll. 1886: 58. 1887. De Toni in Sacc. Syll. 7: 834. d. 28 Oct. 1888. Aecidium Ipomææ, B. See Cystopus Ipomææ-panduranæ. Farl. Aecidium IpomϾ-panduranæ, S. See Cystopus IpomϾ-panduranæ, Farl. Aecidium Iridis, Gerard. Gerardin Ph. Rept., N. Y. Mus. 24: 93. d. 1872. Pk. Rept. N. Y. Mus. 29: 77. 1878.

*Thm. Myc. Univ. 1519. 1880.

*Wint. Fung. Eur. 2927. 1883.

*Ell. N. A. F. 1014. 1883.

Arth. Bull Lower Act. Coll. 4884. Arth. Bull. Iowa Agr. Coll. **1884**: 166. Jan. 1885. De Toni in Sacc. Syll. **7**: 827. d. 28 Oct. 1888. *Roum. Fung. Gall. 4917. 1889.

*Roum. Rev. Myc. 11: 129. July 1889.

Webber, Bull. Nebr. Exp. Sta. 1: 332 (62). 18 De Webber, Rept. Nebr. Agr. 1889: 211 (71). 1890. Cheney, Tr. Wis. Acad. 10: 69. Oct. 1895. Davis, Tr. Wis. Acad. 11: 174. Aug. 1897. Tubeuf. Smith. Diseases of Plant Aug. 1897. 18 Dec. 1889. Tubeuf-Smith, Diseases of Plants 411. 1897. Freeman, Minn. Bot. Studies II. 5: 554. 20 July 1901. **Aecidium Isnardiæ,** Lagerh. This species of Lagerheim is apparently founded on Lea's specimen in Herb. Fries and we have placed under the name Aecidium Isnardia, Lagerh. all the references to Aecidia as quoted on Isnardia. It is not improbable that Aecidium Isnardiæ should be referred to Aecidium Ludwigiæ, Ell. & Ev. published two years earlier, but the specimens of the first named species which we have examined are not sufficient to settle that point. Lagerh. Tromsoe Mus. Aarshefter 17: 102. d. 1895. Sacc. Hedw. 35: xviii. 25 Feb. 1896. [Reportorium No. 7.] Sacc. & Syd. Syll. 14: 376. d. 20 Aug. 1899. Aecidium Epilobii, Auct. Amer. p. p. Lea, Cat. Pl. Cin. 71. 1849. M. A. Curtis, Bot. N. Car. 123. 1867. Cke. Handbook 536. d. 1871. B. Grev. 8: 61 (103). Dec. 1874. James, Jour. Cin. Soc. 2: 67 (26). April 1879. Kellerm. & Werner, Geol. Ohio 72: 346. Jan. 1895.

Aecidium isomerinum, Pk.

Pk. Bull. Torr. Bot. Club 10: 75. d. July 1883. Hark. Bull. Cal. Acad. 1: 262 (7). 19 Nov. 1885. De Toni in Sacc. Syll. 7: 779. d. 28 Oct. 1888.

Aecidium Jacobæ, Auct. Amer.

See Aecidium Compositarum, var. Senecionis. Auct. Amer.

Aecidium Jacquemontia, Ell. & Ev. Ell. & Ev. Jour. Myc. 8: 11. d. 31 May 1902.

Aecidium Jamesianum, Pk.

NOTE. As the result of cultures Arthur states this to be the ecidial stage of *Puccinia Bartholomai*, Diet. = *Puccinia Jamesiana*, (Pk.) Arth. See Arth. Bot. Gaz. 35: 18. 20 Jan. 1903. See also Syd. Mon. Ured. 1: 734. 1 Nov. 1903 and Klebahn, Rostpilze 282. 1904.

Mexico.

Pk. Bot. Gaz. 5: 34. d. March 1880. *Ell. N. A. F. 1012. 1883. Trel. Tr. Wis. Acad. 6: 139 (31). Nov. 1884. Arth. Bull. Iowa Agr. Coll. 1884: 166. Jan. 1885. Kellerm. Bull. Wash. Lab. 1: 75. Jan. 1885 and Tr. Kans. Acad. 9: 1885. 81. 1885. Burrill, Bull. III. Lab. 2: 236. d. 1885 and Rept. III. Ind. Univ. 12: 1885 147. d. Kellerm. & Carl. Tr. Kans. Acad. 10: 91. De Toni in Sacc. Syll. 7: 808. d. 28 Ohio 1888. Webber, Bull. Nebr. Exp. Sta. 1: 332 (62). 18 Gall. Bull. U. S. Agr. Veg. Pathol. 8: 56. 1889. Webber, Rept. Nebr. Agr. 1889: 211 (71). 189 18 Dec. 1889. 1890. Williams, Bull. S. Dak. Exp. Sta. 29: 49. Dec. 1891. Smith & Pound, Bot. Surv. Nebr. 2: 28. 15 April 189 15 April 1893. Pound, Bot. Surv. Nebr. 3: 9. 18 June 1894.

*Carl. Ured. Amer. 32. 1894.

*Ell. & Ev. Fung. Columb. 556. 1894.

Tubeuf-Smith, Diseases of Plants 411. 1897.

Barthol. Tr. Kans. Acad. 16: 189. June 1899. Freeman, Minn. Bot. Studies II. 5: 558. 20 July 1901. *Barthol., Ell. & Ev. Fung. Columb. 1603. Oct. 1902. Arth. Bot. Gaz. 85: 18. 20 Jan. 1903. Garrett, Tr. Kans. Acad. 18: 147. 1903.

Aecidium Kellermanni, De Toni.

De Toni in Sacc. Syll. 7: 788. d. 28 Oct. 1888. Barthol. Tr. Kans. Acad. 16: 190. June 1899. Garrett, Tr. Kans. Acad. 18: 147. 1903. Aecidium amphigenum, Ell. & Kellerm. Ell. & Kellerm. Jour. Myc. 2: 4. d. Jan. 1886. Kellerm. & Carl. Tr. Kans. Acad. 10: 91. 1887.

Aecidium laceratum, Sow.

NOTE. Under Aecidium laceratum we have included references which belong to the aecidium of Gymnosporangium clavariasforme. The name Aecidium laceratum has, however, been applied by some American writers also to the aecidia of Gymnosporangium globosum and some of the references given below may belong to that species.

? Watt, Can. Nat. & Geol. II. 2: 391. Oct. 1865.

**Rœstelia lacerata*, Mer.

B. Grev. 3: 59 (101). Dec. 1874.

Farl. Proc. Am. Acad. 20: 318. 1885.

Farl. Bot. Gaz. 11: 190. July 1886.

Farl. Bot. Gaz. 11: 238, 241. Sept. 1886.

Thax. Proc. Am. Acad. 22: 263, 265-267. Jan. 1887 and Centralbl. Bact. 1: 432, 458-460. 1887.

Seymour, Tr. Am. Hort. Soc. 4: 155 (4). 7 April 1887.

Thax. Bot. Gaz. 14: 164, 167. July 1889.

Tubeuf Centralbl. Bact. 9: 95. 2 Feb. 1891.

Thax. Bull. Conn. Exp. Sta. 107: 5. 15 April 1891.

Richards, Proc. Am. Acad. 81: 265. 1896.

**P Ræstelia lacerata*, Auct. Amer. p. p.

**Sprague, Proc. Boston Soc. 5: 329. 1856.

Bundy, Geol. Wis. 1873-79, 1: 400. 1883.

Bennett, Cat. Pl. R. 1. 89. 1888.

Fairman, Proc. Rochester Acad. 1: 47. Aug. 1890.

PRœstelia lacerata, Auct. Amer. p. p.
 Russell, Am. Nat. 2: 568. f. 2. Jan. 1869.
 Cke. Proc. Portland Soc. 1: 180. d. 1869.
 Pk. Rept. N. Y. Mus. 22: 93. 1869.
 PRœstella lacerata, Auct. Amer. p. p.

NOTE. Some of the five following references may relate, at least in part, to Aecidium Nidus-avis, (Thax). R. T.

Pk. Rept. N. Y. Mus. 24: 103. 1872.
Farl. Bull. Bussey Inst. 2: 225. Jan. 1878.
Pk. Rept. N. Y. Mus. 29: 76. 1878.
Farl. Anniv. Mem. Boston Soc. 20. 1880.
Somers, Tr. N. Scot. Inst. 7: 465. 1890.
Roestella penicillata, Auct. Amer. p. p.
Farl. Anniv. Mem. Boston Soc. 30. 1880.
*Ell. N. A. F. 1086 c. 1883.
*Proestella penicillata, Auct. Amer. p. p.
Pk. Rept. N. Y. Mus. 34: 46. Oct. 1883.

**Restella penicillata*, Auct. Amer. p. p. Pk. Rept. N. Y. Mus. 34: 46. Oct. 1883.

Trel. Tr. Wis. Acad. 6: 138 (34). Nov. 1884.

Farl. Proc. Am. Acad. 20: 318. 1885.

Bessey, Am. Pomol. Soc. 1885: 43. 1886.

Aecidium on Larix.

Mayr, Waldungen von Nordamer. 221. 1890.

Aecidium lateripes, Kellerm.

NOTE. This name is given to an excidium produced on Ruellia strepens by sowing teleutospores of Puccinia lateripes, B. & Rav. from the same hostplant. See also Kellerm. Jour. Myc. 9: 107-109. 29 May 1903. See also Carl. Tr. Kans. Acad. 14: 44. 1896. See also Aecidium Tracyanum, Syd.

Kellerm. Jour. Myc. 9: 234, 238. 31 Dec. 1903.

Aecidium lauratum, Watt.

NOTE. This is a mere catalogue name and there is no clue to its identity.

Watt, Can. Nat. & Geol. II. 2: 391. Oct. 1865.

Aecidium on Lechea.

NOTE. Berkeley in Grev. 3: 60 (102). Dec. 1874 reports an Aecidium on Lechea which is quoted by Syd., Sacc. Syll. 13: 647. 1898. The name given is Aecidium Compositarum. There is probably an error in the name of the host.

Aecidium Ledi, Herb. Auerswald.

NOTE. This species was never described, but is cited in Beitr. Biol. Pflanzen 3: 52. 1883. There Schroeter states that it is the same as the uredo of *Chrysomyxa Ledi*, (A. & S.) D By.; but in Ber. Schles. Ges. 1887: 279 he refers it to *Uredo ledicola*, Pk.

Aecidia on Leguminosæ.

Note. The confusion and uncertainty which prevail among American mycologists in the use of old European names of Aecidia on Leguminosa, such as Aecidium Leguminosarum, Aecidium Orobi, etc., is so great that we have here arranged the Aecidia which have been reported on species of that order alphabetically by hosts, giving also for convenience cross references to the species whose literature is comparatively clear.

Aecidium Orohi Auct Amer p. p.

Aecidium Orobi, Auct. Amer. p. p. Watt, Can. Nat. & Geol. II. 2: 391. Oct. 1865.

Aecidium on Amphicarpæa.

Arth. Jour. Myc. 10: 14. 30 Jan. 1904.

Aecidium leguminosatum, Auct. Amer. p. p.

Arth. Bull. Iowa Agr. Coll. 1884: 166. Jan. 1885.

Aecidium Orobi, Auct. Amer. p. p.

Burrill, Bull. III. Lab. 2: 226. d. 1885 and Rept. III. Ind. Univ. 12:

142. d. 1885.

Gall. Bull. U. S. Agr. Veg. Pathol. 8: 56. 1889.

Claassen, Rept. Ohio Acad. 5: 68. 1897.

Freeman, Minn. Bot. Studies II. 5: 554. 20 July 1901.

Aecidium Phaseolorum, Auct. Amer.

*Ell. N. A. F. 1436. 1885.

Aecidium on Apios.
Arth. Jour. Myc. 10: 14. 30 Jan. 1904.

Aecidium leguminosatum, Auct. Amer. p. p.

Arth. Bull. Iowa Agr. Coll. 1884: 166. Jan. 1885. Aecidium Orobi, Auct. Amer. p. p.

Freeman, Minn. Bot. Studies II. 5: 554. 20 July 1901.

Aecidium on Baptisia.

See **Aecidium Keliermannii,** De Toni.

Aecidium on Cassia.

See Aecidium Cassiæ, Ell. & Kellerm.

Aecidium on Dalea. See Aecidium Daleæ, Kellerm. & Swingle.

Aecidium on Desmodium.

Aecidium Orobi, Auct. Amer. p. p.

B. Grev. 8: 61 (103). Dec. 1874. Underw. & Earle, Bull. Ala. Exp. Sta. 80: 209. 28 June 1897. Earle in Mohr, Contr. U. S. Nat. Herb. 6: 193. 31 July 1901.

Aecidium on Lathyrus.

Aecidium Orobi, Auct. Amer. p. p. Nelson, Rept. Wyo. Exp. Sta. 10: (36). 1900. Tracy & Earle in Greene, Pl. Baker. 1: 19. 22 Feb. 1901.

See also Aecidium album, Clint.

Aecidium on Lespedeza.

See Aecidium leucostictum, B. & C.

Aecidium on Lupinus.

See *Aecidium Lupini*, Pk.

Aecidium on Phaseolus.

NOTE. An Aecidium on Phaseolus produced by sowing teleutospores of bean rust is reported by Arthur, Jour. Myc. 10: 14. 30 Jan. 1904. See Uromyces appendiculatus, (P.) Lev. Aecidium Phaseolorum has been reported on Amphicarpæa. See above.

Aecidium on Psoralea.

Aecidium porosum, Auct. Amer. p. p.

Arth. Bull. Iowa Agr. Coll. 1884: 167. Jan. 1885.

See also Aecidium Onobrychidis, Burrill.

See also **Aecidium Psoraleæ**, Pk.

Aecidium on Trifolium.

NOTE. In Tr. Wis. Acad. 14: 101. Sept. 1903 Davis mentions an Aecidium on Trifolium repens as belonging to Uromyces minor, Schrt.

See also **Aecidium elegans**, B. & C.

See also Aecidium Trifolii-repentis, Cast.

Aecidium on Vicia.

See Aecidium album, Clint.

Aecidium Leguminosarum, N. A. F. 2216. See Aecidium Lupini, Pk. Aecidium leguminosatum, Auct. Amer. p. p. See on *Amphicarpæa* and *Aplos* under *Aecidium* on *Leguminosæ*. Aecidium Lepidii, Tracy & Gall. Tracy & Gall. Jour. Myc. 4: 21. d. March 1888.

De Toni in Sacc. Syll. 7: 779. d. 28 Oct. 1888.

Anderson, Jour. Myc. 5: 82. June 1889.

Webber, Bull. Nebr. Exp. Sta. 1: 332 (62). 18 Dec. 1889.

Webber, Rept. Nebr. Agr. 1889: 211 (71). 1890.

Tubeuf-Smith, Diseases of Plants 410. 1897.

Cockerell Jour. Myc. 10: 51. 54. 10. 1897. Cockerell, Jour. Myc. 10: 51. 19 March 1904. Aecidium Leptotæniæ, Lindr. Lindr. Meddel. Stockholms Hoegskolas Bot. Inst. 4: 8. d.
8 March 1901 and Bot. Centralbl. 88: 4. 25 Sept. 1901.
Lindr. Acta Soc. Fauna et Fl. Fennica 221: 167. d. 1902. Aecidium Aethusæ, Ell. & Ev. non Kirch. *Ell. & Ev. N. A. F. 3581. 24 Jan. 1898. *Ell. & Ev. Fung. Columb. 1298. May 1898. Aecidium leucospermum, D C. See *Aecidium Anemone*s, P. See also under Aecidium Ranunculacearum, Auct. Amer. p. p. Holw. Jour. Myc. 8: 172. 20 Dec. 1902. Klebahn, Rostpilze 357. 1904. Aecidium leucostictum, B. & C. NOTE. Cultures by Arthur show that this belongs to Uromyces Lespedeza, Pk. which accompanies and follows it. See Arthur, 1904. B. & C. in M. A. Curtis, Bot. N. Car. 123. 1867. Burrill, Bull. III. Lab. 2: 226. d. 1885 and Rept. III. Ind. Univ. 12 *Ell. & Ev. N. A. F. 1827. 1887.

De Toni in Sacc. Syll. 7: 787. d. 28 Oct. 1888.

*Ell. & Ev. Fung. Columb. 59. 1893.

Underw. & Earle, Bull. Ala. Exp. Sta. 80: 209. 28 June 1897.

Seymour, Rhodora 2: 186. 8 Sept. 1900.

Earle in Mohr, Contr. U. S. Nat. Herb. 6: 193. 31 July 1901.

Arth. Jour. Myc. 10: 14, 20. 20 Jan. 1904. Arth. Jour. Myc. 10: 14, 20. 30 Jan. 1904. Aecidium Orobi, var. leucostictum, B. B. Grev. 3: 61 (103). d. Dec. 1874. Aecidium Liatridis, (Webber) Ell. & Anderson. Ell. & Anderson, Bot. Gaz. 16: 47. d. Feb. 1891. Ell. & Anderson, Bot. Gaz. 16: 85. pl. 10 f. 11-16. March 1891. Sacc. Syll. 9: 325. d. 15 Sept. 1891. *Carl. Ured. Amer. 38. 1894. Barthol. Tr. Kans. Acad. 16: 190. June 1899. Aecidium Compositarum, var. Liatridis, Webber. Webber, Bull, Nebr. Exp. Sta. 1: 330 (60). 18 Dec. 1889. Webber, Rept. Nebr. Agr. 1889: 2tb (70). d. 1890. Smith & Pound, Bot. Surv. Nebr. 2: 28. 15 April 1893. Freeman, Minn. Bot. Studies II. 5: 557. 20 July 1901. Aecidium Ligustici, Ell. & Ev. Ell. & Ev. Bull. Torr. Bot. Club. 11; 73. d. July 1884. De Toni in Sacc. Syll. 7; 807. d. 28 Oct. 1888. Lindr. Acta Soc. Fauna et Fl. Fennica 221; 165. d. 1902.

Aecidium Ligustri, Strauss. Pk. Rept. N. Y. Mus. 56; 28. May 1903. [Bull. 67].

NOTE. For references to the connection of this Aecidium with Puccinia obtusata, Otth on Phragmites communis see Klebahn, Rostpilze 285. 1904.

Aecidium Limonii, Pk. See Aecidium Statices, Desm.

Aecidium Ludwigiæ, Ell. & Ev.

NOTE. See also Aecidium Isnardia Lagerh.

Ell. & Ev. Proc. Phil. Acad. 1893: 155. d. 28 Feb. 1893. Tracy & Earle, Bull. Miss. Exp. Sta. 34: 90. May 1895. Sacc. Syll. 11; 216. d. July 1895. McClatchie, Proc. S. Cal. Acad. 1; 372. 5 June 1897. Patterson, Bull. U. S. Agr. Pl. Industry 8: 8. 3 Feb. 1902.

Aecidium luminatum, S.

See Gymnoconia interstitialis, (Schl.) Lagerh.

Accidium Lupini, Pk.

Pk. Rept. N. Y. Mus. 46: 113 (33). d. Dec. 1893.

Sacc. Syll. 11: 214. d. July 1895.

Freeman, Minn. Bot. Studies II. 5: 554.

Accidium Leguminosarum, N. A. F. 20 July 1901.

*Ell. & Ev. N. A. F. 2216. 1889.

Aecidium Lycopi, Gerard.

NOTE. As the result of cultures, this Aecidium is stated to belong to Puccinia angustata Pk. See Arthur, 1899, 1900, 1902, Kellerman, 1903. Although with one exception the name is spelled Lycopi in references below, the correct spelling should be Lycopodis as given by Ellis, 1896.

Gerard in Pk. Bull. Buf. Soc. 1: 68. d. July 1873. Gerard in Pk. Rept. N. Y. Mus. 26: 78. d. April 1874.

Frost in Cat. Pl. Amherst 85. 1875.
Pk. Rept. N. Y. Mus. 29: 77. 1878.
Burrill, Bull. Ill. Lab. 2: 234. d. 1885 and Rept. Ill. Ind. Univ. 12:

146. d. 1885. Arth. & Holw. Bull. Minn. Surv. 3: 31. 1 Oct. 1887. Cobb, List Pl. Amherst 40. 1887.

De Toni in Sacc. Syll. 7: 815. d. 28 Oct. 1888.

De Toni in Sacc. Syll. 7: 815. d. 28 Oct. 1888.

*Ell. & Ev. N. A. F. 2996. Oct. 1893.

*Shear, N. Y. Fungi 130. 1893.

Underw. Proc. Ind. Acad. 1898: 50. Aug. 1894.

Cheney, Tr. Wis. Acad. 10: 69. Oct. 1895.

*Ell. & Ev. Fung. Columb. 1077. 22 Dec. 1896.

Underw. & Earle, Bull. Ala. Exp. Sta. 80: 209. 28 June 1897.

Davis, Tr. Wis. Acad. 11: 174. Aug. 1897.

Tubeuf-Smith Diseases of Plants 411. 1807.

Tubeuf-Smith, Diseases of Plants 411. 1897.

Tubeuf-Smith, Diseases of Plants 411. 1897.

Arth. Science II. 10: 565. 20 Oct. 1899.

Snyder, Proc. Ind. Acad. 1898: 189. Dec. 1899.

Arth. Bot. Gaz. 29: 273. 30 April 1900.

Freeman, Minn. Bot. Studies II. 5: 546. 20 July 1901.

Earle in Mohr, Contr. U. S. Nat. Herb. 6: 193. 31 July 1901.

Patterson, Bull. U. S. Agr. Pl. Industry 8: 8. 3 Feb. 1902.

Arth. Jour. Myc. 8: 56. 30 June 1902.

Syd. Mon. Ured. 1: 690. d. 1 Nov. 1903.

Kellerm. Jour. Myc. 9: 237. 31 Dec. 1903.

Aecidium Lygodesmiæ, (Webber) Shear. *Shear, Ell. & Ev. Fung. Columb. 1476. May 1901.

Aecidium Compositarum, var. Lygodesmiæ, Webber. Webber Am. Nat. 24: 177. d. Feb. 1890. Webber, Rept. Nebr. Agr. 1889: 210 (70). d. 1890. Sacc. Syll. 9: 323 d. 15 Sept. 1891. Smith & Pound. Bot. Surv. Nebr. 2: 28. 15 April 1893. ?Aecidium, sp. indet. Ell. & Ev. Proc. Phil. Acad. 1893: 154. d. 28 Feb. 1803. Aecidium Lysimachiæ, S. NOTE. Aecidium Lysimachia, (Schl.) Wallr., which dates from 1823, is considered in Europe to be the æcidium of Puccinia Limosa, Magn. Aecidium Lysinachia, S. dates from 1822, and, if the two are identical, the latter name has priority; but Schweinitzian specimens which we have seen are not in good condition. We have therefore here inserted the references given by writers as Aecidium Lysimachia, S., and added with doubt American references to Aecidium Lysimachia, (Schl.) Wallr. S. Syn. Car. 67 (41) no. 438. d. 1822. Lk., L. Sp. Pl. ed. Willd. 62: 46. 1825. *Ell. N. A. F. 1424. 1885. *Ell. & Ev. N. A. F. 1424b. Feb. 1889. [Issued with no. 2300.] *Uredo Lysimachiæ, Spreng. Spreng. in L. Syst. Veg. 16 ed. 41; 571. d. 1827. Cæoma lysimachiatum, S. S. Syn. Am. Bor. 292 no. 2863. 1834. PAecidium Lysimachiæ, (Schl.) Wallr. M. A. Curtis, Bot. N. Car. 124. 1867.
Pk. Rept. N. Y. Mus. 26: 78. April 1874.
Trel. Tr. Wis. Acad. 6: 134 (30). Nov. 1884.
Burrill, Bull. Ill. Lab. 2: 233. d. 1885 and Rept. Ill. Ind. Univ. 12: 146. d. 1885. De Toni in Sacc. Sylf. **7**: 817. d. 28 Oct. 1888. Webber, Bull. Nebr. Exp. Sta. 1: 332 (62). 18 Dec. 1889. Gall. Bull. U. S. Agr. Veg. Pathol. 8: 56. 1889. *Ell. & Ev. N. A. F. 2404. April 1890. Webber, Rept. Nebr. Agr. 1889: 211 (71). 1890. Barthol. Tr. Kans. Acad. 16: 190. June 1899. Nelson, Rept. Wyo. Exp. Sta. 10: 139.
Nelson, Rept. Wyo. Exp. Sta. 10: (35). 1900.
Freeman, Minn. Bot. Studies II. 5: 558. 20 July 1901.

Aecidium lysimachiatum, Pk.
Pk. Rept. N. Y. Mus. 29: 77. 1878. Aecidium lysimachiatum, Pk. See Aecidium Lysimachiæ, S. Aecidium macrosporum, Pk. NOTE. See note under Aecidium Smilacis, S.

Pk. Rept. N. Y. Mus. 23: 61. d. 1872. Pk. Rept. N. Y. Mus. 24: 106. 1872. Pk. Rept. N. Y. Mus. 29: 77. 1878. De Toni in Sacc. Syll. 7: 829. d. 28 Oct. 1888. Tubeuf-Smith, Diseases of Plants. 411. 1897. Barthol. Tr. Kans. Acad. 16: 190. June 1899. Aecidium Smilacis, N. A. F. *Ell. & Ev. N. A. F. 2708. May 1892.

Aecidium magnatum, Arth.
Arth. Bull. Torr. Bot. Club 28: 664. d. 30 Dec. 1901.
*Griffiths, West Am. Fung. 243. 22 March 1902.

Aecidium Malvastri, Ell. & Tracy.

Note. Hennings also describes in Hedw. 36: 216. I Aug. 1897 an Aecidium Malvastri on Malvastrum spicatum from Argentine Republic. See note under Aecidium interveniens, Pk. also note under Aecidium Sphæralceæ, Ell. & Ev.

Ell. & Tracy, Jour. Myc. 7: 43. d. 10 Sept. 1891. Sacc. Syll. 11: 215. d. July 1895.

Aecidium malvicola, Arth.

Arth. Bull. Torr. Bot. Club 31: 6. d. 19 Jan. 1904.

Aecidium Mariæ-Wilsoni, Pk. See Aecidium pedatatum, S.

Aecidium Mariæ-Wilsoni. Halsted. See **Aecidium claytoniatum**, S.

Halsted, Bull. Torr. Bot. Club 26: 382. 18 July 1899. Halsted, Rept. N. J. Exp. Sta. 1898; 368. 1800.

Aecidium Maublancii, n. n.

NOTE. Aecidium Mexicanum Maublanc is antedated by the species of Diet. & Holw. of the same name.

Maublanc, Bull. Soc. Myc. Fr. 20: 73. d. pl. 7, f. 9. 30 April 1904. Mexico.

Aecidium Menthæ, DC.

NOTE. The European plant of this name is called the aecidial stage of Puccinia Menthæ, P. The infrequent finding of the Aecidium may be significant, considering the abundance of the mint rust.

Pk. Rept. N. Y. Mus. 24: 92, 106. Frost in Cat. Pl. Amherst 85. 1875. Pk. Rept. N. Y. Mus. 29: 77. 1878. Johnson, Bull. Minn. Acad. 1: 366. d. 1880. Arth. Bull. lowa Agr. Coll. 1884: 166. Jan. 1885. Cobb, List Pl. Amherst 40. 1887. Bennett, Cat. Pl. R. I. 89. 1888. Cockerell, Jour. Myc. 10: 51. 19 March 1904.

Aecidium Mertensiæ, Arth.
Arth. Bull. Torr. Bot. Club 31:6. d. 19 Jan. 1904.

Aecidium Mexicanum, Diet. & Holw.

Holw. Bot. Gaz. **24**: 36. *d*. 31 July 1897. Lindau & Syd. Hedw. **87**: xvii. 9 April 1898. Sacc. & Syd. Syll. **14**: 373. *d*. 20 Aug. 1899. Mexico. [Beiblatt no. 7.]

Aecidium Mexicanum, Maublanc. See **Aecidium Maubiancii,** n. n.

Aecidium on Micromeria.

NOTE. In Jour. Myc. 10: 54. 19 March 1904 Dudley and Thompson describe a new species, Puccinia Micromeria, including acidial stage, on Micromeria in California.

Aecidium micropunctum, Ell. & Ev.

Ell. & Ev. Jour. Myc. 6: 119. d. 6 Jan. 1891. Sacc. Syll. 9: 322. d. 15 Sept. 1891. Webber. Tr. St. Louis Acad. 6: 15. 12 March 1892 and Contr. Bot. Dept. Univ. Nebr. 3: 15. 14 June 1892.

Aecidium minutissimum, Gerard. See Aecidium Hyperici-frondosi, S.

Aecidium Mirabilis, Diet. & Holw.

Holw: Bot. Gaz. 24: 37. d. 31 July 1897.

Lindau & Syd. Hedw. 37: xvii. 9 April 1898. [Beiblatt no. 7.]

Sacc. & Syd. Syll. 14: 386. d. 20 Aug. 1899. Mexico.

Aecidium mirabilissimum, Cockerell.

NOTE. Thought by the author to belong to Puccinia mirabilissima, Pk.

Cockerell, Journ. Myc. 5: 85. June 1889.

Aecidium on Monardella.

NOTE. On this host Dudley and Thompson in Jour. Myc. 10: 53. 19 March 1904, describe a new species, Puccinia Monardella, with æcidial

Aecidium monoicum, Pk.

NOTE. The Accidium of this name has usually been reported on species of Arabis and Sisymbrium, and it may perhaps include two different forms possibly connected with Puccinia Holbællii, (Hornem.) Rostr. and Puccinia consimilis, Ell. & Ev. See also Aecidium Drabæ, Tracy & Gall. and Aecidium Parryi, Pk.

Pk. Bot. Gaz. 4: 230. d. Nov. 1879. De Toni in Sacc. Syll. 7: 779. d. 28 Oct. 1888.

Jones, Proc. Cal. Acad. II. 5: 730. 3 Oct. 1895. Tracy & Earle in Greene, Pl. Baker. 1: 18. 22 Feb. 1901.

Lindr. Acta Soc. Fauna et Fl. Fennica 20°: 21. 1901.

On Sisymbrium. Anderson, Jour. Myc. 5; 82. June 1880.

Ell. & Ev. Jour. Myc. 6: 121. 4. 6 Jan. 1891. Ell. in Nelson, Bull. Wyo. Exp. Sta. 28: 203. May 1896. Nelson, Rept. Wyo. Exp. Sta. 10: (35). 1900. Cockerell, Jour. Myc. 10: 51. 19 March 1904.

On Smelowskia.

Jones, Proc. Cal. Acad. Il. 5: 730. 3 Oct. 1895.

Aecidium Montanoæ, Diet. & Holw.

Holw. Bot. Gaz. 24: 36. d. 31 July 1897. M. Lindau & Syd. Hedw. 87: xvii. 9 April 1898. [Beiblatt no. 7.] Mexico. Sacc. & Syd. Syll. 14: 379. d. 20 Aug. 1899.

Aecidium Myosotidis, Burrill.

Burrill, Bot. Gaz. 9: 190. d. Dec. 1884, Burrill, Bull. Ill. Lab. 2: 234. d. 1885 and Rept. Ill. Ind. Univ. 12: 146. d. 1885. Wint. & Demet. Hedw. 24: 180 (4). Oct. 1885.

With & Definet. Fieldw. 24: 180 (4). Oct. 1885.

*Ell. & Ev. N. A. F. 1832. 1887.

De Toni in Sacc. Syll. 7: 810. d. 28 Oct. 1888.

Gall. Bull. U. S. Agr. Veg. Pathol. 8: 56. 1889.

Lagerh. Tromsoe Mus. Aarshefter 17: 103. d. 1895.

Tubeuf-Smith, Diseases of Plants 411. 1897.

Aecidium myricatum, S.

S. Syn. Am. Bor. 309. 1834.
Pk. Rept. N. Y. Mus. 23: 60. d. 1872.
Pk. Rept. N. Y. Mus. 24: 106. 1872.
Pk. Rept. N. Y. Mus. 24: 106. 1872.
Farl. Bull. Bussey Inst. 1: 433. March 1876.
Pk. Rept. N. Y. Mus. 29: 77. 1878.
*Ell. N. A. F. 230. 1879.
*Thm. Myc. Univ. 1224. 1879.
Thm. Flora 63: 316. 11 July 1880.
De Toni in Sacc. Syll. 7: 826. d. 28 Oct. 1888.

*Roum. Fung. Gall. 4835. 1889. Roum. Rev. Myc. 11: 63. 1 April 1889. Ell. in Cat. Pl. N. J. 505. 1889. *Ell. & Ev. Fung. Columb. 62. 1893. Cæoma myricatum, S. S. Syn. Am. Bor. 294 no. 2894. d. 1834. Aecidium Napææ, Arth. & Holw. NOTE. In Bull. Torr. Bot. Club 31: 7. 19 Jan. 1904 Arthur states that Aecidium Callirrhoes, Ell. & Kellerm. (q. v.) is a synonym of Aecidium Napaa, Arth. & Holw. See also Aecidium Spharalcea, Ell. & Ev. Arth. Bull. Iowa Agr. Coll. 1884: 166. d. Jan. 1885. De Toni in Sacc. Syll. 7: 783. d. 28 Oct. 1888. Det 1011 in Sacc. Syll. 1: 703. a. 20 Oct. 1000.

*Ell. & Ev. N. A. F. 2401. April 1890.

Detmers, Bull. Ohio Exp. Sta. 44: 139. Sept. 1892.

Kellerm. & Werner, Geol. Ohio 72: 346. Jan. 1895.

Underw. Proc. Ind. Acad. 1894: 151. Oct. 1895. Arth. Bull. Torr. Bot Club 31: 7. 19 Jan. 1904. Aecidium Nelsoni, (Arth.) n.n. NOTE. Arthur, 1901 suggests that Gymnosporangium Nelsoni, Arth. may be the teleutosporic stage. See also Klebahn, Rostpilze 354. 1004. Roestelia lacerata, Auct. Amer. p. p. Hark. Bull. Cal. Acad. 2: 440. 16 June 1887. Seymour, Proc. Boston Soc. 24: 190. 8 Nov. 1889. Roestelia cornuta, Auct. Amer. p. p. *Ell. & Ev. N. A. F. 3146. Nov. 1894. *Ell. & Ev. Fung. Columb. 761. 24 April 1895. Roestelia Ellisil, Fung. Columb. 1292 non Pk. *Ell. & Ev. Fung. Columb. 1292. May 1898. Roestella Nelsoni, Arth.
Arth. Bull. Torr. Bot. Club 28: 665. d. 30 Dec. 1901.
*Griffiths, West Am. Fung. 246, 264. 22 March 1902.
*Barthol., Ell. & Ev. Fung. Columb. 1676. Oct. 1902. Aecidium Nesææ, Gerard. NOTE. Accompanies Puccinia Nesaa, Ell. & Ev. Gerard, Bull. Torr. Bot. Club 4: 47. d. Oct. 1873 and Hedw. 18: 28. d. Feb. 1874.

Pk. Rept. N. Y. Mus. 27: 104. 1875.

Pk. Rept. N. Y. Mus. 29: 77. 1878. *Ell. N. A. F. 1015. 1883.

*Wint. Fung. Eur. 3019. 1884.

De Toni in Sacc. Syll. 7: 789. d. 28 Oct. 1888.

Ell in Cat. Pl. N. J. 505. 1889.

Detmers, Bull. Ohio Exp. 1882. tech. ser. 1: 174. April 1893. Davis, Tr. Wis Acad. 9: 182. 21 Aug. 1893. *Ell & Ev. Fung. Columb. 197. 1893. Kellerm. & Werner, Geol. Ohio 72: 346. Jan. 1895. Kellerm. Jour. Myc. 9: 12. 14 Feb. 1903. Aecidium Nidus-avis, (Thax.) n. n. Rœstelia cornuta, Auct. Amer. p. p. Farl. Bot. Gaz. 11: 190. July 1886. Farl. Bot. Gaz. 11: 238. Sept. 1886. Thax. Proc. Am. Acad. 22: 264, 267, 268. Jan. 1887 and Centralbl. Bact. 1: 433, 458-460. 1887. Thax. Bot. Gaz. 14: 165. July 1889.

Roestelia Nidus-avis, Thax.
Thax. Bull. Conn. Exp. Sta. 107: 5. 15 April 1891.
Thax. Rept. Conn. Exp. Sta. 1891: 164. March 1892.
*Seymour & Earle, E. F. 240. 1 Feb. 1893.

Stevens, Rept. Ohio Acad. 4: 20.

Aecidium nitens, S.

See Gymnoconia interstitialis, (Schl.) Lagerh.

Aecidium oblongum, Bon.

See Aecidium Hyperici-frondosi, S.

Aecidium occidentale, Arth.

NOTE. See also Aecidium Clematidis, DC.

Arth. Bull. Torr. Bot. Club 31: 7. d. 10 Jan. 1004.

Aecidium Oenotheræ, Pk.

NOTE. The name Aecidium Oenotherae, Pk. was changed by De Toni in 1888 to Aecidium Peckii on the supposition that it was different from the earlier described Aecidium Oenotheræ, Mont. But Peridermium Peckii, Thm. here given as Aecidium dates from 1880. It is not certain whether any of the North American Aecidia on Oenothera really belong to Aecidium Oenothera, Mont. but at least the greater part of them are certainly Aecidium Oenothera, Pk. which according to Kellerman is connected with a Puccinia on Carex called by him Puccinia Peckii.

We have therefore thought best to retain as an index name Aecidium Oenotheræ, Pk. without regard to Montagne's name in order to avoid creating still greater confusion in the synonymy. For further references see also Accidium Epilobii. See Kellerman, Jour. Myc. 8: 20. 31 May 1902 and 9: 9. 14 Feb. 1903. Arth. Jour. Myc. 8: 52. 30 June 1902 and Bot. Gaz. 35: 13. 20 Jan. 1903. Syd. Mon. Ured. 1: 671. 1 Nov. 1903. Klebahn, Rostpilze 306. 1904.

Pk. Rept. N. Y. Mus. 28: 60. d. 1872.
Pk. Rept. N. Y. Mus. 24: 107. 1872.
Frost in Cat. Pl. Amherst 85. 1875.
Pk. Rept. N. Y. Mus. 29: 76. 1878.
Bundy, Geol. Wis. 1873-79 1: 400. 1883.
*Ell. N. A. F. 1016. 1883.
Trel. Tr. Wis. Acad. 6: 134 (30). Nov. 1884.
Arth. Bull. lowa Agr. Coll. 1884: 167. Jan. 1885.
Burrill, Bull. Ill. Lab. 2: 227. d. 1885 and Rept. Ill. Ind. Univ. 12: 142. d. 1885. 142. d. 1885. Brendel, Flora Peoriana 2 ed. 69. 1887. Cobb, List Pl. Amherst 40. 1887. Halsted, Bull. Iowa Agr. Coll. 1886: 58. 1887. Kellerm. & Carl. Tr. Kans. Acad. 10: 91. 1887. Kellerm. & Carl. Tr. Kans. Acad. 10: 91. 1887.

*Roum. Fung. Gall. 4415. 1888.

Roum. Rev. Myc. 10: 86. 1 April 1888.

Gall. Bull. U. S. Agr. Veg. Pathol. 8: 56. 1889.

Detmers, Bull. Ohio Exp. Sta. 44: 139. Sept. 1892.

Detmers, Bull. Ohio Exp. Sta. tech. ser. 1: 178. Ap. Underw. Proc. Ind. Acad. 1893: 50. Aug. 1894.

Kellerm. & Werner, Geol. Ohio 72: 346. Jan. 1895.

Snyder, Proc. Ind. Acad. 1896: 217. 1897.

Herbst, Fungal Fl. Lehigh Valley 175. d. 1899.

Davis, Tr. Wis. Acad. 14: 87. Sept. 1903.

Aecidium Peckii. De Toni. April 1893. Aecidium Peckii, De Toni.

De Toni in Sacc. Syll. 7: 790. d. 28 Oct. 1888.

Webber, Bull. Nebr. Exp. Sta. 1: 333 (63). 18 Dec. 1889.

Webber, Rept. Nebr. Agr. 1889: 211 (71). 1890.

*Ell. & Ev. Fung. Columb. 195. 1893.

McClatchie, Proc. S. Cal. Acad. 1: 372. 5 June 1897.

*Ell. & Ev. Fung. Columb. 1191. July 1897.

Tubeuf-Smith, Diseases of Plants 411. 1897.

Orton, Rept. Vt. Exp. Sta. 11: 211. Sept. 1898 and Contr. Bot. Vt.

2: 13. Sept. 1898. 2: 13. Sept. 1898. Barthol. Tr. Kans. Acad. 16: 190. June 1899. Nelson, Rept. Wyo. Exp. Sta. 10: (36). 1900. Freeman, Minn. Bot. Studies II. 5: 559. 20 July 1001. *Kellerm. Ohio Fungi 17. d. March 1902.

*Kellerm. Ohio Fungi 17. d. March 1902.

*Kellerm. Ohio Fungi 17. d. March 1902.

*Griffiths, West Am. Fung. 58. 22 March 1902.

*Barthol., Ell. & Ev. Fung. Columb. 1604. Oct. 1902.

Arth. Bot. Gag. 35. 12. 20 Jan. 1002. Arth. Bot. Gaz. 35: 13. 20 Jan. 1903. Garrett, Tr. Kans. Acad. 18: 147. 1903. PAecidium Oenotheræ, Auct. Amer. p. p. Ell. in Nelson, Bull. Wyo. Exp. Sta. 28: 203. May 1 Tubeuf-Smith, Diseases of Plants 411. 1897. Nelson, Rept. Wyo. Exp. Sta. 10: (35). 1900. Ricker, Univ. of Maine Studies 3: 51. 30 April 1902. May 1806. Carl. Jour. Appl. Micr. 6: 2110. 1903. Aecidium on Oenothera. See also under Aecidium Epilobii, D. C. See also Puccinia Heteranthæ, Ell. & Ev. See also Uromyces Oenotheræ, Burrill. Aecidium oldenlandianum, Ell. & Tracy. Ell. & Tracy, Jour. Myc. 7: 43. d. 10 Sept. 1891. Tracy & Earle, Bull. Miss. Exp. Sta. 34: 90. d. May 1895. Sacc. Syll. 11: 219. d. July 1895. Aecidium oldenlandianum, Underw. & Earle non Ell. & Tracy. See Aecidium houstoniatum, S. Aecidium Onobrychidis, Burrill. Burrill, Bot. Gaz. 9: 189 d. Dec. 1884. Burrill, Bull. Ill. Lab. 2: 225. d. 1885 and Rept. Ill. Ind. Univ. 12: *Ell. & Ev. N. A. F. 1826. 1887.

De Toni in Sacc. Syll. 7: 776. d. 28 Oct. 1888.

Gall. Bull. U. S. Agr. Veg. Pathol. 8: 56. 1889.

Underw. Proc. Ind. Acad. 1898: 50. Aug. 1894. Tubeuf-Smith, Diseases of Plants 410. 1897. Aecidium Onosmodii, Arth. Note. For Aecidia on Borraginaceæ see also Aecidium Asperifolii, P. and Aecidium Myosotidis, Burrill. Arth. Bull. Torr. Bot. Club 31: 6. d. 19 Jan. 1904. ?Aecidium Orchidearum. Desm.

NOTE. Compare also Aecidium Græbnerianum, Henn.

Syd. Ann. Myc. 1:21. 30 Jan. 1903.

Aecidium orientale, (Cke.) Diet.

NOTE. Whether the East Indian species of this name occurs in North America is doubtful. For what has been called by that name see Aecidium carneum, (Bosc.)

Diet. in Engler & Prantl, Pflanzenfam. 11**: 78. 1897.

Aecidium (sub Peridermio) ornamentale, (Arth.)

NOTE. This species was originally described as a Peridermium, but we have here included that genus under Aecidium. The species cannot however be called Aecidium ornamentale as there is a species of that name described by Kalchbrenner in Thuemen, Myc. Univ. 224. 1875 and in Flora 59: 205. I May 1876.

Peridermium ornamentale, Arth.

Arth. Bull. Torr. Bot. Club 28: 665. d. 30 Dec. 1901.

Aecidium Orobi, Auct. Amer. See under Aecidium on Leguminosæ.

See Aecidium Psoraleæ, Pk.

See Aecidium Trifolii-repentis, Cast.

Aecidium Orobi, var. elegans, B See Aecidium elegans, B. & C.

Aecidium Orobi, var. leucostictum, B. See Aecidium leucostictum, B. & C.

Aecidium Osmorrhizæ, Pk.

NOTE. This Aecidium on Osmorrhisa is considered by Lindroth and by Sydow to belong to Puccinia Osmorrhiza. C. & P., a species whose synonymy is far from clear. See Lindr. Acta Soc. Fauna et Fl. Fennica 22: 17. 1902. Syd. Mon. Ured. 1: 397. 15 May 1903. For convenience we have included Aecidia on Cicuta and on Pseudocymopterus to which authors have applied

this name. See Lindr. l. c. 53, 173. 1902. In Jour. Myc. 9: 10. 14 Feb. 1903 Kellerman gives an account of a culture in which the spores of this Aecidium from Osmorrhiza produced teleuto-

spores on Charophyllum. A. B. S.

Pk. Rept. N. Y. Mus. **24**: 92. *d*. 107. 1872. Pk. Rept. N. Y. Mus. **29**: 77. 1878. De Toni in Sacc. Syll. **7**: 794. *d*. 28 Oct, 1888. Detmers, Bull. Ohio Exp. Sta. 44: 140. Sept. 1892.

*Syd. Uredineen 1347. 1899. ? Lindr. Acta Soc. Fauna et Fl. Fennica 221: 173. 1902.

Kellerm. Jour. Myc. 9: 10. 14 Feb. 1903.

Aecidium Pimpinellæ, Auct. Amer.

Arth. Bull. lowa Agr. Coll. 1884: 167. Jan. 1885. ? Arth. Bull. lowa Agr. Coll. 1884: 167. Jan. 1885.

Cicuta.

Aecidium osmundatum, S.

S. Syn. Am. Bor. 309. 1834. Cæoma osmundatum, S.

S. Syn. Am. Bor. 294 no. 2895. d. 1834.

Aecidium Oxalidis, Thm.

Arth. Bull. Iowa Agr. Coll. **1884**: 167. Jan. 1885. *Ell. & Ev. N. A. F. 2210. Feb. 1889. Webber, Bull. Nebr. Exp. Sta. **1**: 333 (63). 18 Dec. 1889.

Webber, Rept. Nebr. Agr. 1889: 211 (71). 1890. Pound, Bot. Surv. Nebr. 3: 10. 18 June 1894. Barthol. Tr. Kans. Acad. 16: 190. June 1899.

Aecidium Palmeri, Anderson.

Note. Holway, in Erythea 7: 98. 31 Oct. 1899 associated this as æcidial stage with the newly described *Puccinia Palmeri*, (Anderson) Diet. & Holw. See also Syd. Mon. Ured. 1: 252. 15 Nov. 1902. See also Jones Proc. Cal. Acad. II. 5: 728. 3 Oct. 1895 where an *Accidium* on *Pentstemon confertus*, var. referred by him to *Accidium Palmeri*, Anderson is said to occur with Puccinia Pentstemonis, Pk. See also Blasdale, Jour. Myc. 9: 82. 29 May 1903.

Anderson, Jour. Myc. 6: 122. d. 6 Jan. 1891. Sacc. Syll. 9: 321. d. 15 Sept. 1891.

Aecidium Palmeri, Anderson. See Puccinia Pentstemonis, Pk.

Aecidium Pammelii, Trel.

NOTE. Cultures by William Stuart, 1902, show this to be the æcidial stage of Puccinia Panici, Diet.

Trel. Tr. Wis. Acad. 6: 136 (32). d. Nov. 1884 and Jour. Myc. 1: 15. d. Jan. 1885.

Jan. 1885.

*Ell. N. A. F. 1427. 1885.

*Roum. Fung. Gall. 4413. 1888.
Roum. Rev. Myc. 10; 86. 1 April 1888.
De Toni in Sacc. Syll. 7: 823. d. 28 Oct. 1888.

*Ell & Ev. N. A. F. 2217. Feb. 1889.

Webber, Bull. Nebr. Exp. Sta. 1: 333 (63). 18 Dec. 1889.
Gall. Bull. U. S. Agr. Veg. Pathol. 8: 56. 1889.

Webber, Rept. Nebr. Agr. 1889; 211 (71). 1890.

*Pazschke, Fung. Eur. 4140.

*Syd. Uredineen 1249. 1898.

*Ell. & Ev. Fung. Columb. 1389. May 1899.

Barthol. Tr. Kans. Acad. 16: 190. June 1899.

Freeman, Minn. Bot. Studies II. 5: 559. 20 July 1901.

Stuart, Proc. Ind. Acad. 1901: 284. 1902.

*Barthol., Ell. & Ev. Fung. Columb. 1706. Feb. 1903.

Aecidium Parnassiæ, (Schl.) Gravis.
Trel. in Sacc., Pk. & Trel., Harriman Alaska Exp. 5: 37. 5 April 1904. . **Aecidium Parryi,** Pk.

NOTE. See also Aecidium monoicum, Pk.

Pk. in Parry, Am. Nat. 8: 215 (25). d. April 1874.

Aecidium Peckii, (Thm.) Diet.

NOTE. This species is the Peridermium Peckii, Thm. 1880 first mentioned as Peridermium columnare by Peck, 1876, 1878. It may possibly be connected with Calyptospora Goeppertiana, J. Kuehn, on species of Vaccinium. Attention should be called to the fact that the name Aecidium Oenothera, Pk. 1872 was changed to Aecidium Peckii by De Toni 1888. The last named species is the æcidium of *Puccinia Peckii*, (De Toni) Kellerm, a. v.

Diet in Engler & Prantl, Pflanzenfam. 11**: 78. Peridermium columnare, Auct. Amer.

Pk. Rept. N. Y. Mus. 28: 61. Pk. Rept. N. Y. Mus. 29: 77. 1876.

1878. Peridermium Peckii, Thm.

Thm. Mittheil. forstl. Versuchs. Oest. 2: 320 (24). d. 1880.

Fill. N. A. F. 1023. 1883.
Farl. Appalachia 3: 239, 242. Jan. 1884.
De Toni in Sacc. Syll. 7: 837. d. 28 Oct. 1888.
Millsp. Bull. W. Va. Exp. Sta. 24: 509. June 1892.
*Seymour & Earle, E. F. 225. 1 Feb. 1893.

*Seymour & Earle, E. F. 225. 1 Feb. 1893.

Millsp. & Nutt. Publ. Field Columb. Mus. Bot. 1: 130. Jan. 1896.

Tubeuf-Smith, Diseases of Plants 417. 1897.
Orton, Rept. Vt. Exp. Sta. 11: 213. Sept. 1898 and Contr. Bot. Vt. 2: 15. Sept. 1898.

Aecidium Peckii, De Toni.

See Aecidium Oenotheræ, Pk.

```
Aecidium pedatatum, S.
    S. Syn. Am. Bor. 309. 1834.
Pk. Rept. N. Y. Mus. 34: 46. Oct. 1883.
Arth. & Holw. Minn. Bot. Studies II. 5: 632. d. 20 July 1901.
    Davis, Tr. Wis. Acad. 14: 87. Sept. 1903.
          Cæoma pedatatum, S.
     S. Syn. Am. Bor. 293 no. 2885. d. 1834.
          Cæoma sagittatúm, S.
     S. Syn. Am. Bor. 293 no. 2886. d.
         Aecidium sagittatum, S.
    S. Syn. Am. Bor. 309. 1834. 
Aecidium Mariæ-Wilsoni, Pk.
    Pk. Rept. N. Y. Mus. 24: 92. d. 107. 1872.
Frost in Cat. Pl. Amherst 85. 1875.
Pk. Rept. N. Y. Mus. 29: 76. 1878.
Bundy, Geol. Wis. 1873-79, 1: 400. 1883.
Burrill, Bull. Ill. Lab. 2: 223. d. 1885 and Rept. Ill. Ind. Univ. 12:
               140. d.
                                 1885.
    140. d. 1885.
Cobb, List Pl. Amherst 40. 1887.
De Toni in Sacc. Syll. 7: 780. d. 28 Oct. 1888.
Davis, Tr. Wis. Acad. 9: 161. 21 Aug. 1893.
Underw. Proc. Ind. Acad. 1893. 50. Aug. 1894.
Tracy & Earle, Bull. Alas. Exp. Sta. 34: 90. May 1895.
Underw. & Earle, Bull. Ala. Exp. Sta. 80: 200. 28 June 1897.
Tribbuf Smith. Discosor of Planta 430. 4807.
    Tubeuf-Smith, Diseases of Plants 410. 1897.
Syd. in Sacc. Syll. 18: 1313. 1898.
Arth. & Holw. Minn. Bot. Studies Il. 5: 639. 20 July 1901.
Earle in Mohr, Contr. U. S. Nat. Herb. 6: 193. 31 July 1901.
Ricker, Univ. of Maine Studies 3: 51. 30 April 1902.

Aecidium Petersii, B. & C.
    B. Grev. 8: 61 (103) no. 580. d. Dec. 1874.
Farl. Proc. Am. Acad. 18: 75. July 1883.
Trel. Tr. Wis. Acad. 6: 135 (31). Nov. 1884.
De Toni in Sacc. Syll. 7: 780. d. 28 Oct. 1888.
Diet. Hedw. 28: 185. 1889.
    Lagerh. Tromsoe Mus. Aarshefter. 17: 103. d. 1895.
Underw. & Earle, Bull. Ala. Exp. Sta. 80: 210. d. 28 June 1897.
    Tubeuf-Smith, Diseases of Plants 410. 1897.
Sacc. & Syd. Syll. 14: 372. d. 20 Aug. 1899.
Earle in Mohr, Contr. U. S. Nat. Herb. 6: 193. 31 July 1901.

Puccinia Violæ, Carl. Ured. Amer. I.
 *Carl. Ured. Amer. 28.
Aecidium pentstemoniatum, S.
         See Aecidium Pentastemonis, S.
```

Aecidium Pentastemonis, S.

NOTE. According to observations and cultures by Arthur and by Stuart this is the æcidial stage of Puccinia Andropogonis, S. See Arthur 1899, 1900. Arth. & Holw. 1901. Kellerm. Jour. Myc. 9: 10. 14 Feb. 1903. Arth. Jour. Myc. 10: 11, 20. 30 Jan. 1904.

S. Syn. Car. 68 (42) no. 449. d. 1822. Lk., L. Sp. Pl. ed. Willd. 62: 47. d. 1825. LK., L. Sp. Fl. ed. Wild. 6-. 47. 6. 1023.
M. A. Curtis, Bot. N. Car. 123. 1867.
Pk. Rept. N. Y. Mus. 24: 92, 107. 1872.
Trel. Tr. Wis. Acad. 6: 137 (33). d. Nov. 1884.
Arth. Bull. Iowa Agr. Coll. 1884: 165. d. Jan. 1885.
Wint. & Demet. Hedw. 24: 180 (4). Oct. 1885.

```
*Wint. Fung. Eur. 3222. 1885.
Wint. Hedw. 24: 256. Dec. 1885.
Burrill, Bull. Ill. Lab. 2: 233. d. 1885 and Rept. Ill. Ind. Univ. 12:
 146. d. 1885.

Halsted, Bull. Iowa Agr. Coll. 1886: 58. 1887.

De Toni in Sacc. Syll. 7: 814. d. 28 Oct. 1888.

*Kellerm. & Swingle, Kansas Fungi 28. 1 Aug. 1889.

When Bull Mahr Eyn. Sta. 1: 333 (63). 18 Dec.
   Webber, Bull. Nebr. Exp. Sta. 1: 333 (63). Webber, Am. Nat. 24: 177. d. Feb. 1890.
                                                                                18 Dec. 1880.
 Webber, Am. Nat. 24: 177. d. Feb. 1890. Webber, Rept. Nebr. Agr. 1889: 211 (71). *Roum. Fung. Gall. 5514. 1891. Roum. Rev. Myc. 18: 5. 1 Jan. 1891.
    Woods, Bot. Surv. Nebr. 2: 38. 15 April 1893.
   Carl. Bot. Gaz. 18: 453. 25 Dec. 1893.
Tracy & Earle, Bull. Miss. Exp. Sta. 34: 90. May 1895.
Tracy & Earle, Bull. Miss. Exp. Sta. 38: 138. May 1896.
   Underw. & Earle, Bull. Ala. Exp. Sta. 80: 210. 28 June 1897.
   Snyder, Proc. Ind. Acad. 1896: 217. 1897.
   Tubeuf-Smith, Diseases of Plants 411. 1897.
   Hume, Proc. Davenport Acad. 7: 252. 12 May 1899.

Barthol. Tr. Kans. Acad. 16: 190. June 1899.

Arth. Science II. 10: 565. 20 Oct. 1899.

Arth. Bot. Gaz. 29: 272. 30 April 1900.

Bubak, Oest. Bot. Zeit. 50: 320. Sept. 1900.

Arth. & Holw. Bull. Univ. lowa 5: 181. d. May 1901.

Earle in Mohr, Contr. U. S. Nat. Herb. 6: 193. 31 July 1901.

Garrett, Tr. Kans. Acad. 18: 147. 1903.

**Ilegdo Chalonas Spreage**
   Uredo Chelones, Spreng.
Spreng. in L. Syst. Veg. 16 ed. 4<sup>1</sup>: 572. d. 1827.
       Cæoma pentstemoniatum, S.
   S. Syn. Am. Bor. 292 no. 2864. 1834.
      Aecidium pentstemoniatum, S.
   S. Syn. Am. Bor. 309. 1834.
Pk. Rept. N. Y. Mus. 29: 77.
                                                         1878.
 *Ell. & Ev. N. A. F. 1813. 1887.
Aecidium Pentastemonis, S., var. Mimuli, Wint. Wint. & Demet. Hedw. 24: 180 (4). Oct. 1885.
 *Wint. Fung. Eur. 3223. 1885.
Wint. Hedw. 24: 256. Dec. 1885.
Gall. Bull. U. S. Agr. Veg. Pathol. 8: 56. 1889.
Aecidium Periclymeni, Schum.
          NOTE. The Aecidium of this name in Europe is considered to belong to
       Puccinia Festucæ, Plowr. See Syd. Mon. Ured. 1: 752. I Nov. 1903.
      Klebahn, Rostpilze 290. 1904.
 *Ell. N. A. F. 1020. 1883.
   Arth. Bull. Iowa Agr. Coll. 1884: 167. Jan. 1885.
Aecidium Petalostemonis, Kellerm. & Carl.
          NOTE. This is probably the æcidial stage of Uropyxis Petalostemonis,
```

(Farl.) De Toni. See Ell. & Ev. N. A. F. 1845. 1887. Kellerm. & Carl. Tr. Kans. Acad. 10: 01. 1887.

Kellerm. & Carl. Tr. Kans. Acad. 10: 91. 1887. Hume, Proc. Davenport Acad. 7: 252. 12 May 1899.

Aecidium Petersii, B. & C. See Aecidium pedatatum, S.

Aecidium Phacelise, Pk.

NOTE. Sydow 1902 suggests that this may belong to Puccinia Phacelia, Syd. & Holw.

Pk. Bull. Torr. Bot. Club 11: 50. d. May 1884. Hark. Bull. Cal. Acad. 2: 440. 16 June 1887. Halsted, Bull. Iowa Agr. Coll. 1888: 113, 116. April 1888. *Ell. & Ev. N. A. F. 2218. Feb. 1889. Cke. Grev. 20: 110. June 1892. Sacc. Bull. Soc. Bot. Belg. 312: 225. d. 1892. Sacc. Syll. 11: 220. d. July 1895. McCletchia in Beid's Hist Benedens 666. 1895.

McClatchie in Reid's Hist. Pasadena 616. 1805.

McClatchie, Proc. S. Cal. Acad. 1: 372. 5 June 1897. Hume, Proc. Davenport Acad. 7: 252. 12 May 1899. Tracy & Earle in Greene, Pl. Baker. 1: 19. 22 Feb. 1901. Syd. Mon. Ured. 1: 314. 15 Nov. 1902.

*Syd. Uredineen 1800. 1903. Cockerell, Jour. Myc. 10:51. 19 March 1904.

Aecidium Phaseolorum, Auct. Amer.

Note. See Aecidium on Amphicarpaa and Aecidium on Phaseolus under Aecidium on Leguminosæ.

Aecidium Phlogis, Arth.

Se**e** *Aecidium Giliæ***,** Pk. Phlox divaricata. See Aecidium Polemonii, Pk. Phlox pilosa.

Aecidium Phlogis, Ell. & Ev. See Aecidium Giliæ, Pk.

Aecidium Phrymae, Halsted.

Halsted, Jour. Myc. 2: 52. d. May 1886. De Toni in Sacc. Syll. 7: 816. d. 28 Oct. 1888. Pound, Bot. Surv. Nebr. 3: 10. 18 June 1894.

Freeman, Minn. Bot. Studies II. 5: 559. 20 July 1901.

Aecidium Physalidis, Burrill. See Aecidium Solani, Mont.

Aecidium Physalidis, Pk.

NOTE. This name which so far as we know occurs only in the citation below probably refers to the aecidium of Puccinia Physalidis, Pk., which is perhaps the same as Aecidium Solani, Mont.; but authors are not agreed on

Stuart, Proc. Ind. Acad. 1901: 284.

Aecidium Pimpinellæ, Auct. Amer. See Aecidium Osmorrhizæ, Pk.

Aecidium Pini, Auct. Amer. p. p.

NOTE. Besides citations under cross references given below there are the following references to Accidium Pini in North America. Some relate to corticolous and some to acicolous forms, but their development has not been studied in this country. In Europe Aecidium Pini has been separated into a number of forms, the acicolous being in general connected with species of Coleosporium and the corticolous with species of Cronartium. For details

see Klebahn, Rostpilze 358, 372, 377. 1904.

In this country Coleosporium Senecionis appears to be rare and is not accompanied, so far as known, by any Aecidium on leaves of Pinus; nor has it been ascertained whether the common species of Cronartium on Myrica is connected with the common form of Aecidium Pini on Pinus rigida with which it is often found growing. It should be femarked that the common Aecidium in the latter case is acicolous and not like the corresponding

European form corticolous.

We have arranged the following references under three heads: those where the Aecidium is reported on bark, those on leaves and lastly miscellanea. Probably some of the references properly belong to certain of the species already given here as cross references.

Corticolous forms.

See also **Aecidium cerebrum**, (Pk.) Diet. Aecidium deformans, Mayr. Aecidium filamentosum, (Pk.) Aecidium Harknessii, (Moore) Diet. Aecidium piriforme, (Pk.).

Peridermium Pini, Auct. Amer. p. p. M. A. Curtis, Bot. N. Car. 124. 1867. p. p. Ell. in Cat. Pl. N. J. 505. 1889. Pinus rigida, P. inops.

Acicolous forms.

See also **Aecidium carneum**, (Bosc). Aecidium orientale, (Cke.) Diet.

On *Pinus rigida*.

Peridermium oblongisporium, Fckl.

Thm. Mitth. forstl. Versuchs. Oest. 2: 315 (19). d. 1880.

Peridermium Pini, var. acicolum, Auct. Amer.

Klebahn, Abh. Nat. Verein Bremen 10: 151. 1887, 1889. *Seymour & Earle, E. F. 223. 1 Feb. 1893.

Peridermium Pini, Auct. Amer. p. p.

*Ell. & Ev. N. A. F. 2222. Feb. 1889. *Kellerm. Ohio Fungi 104. d. 14 Feb. 1903. Kellerm. Jour. Myc. 9: 12, 19. d. 14 Feb. 1903. Peridermium acicolum, Underw. & Earle.

Underw. & Earle, Bull. Torr. Bot. Club 23: 400 d. 25 Oct. 1896.

On Pinus, sp. indet. Aecidium Pini, S. Car. 456.

S. Syn. Car. 69 (43) no. 456. 1822. Peridermium Pini, Auct. Amer. p. p.

Herbst, Fungal Fl. Lehigh Valley 174. d.

Miscellanea.

Aecidium Pini, Auct. Amer. p. p. Watt, Can. Nat. & Geol. II. 2: 391. Oct. 1865. Peridermium Pini, Auct. Amer., p. p.

Prague, Proc. Boston Soc. 5; 329. 1856. Russell, Am. Nat. 2; 568, 569. Jan. 1869. Frost in Cat. Pl. Amherst 84. 1875. Abies. Cobb, List Pl. Amherst 39. 1887.

Vize, Grev. 5: 110. Mar. 1877. P. insignis. Hark. & Moore, Cat. Pac. Fung. 27. Feb. 1880. P. insign Thm. Mittheil. forstl. Versuchs. Oest. 2: 310 (14). d. 1880. Patterson, Bull. U. S. Agr. Pl. Industry 8: 10. 3 Feb. 1902. P. insignis.

P. mitis.

Aecidium Pini, var. Ephedræ, B. & C. See *Aecidium Ephedræ*. Diet.

Aecidium piratum, S.

NOTE. Under Aecidium piratum are given the references to the Aecidium of Gymnosporangium macropus, but, as the names Aecidium piratum and Aecidium penicillatum, the latter being in fact the name of a European species not found in North America, have been confused by some American writers, some of the following references may belong to other species.

```
S. Syn. Am. Bor. 300. 1834.
Am. Agriculturist 27: 454. f. 1, 2. Dec. 1868.
Pk. in Hayden's Rept. U. S. Surv. 6: 702. 1873.
       Thax. Proc. Am. Acad. 22: 262, 265. Jan. 1887 and Centralbl. Bact.
      1: 432, 434. 1887.
?Nelson, Rept. Wyo. Exp. Sta. 10: (36). 1900.
             Cæoma piratum, S.
       S. Syn. Am. Bor. 294 no. 2896. d. 1834.
             Roestelia lacerata, Auct. Amer. p. p.
  B. Grev. 8: 59 (101). Dec. 1874. p. p. *Thm. Myc. Univ. 732. 1877.
 *Rav. Fung. Am. 481. 1881.
?Pk. Rept. N. Y. Mus. 88; 38. Oct. 1883.
?Ell. in Cat. Pl. N. J. 504. 1889.
Mayr, Waldungen von Nordamer. 139, 434. 1890.
             Roestelia peniciliata, Auct. Amer. p. p.
 Farl. Anniv. Mem. Boston Soc. 30. 1880.

*Ell. N. A. F. 1086 a, b, d. 1883.

Trel. Tr. Wis. Acad. 6: 138 (34). Nov. 1884.

Arth. Bull. lowa Agr. Coll. 1884: 168. Jan. 1885.

Burrill, Bull. Ill. Lab. 2: 240. d. 1885 and Rept. Ill. Ind. Univ. 12:
                  150. d. 1885.
     Farl. Bot. Gaz. 11: 240, 241. Sept. 1886.
Bessey, Am. Pomol. Soc. 1885: 43. 1886.
Thax. Proc. Am. Acad. 22: 265. Jan. 1887 and Centralbl. Bact. 1:
    434. 1887.
Brendel, Flora Peoriana 2 ed. 69. 1887.
Gall. Rept. Mo. Hort. Soc. 29: 295. f. A.
Scribner, Rept. U. S. Agr. 1886: 135. 18
Scribner, Bot. Gaz. 13: 16. Jan. 1888.
The Rot Gaz. 14: 163, 171. July 1889.
                                    1887.
                                                                                                                                           1887.
      Thax. Bot. Gaz. 14: 163, 171. July 1889. Roestelia pirata, Thax.
Roestelia pirata, Thax.
Thax. Proc. Am. Acad. 22: 269. Jan. 1887 and Centralbl. Bact. 1
460. 1887.
Seymour, Tr. Am. Hort. Soc. 4: 155 (4). 7 April 1887.
*Kellerm. & Swingle, Kansas Fungi 19. 1 May 1889.
Thax. Bot. Gaz. 14: 164, 166, 171. July 1889.
Gall. Bull. U. S. Agr. Veg. Pathol. 8: 58. 1889.
Gall. Rept. U. S. Agr. 1888: 378. pl. 11, f. 1. pl. 12, f. 1-3. 1889.
Farl. Gard. & For. 3: 627. 24 Dec. 1890.
Pearson in Gall. Bull. U. S. Agr. Veg. Pathol. 11: 46. 1890.
Gall. Rept. U. S. Agr. 1889: 413. 1890.
Pammel, Bull. lowa Exp. Sta. 13: 41. f. x. May 1891.
Pammel, Jour. Myc. 7: 102. April 1892.
*Ell. & Ev. N. A. F. 2713. May 1892.
Millsp. Bull. W. Va. Exp. Sta. 24: 508. June 1892.
Davis, Tr. Wis. Acad. 9: 162. 21 Aug. 1893.
Jones, Rept. Vt. Exp. Sta. 1892: 83. 1893.
Underw. Proc. Ind. Acad. 1893: 56. Aug. 1894.
Fischer, Hedw. 34: 4. f. 8. 15 Feb. 1895.
*Tracy & Earle, Bull. Miss. Exp. Sta. 34: 91. May 1895.
```

Pammel, Proc. lowa Acad. 1894: 206. 1895. Pammel & Carver, Proc. lowa Acad. 8: 143. 1896. Underw. & Earle, Bull. Ala. Exp. Sta. 80: 218. 28 June 1897. *Syd. Uredineen 1195. Feb. 1898. Barthol. Tr. Kans. Acad. 16: 192. June 1899. Earle, Bull. Ala. Exp. Sta. 106: 168. Nov. 1899. Quaintance, Rept. Ga. Exp. Sta. 18: 357. Jan. 1901. Aecidium piriforme, (Pk.) n. n. NOTE. See also Aecidium cerebrum, (Pk.) Diet. **Peridermium piriforme**, Pk. Pk. Bull. Torr. Bot. Club. **6**: 13. d. Feb. 1875.
Thm. Mittheil. forstl. Versuchs. Oest. **2**: 311 (15) d. 188
De Toni in Sacc. Syll. **7**: 835. d. 28 Oct. 1888.
Klebahn, Ber. Deutsch. Bot. Ges. **8**: (69). 29 Dec. 1890.
Tubeuf-Smith, Diseases of Plants 414. 1897. 188o. Aecidium Pirolæ, P. in Gmel. See Thecopsora? Pirolæ, Karst. Aecidium pirolatum, S. See *Chrysomyxa Pirolæ*, Rostr. Aecidium Plantaginis, Ces. NOTE. According to cultures by Arthur, Bot. Gaz. 35: 17. 20 Jan. 1903 this is the æcidial stage of *Uromyces Aristidæ*, Ell. & Ev. See also Klebahn, Rostpilze 325. 1904. *Rav. Fung. Am. 483. 1881. Wint. & Demet. Hedw. 24: 180 (4). Oct. 1885. Burrill, Bull. Ill. Lab. 2: 232. d. 1885 and Rept. Ill. Ind. Univ. 12: 145. d. 1885. *Ell. & Ev. N. A. F. 1829. 1887. De Toni in Sacc. Syll. 7: 813. d. 28 Oct. 1888. De I on I in Sacc. Syil. 1: 613. d. 20 Oct. 1888.

Kelsey, Jour. Myc. 5: 80. June 1889.

Gall. Bull. U. S. Agr. Veg. Pathol. 8: 56. 1889.

Tracy & Earle, Bull. Miss. Exp. Sta. 34: 90. May 1895.

Atk. Bull. Cornell Univ. 8: 21. 25 June 1897.

Underw. & Earle, Bull. Ala. Exp. Sta. 80: 210. 28 June 1897.

Diet. in Engler & Prantl, Pflanzenfam. 11**: 77. 1897. Tubeuf-Smith, Diseases of Plants 411. 1897.
Nelson, Rept. Wyo. Exp. Sta. 10: (36). 1900.
*Shear, Ell. & Ev. Fung. Columb. 1475. May 1901.
Earle in Mohr. Contr. U. S. Nat. Herb. 6: 193. 31 July 1901. Arth. Bot. Gaz. 35: 18. 20 Jan. 1903. Aecidium podophyllatum, S See Aecidium Podophylli, S. Aecidium Podophylli, S. NOTE This Accidium is followed by, and intimately associated with Puccinia Podophylli, S. to which it evidently belongs. Muhl. Cat. Pl. Am. Sept. 1 ed. 104. 1813. 2 ed. 107. 1818. S. Syn. Car. 66 (40) no. 435. d. 1822. Spreng. in L. Syst. Veg. 16 ed. 41: 568. d. 1827. Fr. S. M. 8: 512. 1832. Bon. Abh. Nat. Ges. Halle 5: 216 (50). 1860. M. A. Curtis, Bot. N. Car. 123. 1867. Pk. Rept. N. Y. Mus. 28: 50. d. 1872. Pk. Rept. N. Y. Mus. 24: 107. 1872.

*Ell. N. A. F. 258. 1879.

```
*Rav. Fung. Am. 482. 1881.

Bundy, Geol. Wis. 1873-79, 1: 400. 1883.

Trel. Tr. Wis. Acad. 6: 134 (30). Nov. 1884.

Arth. Bull. Iowa Agr. Coll. 1884: 167. Jan. 1885.

Cragin, Bull. Wash. Lab. 1: 68. Jan. 1885.

Wint. & Demet. Hedw. 24: 180 (4). Oct. 1885.

Brendel, Flora Peoriana 2 ed. 69. 1887.

Tracy & Earle, Bull. Miss. Exp. Sta. 34: 90. May 1895.

Jones, Oberlin College Lab. Bull. 9: 4. 15 June 1898.

Herbst, Fungal Fl. Lehigh Valley 175. d. 1899.
    Herbst, Fungal Fl. Lehigh Valley 175. d. 1800.
    Puccinia aurea, Spreng.
Spreng. in L. Syst. Veg. 16 ed. 41: 568. d. 1827.
Cæoma podophyllatum, S.
    S. Syn. Am. Bor. 293 no. 2888: Aecidium podophyllatum, S.
*Thm. Myc. Univ. 626. 1878.

James, Jour. Cin. Soc. 22: 67 (26). April 1879.
Aecidium Polemonii, Pk.
            NOTE. See note under Aecidium Gilia. Pk.
    Pk. Bot. Gaz. 4: 230. d. Nov. 1879.
 *Ell. N. A. F. 1008. 1883.

Trel. Tr. Wis. Acad. 6: 134 (30). Nov. 1884.

Arth. Bull. Iowa Agr. Coll. 1884: 167. Jan. 1885.

Burrill, Bull. Ill. Lab. 2: 235. d. 1885 and Rept. Ill. Ind. Univ. 12:
    147. d. 1885.
De Toni in Sacc. Syll. 7: 806. d. 28 Oct. 1888.
Webber, Bull. Nebr. Exp. Sta. 1: 333 (63). 18 Dec. 1889. Gall. Bull. U. S. Agr. Veg. Pathol. 8: 56. 1889. Webber, Rept. Nebr. Agr. 1889: 211 (71). 1890. *Pazschke, Fung. Eur. 3637. 1890. Tracy & Earle, Bull. Miss. Exp. Sta. 34: 90. May 1895. Tubeuf-Smith, Diseases of Plants 411. 1897. *Paecidium Philogis*, Arth. p. p. Arth. Bull. Iowa Agr. Coll. 1884: 162. Nov. 1884.
     **PAecidium Phlogis*, Arth. p. p. Arth. Bull. Iowa Agr. Coll. 1884: 167. Nov. 1884.
                                                                                                                         Phlox pilosa.
Aecidium polygalinum, Pk.
Pk. Bot. Gaz. 6: 275. d. Oct. 1881.
*Ell. N. A. F. 1009. 1883.
Trel. Tr. Wis. Acad. 6: 135 (31). Nov. 1884.
Arth. Bull. Iowa Agr. Coll. 1884: 167. Jan. 1885.
 *Wint. Fung. Eur. 3319. 1885.
De Toni in Sacc. Syll. 7: 780. d. 28 Oct. 1888.
 *Syd. Uredineen 1396. 1899.
Aecidium Polygoni, Chev.
            NOTE. Burrill, Bull. Ill. Lab. 2: 164. d. 1885 and Rept. Ill. Ind. Univ.
        12: 107. d. 1885 describes an Aecidium on Polygonum as the æcidial stage
        of Uromyces Polygoni, (P.) Fckl. It is also described in European works.
        It is probably more frequent than these references seem to indicate. See also
        Barthol., Ell. & Ev. Fung. Columb. 1897. 28 Dec. 1903.
```

Barthol. Tr. Kans. Acad. 16: 191. June 1899.

See Aecidium album, Clint. and Aecidium on Leguminosæ.

Aecidium porosum, Pk.

Digitized by Google

Aecidium Prenanthis. P. *Ell. & Ev. N. A. F. 3054. April 1894. Aecidium Prenanthis, Auct. Amer. p. p. NOTE. See note under Aecidium Compositarum, var. Prenanthis, Auct. Amer. See Aecidium Compositarum on Helenium. See Aecidium Compositarum, var. Lactucæ, Burrill. Aecidium Proserpinacæ, B. & C. B. Grev. 8: 60 (102) no. 577. d. Dec. 1874. De Toni in Sacc. Syll. 7: 780. d. 28 Oct. 1888. *Ell. & Ev. N. A. F. 2711. May 1802. Underw. & Earle, Bull. Ala. Exp. Sta. 80: 210. d. 28 June 1897. Tubeuf-Smith, Diseases of Plants 410. 1897. Earle in Mohr, Contr. U. S. Nat. Herb. 6: 193. 31 July 1901. Aecidium pseudo-balsameum, Diet. & Holw. Holw. Erythea 7: 98. d. 31 Oct. 1899. Sacc. & Syd. Syll. 16: 346. d. 1 Feb. 1902. Blasdale in Davy, Bull. U. S. Agr. Pl. Industry 12: 75. 1902. Aecidium Psoralese, Pk. Pk. in Parry, Am. Nat. 8: 215 (25). d. April 1874.
Burrill, Bull. III. Lab. 2: 225 d. 1885 and Rept. III. Ind. Univ. 12: 142. d. 1885. Kellerm. & Carl. Tr. Kans. Acad. 10: 92. 1887. Brendel, Flora Peoriana 2 ed. 69. *Ell. & Ev. N. A. F. 1818. 1887. De Toni in Sacc. Syll. 7: 785. d. 28 Oct. 1888.

Webber, Bull. Nebr. Exp. Sta. 1: 333 (63). 18 Dec. 1889.

Webber, Rept. Nebr. Agr. 1889: 211 (71). 1890.

*Ell. & Ev. Fung. Columb. 60. 1893.

*Ell. & Ev. Fung. Columb. 557. 1894.

Tubeuf-Smith, Diseases of Plants 410. 1897.

Hume. Proc. Davenport Acad. 7: 246. 252. 12 May 1800. Hume, Proc. Davenport Acad. 7: 246, 252. 12 May 1899. Barthol. Tr. Kans. Acad. 16: 191. June 1899. *Griffiths, West Am. Fung. 67. 22 March 1902. *Barthol., Ell. & Ev. Fung. Columb. 1803. 28 Dec. 1903. Aecidium Orobi, Auct. Amer. p. p. B. Grev. 8: 61 (103). Dec. 1874. Cke. Ann. N. Y. Acad. 1: 182. May 1878. Aecidium Pteleze, B. & C. NOTE. Stated as the result of cultures to be the æcidial stage of Puccinia Windsoria, S. See Arthur, 1899, 1900 and Kellerman, Jour. Myc. 9: 10. 14 Feb. 1903. Klebahn, Rostpilze 286. 1904. B. Grev. 8: 60 (102) no. 579. d. Dec. 1874.
*Wint. Fung. Eur. 3020. 1884.
Wint. & Demet. Hedw. 24: 180 (4). Oct. 1885.
Burrill, Bull. Ill. Lab. 2: 225. d. 1885 and Rept. Ill. Ind. Univ. 12: 141. d. 1885. Roum. Rev. Myc. 8: 196. 1 Oct. 1886. 1885. *Roum. Fung. Gall. 3859. 1886. *Roum. Fung. Gail. 3059. 1000.

Brendel, Flora Peoriana 2 ed. 69. 1887.

*Ell. & Ev. N. A. F. 1819. 1887.

De Toni in Sacc. Syll. 7: 784. d. 28 Oct. 1888.

Gall. Bull. U. S. Agr. Veg. Pathol. 8: 56. 1889.

Underw. Proc. Ind. Acad. 1893: 50. Aug. 1894. Aug. 1894. Atk. Bull. Cornell Univ. 8: 21. 25 June 1897.

Underw. & Earle, Bull. Ala. Exp. Sta. 80: 210. d. 28 June 1897. Snyder, Proc. Ind. Acad. 1896: 217. 1897. Tubeuf-Smith, Diseases of Plants 410. 1897. Arth. Science II. 10: 565. 20 Oct. 1899.
Earle in Mohr, Contr. U. S. Nat. Herb. 6: 194. 31 July 1901.
Patterson, Bull. U. S. Agr. Pl. Industry 8: 8. 3 Feb. 1902. Arth. Bot. Gaz. 35: 16. 20 Jan. 1003. Aecidium pulcherrimum, Rav. See Aecidium Rhamni, P. in Gmel. Aecidium punctatum, P. See also under Aecidium Ranunculacearum, Auct. Amer. p. p. Muhl. Cat. Pl. Am. Sept. 1 ed. 104. 1813. 2 ed. 107. 1818.

Trel. Tr. Wis. Acad. 6: 136 (32). Nov. 1884.

*Wint. Fung. Eur. 3023. 1884.

Arth. Bull. lowa Agr. Coll. 1884: 167. Jan. 1885.

Burrill, Bull. Ill. Lab. 2: 222. d. 1885 and Rept. Ill. Ind. Univ. 12: 139. d. 1885. Ell. N. A. F. 1423 (note). Thalictrum. *Wint. Fung. Eur. 3422. 1886.

*Roum. Fung. Gall. 3927. 1886.

Roum. Rev. Myc. 9: 23. 1 Jan. 1887.

Wint. Hedw. 26: 24. Feb. 1887.

Webber, Bull. Nebr. Exp. Sta. 1: 333 (63). d. 18 Dec. 1889. Thalictrum.

Gall. Bull. U. S. Agr. Veg. Pathol. 8: 56. 1889.

Lagerth Hedw. 29: 175. Aug. 1800. Lagerh. Hedw. 29: 175. Aug. 1890. *Syd. Uredineen 300. 1890. Webber, Rept. Nebr. Agr. 1889; 211 (71). d. 1890. Thalictrum. Detmers, Bull. Ohio Exp. Sta. 44: 139. Sept. 1892. *Ell. & Ev. Fung. Columb. 194. 1893.

Kellerm. & Werner, Geol. Ohio 72; 346. Jan. 1895.

Richards, Proc. Am. Acad. 81: 262. pl. 1, f. 12. 1896.

Underw. & Earle, Bull. Ala. Exp. Sta. 80: 210. 28 June 1897.

Diet. in Engler & Prantl. Pflanzenfam. 11**; 76. f. 50 C, D. 1897. Diet. in Engler & Frantl. Pflanzentam. 1 1 76. f. 50 C, D. 1897.

Tubeuf-Smith, Diseases of Plants 409. 1897.

Barthol. Tr. Kans. Acad. 16: 191. June 1899.

Orton, Rept. Vt. Exp. Sta. 12: 166. Dec. 1899 and Contr. Bot. Vt. 7: 166. Dec. 1899.

Pound & Clements, Bot. Surv. Nebr. 5: 24. 30 March 1901.

Freeman, Minn. Bot. Studies II. 5: 555. 20 July 1901. Thalictrum.

Earle in Mohr, Contr. U. S. Nat. Herb. 6: 194. 31 July 1901.

*Barthol., Ell. & Ev. Fung. Columb. 1504. Dec. 1901. Aecidium Thalictri, Auct. Amer. p. p. *Ell. N. A. F. 1004. 1883.
Farl. Proc. Am. Acad. 18: 75. July 1883.
Aecidium quadrifidum, D C.
Pk. Rept. N. Y. Mus. 23: 59. 1872.
Pk. Rept. N. Y. Mus. 24: 105. 1872.
Frost in Cat. Pl. Amherst 85. 1875.
Pk. Rept. N. Y. Mus. 29: 76. 1878.
Bundy, Geol. Wis. 1873-79, 1: 400. 1883.
Cobb, List Pl. Amherst 40. 1887.

Creoma henaticatum. S. Cæoma hepaticatum, S S. Syn. Am. Bor. 293 no. 2878. d. 1834. Aecidium hepaticatum, S. S. Syn. Am. Bor. 309. 1834. Arth. Bull. Iowa Agr. Coll. 1884: 166. Jan. 1885. *Ell. & Ev. N. A. F. 1828. 1887.

Bolley, Am. Mo. Micr. Jour. 10: 175, 176, 178. f. 7. and pl. f. 5. Aug. 1889 and Jour. Myc. 5: 167. Sept. 1889.

*Underw. & Cook, Illustr. Fungi 53. Sept. 1889. *Underw. & Cook, Hustr. Fungl 33. Sept. 188
Davis, Tr. Wis. Acad. 9: 161. 21 Aug. 1893.
Underw. Proc. Ind. Acad. 1898: 50. Aug. 18
*Ell. & Ev. Fung. Columb. 269. 1894.
Pk. Rept. N. Y. Mus. 49: 35 (21). 5 Nov. 18
Underw. Moulds 233. pl. 6, f. 17. 1899. Aug. 1894. 5 Nov. 1897. Aecidium Purpusiorum, Henn. Mexico. Henn. Hedw. Beibl. 42: (189). d. 4 July 1903. Aecidium pustulatum, M. A. Curtis. NOTE. Arthur, 1904, gives an account of cultures showing this to be the æcidial stage of *Puccinia Andropogi*, Auct. Amer. p.p. which he calls Puccinia pustulata, (M. A. Curtis) Arth. M. A. Curtis in Pk. Rept. N. Y. Mus. 28: 60. d. 1872. Pk. Rept. N. Y. Mus. 24: 106. 1872. Pk. Rept. N. Y. Mus. 29: 77. 1878. *Ell. N. A. F. 224. 1879. *Thm. Myc. Univ. 1424. 1879. Trel. Tr. Wis. Acad. 6: 134 (30). Nov. 1884. Arth. Bull. Iowa Agr. Coll. 1884: 167. Jan. 1885. *Wint. Fung. Eur. 3320. 1885.

Burrill, Bull. Ill. Lab. 2: 237. d. 1885 and Rept. Ill. Ind. Univ. 12: 148. d. 1885. Kellerm. & Carl. Tr. Kans. Acad. 10: 92. 1887. De Toni in Sacc. Syll. 7: 822. d. 28 Oct. 1888. *Roum. Fung. Gall. 4834. 1889.

*Roum. Rev. Myc. 11: 63. 1 April 1889.

*Kellerm & Swingle, Kansas Fungi 29. 1 Aug. 1889.

*Kellerm & Swingle, Kansas Fungi 29. 1 Aug. 1889.

Webber, Bull. Nebr. Exp. Sta. 1: 334 (64). 18 Dec. 1889.

Webber, Rept. Nebr. Agr. 1889: 212 (72). 1890.

Farlow & Seymour, Host Index 95. Sept. 1890.

Detmers, Bull. Ohio Exp. Sta. 44: 140. Sept. 1892.

Detmers, Bull. Ohio Exp. Sta. tech. ser. 1: 178. April 1893. Carl. Bot. Gaz. 18: 454. 25 Dec. 1893. Underw. Proc. Ind. Acad. 1898: 50. Aug. 1894. *Carl. Ured. Amer. 46. 1894. *Syd. Uredineen 850. 1894.

Diet. in Engler & Prantl, Pflanzenfam. 11**: 77. 1897.

Henn. Hedw. 87: 272. 25 Oct. 1898.

Barthol. Tr. Kans. Acad. 16: 191. June 1899.

Freeman, Minn. Bot. Studies II. 5: 558. 20 July 1901. Arth. Jour. Myc. 10: 17, 20. 30 Jan. 1904. Aecidium Hamiltoniæ, Thm. Thm. Bull. Torr. Bot. Club 6: 350. d. Oct. 1879. De Toni in Sacc. Syll. 7: 822. d. 28 Oct. 1888. Aecidium quadrifidum, D.C. See Aecidium punctatum, P. Aecidium Ranunculacearum, Auct. Amer. p. p.

Note. The Aecidia on American species of Ranunculus, with the exception of Aecidium Ranunculi, S., are in great confusion. The name Aecidium Ranunculaecarum has been rather indefinitely applied to forms occurring on Ranunculus, Anemone and Thalictrum. In Europe Aecidium Ranunculaecarum has been segregated into forms connected with Puccinia perplexans, Plowr., Uromyces Dactylidis, Otth and Uromyces Poæ, Rabh. See Syd. Mon. Ured. 1:719. 1 Nov. 1903, Klebahn, Rostpilze 274, 323, 324. 1904. Some of our Aecidia on Ranunculus seem to be the same as European forms

but as the references in American literature are uncertain we have arranged them by hosts.

The references to Aecidium Ranunculacearum on Anemone with the exception of the form connected with Puccinia simillima, Arth. are also doubtful. An Aecidium on Anemone Caroliniana is described by Sydow as the æcidial stage of Puccinia cohæsa, Long, q. v.

For the Aecidia on species of Thalictrum see Aecidium Aikeni, Syd., Aecidium Sommerfeltii, Joh., Aecidium Thalictri-flavi, (D C.) Wint. and

Aecidium punctatum, P.

```
Accidium Ranunculacearum, Auct. Amer. p. p. Watt, Can. Nat. & Geol. II. 2: 391. Oct. 1865. M. A. Curtis, Bot. N. Car. 124. 1867. Russell, Am. Nat. 2: 565. Jan. 1869. Cke. Handbook 539. d. 1871. Pk. Rept. N. Y. Mus. 24: 92, 106. 1872. Frost in Cat. Pl. Amherst 85. 1875. Pk. Rept. N. Y. Mus. 29: 76. 1878. Johnson, Bull. Minn. Acad. 1: 366. 1880. Bundy, Geol. Wis. 1873-79, 1: 400. 1883. Cobb, List Pl. Amherst 40. 1887. De Toni in Sacc. Syll. 7: 776. d. 28 Oct. 1888. p. p. Bennett, Cat. Pl. R. I. 89. 1888. Cæoma ranunculaceatum, S. Am. Bor. p. p.
                                                                                                                                                                                                                                                                                                                                                                                                                                            Miscellanea.
```

Cæoma ranunculaceátum, S. Am. Bor. p. p.

S. Syn. Am. Bor. 293 no. 2875. 1834.

Aecidium Ranunculacearum, Auct. Amer. p. p.

On Anemone cylindrica.

*Ell. & Ev. N. A. F. 2214. Feb. 1889. Webber, Bull. Nebr. Exp. Sta. 1: 334 (64). 18 Dec. 1889.

Webber, Rept. Nebr. Agr. 1889: 212 (72). 1890. Cockerell, Zoe 4: 282. Oct. 1893. Patterson, Bull. U. S. Agr. Pl. Industry 8: 8. 3 Feb. 1902.

Aecidium Ranunculacearum, Auct. Amer. p. p.

On **Anemone multifida.**

NOTE. An Aecidium on this host is described by Bubak as the æcidial stage of Puccinia gigantispora, Bubak. See Syd. Mon. Ured. 1: 537. d. 15 May 1903.

Kelsey, Jour. Myc. 5: 80. June 1889.

Aecidium Ranunculacearum, Auct. Amer. p. p.

On Anemone nemorosa.

NOTE. Other references to Aecidia on this host may be found under Aecidium Anemones, P. and Aecidium leucospermum, DC. also under Aecidium punctatum, P. It is probable that many if not all of the references given below properly belong to one or the other of those species.

*Ell. N. A. F. 1003 a. 1883. Arth. Bull. Iowa Agr. Coll. 1884: 167. Jan. 1885. Ell. & Ev. Jour. Myc. 1: 86. July 1885. Kellerm. & Carl. Tr. Kans. Acad. 10: 92. 1887. Anderson, Jour. Myc. 6: 121. d. 6 Jan. 1891. Freeman, Minn. Bot. Studies II. 5: 555. 20 July 1901. Davis, Tr. Wis. Acad. 14: 88. Sept. 1903.

Aecidium Ranunculacearum, Auct. Amer. p. p.

On Anemone Pennsylvanica.

NOTE. Cultures by Arthur show an Aecidium on this host to belong to Puccinia simillima, Arth. See Arth. Bot. Gaz. 34: 18. 16 July 1902 and 35: 20, 23. 20 Jan. 1903. Klebahn, Rostpilze 286. 1904.

Trel. Tr. Wis. Acad. 6: 136 (32). Nov. 1884.

Arth. Bull. Iowa Agr. Coll. 1884: 167. Jan. 1885.

Burrill, Bull. Ill. Lab. 2: 221. d. 1885 and Rept. Ill. Ind. Univ. 12: 139. d. 1885.

Snyder, Proc. Ind. Acad. 1896: 217. 1897.

Freeman, Minn. Bot. Studies II. 5: 555. 20 July 1901.

Arth. Bot. Gaz. **35**: 20, 23. 20 Jan. 1903.

Aecidium Ranunculacearum, Auct. Amer. p. p.
On Anemone Richardsoni.

Trel. in Sacc., Pk. & Trel., Harriman Alaska Exp. 5: 36. 5 April 1904.

Aecidium Ranunculacearum, Auct. Amer. p. p. On Anemone Virginiana.

Arth. Bull. Iowa Agr. Coll. 1884: 167. Jan. 1885.
Orton, Rept. Vt. Exp. Sta. 11: 218. Sept. 1898 and Contr. Bot. Vt. 2: 20. Sept. 1898.

Aecidium Ranunculacearum, Auct. Amer. p. p. On Anemone, sp. indet.

Hume, Proc. Davenport Acad. 7: 252. 12 May 1899.

Aecidium Ranunculacearum, Auct. Amer. p. p. On Anemonella.

Note. See also under Aecidium Thalictri-flavi, (D C.) Wint.

Detmers, Bull. Ohio Exp. Sta. 44: 140. Sept. 1892.

Aecidium Ranunculacearum, Auct. Amer. p. p. On Delphinium.
Note. See also Aecidium Delphinii, Barthol.

Ell. & James in Holzinger, Contr. U. S. Nat. Herb. 8: 276. 23 Nov. 1895.

Hume, Proc. Davenport Acad. 7: 252. 12 May 1899.

Aecidium Ranunculacearum, Auct. Amer. p. p. On Isopyrum. Arth. Bull. Iowa Agr. Coll. 1884: 167. Jan. 1885.

*Pazschke, Fung. Eur. 3836. Nov. 1892. (With note.)

Aeeidium Ranuneulaeearum, Auct. Amer. p. p.
On Ranuneulus abortivus.

See Aecidium Ranunculi, S.

Aecidium Ranunculacearum, Auct. Amer. p. p.
On Ranunculus abortivus.

Freeman, Minn. Bot. Studies II. 5: 555. 20 July 1901.

Aecidium Ranunculacearum, Auct. Amer. p. p.
On Ranunculus Cymbalaria.

*Ell. & Ev. N. A. F. 2213. Feb. 1889.
Kelsey, Jour. Myc. 5: 80. June 1889.
Anderson, Jour. Myc. 6: 121. 6 Jan. 1891.
Carl. Tr. Kans. Acad. 18: 51. 1893.
Hume, Proc. Davenport Acad. 7: 252. 12 May 1899.
Nelson, Rept. Wyo. Exp. Sta. 10: (36). 1900.
*Griffiths, West Am. Fung. 293. 22 March 1902.
Cockerell, Jour. Myc. 10: 51. 19 March 1904.

Aecidium Ranunculacearum, Auct. Amer. p. p.
On Ranunculus fascicularis.

Tracy & Earle, Bull. Miss. Exp. Sta. 34: 90. May 1895.

Aecidium Ranunculacearum, Auct. Amer. p. p. On Ranunculus, sp. indet.

Halsted, Bull. Iowa Agr. Coll. 1888: 117. April 1888.

Ell. in Cat. Pl. N. J. 505. 1889. Trel. in Sacc., Pk. & Trel., Harriman Alaska Exp. **5**: 36. 5 April 1904.

Aecidium Ranunculacearum, var. Clematidis, Cke. See Aecidium Clematidis, D.C.

Aecidium Ranunculi, S.

NOTE. In Jour. Myc. 10: 18, 20. 30 Jan. 1904, Arthur gives an account of cultures showing this to be the æcidial stage of Puccinia Eatonia, Arth. n. sp. on Eatonia Pennsylvanica.

S. Syn. Car. 67 (41) no. 440. d. 1822.
Pk. Rept. N. Y. Mus. 23: 59. d. 1872.
Pk. Rept. N. Y. Mus. 24: 105. 1872.
Pk. Rept. N. Y. Mus. 29: 76. 1878.
Wint. Hedw. 22: 69. May 1883.
Farl. Proc. Am. Acad. 18: 75. July 1883.
Trel. Tr. Wis. Acad. 6: 136 (32). Nov. 1884.
Arth. Bull. Iowa Agr. Coll. 1884: 168. Jan. 1885.
Wint & Dempet Hedw. 24: 181. (5) Oct. 1885. Wint. & Demet. Hedw. 24: 181 (5). Oct. 1885. 1885 and Rept. Ill. Ind. Univ. 12: Burrill, Bull. Ill. Lab. 2: 222, d. 1885. 139. d. 1885.
Brendel, Flora Peoriana 2 ed. 69. 1887.
De Toni in Sacc. Syll. 7: 776. d. 28 Oct. 1888. p. p.
Webber, Bull. Nebr. Exp. Sta. 1: 334 (64). 18 Dec. 1889.
Ell. in Cat. Pl. N. J. 505. 1889.
Gall. Bull. U. S. Agr. Veg. Pathol. 8: 56. 1889.
Webber, Rept. Nebr. Agr. 1889: 212 (72). 1890.
Anderson, Jour. Myc. 6: 121. d. 6 Jan. 1891.
Detmers Bull. Ohio Exp. Sta. 44: 120. Sept. 1802. Anderson, Jour. Myc. 6: 121. a. 6 Jan. 1691.
Detmers, Bull. Ohio Exp. Sta. 44: 139. Sept. 1892.
*Pazschke, Fung. Eur. 3837. Nov. 1892.
Detmers, Bull. Ohio Exp. Sta. tech. ser. 1: 177. April 1893.
Underw. Proc. Ind. Acad. 1898: 50. Aug. 1894. *Syd. Uredineen 900. Aug. 1894. Kellerm. & Werner, Geol. Ohio 72: 346. Jan. 1895. Tracy & Earle, Bull. Miss. Exp. Sta. 34: 90. May 1895. Stevens, Rept. Ohio Acad. 4: 20. 1896. Diet. in Engler & Prantl, Pflanzenfam. 11**: 76. 1897. Henn. Hedw. 37: 272. 25 Oct. 1898. Herbst, Fungal Fl. Levish Valley If. d. 1899. Kellerm Low May 18: 27. Kellerm. Jour. Myc. 8: 57. d. 30 June 1902. *Kellerm. Ohio Fungi. 62. d. July 1902. Cæoma ranunculaceatum, S. Am. Bor. p. p.

S. Syn. Am. Bor. 293 no. 2875. 1834.
Aecidium Ranunculacearum, Auct. Amer. p. p.

B. Grev. 8: 60 (102). Dec. 1874.

*Ell. N. A. F. 1003 b. 1883. Arth. & Holw. Bull. Minn. Surv. 3: 31. 1 Oct. 1887. Patterson, Bull. U. S. Agr. Pl. Industry 8: 8. 3 Feb. 1902.

Aecidium Ravenelii, Diet.

See Aecidium carneum, (Bosc.) n. n.

Aecidium recedens. Arth.

NOTE. See also Aecidium Solidaginis, S and compare notes in Ell. N. A. F. 1018. 1883 and Burrill, Bull. Ill. Lab. 2; 230. 1885.

Arth. Bull. Torr. Bot. Club 81: 7. d. 19 Jan. 1904.

Aecidium Solidaginis, Auct. Amer. p. p. *Barthol., Ell. & Ev. Fung. Columb. 1804. 28 Dec. 1903. Aecidium Rhamni, P. in Gmel. NOTE. This is the æcidial stage of Puccinia coronata, Cda. The Aecidium crassum reported on Phlox in Fortieth Parallel Survey, 1871, is evidently Muhl. Cat. Pl. Am. Sept. 1 ed. 104. 1813. 2 ed. 107. 1818. *Ell. & Ev. N. A. F. 1821. 1887.
Davis, Tr. Wis. Acad. 9: 182. 21 Aug. 1893.
Tracy & Earle, Bull. Miss. Exp. Sta. 34: 90. May 1895.
Pk. Rept. N. Y. Mus. 50: 115. 28 March 1898. *Ell. & Ev. Fung. Columb. 1299. May 1898. Aecidium crassum. P. *Rav. Fung. Car. 1: 92. 1852. Watt. Can. Nat. & Geol. II. 2: 390. Oct. 1865. M. A. Curtis, Bot. N. Car. 124. 1867. Cke. Proc. Portland Soc. 1: 180. d. 1869. Cke. Handbook 538. d. 1871. Pk. Rept. N. Y. Mus, 25: 91. Sept. Pk. Rept. N. Y. Mus. 29: 76. 1878. Sept. 1873. Arth. Bull. lowa Agr. Coll. 1884: 165. Jan. 1885. Ell. in Cat. Pl. N. J. 505. 1889. Gall. Bull. U. S. Agr. Veg. Pathol. 8: 55. 1889. Anderson, Jour. Myc. 6: 121. 6 Jan. 1891. Aecidium pulcherrimum, Rav. B. Grev. 8:61 (103) no. 583. d. Dec. 1874. *Rav. Fung. Am. 726. 1882.

De Toni in Sacc. Syll. 7: 785. d. 28 Oct. 1888.

*Ell. & Ev. N. A. F. 2712. May 1892. Lagerh. Tromsoe Mus. Aarshefter 17: 104. d. Sacc. & Syd. Syll. 14: 374. d. 20 Aug. 1899. Aecidium Rivinæ, B. & C. B. & C. Jour, Linn. Soc. 10: 358. d. 1869. West Indies. Bres., Henn. & Magn. in Engl. Jahrb. 17: 491. Heller, Muhlenbergia 1: 20. 9 Aug. 1901. Aecidium ræstelioides, Ell. & Ev. NOTE. See note under Aecidium tuberculatum, Ell. & Kellerm. Ell. & Ev. Jour. Myc. 1: 03. d. July 1885. Ludwig, Centralbl. Bact. 1: 692. June 1887. Hark. Bull. Cal. Acad. 2: 440. 16 June 1887. Halsted, Bull. Iowa Agr. Coll. 1888: 117. April 1888. De Toni in Sacc. Syll. 7: 782. d. 28 Oct. 1888. Cockerell, Zoe 4: 282. Oct. 1893. McClatchie in Reid's Hist. Pasadena 616. 1895. McClatchie, Proc. S. Cal. Acad. 1: 372. 5 June 1897. Patterson, Bull. U. S. Agr. Pl. Industry 8: 8. 3 Feb. 1902. Arth. Bull. Torr. Bot. Club. 31: 7. 19 Jan. 1904. Aecidium roseum, Diet. & Holw. Holw. Bot. Gaz. 24: 36. d. 31 July 1897.

Lindau & Syd. Hedw. 87: xvii. 9 April 1898. [Beiblatt no. 7.] Mexico. Sacc. & Syd. Syll. 14: 380. d. 20 Aug. 1899. Aecidium rubellum, P. in Gmel. NOTE. According to accounts by Arthur, 1899, 1900, 1902, this is the

æcidial stage of *Puccinia Phragmitis*, (Schum) Koern. now *Puccinia rubella*, (P.) Arth. See also Bates, Jour. Myc. 9: 220. 31 Dec. 1903 and

Klebahn, Rostpilze 284. 1904.

Cke. Handbook 544. d. 1871. Bennett, Cat. Pl. R. I. 89. 1888. Arth. Science II. 10: 564. 20 Oct. 1899. Arth. Bot. Gaz. 29: 270. 30 April 1900. Arth. Bot. Gaz. 34: 17. f. 16 July 1902. Aecidium Rumicis, Hoffm. S. Syn. Car. 66 (40) no. 433. 1822. M. A. Curtis, Bot. N. Car. 124. 1867. 1875. Frost in Cat. Pl. Amherst 85. Cobb, List Pl. Amherst 40. Cæoma rubellatum, Lk. S. Syn. Am. Bor. 292 no. 2862. 1834.

Aecidium Rubi, Torrey.

See Gymnoconia interstitialis, (Schl.) Lagerh.

Aecidium on Ruellia.

Note. See also Aecidium lateripes, Kellerm. See under Puccinia lateripes, B. & Rav.

Carl. Tr. Kans. Acad. 14: 44. 1896.

Aecidium Rumicis, S. Syn. Car. p. p. See Aecidium rubellum, P.

Aecidium Rumicis, S. Syn. Car. p. p. See Aecidium Grossulariæ, DC.

Aecidium Rusbyi, Gerard.
Gerard, Bull. Torr. Bot. Club. 8: 34. d. March 1881.
De Toni in Sacc. Syll. 7: 832. d. 28 Oct. 1888.

Aecidium rutilum, Bon. See Cystopus Ipomææ-panduranæ, Farl.

Aecidium sagittatum, S. See Aecidium pedatatum, S.

Aecidium Salicorniæ, Fung. Columb. See Aecidium Chenopodii-fruticosi, D.C.

Aecidium on Salvia

NOTE. In Jour. Myc. 9: 227. 31 Dec. 1903 Kellerman describes Accidium caulicolum, Kellerm. as the æcidial stage of Puccinia caulicola, Tracy & Gall. q. v.

Aecidium sambuciatum, S. See Aecidium Sambuci, S.

Aecidium Sambuci, S.

NOTE. According to cultures by Arthur and by Kellerman this is the æcidial stage of a Puccinia, now Puccinia Sambuci, (S) Arth. See Arth. Jour. Myc. 8; 55. 30 June 1902. Arth. Bot. Gaz. 35: 15. 20 Jan. 1903. Kellerm. Jour. Myc. 9: 7-9. 14 Feb. 1903. Syd. Mon. Ured. 1: 669. 1 Nov. 1903. Klebahn, Rostpilze 316. 1904.

Muhl. Cat. Pl. Am. Sept. 1 ed. 104. 1813. 2 ed. 107. 1818. S. Syn. Car. 67 (41) no. 441. d. 1822. Lk., L. Sp. Pl. ed. Willd. 62: 53. d. 1825. M. A. Curtis, Bot. N. Car. 124. 1867. Pk. Rept. N. Y. Mus. 22: 93. 1869. Pk. Rept. N. Y. Mus. 24: 106. 1872. Frost in Cat. Pl. Amherst 85. 1875. Farl. Bull. Bussey Inst. 2: 226. Jan. 1878. *Ell. N. A. F. 1002. 1883. Trel. Tr. Wis. Acad. 6: 136 (32). Nov. 1884.

```
Arth. Bull. Iowa Agr. Coll. 1884: 168. Jan. 1885.
   Burrill, Bull. III. Lab. 2: 228. d. 1885 and Rept. III. Ind. Univ. 12:
           143. d. 1885.
   Bessey, Am. Pomol. Soc. 1885: 43. 1886. Cobb, List Pl. Amherst 40. 1887.
Cobb, List Pl. Amherst 40. 1887.
Kellerm. & Carl. Tr. Kans. Acad. 10: 92. 1887.
De Toni in Sacc. Syll. 7: 796. d. 28 Oct. 1888.
Webber, Bull. Nebr. Exp. Sta. 1: 334 (64). 18 Dec. 1889.
Gall. Bull. U. S. Agr. Veg. Pathol. 8: 56. 1889.
Webber, Rept. Nebr. Agr. 1889: 212 (72). 1890.
Humphrey, Rept. Mass. Exp. Sta. 8: 223. 1891.
Pammel, Agr. Sci. 7: 26. Jan. 1893.
Detmers, Bull. Ohio Exp. Sta. tech. ser. 1: 174. April 1893.
*Pazschke, Fung. Eur. 3937. Feb. 1894.
Small & Vall, Mem. Torr. Bot. Club. 4: 200. April 1894.
Underw. Proc. Ind. Acad. 1898: 50. Aug. 1804.
   Underw. Proc. Ind. Acad. 1893: 50. Aug. 1894.
Kellerm. & Werner, Geol. Ohio 72: 346. Jan. 18
                                                                                     Jan. 1895.
   Stevens, Rept. Ohio Acad. 4: 20. 1896.
Stevens, Rept. Ohio Acad. 5: 66. 1897.
Atk. Bull. Cornell Univ. 3: 21. 25 June 1897.
*Seymour & Earle, Bull. Ala. Exp. Sta. 80: 211. 28 June 1897.

Davis, Tr. Wis. Acad. 11: 167. Aug. 1897.

*Seymour & Earle, E. F. 475. 15 Oct. 1897.

Tubeuf-Smith, Diseases of Plants 411. 1897.

Orton, Rept. Vt. Exp. Sta. 11: 211. Sept. 1898 and Contr. Bot. Vt. 2: 13. Sept. 1898.

Bathol Tr. Kans Acad. 16: 101. June 1800.
   2: 13. Sept. 1898.

Barthol. Tr. Kans. Acad. 16: 191. June 1899.

Herbst, Fungal Fl. Lehigh Valley 175. d. 1899.

Earle in Mohr, Contr. U. S. Nat. Herb. 6: 194. 31 July 1901.

Kellerm. Ohio Nat. 2: 136. d. Nov. 1901.
 *Kellerm. Ohio Fungi 3. d. 1901.
Patterson, Bull. U. S. Agr. Pl. Industry 8: 8. 3 Feb. 1902.
         Cæoma sambuciatum, S.
    S. Syn. Am. Bor. 294 no. 2897.
   Aecidium sambuciatum, S.
S. Syn. Am. Bor. 309. 1834.
Watt, Can. Nat. & Geol. II. 2: 391. Oct. 1865.
    B. Grev. 8: 60 (102). Dec. 1874.
Pk. Rept. N. Y. Mus. 29: 77. 1878.
 *Rav. Fung. Am. 725.
Aecidium sanguinolentum, Lindr.
        See Aecidium Geranii-maculati, S.
Aecidium Saniculæ, Carm.
            Note. Aecidium Sanicula, Carm. of Europe is considered to be the æci-
        dium of Puccinia Sanicula, Grev. In North America the latter species, at
        least according to later European mycologists, does not occur; but the Aeci-
        dium called by American mycologists Aecidium Saniculæ may be connected
        with Puccinia Marylandica, Lindr. or possibly with Puccinia microica, Ell.
    Pk. Rept. N. Y. Mus. 80: 54. Sept. 1878.
Underw. & Earle, Bull. Ala. Exp. Sta. 80: 211. 28 June 1897.
Earle in Mohr, Contr. U. S. Nat. Herb. 6: 194. 31 July 1901.
Aecidium Sarcobati, Pk.
    Pk. Bot. Gaz. 6: 240. d.
                                                       July 1881.
 Hark, Bull. Cal. Acad. 1: 162. 7 March 1885.
*Ell. & Ev. N. A. F. 1822. 1887.
    De Toni in Sacc. Syll. 7; 820. d. 28 Oct. 1888.
```

Nelson, Rept. Wyo. Exp. Sta. 10: (36). 1980. *Griffiths, West Am. Fung. 359. 21 May 1 Ricker, Jour. Myc. 8: 126. 14 Oct. 1902. Peridermium gracile, Hark. 21 May 1902. Hark. Bull. Cal. Acad. 1: 36 (16). d. Feb. 1884. Aecidium sclerothecioides, Ell. & Ev. Note. See also Aecidium Compositarum, var. Senecionis, Auct. Amer. Ell. & Ev. Am. Nat. **31**: 428. d. May 1897. Lindau & Syd. Hedw. **87**: xvii. 9 April 1898. [Beiblatt no. 7.] Sacc. & Syd. Syll. 14: 377. d. 20 Aug. 1899. Aecidium Scrophulariæ, N. A. F. See Aecidium tenue. S Aecidium Senecionis, Auct. Amer. See Aecidium Compositarum, var. Senecionis, Auct. Amer. Aecidium Şii-latifolii, Wint. NOTE. It is uncertain with what teleutosporic form the Aecidium in references given below is connected. For a statement of the connection of the Aecidium on Sium latifolium of Europe with Uromyces Scirpi, (Cast.) Lagerh., = Uromyces lineolatus, (Desm.) Schrt, see Klebahn, Rostpilze 325. 1904. Trel. Tr. Wis. Acad. 6: 137 (33). Nov. 1884. Lindr. Acta Soc. Fauna et Fl. Fennica 221: 177; Aecidium Silphii, (Burrill) Syd. *Syd. Uredineen 1546. April 1901.

*Aecidium Compositarum, Auct. Amer. p. p.
Trel. Tr. Wis. Acad. 6: 137 (33). Nov. 1884.

Arth. Bull. Iowa Agr. Coll. 1884: 165. Jan. 1885.

Kellerm. & Carl. Tr. Kans. Acad. 10: 91. 1887.

Gall. Bull. U. S. Agr. Veg. Pathol. 8: 55. 1889.

Davis, Tr. Wis. Acad. 9: 161. 21 Aug. 1893.

Underw. & Farle. Bull. Ala. Exp. Sta. 80: 208. 28 Underw. & Earle, Bull. Ala. Exp. Sta. 80: 208. 28 June 1897. Barthol. Tr. Kans. Acad. 16: 187. June 1899. *Shear, Ell. & Ev. Fung. Columb. 1478. May 1901. Earle in Mohr, Contr. U. S. Nat. Herb. 6: 192. 31 July 1901. Aecidium Compositarum, var. Silphii, Burrill. Burrill, Bull. Ill. Lab. 2: 231. d. 1885 and Rept. Ill. Ind. Univ. 12: Burrill, Bull. III. 24. 1885. Wint. & Demet. Hedw. 24: 179 (3). Oct. 1886. De Toni in Sacc. Syll. 7: 798. d. 28 Oct. 1888.

*Vestergren, Micr. sel. 626. Aecidium smilaeinatum, S See Aecidium Smilacis, S.

Aecidium Smilacis, S.

NOTE. The Aecidium on Smilax herbacea and S. hispida is said by Arthur to belong to Puccinia amphigena, Diet. It differs from the authentic specimen of Aecidium Smilacis, S. which we have examined, in not causing verruciform distortions of the leaves but, as far as the microscopic characters of the spores are concerned, they appear to be the same; for although in the Schweinitzian specimen they were hardly mature, they at least were smaller and wanting in the thickening of the apical wall found in Aecidium macrosporum, Pk. See also Syd. Mon. Ured. 1; 742. 1 Nov. 1903. Klebahn, Rost-pilze 276. 1904. Arth. Jour. Myc. 10; 11. 30 Jan. 1904.

Oct. 1885.

S. Syn. Car. 69 (43) no. 452. 1822. M. A. Curtis, Bot. N. Car. 124. 1867.

Kellerm. Bull. Wash. Lab. 1:75. Jan. 1885 and Tr. Kans. Acad. 9: 81. 1885. Burrill, Bull. Ill. Lab. 2: 238. d. 1885 and Rept. Ill. Ind. Univ. 12: 149. d. 1885.
Kellerm. & Carl. Tr. Kans. Acad. 10: 92. 1887.
De Toni in Sacc. Syll. 7: 829. d. 28 Oct. 1888.
Webber, Bull. Nebr. Exp. Sta. 1: 334 (64). 18 Dec. 1889.
Webber, Rept. Nebr. Agr. 1889: 212 (72). 1890.
Tracy & Earle, Bull. Miss. Exp. Sta. 34: 90. May 1895.
Tubeuf-Smith, Diseases of Plants 411. 1897.
Barthol. Tr. Kans. Acad. 16: 191. June 1899.
Patterson, Bull. U. S. Agr. Pl. Industry 8: 8. 3 Feb. 1902.
Arth. Bot. Gaz. 85: 20. 20 Jan. 1902. Arth. Bot. Gaz. 35: 20. 20 Jan. 1903. Cæoma smilacinatum, S Lk., L. Sp. Pl. ed. Willd. 62: 43. d. 1825. S. Syn. Am. Bor. 202 no. 2859. 1834. Uredo Smilacis, S.
Spreng. in L. Syst. Veg. 16 ed. 4¹: 572. d. 1827.

Aecidium smilacinatum, S. S. Syn. Am. Bor. 309. 1834 Aecidium verrucosum, Bon. Bon. Abh. Nat. Ges. Halle 5: 210 (44) d. 1860. **Aecidium Smilacis,** N. A. F. 2708. See Aecidium macrosporum, Pk. Aecidium Solani, Mont. NOTE. Whether American writers are correct in referring the Aecidium on Physalis in North America to Aecidium Solani, Mont. 1852, is doubtful. The Aecidium on Physalis, whatever it may be called, is generally considered to belong to Puccinia Physalidis, Pk. In Harkness, 1885, and Seymour, 1896, given below, the host is Solanum. Harkness considered his Aecidium to belong to Puccinia Solani, Cke. 1878, but there is an earlier Puccinia Solani, B. & C. 1853, based on specimens from Surinam in Herb. Schweinitz,

Trel. Tr. Wis. Acad. 6: 134 (30). Nov. 1884. Hark. Bull. Cal. Acad. 1: 162. 7 March 1885. Burrill, Bull. Ill. Lab. 2: 235. d. 1885 and Rept. Ill. Ind. Univ. 12: #Ell. & Ev. N. A. F. 3147. Nov. 1894.

*Ell. & Ev. Fung. Columb. 558. 1894.

*Seymour, Pringle's Mex. Fungi 6. 1 Sept. 1896.

*Aecidium Physalidis, Burrill.

Burrill, Bot. Gaz. 9: 190. d. Dec. 1884.

Aecidium solidaginicolum, Ell. & Ev. Ell. & Ev. Erythea 1: 206. d. 2 Oct. 1893.

Aecidium Solidaginis, S.

NOTE. For connection of Aecidium on Solidago with Puccinia Caricis-Solidaginis, Arth. see Arth. 1903, Kellerm. 1903. See also Kellerm. Jour. See also Syd. Mon. Ured. 1: 666. Myc. 9: 228, 237. 31 Dec. 1903. See also 1 Nov. 1903 and Klebahn, Rostpilze 305. 1904.

Likewise for Uromyces Solidagini-Caricis, Arth. see Arth. Jour. Myc.

10: 15, 20. 30 Jan. 1904.

The greater part of the references given below properly belong to Schweinitz's species but some, especially from older writings, cannot now be

See also Aecidium solidiginicolum, Ell. & Ev. and Aecidium recedens, Arth.

```
Muhl. Cat. Pl. Am. Sept. 1 ed. 104. 1813. 2 ed. 107. 1818. S. Syn. Car. 68 (42) no. 446. d. 1822. Lk., L. Sp. Pl. ed. Willd. 62: 52. d. 1825. Hitchcock, Cat. Pl. Amherst 59. 1829. Hitchcock, Cat. Pl. Mass. 644. 1833. 2 ed. 645 (125). 1835. *Griffiths, West Am. Fung. 362. 21 May 1902. Arth. Bot. Gaz. 85: 21. 20 Jan. 1903. *Barthol. Ell. & Ev. Fung. C. Jlumb. 1707, 1708. Feb. 1903. Garrett, Tr. Kans. Acad. 18: 147. 1903. Comma asteratum. I.k. p. p.
          Cæoma asteratum, Lk. p. p.
     Lk., L. Sp. Pl. ed. Willd. 6 2: 51. d. 1825.
     S. Syn. Am. Bor. 202 no. 2870. 1834.
          Aecidium asteratum, S. p. p.
     S. Syn. Am. Bor. 309. 1834.
Atk. Bull. Cornell Univ. 3: 21. 25 June 1897.
          Aecidium Compositarum, Auct. Amer. p. p.
     Trel. Tr. Wis. Acad. 6: 137 (33). Nov. 1884. Arth. Bull. Iowa Agr. Coll. 1884: 165. Jan. 1885. Arth. & Holw. Bull. Minn. Surv. 3: 31. 1 Oct. 1887.
    Arth. & Holw. Bull. Milni. Surv. 3: 31. 1 Oct. 1887.
Anderson, Jour. Myc. 5: 82. June 1889.
Detmers, Bull. Ohio Exp. Sta. 44: 140. Sept. 1892.
Detmers, Bull. Ohio Exp. Sta. tech. ser. 1: 178. April 1893.
Stevens. Rept. Ohio Acad. 4: 20. 1896.
Herbst, Fungal Fl. Lehigh Valley 176. Dec. 1899.
Pound & Clements, Bot. Surv. Nebr. 5: 24. 30 March 1901.
Patterson, Bull. U. S. Agr. Pl. Industry 8: 8. 3 Feb. 1902.
          Aecidium Asterum, Auct. Amer. p. p.
     Burrill, Bull. Ill. Lab. 2: 230. d. 1885 and Rept. Ill. Ind. Univ. 12:
    144. d. 1885.

Gall. Bull. U. S. Agr. Veg. Pathol. 8: 55. 1889.

Detmers, Bull. Ohio Exp. Sta. 44: 138. Sept. 1892.

Halsted, Rept. N. J. Exp. Sta. 1892: 347. 1893.
Halsted, Rept. N. J. Exp. Sta. 1892; 347. 1093.

*Shear, N. Y. Fungi 128. 1893.
Underw. Proc. Ind. Acad. 1893; 49. Aug. 1894.
Kellerm. & Werner, Geol. Ohio 72; 345. Jan. 1895.
Underw. Proc. Ind. Acad. 1894; 154. Oct. 1895.
Stevens, Rept. Ohio, Acad. 4: 20. 1896.
Underw. & Earle, Bull. Ala. Exp. Sta. 80; 208. 28 June 1897.
Tubeuf-Smith, Diseases of Plants 411. 1897.
Classen Pept Ohio Acad. 5: 68. 1807.
 Claassen, Rept. Ohio Acad. 5: 68. 1897.

*Ell. & Ev. Fung. Columb. 1391. May 1899.

Barthol. Tr. Kans. Acad. 16: 186. June 1899.

Orton, Rept. Vt. Exp. Sta. 12: 165. Dec. 1899 and Contr. Bot. Vt.
                165. Dec. 1899
     Claassen, Rept. Ohio Acad. 7:43. 1899.
    Freeman, Minn. Bot. Studies II. 5: 557. 20 July 1901.
Earle in Mohr, Contr. U. S. Nat. Herb. 6: 192. 31 July 1901.

Aecidium Compositarum, var. Solidaginis, Ell.
 *Ell. N. A. F. 1018c. 1883. (With note.)
Burrill, Bull. Ill. Lab. 2: 230. 1885 and Rept. Ill. Ind. Univ. 12: 144.
                1885. (Note.)
     Wint. & Demet. Hedw. 24: 180 (4). Oct. 1885.
Aecidium Solidaginis, Auct. Amer. p. p.
```

See Aecidium recedens, Arth.

Aecidium Sommerfeltii, Joh.

NOTE. There are at least two species of Aecidium on species of Thalictrum in North America; Aecidium Sommerfeltii, Joh. 1884 based on Caoma Thalictri, Sommfi. 1826 and Aecidium Thalictri-flavi, Wint. based on Aecidium Ranunculacearum, var. Thalictri-flavi, DC. 1815, from which Aecidium Thalictri, Grev. 1823 appears not to differ.

We use the name Aecidium Sommerfeltii, Joh. for the species which occurs on Thalictrum alpinum in Greenland and the northern and higher parts of

America and possibly on some other hosts.

American mycologists have as a rule followed De Toni who refers to Aecidium Sommerfeltii all Aecidia on Thalictrum in Europe and North America, but others have used the name Aecidium Thalictri in the sense in which we here use the name Aecidium Thalictri-flavi.

Of the Aecidia on Thalictrum Fendleri, referred variously to Aecidium Sommerfeltii and Aecidium Thalictri, the specimens we have seen seem to be Aecidium Thalictri-flavi; but in some cases genuine Aecidium Sommerfeltii

appears to have been found on that host.

According to Juel Oefv. K. Vet.-Akad. Foerh. 52: 383. 1885, Aecidium Sommerfeltii is the Aecidium of Puccinia septentrionalis, Juel on Polygonum viviparum. See also Syd. Mon. Ured. 1: 575. 15 May 1903, Klebahn, Rostpilze 321. 1904.

On Thalietrum alpinum.

Rostr. Meddelelser om Groenl. **3**: 536. 1888. De Toni in Sacc. Syll. **7**: 775. *d*. 28 Oct. 1888. Rostr. Meddelelser om Groenl. **3**: 604. 1891.

On Thalictrum Fendieri.

?Cockerell, Zoe. 4: 283. Oct. 1893. Henn. Hedw. 87: 272. 25 Oct. 1898. Hume, Proc. Davenport Acad. 7: 252. 12 May 1899. Cockerell, Jour. Myc. 10: 51. 19 March 1904.

Miscellanea.

?Hume, Proc. Davenport Acad. 7: 252. 12 May 1899. T. sparsiflorum. ?Blasdale in Davy, Bull. U. S. Agr. Pl. Industry 12: 75. 1902. Aquilegia.

Aecidium Sommerfeltii, Auct. Amer. p. p. See Aecidium Thalictri-flavi, (D C.) Wint.

Aecidium Sphæralceæ, Ell. & Ev.

NOTE. The species of Aecidium on Malvacea, some of which were described from dried specimens, appear to have been unduly multiplied. See Aecidium Malvastri, Ell. & Tracy, Aecidium interveniens, (Pk.), Aecidium Napaa, Arth. & Holw. and Aecidium Callirrhoes, Ell. & Kellerm. See Arth. Bull. Torr. Bot. Club 31: 7. 19 Jan. 1904. See also Syd. Mon. Ured. 1: 478. 15 May 1903.

Ell. & Ev. Bull. Torr. Bot. Club 22: 364. d. 31 Aug. 1895. Sacc. Hedw. 35: xvii. 25 Feb. 1896. [Reportorium no. 7.] *Ell. & Ev. N. A. F. 3345. Feb. 1896.

*Ell. & Ev. Fung. Columb. 871. April 1896.

Aecidium splendens, Wint.

See Aecidium Crotonopsidis, Burrill.

Aecidium Spragueæ, Hark.

NOTE. Described by the author as the æcidial stage of *Uromyces Spraguea*, Hark.

Hark. Bull. Cal. Acad. 1: 36, 16). d. Feb. 1884. De Toni in Sacc. Syll. 7: 557. d. 28 Oct. 1888.

Aecidium Statices, Desm.

NOTE. The teleutosporic stage is Uromyces Limonii, (DC.) Lev.

Pk. Rept. N. Y. Mus. 29: 77. 1878.

*Ell. N. A. F. 242. 1879. Hark. Bull. Cal. Acad. 1: 162. 7 March 1885. *Ell. & Ev. Fung. Columb. 658. 24 April 1895. Tracy & Earle, Bull. Miss. Exp. Sta. 34: 91. May 1895.

Aecidium Limonii, Pk.

Pk. Rept. N. Y. Mus. 28: 60. d. 1872. Pk. Rept. N. Y. Mus. 24: 106. 1872.

Aecidium Stillingia, Tracy & Earle.
Tracy & Earle, Bull. Torr. Bot. Club 26: 493. d. 22 Sept. 1899. Sacc. & Syd. Syll. 16: 346. d. 1 Feb. 1902.

Aecidium Tanaceti, Cockerell.

See Aecidium Compositarum, var. Artemisiæ, C. & E.

Aecidium Taraxaci, Kze. & Schm.

Note. Compare Aecidium Compositarum on Krigia, Lactuca, Troximon. For association of Aecidium Taraxaci, Kze. & Schm. with Puccinia silvatica, Schrt., see Klebahn, Rostpilze 302. 1904. See also Oscar Mayus, Centralbl. Bact. 10: 714. 19 Aug. 1903.

Trel. Tr. Wis. Acad. 6: 137 (33). Nov. 1884.

Aecidium Tenellae, Diet. & Holw.

NOTE. Originally printed Aecidium Tonella, D. & H.

Diet. Erythea 8: 77. d. 1 May 1895. Lindau & Syd. Hedw. 87: xviii. 9 April 1898. [Beiblatt no. 7.] Sacc. & Syd. Syll. 14: 384. d. 20 Aug. 1809.

Aecidium tenue, S.

NOTE. This is believed to be the æcidial stage of Puccinia tenuis, (S.) Burrill, with which it is intimately associated on leaves of Eupatorium ageratoides. See Burrill 1885 and Syd. Mon. Ured. 1: 82. 30 June 1902

Specimens reported under this name on several other species of Eupatorium, grouped below under Miscellanea, are presumed to belong more properly to Aecidium Compositarum, var. Eupatorii, (S.) B. The teleutospores of Puccinia tenuis, Burrill, are reported only on Eupatorium ageratoides. There is a Puccinia tenuis, Bon. 1860. A. B. S.

S. Syn. Am. Bor. 309. 1834. Pk. Rept. N. Y. Mus. 24: 92, 107. 1872. Pk. Rept. N. Y. Mus. 25: 109. Sept. 1873. Pk. Rept. N. Y. Mus. 29: 77. 1878.

*Ell. N. A. F. 1420. 1885. Burrill, Bull. Ill. Lab. 2: 181. d. 1885 and Rept. Ill. Ind. Univ. 12: 117. d. 1885.

*Pazschke, Fung. Eur. 4141. 1898.

Cæoma tenue, S.

S. Syn. Am. Bor. 293 no. 2889. d. 1834.

Aecidium Compositarum, var. Eupatoriæ, Auct. Amer. p. p.

*Ell. & Ev. Fung. Columb. 498. 1894. Freeman, Minn. Bot. Studies II. 5: 557. 20 July 1901. Aecidium Scrophulariæ, N. A. F.

*EII. & Ev. N. A. F. 1810. 1887.

Miscellanea.

Aecidium tenue, Auct. Amer. p. p. Arth. Bull. Iowa Agr. Coll. 1884: 168. Wint. & Demet. Hedw. 24: 181 (5). Jan. 1885. Oct. 1885. Gall. Bull. U. S. Agr. Veg. Pathol. 8: 56. 1889.

Aecidium Thalictri, Grev.

See Aecidium Thalictri-flavi, (DC.) Wint.

Aecidium Thalietri, Auct. Amer. p. p. See Aecidium punctatum, P.

Aecidium Thalictri-flavi, (DC,) Wint.

NOTE. Assuming it to be correct that Aecidium Thalictri-flavi, (D.C.) Wint. and Aecidium Thalictri, Grev. are synonyms, it should be remarked that the form on Thalictrum flavum is considered by Plowright, British Ured. & Ust. 181. 1889 to belong to Puccinia persistens, Plowr. on Poanemoralis, while the form on Thalictrum alpinum is considered Juel, Oefv. K. Vet. Akad. Foerh. 51; 413. 1894 to belong to Puccinia borealis, Juel on Agrostis borealis. See also Syd. Mon. Ured. 1: 718, 719. 1 Nov. 1903, Klebahn, Rostpilze 276, 291. 1904.

Some of our references to Aecidia on Thalictrum alpinum are given under Aecidium Sommerfeltii, Joh. The references given below to Aecidium Thalictri-flavi, in absence of cultures made in this country, must be regarded as provisional. See also Aecidium punctatum, P. Compare also Aecidium Aikeni, Syd. especially with reference to citations of Aecidium on Thalictrum purpurascens.

For anatomical details of Aecidia on Thalictrum see Oscar Mayus, Centralbl. Bact. 2 Abt. 10: 649, 706 et seq. 1903

On Thalictrum.

Kelsey, Jour. Myc. 5: 80. June 1889. Freeman, Minn. Bot. Studies II. 5: 555. 20 July 1901. Patterson, Bull. U. S. Agr. Pl. Industry 8: 8. 3 Feb. 1902.

On Anemonella.

Note. See also under Aecidium Ranunculacearum, Auct. Amer. p. p.

Wint. & Demet. Hedw. 24: 181 (5). Oct. 1885. *Wint. Fung. Eur. 3322. 1885. Gall. Bull. U. S. Agr. Veg. Pathol. 8: 56. 1889. Underw. Proc. Ind. Acad. 1894: 151. Oct. 1895. Aecidium Thalictri, Grev.

On Thalictrum.

On Thalletrum.

Farl. Appalachia 8: 239. Jan. 1884.

Trel. Tr. Wis. Acad. 6: 136 (32). Nov. 1884.

Arth. Bull. Iowa Agr. Coll. 1884: 168. Jan. 1885.

*Ell. N. A. F. 1423. 1885.

Arth. & Holw. Bull. Minn. Surv. 3: 31. 1 Oct. 1887.

Halsted, Bull. Iowa Agr. Coll. 1886: 58. 1887.

Halsted, Bull. Iowa Agr. Coll. 1888: 116. April 1888.

Rostr. Meddelelser om Groenl. 8: 604. 1891.

Davis, Tr. Wis. Acad. 9: 161. 21 Aug. 1893.

? Cockerell, Zoe. 4: 283. Oct. 1893.

*Ell. & Ev. Fung. Columb. 193. 1893.

*Griffiths, West. Am. Fung. 35. 22 March 1902.

Miscellanea.

NOTE. In Jour. Myc 8; 126. 14 Oct. 1902 Ricker mentions an Aecidium on Thalictrum occidentale from Idaho. Watt, Can. Nat. & Geol. II. 2: 301. Oct. 1865.

Digitized by Google

Pk. Rept. N. Y. Mus. 24: 92, 106. 1872. B. Grev. 8: 60 (102). Dec. 1874. Pk. Rept. N. Y. Mus. 29: 76. 1878. *Ell. & Ev. Fung. Columb. 1390. May 1899. Aecidium Sommerfeltii, Auct. Amer. p. p.

On Thalietrum.

Webber, Bull. Nebr. Exp. Sta. 1: 334 (64). 18 Dec. 1889. Webber, Rept. Nebr. Agr. 1889: 212 (72). 1890. Nelson, Rept. Wyo. Exp. Sta. 10: (36). 1900. Tracy & Earle in Greene, Pl. Baker. 1: 19. 22 Feb. 1901. Earle in Greene, Pl. Baker. 2: 3. 25 March 1901.

On Anemonella.

Detmers, Bull. Ohio Exp. Sta. 44: 139. Sept. 1892. Kellerm. & Werner Geol. Ohio 72: 347. Jan. 1895.

Aecidium Tissæ, Ell. & Ev.

McClatchie, Proc. S. Calif. Acad. 1: 372. 5 June 1897. Ell. & Ev. Bull. Torr. Bot. Club 24: 284. d. 29 June 1897. Lindau & Syd. Hedw. 87: xviii. 9 April 1898. [Beiblatt no. 7.] Sacc. & Syd. Syll. 14: 374. d. 20 Aug. 1899.

Aecidium Tonellæ, Diet. & Holw. See Aecidium Tenellæ, Diet. & Holw.

Aecidium traehelifoliatum, S.

NOTE. On Helianthus authors report also Aecidium Compositarum, var. Helianthi, Burrill, and Aecidium Helianthi-mollis, S.

S. Syn. Am. Bor. 309. 1834. Pk. Rept. N. Y. Mus. 29: 77. 1 Cke. Grev. 20: 110. June 1892. Cæoma trachelifoliatum, S. S. Syn. Am. Bor. 292 no. 2872. d. 1834.

Aecidium Tracyanum, Syd.

NOTE. See also Aecidium lateripes, Kellerm.

Syd. Hedw. Beibl. 40: (129). d. 20 Oct. 1901. Sacc. & Syd. Syll. 16: 1122. 1 Feb. 1902.

Aecidium transformans, (Ell.) Pazschke.

*Pazschke, Fung. Eur. 4238. 1901. Roestelia transformans, Ell.

Ell. in Pk. Bull. Torr. Bot. Club 5: 3. d. Jan. 1874. Farl. Bull. Bussey Inst. 2: 225. Jan. 1878. Farl. Anniv. Mem. Boston Soc. 27. d. 1880. *Ell. N. A. F. 1088. 1883.

Farl. Proc. Am. Acad. 20: 315. 1885. Farl. Bot. Gaz. 11: 238. Sept. 1886.

Thax. Proc. Am. Acad. 22: 269. Jan. 1887 and Centralbl. Bact. 1:

Thax. Proc. Am. Acad. 22: 209. Jan. 1007 and Cent. 460. 1887.

Seymour, Tr. Am. Hort. Soc. 4: 155 (4). 7 April 1887.

Ell. in Cat. Pl. N. J. 504. 1889.

*Seymour & Earle, E. F. 247. I Feb. 1893.

Hicks, Asa Gray Bull. 1898³: 12. 1893.

Fischer, Hedw. 34: 4. f. 9. Jan. 1805.

*Ell. & Ev. Fung. Columb. 1076. 22 Dec. 1896.

Diet. Ann. Myc. 1: 9. 30 Jan. 1903.

*Restella transformans, Ell., var. fructigena, Thm.

*Thm. Myc. Univ. 1020. 1878.

*Thm. Myc. Univ. 1029. 1878. Thm. Flora **62**: 104. 1 March 1879.

Roum. Rev. Myc. 10: 143. 1 July 1888. *Roum. Fung. Gall. 4533.

Aecidium Trifolii-repentis, Cast.

NOTE. Under this name we have placed references to Aecidia on Trifo-lium repens which should properly be considered to be the Aecidium of Uromyces minor, Schrt. but whether this is strictly true in all cases cannot be stated.

Thm. Nat. Can. 10: 9. Jan. 1878. Anin. Nat. Cail. 10; 9. 3ail. 1676.

**Recidium Orobi, Auct. Amer. p. p.

Pk. Rept. N. Y. Mus. 28: 59. 1872.

Pk. Rept. N. Y. Mus. 24: 107. 1872.

B. Grev. 8: 61 (103). Dec. 1874.

Pk. Rept. N. Y. Mus. 29: 76. 1878.

Johnson, Bull. Minn. Acad. 1: 365. 1880. Arth. Bull. Iowa Agr. Coll. 1884: 167. Jan. 1885. Aecidium Triglochinis, Diet. & Holw.

Holw. Erythea **7**: 98. *d*. 31 Oct. 1899. Sacc. & Syd. Syll. **16**: 348. *d*. 1 Feb. 1902.

Aecidium Trillii, Burrill.

Burrill, Bot. Gaz. 9: 190. d. Dec. 1884. Burrill, Bull. III. Lab. 2: 238. d. 1885 and Rept. III. Ind. Univ. 12:

149. d. 1885.

De Toni in Sacc. Syll. 7: 828. d. 28 Oct. 1888.

Claassen, Rept. Ohio Acad. 5: 68. 1897.

Snyder, Proc. Ind. Acad. 1896: 218. 1897.

Aecidium tuberculatum, Ell. & Kellerm.

NOTE. We are unable to distinguish some specimens in exsiccati issued as Aecidium tuberculatum, Ell. & Kellerm. from Aecidium ræsteiioides, Ell. & Ev. The original descriptions of the two differ, however. See Arth. Bull. Torr. Bot. Club 31: 7. 19 Jan. 1904.

Ell. & Kellerm. Jour. Myc. 4: 26, d. March 1888. Swingle, Jour. Myc. 4: 27. March 1888.

De Toni in Sacc. Syll. 7: 827. d. 28 Oct. 1888.

*Kellerm. & Swingle, Kansas Fungi 30. I Aug. 1889.

*Ell. & Ev. N. A. F. 2893. March 1893.

Carl Rot. Carl Rot. Carl 48.

Carl. Bot. Gaz. 18: 453. 25 Dec. 1893. *Ell. & Ev. Fung. Columb. 500. 1894.

*Carl. Ured. Amer. 31. 1894.

*Syd. Uredineen 1199. Feb. 1898.

Barthol. Tr. Kans. Acad. 16: 191. June 1899.

Nelson, Rept. Wyo. Exp. Sta. 10: (36). 1900.

Carl. Science II. 18: 250. 15 Feb. 1901.

*Pazschke, Fung. Eur. 4239. 1901. Carl. Jour. Appl. Micr. 6: 2111. 1903. Arth. Bull. Torr. Bot. Club 81: 7. 19 Jan. 1904.

Aecidium Tussilaginis, Muhl. Cat.

Muhl. Cat. Pl. Am. Sept. 1 ed. 104. 1813. 2 ed. 107. 1818.

Aecidium Urticæ, Schum.

NOTE. The teleutosporic stage is Puccinia Caricis, (Schum.) Reb. as established in Europe by Magnus, Schroeter and others and verified in America by Arthur, 1899, 1900, 1902, 1903 and Kellerman, 1903. See also Syd. Mon. Ured. 1: 648. I Nov. 1903 and Klebahn, Rostpilze 293. 1904.

1867. M. A. Curtis, Bot. N. Car. 124. Cke. Handbook 541. d. 1871.

```
Pk. Rept. N. Y. Mus. 24: 92, 106. 1872.
Frost in Cat. Pl. Amherst 85. 1875.
Johnson, Bull. Minn. Acad. 1: 296. 1877 and Rept. Minn. Surv. 5:
  85. 1877.
Pk. Rept. N. Y. Mus. 29: 77. 1878.
*Ell. N. A. F. 267. 1879.
Arth. Bull. Ilwa Agr. Coll. 1884: 168. Jan. 1885.
Burrill, Bull. Ill. Lab. 2: 238. d. 1885 and Rept. Ill. Ind. Univ. 12:
                                          1885.
       Cobb, List Pl. Amherst 40. 1887.
  Cobb, List Pl. Amherst 40. 1887.
De Toni in Sacc. Syll. 7: 821. d. 28 Oct. 1888. p. p. Bennett, Cat. Pl. R. I. 89. 1888.
Kelsey, Jour. Myc. 5: 80. June 1889.
Anderson, Jour. Myc. 5: 82. June 1889.
Anderson, Jour. Myc. 5: 82. June 1889.
Webber, Bull. Nebr. Exp. Sta. 1: 334 (64). 18 Dec. 18 Gall. Bull. U. S. Agr. Veg. Pathol. 8: 56. 1889.
Webber. Rept. Nebr. Agr. 1889: 212 (72). 1890.
Williams, Bull. S. Dak. Exp. Sta. 29: 49. Dec. 1891.
*Seymour & Earle, E. F. 388. 1 May 1893.
McClatchie in Reid's Hist. Pasadena 616. 1895.
McClatchie, Proc. S. Cal. Acad. 1: 372. 5 June 1807.
                                                                                                                                               18 Dec. 1880.
  McClatchie in Reid's Hist. Pasadena 616. 1895.
McClatchie, Proc. S. Cal. Acad. 1: 372. 5 June 1897.
Hume, Proc. Davenport Acad. 7: 249. 12 May 1899.
Barthol. Tr. Kans. Acad. 16: 192. June 1899.
Arth. Science II. 10: 565. 20 Oct. 1899.
Arth. Bot. Gaz. 29: 270. 30 April 1900.
Tracy & Earle in Greene, Pl. Baker. 1: 19. 22 Feb. 1901.
Freeman, Minn. Bot. Studies II. 5: 546. 20 July 1901.
*Griffiths, West Am. Fung. 52. 22 March 1902.
Arth. Jour. Myc. 8: 52, 56. 30 June 1902.
Kellerm. Jour. Myc. 8: 59. d. 30 June 1902.
*Kellerm. Ohio Fungi 69. d. July 1902.
Arth. Bot. Gaz. 35: 16, 22. 20 Jan. 1903.
Kellerm. Jour. Myc. 9: 9, 10, 12, 13. 14 Feb. 1903.
       Kellerm. Jour. Myc. 9: 9, 10, 12, 13. 14 Feb. 1903. 
Cæoma urticatum, Lk.
        S. Syn. Am. Bor. 294 no. 2898. 1834.
 Aecidium Uvulariæ. S.
       M. A. Curtis, Bot. N. Car. 123. 1867.

Pk. Rept. N. Y. Mus. 26: 78. April 1874.

Wint. & Demet. Hedw. 24: 181 (5). Oct. 1885.

De Toni in Sacc. Syll. 7: 830. d. 28 Oct. 1888.

Freeman, Minn. Bot. Studies II. 5: 554. 20 July 1901.
       Cæoma alliatum, Lk. p. p.
Lk., L. Sp. Pl. ed. Willd. 62: 43. d. 1825.
Uredo Uvulariæ, Spreng.
Spreng. in L. Syst. Veg. 16 ed. 41: 572. d. 1827.
Cæoma uvulariatum, S.
        S. Syn. Am. Bor. 292 no. 2858. d. 1834.
              Aécidium uvulariatum, Ś.
       S. Syn. Am. Bor. 309. 1834.
Pk. Rept. N. Y. Mus. 29: 77. 1878.
Aecidium uvulariatum, S.
              See Aecidium Uvulariæ, S.
 Aecidium Valerianearum, Duby.
*Ell. & Ev. N. A. F. 2211. Feb. 1889.
 Aecidium Valerianellæ, Biv. Bernh.
        Diet. Bot. Gaz. 18: 256. d. 15 July 1893,
```

Blasdale, Asa Gray Bull 1898 : 1. 1803. Henn. Hedw. 87: 272. d. 25 Oct. 1898. Aecidium verbenicolum, Ell. & Kellerm. NOTE. According to cultures by Arthur this is the æcidial stage of Puccinia Vilfæ, Arth. & Holw. which is renamed Puccinia verbenicola, Arth. See Arthur, 1899, 1900, 1903. See also Klebahn, Rostpilze 275. 1904. Ell. & Kellerm. Bull. Torr. Bot. Club 11: 114. d. Oct. 1884. Kellerm. Bull. Wash. Lab. 1: 75. Jan. 1885 and Tr. Kans. Acad. 9: 81. 1885. Wint. & Demet. Hedw. 24: 181 (5). Oct. 1885. *Ell. N. A. F. 1434. 1885. Roum. Rev. Myc. 8: 196. 1 Oct. 1886. *Roum. Fung. Gall. 3861. 1886. Kellerm. & Carl. Tr. Kans. Acad. 10: 92. 1887. Gall. Bull. U. S. Agr. Veg. Pathol. 8: 56. 1889.

*Pazschke, Fung. Eur. 3939. Feb. 1894.

Diet. in Engler & Prantl, Pflanzenfam. 11**: 77. 1897.

Barthol. Tr. Kans. Acad. 16: 192. June 1899. Arth. Science II. 10: 565. 20 Oct. 1899.

Arth. Bot. Gaz. 29: 274. 30 April 1900.

Arth. Bot. Gaz. 85: 16. 20 Jan. 1903.

Garrett, Tr. Kans. Acad. 18: 147. 1903.

Aecidium Verbenæ, Auct. Amer. non Speg.

De Toni in Sacc. Syll. 7: 816. d. 28 Oct. 1888.

Webber Bull. Nebr. Exp. Stz. 1: 224 (64) 18 Webber, Bull. Nebr. Exp. Sta. 1: 334 (64). 18 Dec. 1889. Webber, Rept. Nebr. Agr. 1889: 212 (72). 1890. Williams, Bull. S. Dak. Exp. Sta. 29: 49. Dec. 1891. *Ell. & Ev. Fung. Columb. 270. 1894. *Carl. Ured. Amer. 21. 1894. Carl. Ured. Amer. 21. 1894. Snyder, Proc. Ind. Acad. 1896: 218. 1897. *Syd. Uredineen 1200. Feb. 1898.

*Seymour & Earle, E. F. 523. 7 June 1899.

Freeman, Minn. Bot. Studies II. 5: 556. 20 July 1901.

Patterson, Bull. U. S. Agr. Pl. Industry 8: 8. 3 Feb. 1902. Aecidium Verbesinæ, S. NOTE. Said by Lagerheim to belong to Puccinia Verbesina, S. See Lagerh. Tromsoe Mus. Aarshefter 17; 78. 1895. S. Syn. Car. 68 (42) no. 445, d. 1822. Lk., L. Sp. Pl. ed. Willd. 62: 52. d. 1825. Underw. & Earle, Bull. Ala. Exp. Sta. 80: 211. 28 June 1897. Cæoma asteratum, Lk. p. p. Lk., L. Sp. Pl. ed. Willd. 62: 51. d. 1825. S. Syn. Am. Bor. 202 no. 2870. 1834. Uredo Asterum, Spreng.
Spreng. in L. Syst. Veg. 16 ed. 41: 572. d. 1827.
Aecidium asteratum, S. p. p.

S. Syn. Am. Bor. 309. 1834.

Aecidium Vernoniæ, Henn. Duss. Champ. Guad. & Martinique 7. 1903.

West Indies.

Aecidium verrucosum, Bon. See Aecidium Smilacis, S.

Aecidium Violæ, Schum.

NOTE. The references given here belong, at least in the majority of cases, to the Aecidium of Puccinia Violæ, (Schum.) D.C. For details see Arth. & Holw. Minn. Bot. Studies II. 5: 633. 20 July 1901. Certain references

```
may belong to other species, but at the present time there is no means of ver-
        ifying them.
    S. Syn. Car. 67 (41) no. 439. 1822.
Watt, Can. Nat. & Geol. II. 2: 391.
M. A. Curtis, Bot. N. Car. 124. 1867
                                                                                   Oct. 1865.
                                                                       1867.
    M. A. Curtis, Bot. IN. Car. 124. 1007.

Cke. Handbook 543. d. 1871.

Edwards, Bull. Torr. Bot. Club 2: 39. Oct. 1871.

Pk. Rept. N. Y. Mus. 28: 59. 1872.

Pk. Rept. N. Y. Mus. 24: 106. 1872.

B. Grev. 8: 61 (103). Dec. 1874.

Frost in Cat. Pl. Amherst 85. 1875.
    Cke. Grev. 6: 137. June 1878.
Pk. Rept. N. Y. Mus. 29: 76. 1878.
Pk. Rept. N. Y. Mus. 29: 76. 1878.

*Rav. Fung. Am. 38. 1878.

Johnson, Bull. Minn. Acad. 1: 366. 1880.

Farl. Proc. Am. Acad. 18: 75. July 1883.

*Ell. N. A. F. 1007. 1883.

Bundy, Geol. Wis. 1873-79, 1: 400. 1883.

Arth. Bull. Iowa Agr. Coll. 1884: 168. Jan. 1885.

Cragin, Bull. Wash. Lab. 1: 68. July 1885.

Ell. & Ev. Jour. Myc. 1: 86. July 1885.

Cobb, List. Pl. Amherst 40. 1887.

Bennett, Cat. Pl. R. I. 89. 1888.

Ell. in Cat. Pl. N. J. 505, 1889.

Williams, Am. Nat. 24: 779. Aug. 1890.

Small & Vail, Mem. Torr. Bot. Club. 4: 200. April 1894.

*Ell. & Ev. Fung. Columb. 496. 1894.
 *Ell. & Ev. Fung. Columb. 406. 1894.
Herbst, Fungal Fl. Lehigh Valley 175. d. 1899.
Cæoma violatum, Lk.
    S. Syn. Am. Bor. 293 no. 2884. 1834. 
Aecidium Violarum, DC.
    Sprague, Proc. Boston Soc. 6: 319. 1859.
Aecidium Violarum, D.C.
        See Aecidium Violæ, Schum.
Aecidium violascens, Trel.
            Note. Compare also Aecidium Geranii-maculati, S.
    Trel. in Sacc., Pk. & Trel., Harriman Alaska Exp. 5: 37. d. 5 April
             1904.
Aecidium Wedeliæ, Earle.
                                                                                                                           West Indies.
    Earle, Muhlenbergia 1: 16. d. July 1901.
Aecidium Wilcoxianum, Thm.
        See Aecidium Giliæ, Pk.
Aecidium Williamsi, Ricker.
    Ricker, Jour. Myc. 10: 165. d. 24 June 1904.
Aecidium Xanthoxyli, Pk.
 Pk. Bot. Gaz. 6: 275. d. Oct. 1881.
*Wint. Fung. Eur. 2928. 1883.
*Ell. N. A. F. 1013. 1883.
    Arth. Bull. Iowa Agr. Coll. 1884: 168. Jan. 1885.
    Kellerm. Bull. Wash. Lab. 1: 75. Jan. 1885 and Tr. Kans. Acad. 9:
   81. 1885. Kellerm. & Carl. Tr. Kans. Acad. 10: 92. 1887.
De Toni in Sacc. Syll. 7: 784. d. 28 Oct. 1888.
Webber, Bull. Nebr. Exp. Sta. 1: 335 (65). 18 Dec. 1889.
Gall. Bull. U. S. Agr. Veg. Pathol. 8: 56. 1889.
Jennings, Bull. Tex. Exp. Sta. 9: 23. May 1890.
```

Webber, Rept. Nebr. Agr. 1889: 212 (72). 1890. *Carl. Ured. Amer. 6. 1894.
Tubeuf-Smith, Diseases of Plants 410. 1897. Barthol. Tr. Kans. Acad. 16: 192. June 1890. Long, Bull. Torr. Bot. Club. 27: 586. 14 Nov. 1900. *Syd. Uredineen 1548. April 1901. *Shear, Ell. & Ev. Fung. Columb. 1477. May 1901. Patterson, Bull. U. S. Agr. Pl. Industry 8: 8. 3 Feb. 1902. Garrett, Tr. Kans. Acad. 18: 147. 1903. Aecidium on Zauschneria. See Puccinia Zauschneriæ, Svd. Aecidium Zephyranthis, Shear. Shear, Bull. Torr. Bot. Club. 29: 454. d. 25 July 1902. Mexico. Aedycia. Raf. NOTE. See also Corynites, B. & C. Raf. Med. Repos. II. hex. 5: 358. d. and Desv. Jour. de Bot. 1: 222. 1808. Endl. Gen. Pl. 31. 1840. Gerard, Bull. Torr. Bot. Club. 7: 30. March 1880. Fischer in Sacc. Syll. 7: 12. 15 March 1888. **Aedycia alba,** Raf. Raf. Med. Repos. II. hex. 5: 358. d. and Desv. Jour. de Bot. 1: 222. 1808. Aedycia rubra, Raf. Raf. Med. Repos. II. hex. 5: 358. d. and Desv. Jour. de Bot. 1: 222. 1808. Aegerita. P. Pound & Clements, Minn. Bot. Studies 9: 732. d. 31 May 1897. Aegerita cæsia, P. S. Syn. Car. 124 (98) no. 1275. S. Syn. Am. Bor. 303 no. 3041. d. 1834. M. A. Curtis, Bot. N. Car. 153. 1867. Cke. Bull. Buf. Soc. 8: 195. July 1877. Aegerita candida, P. NOTE. Schweinitzian specimens of Aegerita candida show only small white globular masses which are probably what he understood to be this species. They have not the structure of Aegerita, but are mainly inorganic matter. Muhl. Cat. Pl. Am. Sept. 1 ed. 106. 1813. 2 ed. 108. 1818. S. Syn. Car. 124 (98) no. 1274. 1822. Grev. Scot. Crypt. Fl. 5: pl. 268. 1827. Fr. S. M. 8: 220. d. 1832. S. Syn. Am. Bor. 303 no. 3040. 1834. Sprague, Proc. Boston Soc. 6: 321. M. A. Curtis, Bot. N. Car. 153. 18 1867. Cke. Handbook 561. d. f. 235. 1871. B. Grev. 8: 100 (110). March 1875. Frost in Cat. Pl. Amherst 86. 1875. Cke. Bull. Buf. Soc. 8: 105. July 1877. C. & E. Grev. 6: 87. March 1878. Pk. Rept. N. Y. Mus. 29: 51. 1878. *Ell. N. A. F. 361. 1879. Pk. in Day's Cat., Bull. Buf. Soc. 4: 210 (146). 1883. Sacc. Syll. 4: 661. d. 10 April 1886. Cobb, List Pl. Amherst 40. 1887. Ell. in Cat. Pl. N. J. 575. 1889. Lindau in Engler & Prantl, Pflanzenfam. 11**: 500. Feb. 1900.

Aegerita Cordæ, Sacc.? Ricker, Univ. of Maine Studies 3: 24. 30 April 1902.

Aegerita decolorans, (S.) Sacc.

Sacc. Syll. 4: 664. d. 10 April 1886. Lindau in Engler & Prantl, Pflanzenfam. 11**: 500. Feb. 1900. Dermosporium decolorans, S.

S. Syn. Am. Bor. 302 no. 3033. d. Cke. Bull. Buf. Soc. 8: 194. July 1877.

Aegerita lutescens, S.

NOTE. Aegerita lutescens of Herb. Schweinitz has not the structure of the genus if Aegerita candida, P. is to be regarded as the type. The A. lutescens of Herb. Schweinitz is a fungus certainly near Penicillium or Coremium, but the material we have examined does not warrant assigning the species a definite place, although it is certainly not an Aegerita.

S. Syn. Am. Bor. 303 no. 3042. d. 1834. Cke. Bull. Buf. Soc. 8: 195. July 1877. Sacc. Syll. 4: 663. d. 10 April 1886.

Aegerita Ovulum, S.

S. Syn. Am. Bor. 303 no. 3043. d. 1834. M. A. Curtis, Bot. N. Car. 153. 1867. Cke. Bull. Buf. Soc. 8: 195. July 1877. Sacc. Syll. 4: 663. d. 10 April 1886.

Aegerita rosea, (S.) Sacc. Sacc. Syll. 4: 664. d. '10 April 1886. Dermosporium roseum, S. S. Syn. Am. Bor. 302 no. 3034. 1834.

Cke. Bull. Buf. Soc. 8: 194. July 1877.

Aethalium candidum, Schl. in Spreng. See Fuligo septica, Gmel.

Aethalium ferrincola, S. See Faligo septica, Gmel.

Aethalium flavum, Lk. See *Fuligo septica*, Gmel.

Aethalium geophilum, Pk. See Hyphelia terrestris, Fr.

Aethalium muscorum. S. See Fuligo septica, Gmel. See *Fuligo muscorum*, A. & S.

Aethalium septicum, (L.) Fr. See Fuligo septica, Gmel.

Aethalium vaporarium, (P.) S. See Fuligo septica, Gmel.

Aethalium violaceum, Spreng. See Fuligo violacea, P.

Agaricus, L.

NOTE. In assigning the authority to the specific combinations of species here cross-referred from Agaricus to other genera we have in general cited the author by whom the species were placed under the names given, regardless of the question whether he considered the names to represent genera or subgenera, the plan followed in Saccardo's Sylloge and by a large number of writers. This we have found to be the only practical method, for since we writers. This we have found to be the only practical method, for since we believe that the present classification of Agaricaceæ is of necessity only provisional and temporary, it would be a waste of time to attempt to search through the innumerable scattered lists, monographs and other small papers of European writers of the last century, to settle points in regard to species common to both countries which could at the best have only a slight value. An examination of the writings of those who have attempted to give as authorities for the species of Agaricacea only those who accepted the genera now adopted as genera rather than subgenera has shown so many inconsistencies and inaccuracies that we have not been able to followathem.

For uniformity's sake we have followed the same plan in regard to the purely North American species, but in this case, as all American references known to us are given, with dates, the reader has the means of settling the question of authority for himself.

As used here in its limited sense we have kept under Agaricus the species placed by mycologists in Psalliota and Pratella, the type of the genus being Agaricus campestris, L

Agaricus abietinus, Bull.

See Lenzites abietina, (Bull.) Fr.

Agarieus abortivus, B. & C.

See Clitopilus abortivus, B. & C.

Agaricus abruptus, Pk.
Pk. Mem. N. Y. Mus. 8: 163. d. pl. 59, f. 8-14. Nov. 1900.
White, Bull. Torr. Bot. Club. 29: 561. 26 Sept. 1902.
Longyear, Rept. Mich. Acad. 4: 115. 1904.

Agaricus silvicola, Pk. non Vitt.

Pk. Rept. N. Y. Mus. 28: 97. d. 1872. Pk. Rept. N. Y. Mus. 36: 47. d. 1885.

Pk. Country Gent. 59: 518 (31). 12 July 1894.

Agaricus arvensis, var. abruptus, Pk.
Pk. Rept. N. Y. Mus. 46: 135 (55). d. Dec. 1893 and Rev. Myc. 16: 126. 1 July 1894

Pk. Country Gent. **59**: 518 (30). 12 July 1894. Pk. Bull. N. Y. Mus. **6**: 213. July 1890.

Agaricus silvicola, var. ábruptus, (Pk.) Conant.

Conant, Bull. Boston Myc. Club. 19. 5 Feb. 1903.

Agaricus abscondens, Pk.

See *Pleurotus lignatilis*, (P.) Fr.

Agaricus abundans, Pk.

See Collybia abundans, Pk.

Agaricus acericolus, Pk.

See *Pholiota acericola,* Pk.

Agaricus acervatus, Fr.

See Collybia acervata, Fr.

Agaricus Achimenes, B. & C.

B. & C. Am. Jour. Sci. II. 8: 403. d. Nov. 1849.

B. & C. Hook. Jour. Bot. 1: 98 (2). d. 1849. [no. 202.]

Rav. Charleston Med. Jour. & Rev. 6: 192. March 1851.

M. A. Curtis, Bot. N. Car. 90. 1867.

Sacc. Cub. & Manc. Syll. 5: 995. d. 28 May 1887.

McIlvaine & Macadam, Am. Fung. 340. d. 1900.

Psallinta Achimenes. I loyd

Psalliota Achimenes, Lloyd.

Lloyd, Myc. Notes 29. Nov. 1899.

Agarieus Acicula, Schæff.

See Mycena Acicula, (Schæff.) Fr.

Agaricus acicularis, Muhl.

NOTE. This is possibly Mycena capillaris, (Schum.) Fr.

Muhl. Tr. Am. Phil. Soc. 8: 184. 1793.

Agaricus acris, Bolt.

See Lactarius acris, (Bolt.) Fr.

Agaricus acutesquamosus, Weinm. See Lepiota acutesquamosa, (Weinm.) Fr.

Agaricus acutus, P.
See Cortinarius acutus, (P.) Fr.

Agaricus adiposus, Fr. See *Pholiota adiposa*, Fr.

Agaricus Adirondackensis, Pk. See Clitocybe Adirondackensis, Pk.

Agaricus admirabilis, Pk. See *Pluteus admirabilis*, Pk.

Agaricus adnatus, W. G. Smith. See Amanitopsis adnata, (W. G. Smith) Sacc.

Agaricus Adonis, Bull. See Mycena Adonis, (Bull.) Fr.

Agaricus adstringens, P. See *Tricholoma adstringens*, (P.) Fr.

Agaricus adustus, P. See Russula adusta, (P.) Fr.

Agaricus æruginosus, Curt. See Stropharia æruginosa, (Curt.) Fr.

Agaricus æthalus, B. & C. See *Pluteus æthalus*, B. & C.

Agaricus affinis, Frost.
See Amanita Frostiana, Pk.

Agaricus affricatus, Fr. See Omphalia affricata, Fr.

Agaricus aggericolus, Pk. See *Pholiota aggericola*, Pk.

Agaricus agglutinatus, B. & C. See Amanitopsis agglutinata, (B. & C.) Sacc.

Agaricus aggregatus, Schæff. See Clitocybe aggregata, (Schæff.) Fr.

Agaricus albellus, Fr. See *Tricholoma albellum*, Fr.

Agaricus albissimus, Pk. See *Ciitocybe albissima*, Pk.

Agaricus albobrunneus, P. See *Tricholoma albobrunneum*, (P.) Fr.

Agaricus albocrenulatus, Pk. See *Pholiota albocrenulata*, Pk.

Agaricus alboflavidus, Pk. See *Tricholoma alboflavidum*, Pk.

Agaricus albofiavus, Morg. See **Omphalia albofiava**, Morg.

Agaricus albogriseus, Pk. See Clitopilus albogriseus, Pk.

Agaricus alboides, Pk. See *Tricholoma album*, (Schæff.) Fr.

Agaricus alborubellus, Mont. See *Pluteus alborubellus*, (Mont.) Pat.

Agaricus alboviolaceus, P. See Cortinarius alboviolaceus, (P.) Fr. Agaricus albus, P.

NOTE. This is possibly Tricholoma Columbetta, Fr.

S. Syn. Car. 84 (58). no. 659. 1822.

Agaricus albus, Schæff.

See Tricholoma album, (Schæff.) Fr.

NOTE. For note on Tricholoma album, Shear, N. Y. Fungi 5. 1893 see Romell under Agaricus (Tricholoma) lentus, Post. in Bot. Notiser 1895: 65.

Agaricus alcalinus, Fr.

See Mycena alcalina, Fr.

Agarieus aleuriatus, Fr.

See Pluteolus aleuriatus, Fr.

Agaricus algidus, Herb. S. and S. Am. Bor.

NOTE. In Berkeley & Curtis, Commentary, Jour. Phil. Acad. II. 3: 206. 1856 the Agaricus algidus of Herb. Schweinitz is said to be Agaricus atrocaruleus, Fr. The other references to Agaricus algidus will be found under Pleurotus algidus, Fr.

Agaricus algidus, Fr.

See *Pleurotus algidus*, Fr.

Agaricus alliaceus, Jacq.

See Marasmius ailiaceus, (Jacq.) Fr.

Agaricus alliatus, Schæff.

See Marasmius scorodonius, Fr.

Agaricus allosporus, B.

NOTE. The only reference to this species known to us is that given below in which there is no description.

B. Jour. Linn. Soc. 5: 86. 1861 and Arctic Manual 2: 527. 1875.

Agaricus alluviinus, Pk.

See Lepiota alluviina, Pk.

Agaricus alneus, L.

See Schizophyllum commune, Fr.

Agaricus alnicola, Fr. See *Flammula alnicola*, Fr.

Agaricus alphitophorus, B. See Mycena alphitophora, B.

Agaricus (Clitocybe) **altus**, Frost.

NOTE. Never described so far as we know.

Frost in Cat. Pl. Amherst 63. Cobb, List Pl. Amherst 31. 1887.

Agaricus alutaceus, P.

See *Russuia alutacea*, P.

Agaricus alveolatus, Cragin.

See Pluteus alveolatus, (Cragin) Sacc. Syll.

See also *Pieurotus subpalmatus*, Fr.

Agaricus Alveolus, Lasch.

See Crepidotus Álveolus, (Lasch) Fr.

Agaricus amabilipes, Pk.

See Collybia amabilipes, Pk.

Agaricus amabillissimus, Pk.

See Mycena amabilissima, Pk.

Agaricus Americanus, Pk.

See Lepiota Americana, Pk.

Agaricus amethysteus, P. See Laccaria laccata, (Scop.) B. & Br.

Agaricus amianthinus, Scop.

See Lepiota amianthina, (Scop.) Fr.

Agaricus amietus, Fr. See Mycena amicta, Fr.

Agaricus amplus, P. See *Clitocybe ampla*, (P.) Fr.

Agaricus amygdalinus, M. A. Curtis. See Agaricus fabaceus, B.

Agaricus androsaceus, L. See *Marasmius androsaceus*, (L.) Fr.

Agaricus anepsius, Mont. See Flammula anepsia, Mont.

Agaricus angustilamellatus, Mont. See Clitocybe angustilamellata, Mont.

Agaricus angustipes, Pk. See *Pholiota angustipes*, Pk.

Agaricus angustissimus, Lasch. See Clitocybe angustissima, (Lasch) Fr.

Agaricus anisarius, Pk. See *Clitocybe anisaria*, Pk.

Agaricus anomalus, Frost.

NOTE. There is no means of ascertaining to what species the two following references belong, but they do not belong to *Cortinarius anomalus*, Fr. which is also cited by Frost in his catalogue on another page.

Frost in Cat. Pl. Amherst 63. 1875. Cobb, List. Pl. Amherst 31. 1887.

Agaricus anomalus, Fr. See Cortinarius anomalus, Fr.

Agaricus Anthiceps, B. & C.

See Omphalia Anthiceps, B. & C.

Agaricus Antillarum, Fr. See *Psilocybe Antillarum*, Fr.

Agaricus apertus, Pk. See *Clitocybe aperta*, Pk.

Agaricus appendiculatus, Bull. See Hypholoma appendiculatum, (Bull.) Fr.

Agaricus applicatus, Batsch. See *Pleurotus applicatus*. (Batsch) Fr.

Agaricus aquatilis, Fr. See Galera aquatilis, Fr.

Agaricus aqueus, Batsch.

Note. Possibly Coprinus deliquescens, (Bull.) Fr.

Muhl. Tr. Am. Phil. Soc. 4: 240. 1799.

Agaricus ardosiacus, Bull. See Entoloma ardosiacum, (Bull.) Fr.

Agaricus arenulinus, Pk. See *Psilocybe arenulina*, Pk.

See *Psilocybe arenulina*, Pk. Agaricus areolatus, Klotzsch.

See *Psilocybe areolata*, (Klotzsch) Fr.

Agaricus argentatus, P. See Cortinarius argentatus, (P.) Fr. Agaricus argenteus, Brændle. Brændle in Pk. Bull. Torr. Bot. Club. 26: 68. d. 18 Feb. 1899 and Asa Gray Bull. 7: 38. April 1899.

McIlvaine & Macadam, Am. Fung. 330. d. 1900.

Brown & Fernekes, Bull. Wis. Nat. Hist. Soc. II. 2: 46. Jan. 1902.

Sacc. & Syd. Syll. 16: 118. d. 1 Feb. 1902.

Psalliota argentea, Lloyd.

Lloyd Mrs. Nets co. New 1800. Lloyd, Myc. Notes 29. Nov. 1899. Agaricus argiilaceus, S. Syn. Car. 670. See *Inocybe geophylla*, (Sow.) Fr. Agaricus argillosus, B. & C. See Naucoria argiilosa, B. & C. Agaricus armeniacus, Schæff. See Cortinarius armeniacus, (Schæff.) Fr. Agaricus Artemisiæ, Pass. See Hyphoioma Artemisiæ, (Pass.) Fr. Agaricus arvensis, Schæff. M. A. Curtis, Bot. N. Car. 90. 1867. Pk. Rept. N. Y. Mus. 22; 78. 1869. Curtis, Gard. Chron. 1066. 9 Oct. 1869 and Jour. Roy. Hort. Soc. II. 2: 72, 77, 78. 1870. Winder, Mushrooms of Canada 20. 1871.
Parker, Proc. Poughk. Soc. 1:84. 1 Nov. 1875.
Frost in Cat. Pl. Amherst 65. 1875.
Seaman, Field & Forest 1: 71. Jan. 1876.
Morg. Fl. Miami Valley 59. 1878.
Pk. Rept. N. Y. Mus. 81: 54. 1879.
Hark & Moore Cat. Page Fung. 7. Feb. 1888. Pk. Rept. N. Y. Mus. 81: 54. 1879.

Hark. & Moore, Cat. Pac. Fung. 7. Feb. 1886.

Somers, Tr. N. Scot. Inst. 5: 249. 1882.

Morg. Jour. Cin. Soc. 6: 111. d. July 1883.

Rav. S. Car. Resources 355. 1883.

Pk. Rept. N. Y. Mus. 86: 46. d. 1885.

Palmer, Mushrooms pl. 1. 1885.

Sacc. Cub. & Manc. Syll. 5: 994. d. 28 May 1887.

Cobb, List Pl. Amherst 32. 1887.

Bennett, Cat. Pl. R. I. 77. 1888.

Ell. in Cat. Pl. N. J. 475. 1889.

McBride, Bull. Univ. lowa 1: 187. d. 198. d. June 1890.

Taylor, Rept. U. S. Agr. 1890: 368 (7). pl. 1, f. 6. 1890. [repr. 1893.]

Forster, Mushrooms 16. 1890. Forster, Mushrooms 16. 1890. Pk. Country Gent. **59**: 518 (29). f. 12 July 1894. Eby, Fungi of Lancaster Co. 8. 1894. Kellerm. & Werner, Geol. Ohio **7**²: 315. Jan. 1895. Gibson, Mushrooms 93. 1895 Sturgis, Rept. Conn. Agr. 1895: 80 (10). Jan. 1896. Bates, Tr. Mass. Hort. Soc. 1896: 174. 1896. Webster, Am. Kitchen Mag. 6: 217. Feb. 1897. Bates, 1r. Mass. Hort. Soc. 1890: 174. 1890.
Webster, Am. Kitchen Mag. 6: 217. Feb. 1897.
Taylor, Hdbk. Mushrooms 2: 24. 1897.
Pk. Rept. N. Y. Mus. 48: 238 (140). pl. 8. March 1897.
Coville, Circ. U. S. Agr. 13: 7. f. 2-5. 1 Dec. 1897.
Taylor, Hdbk. Mushrooms 3: 2. pl. E, f. 3. 1897.
Farl. Yearb. U. S. Agr. 1897: 460. pl. 24. 1898. [Bull. 15.]
Smith, C. O., Rhodora 1: 161. 1 Sept. 1899.
Underw. Moulds 122. 1899.

Atk. Mushrooms 21. d. f. 18. 20 Oct. 1900. Hyams, Bull. N. Car. Exp. Sta. 177; 30. d. Atk. in Bailey's Cycl. Am. Hort. 1043. 1900. Dec. 1900. McIlvaine & Macadam, Am. Fung. 341. d. 1900. Trel. Rept. Mo. Hort. Soc. 48: 227. 1900. Brown & Fernekes, Bull. Wis. Nat. Hist. Soc. II. 2: 46. Jan. 1902. Conant, Bull. Boston Myc. Club 19. 5 Feb. 1903. Longyear, Rept. Mich. Acad. 4: 115. 1904. Agaricus edulis, Auct. Amer. Muhl. Cat. Pl. Am. Sept. 1 ed. 104. 1813. 2 ed. 107. 1818. S. Syn. Car. 86 (60) no. 719. 1822. Psalliota arvensis, Taylor. Taylor, Food Products 2: 21. 1893. Lloyd, Myc. Notes 29, 30. Nov. 1899. Perry, Agr. Student 6: 179 and Ohio Univ. Bull. IV. 30: 6. May 1900. Pšálliota edulis, Lloyd. Lloyd, Myc. Notes 30. Nov. 1899. Agaricus arvensis, var. abruptus, Pk. See Agaricus abruptus, Pk. Agaricus ascophorus, Pk. NOTE. Originally placed in Hebeloma by Peck, 1872, and said by Berkeley, Grev. 1875 to be a Flammula. Under the name Marasmius ascophorus the same fungus appears to be referred to by Cooke, 1891. See also Flammula Highlandensis, Pk. Pk. Rept. N. Y. Mus. 24: 68. d. pl. 3, f. 1-6. 1872. B. Gard. Chron. II. 8: 503, f. 106. 17 April 1875. De Seynes, Grev. 8: 169. d. pl. 46. June 1875. B. Grev. 8: 170. June 1875. Johnson, Bull. Minn. Acad. 1: 230. 1877 and Rept. Minn. Surv. 5: 71. 1877. Marasmius ascophorus, Cke. Cke. Grev. 19: 104. June 1891. Agaricus asemus, Fr. See *Collybia asema*, Fr. Agaricus asper, Fr. See Amanita aspera, P. Agaricus aspratus, B. See Lepiota asprata, B. Agaricus asprellus, Fr. See Leptônia asprella, Fr. Agaricus assularum, B. & C. See Leptonia assularum, B. & C. Agaricus atomatoides, Pk. See **Psilocybe atomatoides**, Pk. **Agaricus atomatus,** Fr. See Psathyrella atomata, Fr. Agaricus atramentarius, Bull. See Coprinus atramentarius, (Bull.) Fr. Agaricus atratoides, Pk. See Collybia atratoides, Pk. Agaricus atratus, Fr. See Collybia atrata, Fr. Agaricus Atrides, Lasch.

See *Eccilia Atrides*, (Lasch) Fr.

Agaricus atroalboides, Pk. See *Mycena atroalboides*, Pk.

Agaricus atroalbus, S. Syn. Car. 681. See Mycena amicta, Fr.

Agaricus atrocæruleus, Fr.

See Pleurotus atrocæruleus, Fr.

Agaricus atrocinereus, S. Syn. Car. 649. See *Tricholoma cuneifolium*, Fr.

Agarieus atrocyaneus, Batsch. See Mycena atrocyanea, (Batsch) Fr.

Agarieus atrorufus, Schæff. See Psilocybe atrorufa, (Schæff.) Fr.

Agarieus atrotomentosus, Batsch.

See Paxillus atrotomentosus, (Batsch) Fr.

Agaricus aurantius, Schæff. See Armiliaria aurantia, (Schæff.) Fr.

Agaricus auratocephalus, Ell.

See Cittocybe chrysocephala, Sacc. Syll. Agaricus aureobrunneus, B. & C.

See Flammula aureobrunnea, B. & C. Agaricus (Mycena) aureosquamosus, Frost.

NOTE. Apparently not described. Placed by Frost in subgenus Mycena.

Frost in Cat. Pl. Amherst 64. 1875. Cobb, List Pl. Amherst 32. 1887.

Agaricus aureus, S. Syn. Car. 751.

NOTE. This is possibly Russula aurata, Fr. but the identity cannot be certainly established.

Agaricus aureus, Mattusch.

See Phoilota aurea, (Mattusch.) Fr.

Agaricus auricomus, Batsch. See *Inocybe auricoma*, (Batsch) Fr.

Agaricus aurivellus, Batsch.

See **Pholiota aurivella**, (Batsch) Fr. **Agaricus Austini**, Pk.

See Omphalia Austini, Pk.

Agaricus autumnalis, Pk. See Naucoria autumnalis, Pk.

Agaricus Babingtonii, Blox. See Nolanea Babingtonii, (Blox.) Fr.

Agaricus Badhami, B. & Br. See *Lepiota Badhami*, B. & Br.

Agaricus badipus, P. See *Naucoria badipus*, (P.) Fr.

Agaricus badius, Schæff. See Amanitopsis vaginata, (Bull.) Rcze.

Agaricus Balanus, Batsch.

NOTE. This name mentioned only by Muhlenberg probably relates to Agaricus Balanus, Batsch, Elenchus p. 63, no. 62, referred by Streinz to Coprinus micaceus, (Bull.) Fr. but not cited by Fries nor other authors which we have consulted.

Muhl. Tr. Am. Phil. Soc. 4: 240. 1799.

Agaricus bambusigena, B. & C. B. & C. Jour. Linn. Soc. 10: 291. d. 1869. Sacc. Cub. & Manc. Syll. 5: 1004. d. 28 May 1887. Psalliota bambusigena, B. & C. Henn. in Engler & Prantl, Pflanzenfam. 11**: 240. Agaricus barbatulus, B. & C. See Pleurotus barbatulus, B. & C. Agaricus Batschianus, Fr. See *Entoloma Batschianum*, Fr. Agaricus Behringensis, B. & C. See Omphalia Behringensis, B. & C. Agaricus Belliæ, Johnst. See Omphalia Belliæ, (Johnst.) Fr. Agaricus Bellotianus, B. See Naucoria Bellotiana, B. Agaricus bellulus, Pk. See Naucoria bellula, Pk. Agaricus bellus, P. See Clitocybe bella, (P.) Fr. Agaricus Benzonii, Fr. See Hiatula Benzonii, Fr. Agaricus betulinus, L. See Lenzites betulina, (L.) Fr. **Agaricus bicolor,** P. See Tricholoma personatum, Fr. Agaricus bifrons, B. See Psathyra bifrons, B. **Agaricus bivelus,** Fr. See **Cortinarius bivelus.** Fr. Agaricus Blakei, B. & C. See Pleurotus Blakel, B. & C. Agaricus blattarius, Fr. See Pholiota blattaria, Fr. Agaricus bombycinus, Schæff. See Volvaria bombycina, (Schæff.) Fr. Agaricus Bongardii, Weinm See Inocybe Bongardii, (Weinm.) Fr. Agaricus Boryanus, Berk. & Mont. See Collybia Boryana, Berk. & Mont. **Agaricus brevipes**, Bull. See *Tricholoma brevipes*, (Bull.) Fr. Agaricus Brownei, Banning. See Tricholoma Brownei, Banning. Agaricus brumalis, Fr. See *Clitocybe brumalis*, Fr. Agaricus brunnescens, Pk. Pk. Bull. Torr. Bot. Club 27: 16. d. 24 Jan. 1900. Sacc. & Syd. Syll. 16: 113. d. 1 Feb. 1902. **Agaricus bulbigera,** A. & S.

Agaricus bulbillosus, Fr. See **Psathyra bulbillosa**, Fr.

See Armillaria bulbigera, (A. & S.) Fr.

West Indies.

Agaricus Bulbillus, S.

NOTE. As far as we know this name occurs first in Fr. Epicr. 118. 1838 as a synonym of Agaricus echinipes, Lasch but although quoted since by other writers, we have not been able to trace the name in Schweinitz.

Agaricus bulboşús, Bull. See Amanita Mappa, Fr.

Agarieus bulbosus, McClatchie non Bull.

McClatchie, Proc. S. Cal. Acad. 1; 382. d. 5 June 1897.

Sacc. & Syd. Syll. 16: 113. d. 1 Feb. 1902.

Psalliota bulbosa, Lloyd.

Lloyd, Myc. Notes 29. Nov. 1899.

Agaricus bullaceus, Bull.

See **Psilocybe bullacea**, (Bull.) Fr.

Agaricus butyraceus, Bull.

See Collybia butyracea, (Bull.) Fr.

Agaricus byssisedus, P.

See Claudopus byssisedus, (P.) Fr.

Agaricus cacaophyllus, B. & C.

See Crepidotus cacaophyllus, B. & C.

Agaricus cærulipes, Pk.

See *Psilocybe cærulipes,* Pk.

Agaricus cæsariatus, Fr. See *Inocybe cæsariata*, Fr.

Agaricus eæsarius, Scop.

See Amanita cæsarea, (Scop.) P.

Agaricus eæsius, S. Syn. Car. & S. Am. Bor.

See Entoloma turbidum, Fr.

Agarieus eæspitosus, (B.) M. A. Curtis, Bot. N. Car.

See Pleurotus cæspitosus, Sacc. Syll.

NOTE. This is Agaricus caspitosus, M. A. Curtis, Bot. N. Car. 85 where it is placed under the subgenus Clitocybe. The plant referred to was Lentinus cæspitosus, B. Decades 120 in Lond. Jour. Bot. 6: 317 (6). 1847, a species the synonymy of which is complicated. See notes under Lentinus caspitosus, B. and Pleurotus caspitosus, Sacc. Syll.

Agarieus ealamistratus. Fr.

See *Inocybe calamistrata*, Fr.

Agarieus Calathus, Buxb. See *Clitocybe Calathus*, (Buxb.) Fr.

Agaricus Californicus, Pk.

Pk. Bull. Torr. Bot. Club 22: 203. d. 15 May 1895. McClatchie in Reid's Hist. Pasadena 621. 1895. McClatchie, Proc. S. Calif. Acad. 1: 382. 5 June 1897. Sacc. Hedw. 35: VI. 25 Feb. 1896. [Reportorium No. 7.]

Sacc. & Syd. Syll. 14: 150. d. 20 Aug. 1899. McIlvaine & Macadam, Am. Fung. 338. d. 1900.

Psalliota Californica, Lloyd. Lloyd, Myc. Notes 29. Nov. 1899.

Agarieus Californiensis, B. & C.

See Mycena Californiensis, B. & C.

Agaricus callistus, Pk.

See *Galera callista,* Pk.

See Pluteolus callistus, Pk.

Agaricus calochrous, P. See Cortinarius calochrous, (P.) Fr.

Agaricus calopus, P. See Marasmius calopus, (P.) Fr.

Agaricus Campanella, Batsch.
See Omphalia Campanella, (Batsch) Fr.

Agaricus campanulatus, L.
See Chalymotta campanulata, (L.) Karst.
See Panæolus campanulatus, (L.) Fr.

Agaricus campestris, L.

NOTE. We can give here only a part of the very numerous North American references to this common species, selecting those which show its range or which contain illustrations or economic notes of value.

Walt. Fl. Car. 260. d. 1788. Muhl. Tr. Am. Phil. Soc. 8: 184. 1793. Muhl. Cat. Pl. Am. Sept. 1 ed. 104. 1813. 2 ed. 107. 1818. Peck, W. D., Pl. Bot. Gard. Camb. 49. 1818. Torr. Cat. Pl. N. Y. 88, 1819. Fr. S. M. 1: 281, 1821. S. Syn. Car. 86 (60) no. 720. 1822. Dewey in Hist. Berkshire Co. 85. 1829. Hitchcock, Cat. Pl. Amherst 59. 1829. Hitchcock, Cat. Pl. Amherst 59. 18. Hitchcock, Cat. Pl. Mass. 1 ed. 644. 1833. 2 ed. 646 (126). 1835. S. Syn. Am. Bor. 151 no. 237. 1834. Lev. Ann. Sci. Nat. III. 5: 115. 1846. Lea, Cat. Pl. Cin. 53. 1849 and Jour. Cin. Soc. 5: 200 (4). Dec. Rav. Charleston Med. Jour. & Rev. 6: 192. March 1851.
B. Ann. Nat. Hist. II. 9: 193. March 1852.
Sprague, Proc. Boston Soc. 5: 322, 326. 1856.
Porcher, Resources Southern fields 1 ed. 594. 1863. 2 ed. 694. 1869. Curtis, M. A., Bot. N. Car. 90. 1867. Curtis, M. A., Bot. N. Car. 90. 1807.

Curtis, M. A., Gard. Chron. 1066. 9 Oct. 1869 and Jour. Roy Hort. Soc. II. 2: 72, 74, 78. 1870.

Pk. Rept. N. Y. Mus. 22: 78. 1869.

Featherman, Bot. Surv. La. 1870: 123. 1871.

Winder, Mushrooms of Canada, 6, 7, 20. f. 1871. Cke. Handbook 137. d. pl. 5, f. 26. 187. Pk. Rept. N. Y. Mus. 28: 07. d. 1872. Parker, Proc. Poughk. Soc. 1: 84. 1 N Frost in Cat. Pl. Amherst 65. 1875. Seaman, Field & Forest 1: 71. Jan. 1 1871. i Nov. 1875. Jan. 1876. Farl. Bull. Bussey Inst. 1: 436. March 1876. Cke. Field & Forest 2: 146. Feb. 1877.

Johnson, Bull. Minn. Acad. 1: 235 and Rept. Minn. Surv. 5: 72. 1877.

Morg. Fl. Miami Valley 67. 1878.

James, Jour. Cin. Soc. 2: 64 (23). April 1879.

Hark. & Moore, Cat. Pac. Fung. 7. Feb. 1880. Brendel, Fl. Peoriana I ed. 392 (94). 1882. Somers, Tr. N. Scot. Inst. 5: 189. 1882. Morg. Jour. Cin. Soc. 6: 112. d. July 1883. Rav. S. Car. Resources 355. 1883. Bundy, Geol. Wis. 1873-79, 1: 397. 1883. Cragin, Bull. Wash. Lab. 1: 21. Sept. 1884. Research Bull. Love Agr. Coll. 1884. 166. Bessey, Bull. lowa Agr. Coll. 1884: 146. Jan. 1885.

Palmer, Mushrooms pl. 1. 1885.
Pk. Rept. N. Y. Mus. 36: 42. d. 1885.
Taylor, Rept. U. S. Agr. 1885: 104 (10). d. pl. 1, f. 5. 1886 and 1894.
Brendel, Fl. Peoriana 2 ed. 68. 1887.
Cobb, List Pl. Amherst 32. 1887.
Arthur, Rept. N. Y. Exp. Sta. 6: 464. 1888.
Ladd, Rept. N. Y. Exp. Sta. 6: 464. 1888.
Ell. in Cat. Pl. N. J. 475. 1889.
McBride, Bull. Univ. lowa 1: 188. d. 197. d. June 1890.
Somers, Tr. N. Scot. Inst. 7: 466. 1890.
Webber, Rept. Nebr. Agr. 1889: 229 (89). 1890.
Banning in Pk. Rept. N. Y. Mus. 44: 182 (70). Dec. 1891.
Falconer, Mushrooms 116. f. 24. 1891. Banning in Pk. Rept. N. Y. Mus. 44: 182 (70). Dec. 1891. Falconer, Mushrooms 116. f. 24. 1891. Fairman, Proc. Rochester Acad. 2: 159. Feb. 1893. Atk. & Schrenk, Jour. Mitch. Soc. 9: 100 (6). April 1893. Cockerell, Zoe 4: 285. Oct. 1893. Pk. Country Gent. 59: 518 (26). f. 12 July 1894. Underw. Proc. Ind. Acad. 1893: 61. Aug. 1894. Kellerm. & Werner, Geol. Ohio 72: 315. Jan. 1895. Beach, Bull. N. Y. Exp. Sta. 88: 350. pl. 2, f. 1-13. March 1895. Graves, Asa Gray Bull. 8: 43. 1 Oct. 1895. Gibson, Mushrooms 80. d. pl. 5, 6. 1895. McClatchie in Reid's Hist. Pasadena 621. 1895. Millsp. & Nutt. Publ. Field Columb. Mus. Bot. 1: 160. Jan. 1805. McClatchie in Reid's Hist. Pasadena 621. 1895.
Millsp. & Nutt. Publ. Field Columb. Mus. Bot. 1: 160. Jan. 1896.
Sturgis, Rept. Conn. Agr. 1895: 79 (9). pl. 4, f. 2. Jan. 1896.
Underw. Bull. Ala. Exp. Sta. 73: 337, 339. f. 1. Oct. 1896.
Bates, Tr. Mass. Hart. Soc. 1896: 170, 174. d. 1896.
Webster, Am. Kitchen Mag. 6: 217. Feb. 1897 and Taylor, Hdbk. Mushrooms 2: 24. 1897.
Falconer, Farmers' Bull. U. S. Agr. 53: 1-20. f. 1-14. March 1897.
Pk. Rept. N. Y. Mus. 48: 232 (134), pl. 6, f. March 1897. Patchlet, Partiel's Bull. O. S. Agl. 53: 1-20. *f.* 1-14. Match 1897. Pk. Rept. N. Y. Mus. 48: 232 (134), pl. 6, f. March 1897. McClatchie, Proc. S. Calif. Acad. 1: 382. 5 June 1897. Atk. Bull. Cornell Univ. 8: 25. 25 June 1897. Underw. & Earle, Bull. Ala. Exp. Sta. 80: 253. 28 June 1897. Atk. Bull. Cornell Exp. Sta. 138: 340-352. d. f. 87-100, 110 & 112. Sept. 1897. Coville, Circ. U. S. Agr. 13: 4. f. 1. 1 Dec. 1897. Beal, Rept. Mich. Agr. 49. 1897. Beal, Rept. Mich. Agr. 49. 1897.

Taylor, Hdbk. Mushrooms 1: pl. A. 1897.

Mendel, Am. Jour. Physiol. 1: 229. 1 March 1898.

Pk. Rept. N. Y. Mus. 50: 80. 28 March 1898.

Farl. Yearb. U. S. Agr. 1897: 456. pl. 21. 1898. [Bull. 15.]

Atk. Bull. Cornell Exp. Sta. 168: 510. May 1899.

Smith, C. O., Rhodora 1: 161. 1 Sept. 1899.

Herbst, Fungal Fl. Lehigh Valley 72. d. 1899.

Knox, Sketchbook, pl. 1. 1899.

Longyear, Rept. Mich. Bd. Agr. 1898: 92. 1899.

Atk. Mushrooms, 1, 3, 18. d. f. 1-8, 12. 243, 248. 20 Oct. 1900. 2 ed. 289, 294. April 1902.

Atk. in Bailey's Cycl. Am. Hort. 1042. f. 1440-1442. 1000. Atk. in Bailey's Cycl. Am. Hort. 1042. f. 1440-1442. McIlvaine & Macadam, Am. Fung. 332. d. pl. 91. f. 4, 5. 1900. Nelson, Rept. Wyo. Exp. Sta. 10: (38). 1900. Trel. Rept. Mo. Hort. Soc. 48: 238 (4). 1900. Henderson, Bull. Idaho Exp. Sta. 27: 30, 31, 48. pl. 1, 2. March 1901. Sweetser, Bull. Pacific Univ. 14: 12. f. F 1, 2. May 1901. Earle in Mohr, Contr. U. S. Nat. Herb. 6: 224. 31 July 1901. Garman, Bull. Ky. Exp. Sta. 96: 221. f. 9-11. Nov. 1901. Williams, Plant World 4: 207. Nov. 1901.

```
Hay, Bull. N. H. Soc. N. B. 4: 343. 5: 110, 111, 119. 1901, 1903. Williamson, Proc. Ind. Acad. 1900: 165. 1901. Brown & Fernekes, Bull. Wis. Nat. Hist. Soc. II. 2: 45. Jan. 1902.
   Brown & Fernekes, Bull. WIS. Nat. HIST. 50c. 11. 2; 45. Jan. 1902. Webster, Rhodora 4: 77, 79. 4 April 1902. Ricker, Univ. of Maine Studies 3: 55. 30 April 1902. Ferguson, Bull. U. S. Agr. Pl. Industry 16: 15, 17, 32. 14 June 1902. Hess, Bull. Iowa Exp. Sta. 61: 152. f. 10. July 1902. White, Bull. Torr. Bot. Club 29: 562. 26 Sept. 1902. Webster, Rhodora 4: 190. 18 Oct. 1902. Chesnut, Contr. U. S. Nat. Herb. 7: 301. f. 66. 1902. Weems & Hess, Proc. Soc. Prom. Agr. Sci. 28: 167. 1902.
   Duss, Champ. Guad. & Martinique, 56. 1903.
Cockerell, Jour. Myc. 10: 50. 19 March 1904.
Bres. in Sacc. Pk. & Trel. Harriman Alaska Exp. 5: 45.
Pk. Rept. N. Y. Mus. 57: 4. July 1904. [Bull. 75.]
Duggar, Farmers' Bull. U. S. Agr. 204: 5, 20. f. 1, 2. 19
                                                                                                                      5 April 1904.
    Longyear, Rept. Mich. Acad. 4: 115. 1904.
        Psalliota campestris, Fr.
    Rostr. Meddelelser om Groenl. 3: 529. 1888. 3: 598. 1891.
    Taylor, Food Products 2: 21. 189
    Rostrup, Meddelelser om Groenl. 18: 50 (8). 1894.
   Pat. & Hariot, Jour. de Bot. 10: 250. I Aug. 1896.
Henn. in Engler & Prantl, Pflanzenfam. 1 1**; 238. d. f. 116, A. 1898.
Lloyd, Myc. Notes 26. d. Nov. 1899.
   Jelliffe, Flora of Long Island 41. 1890.
Langl. Proc. La. Soc. Naturalists 1897-9: 47, 59. 1900.
Perry, Agricultural Student 6: 179. May 1900 and Ohio Univ. Bull. IV. 30: 6. May 1900.
Agaricus campestris, L., var. albus, B.
   Pk. Rept. N. Y. Mus. 36: 44. d. 1885.
Pk. Country Gent. 59: 518 (27). 12 July 1894.
    McIlvaine & Macadam, Am. Fung. 332. d. 1900.
Agaricus campestris, L., var. Buchanani, Pk.
   Pk. Rept. N. Y. Mus. 36: 44. d. 1885.
McIlvaine & Macadam, Am. Fung. 333. d.
Agaricus campestris, L., var. elongatus, Pk.
    Pk. Rept. N. Y. Mus. 86: 44. d. 1885.
McIlvaine & Macadam, Am. Fung. 333. d.
Agaricus campestris, L., var. griseus, Pk.
   Pk. Rept. N. Y. Mus. 44: 150 (38). Dec. 1891.
Pk. Country Gent. 59: 518 (27). 12 July 1894.
McIlvaine & Macadam, Am. Fung. 332. d. 1900.
Agaricus campestris, L., var. hortensis, Cke.
   Pk. Rept. N. Y. Mus. 36: 44. d. 1885.
Pk. Country Gent. 59: 518 (27). 12 July 1894.
McIlvaine & Macadam, Am. Fung. 333. d. 1900.
Longyear, Rept. Mich. Acad. 4: 115. 1904.

Psalliota campestris, Fr., var. hortensis, Lloyd.
    Lloyd, Myc. Notes 27. d. Nov. 1899.
Agaricus campestris, L., var. pratensis, Vitt.
   Johnson, Bull. Minn. Acad. 1: 235 and Rept. Minn. Surv. 5: 72. 1877. Longyear, Rept. Mich. Bd. Agr. 1898: 92. 1899.
Agaricus campestris, L., var. praticola, Vitt. Pk. Rept. N. Y. Mus. 86: 44. d. 1885.
    McIlvaine & Macadam, Am. Fung. 332. d. 1900.
```

Agaricus campestris, L., var. **rufescens**, B. Pk. Rept. N. Y. Mus. **36**: 44. d. 1885. Ell. in Cat. Pl. N. J. 475. 1889. McIlvaine & Macadam, Am. Fung. 332. d. Agaricus campestris, L., var. silvicola, Vitt. Bon. Zweite Deutsche Nordpolarfahrt 2: 80. 1874 Johnson, Bull. Minn. Acad. 1: 235. 1877 and Rept. Minn. Surv. 5: 72. 1877. Longyear, Rept. Mich. Bd. Agr. 1898: 92. 1899. Agaricus campestris, L., var. umbrinus, Vitt. Pk. Rept. N. Y. Mus. 86: 44. d. 1885.
McIlvaine & Macadam, Am. Fung. 332. d. 1900 Agaricus campestris, L., var. vaporarius, Vitt. Pk. Rept. N. Y. Mus. 36: 44. d. 1885.
McIlvaine & Macadam, Am. Fung. 333. d. 1900. Agarieus campestris, L., var. villatieus, Brond. Pk. Rept. N. Y. Mus. 25: 109. Sept. 1873. Pk. Rept. N. Y. Mus. 86: 44. d. 1885. McIlvaine & Macadam, Am. Fung. 333. d. 1900. Agaricus viliaticus, Brond. Winder, Mushrooms of Canada 20. 1871. **Agaricus camphoratus,** Bull. See *Lactarius camphoratus*, (Bull.) Fr. Agarieus camptophyllus, B. See Omphalia camptophylla, B. Agaricus camptopus, Pk. See **Psilocybe camptopus**, Pk. Agaricus candicans, P. See *Clitocybe candicans*, (P.) Fr. Agarieus candidissimus, B. & C See Pleurotus candidissimus, B. & C. Agaricus Candolleanus, Fr See Hypholoma Candolleanum, Fr. Agaricus Cantharellus, S. See *Hygrophorus Cantharellus*, (S.) Fr. Agaricus caperatus, P. See *Pholiota caperata*, (P.) Fr. Agarieus eapillaris, Schum See Mycena capillaris, (Schum.) Fr. Agaricus capistratus, Cke. See Pholiota capistrata, Cke. Agaricus capnoides, Fr. See Hypholoma capnoides, Fr. Agaricus Caput-Medusæ, Fr. See Stropharia Caput-Medusæ, Fr. Agaricus carbonarius, Fr. See Flammula carbonaria, Fr. Agaricus Carcharias, P. See *Lepiota Carcharias*, P. Agaricus carecomœis, B. & C See Collybia carecomis, B. & C. Agaricus carneo-albus, With. See Clitopilus carneo-albus, (With.) Fr.

Agarieus carneogriseus, B. & Br. See *Eccilia carneogrisea*, B. & Br.

Agaricus carneolus, Fr. See Omphalia carneola, Fr.

Agaricus carneus, Bull. See *Tricholoma carneum*, (Bull.) Fr.

Agaricus carnosior, Pk. See *Clitocybe clavipes*, (P.) Fr.

Agaricus castaneus, Bull. See Cortinarius castaneus, (Bull.) Fr.

Agarieus eastus, M. A. Curtis. See *Tricholoma castum*, M. A. Curtis.

Agaricus catephes, B. See Pleurotus catephes, B.

Agaricus caudicinus, P. See *Pholiota mutabilis*, (Schæff.) Fr.

Agaricus caulicinalis, Bull. See Collybia stipitaria, Fr.

Agaricus caveatus, B. & C. See *Pleurotus caveatus*, B. & C.

Agaricus Ceciliæ, B. & Br. See Amanitopsis strangulata, (Fr.) Roze.

Agaricus cellaris, Banning. See Tricholoma cellare, Banning.

Agaricus centenarius, B. & C. See Omphalia centenaria, B. & C.

Agaricus cepæstipes, Sow. See Lepiota cepæstipes, (Sow.) Fr.

Agaricus ceraceus, Wulf. See *Hygrophorus ceraceus*, (Wulf.) Fr.

Agaricus cerasinus, Pk. See *Pholiota cerasina*, Pk.

Agaricus cerinus, Morg. non P. See Collybia tenuipes, (S.) Sacc. Syll.

Agaricus cerinus, P. See *Tricholoma cerinum*, (P.) Fr.

Agaricus cernuus, Vahl. See Psilocybe cernua, (Vahl) Fr.

Agaricus cerodes, Fr. See *Naucoriá cerodes*, Fr.

Agaricus cerussatus, Fr. See Clitocybe cerussata, Fr.

Agarieus cervinus, Schæff. See *Pluteus cervinus*, (Schæff.) Fr.

Agarieus chalybæus, P. See Leptonia chalybæa, (P.) Fr.

Agarieus Chama, Bosc. See Lentinus Chama, (Bosc) Fr.

Agarieus cheimonoceps, B. & C. See Lepiota cheimonoceps, B. & . C.

Agaricus cheimonophilus, Pk. non B. & C. See Crepidotus versutus, Pk.

Agaricus cheimonophilus, B. & C.

See Armillaria cheimonophila, B. & C. See Mucidula cheimonophila, (B. & C.) Pat.

Agaricus chioneus, P.

See Pleurotus chioneus, (P.) B.

Agaricus chlorinosmus, Pk.

See Amanita chlorinosma, Pk.

Agaricus chondripes, B. & C.

See Omphalia chondripes, B. & C.

Agaricus chrysenteroides, Pk.

See Tricholoma chrysenteroides, Pk.

Agaricus chryseus, Pk.

See Omphalia chrysophylla, Fr., var. chrysea, Pk.

Agaricus chrysocephalus, Henn.

See Clitocybe chrysocephala, Sacc. Syll.

NOTE. Originally spelled auratocephalus and name changed in Saccardo's Sylloge to Chtocybe chrysocephala, q. v.

Agaricus chrysodon, Batsch.

See Hygrophorus chrysodon, (Batsch) Fr.

Agaricus chrysoleucus, Fr.

See Omphalia chrysoleuca, Fr.

Agaricus chrysopellus, B. & C.

See Flammula chrysopella, B. & C.

Agaricus chrysophæus, Schæff.

See Pluteus chrysophæus, (Schæff.) Fr.

Agaricus chrysophlebius, B. & Rav.

See Pluteus chrysophlebius, B. & Rav.

Agaricus chrysophyllus, Fr.

See Omphalia chrysophylla, Fr.

Agaricus chrysotrichus, B. & C.

See Flammula chrysotricha, B. & C.

Agaricus cicatricatus, Ell. & Ev.

See Inocybe cicatricata, Ell. & Ev.

Agaricus ciliatulus, Fr.

See Hiatula ciliatula, Fr.

Agaricus cinereus, Bull.

See Coprinus fimetarius, (L.) Fr.

Agaricus cinnabarinus, S.

See Hygrophorus cinnabarinus, (S.) Fr.

Agaricus cinnamomeus, L.

See Cortinarius cinnamomeus, (L.) Fr.

Agaricus circinatus, Secr.

See Pleurotus circinatus, (Secr.) Fr.

Agaricus cirrhatus, Schum.

See Collybia cirrhata, (Schum.) B.

Agaricus citricolor, B. & C.

See Mycena citricolor, B. & C.

Agaricus citrinellus, P.

See Mycena citrinella, (P.) Fr.

Agaricus clavicularis, Fr.

See *Mycena clavicularis*, Fr.

Agaricus elavipes, P. See *Clitocybe clavipes*, (P.) Fr.

Agaricus Clavus, L. See *Collybia Clavus*, (L.) Fr.

Agaricus Clintonianus, Pk. See Nolanea Clintoniana, Pk.

Agaricus clusilis, Fr. See *Collybia clusili*s, Fr.

Agaricus elypeatus, L. See *Entoloma clypeatum*, (L.) Fr.

Agaricus clypeolarius, Bull. See *Lepiota clypeolaria*, (Bull.) Fr.

Agaricus eoceineus, Schæff. See *Hygrophorus coccineus*, (Schæff.) Fr.

Agarieus eochleatus, S. Syn. Car. 766. See *Lentinus cochleatus*, Fr.

Agaricus cohærens, P. See Mycena cohærens, (P.) Fr. See Marasmius cohærens, (P.) Cke.

Agaricus Coldwellii, McKay. See Pleurotus Coldwellii, McKay.

Agaricus collariatus, Fr. See Mycena collariata, Fr.

Agaricus collinitus, P. See Cortinarius collinitus, (P.) Fr.

Agarieus collinus, P. See *Marasmius oreades*, (Bolt.) Fr.

Agaricus coloreus, Pk. See Collybia colorea, Pk.

Agarieus Colossus, Fr. See *Tricholoma Colossus*, Fr.

Agaricus colubrinus, S. Syn. Car. 556. See *Lepiota clypeolaria*, (Bull.) Fr.

Agaricus Columbanus, Mont. See Clitocybe Columbana, Mont.

Agaricus Columbetta, Fr. See *Tricholoma Columbetta*, Fr.

Agaricus Colvini, Pk. See *Hebeloma Colvini*, Pk.

Agaricus comaropsis, Mont. See *Hypholoma comaropsis*, Mont.

Agaricus comatellus, Pk. See *Inocybe comatella*, Pk.

Agaricus comatus, Fl. Dan. See Coprinus comatus, (Fl. Dan.) P.

Agarieus commiscibilis, B. & C. See *Pleurotus commiscibilis*, B. & C.

Agaricus communis, Pk. See Cortinarius communis, Pk.

Agaricus comosus, Fr. See *Pholiota comosa*, Fr.

Agaricus compactus, Fr.
See Tricholoma compactum, Fr.
Agaricus compressipes, Pk.

See Clitocybe compressipes, Pk.
Agaricus comtulus, Fr.

Pk. Rept. N. Y. Mus. 41: 69. 1888.
Pk. Rept. N. Y. Mus. 44: 182 (70). Dec. 1891.
Smith, C. O., Rhodora 1: 162. d. 1 Sept. 1899.
Atk. Mushrooms 24. d. f. 24. 20 Oct. 1900.
McIlvaine & Macadam, Am. Fung. 334. d. 1900.
Atk. in Bailey's Cycl. Am. Hort. 1043. 1900.
Psailiota comtula, Fr.
Lloyd, Myc. Notes 28. d. Nov. 1899.

Agaricus conchatus, Bull. See Panus conchatus, (Bull.) Fr.

Agaricus conferruminatus, B. & Mont. See Mycena conferruminata, B. & Mont.

Agarieus confertus, Bolt. See Galera conferta, (Bolt.) Fr.

Agaricus confluens, P. . .See *Collybia confluens*, (P.) Fr.

Agarieus conieus, Scop. See *Hygrophorus conicus*, (Scop.) Fr.

Agarieus conicus, Pk. See Nolanea conica, Pk.

Agaricus conigenoides, Ell. See Collybia conigenoides, Ell.

Agaricus conigenoides, Pk. non Ell. See Collybia albipilata, Pk.

Agaricus conigenus, P. See Collybia conigena, (P.) Fr.

Agarieus connatipes, B. & C. See Mycena connatipes, B. & C.

Agarieus connatus, B. & C. See Pleurotus connatus, B. & C.

Agaricus connexus, Pk. See Clitocybe connexa, Pk.

Agaricus conocephalus, Bull. See Bolbitius conocephalus, (Bull.) Fr.

Agaricus conopileus, Fr. See Psathyra conopilea, Fr.

Agaricus conopus, P. See Cortinarius subianatus, Fr.

Agarieus consobrinus, B. & Mont. See Tricholoma consobrinum, B. & Mont.

Agaricus consociatus, M. A. Curtis.

NOTE. This species, first mentioned by Curtis, 1867, under the subgenus *Tricholoma* has, as far as we can ascertain, never been described. It is cited in the references given below.

M. A. Curtis, Bot. N. Car. 85. 1867. Cke. & B. Fungi 89. 1875. Taylor, Food Product 2: 21. 1893. Hyams, Bull. N. Car. Exp. Sta. 177: 49. Dec. 1900. Agaricus conspersus, P. See Naucoria conspersa, (P.) Fr.

Agaricus constans, Pk. See *Mycena constans*, Pk.

Agaricus constrictus, Fr. See Armiliaria constricta, Fr.

Agaricus contrarius, Pk. See Naucoria contraria, Pk.

Agaricus coprinoceps, B. & C. See Naucoria coprinoceps, B. & C.

Agaricus coprinoides, Pk. See Galera coprinoides, Pk.

Agaricus coriaceus, Bull. See *Lenzites betulina*, (L.) Fr.

Agaricus corneipes, Fr. See Psilocybe corneipes, Fr.

Agaricus coronatus, Fr. See *Hypholoma coronatum*, Fr.

Agaricus corrugis, P. See Psathyra corrugis, (P.) Fr.

Agaricus corticatus, Fr. See *Pleurotus corticatus*, Fr.

Agarieus corticola, Schum. See Mycema corticola, (Schum.) Fr.

Agarieus eostatus, Fr. See *Entoloma costatum*, Fr.

Agarieus eothurnatus, Pk.
Pk. Bull. Torr. Bot. Club. 31: 181. d. 28 April 1904.

Agaricus craspedius, Fr. See *Pleurotus craspedius*, Fr.

Agaricus erassifolius, B. See *Tricholoma crassifolium*, B.

Agaricus crassipes, Schæff. See *Collybia fusipes*, (Bull.) B.

Agaricus cremoraceus, Pk. See Collybia cremoracea, Pk.

Agaricus crenulatus, Fr. See *Hiatula crenulata*, Fr.

Agaricus cretacellus, Atk.

Atk. Jour. Myc. 8: 110. d. 14 Oct. 1902.

Agaricus cretaceus, Auct. Amer. p. p.

NOTE. The references to Agaricus cretaceus in American literature are all uncertain and even European writers disagree as to the characters of the European species of this name. Some of the references given below probably relate to Lepiota naucina, Fr. but others, especially those of an early date, cannot now be recognized with any degree of certainty.

S. Syn. Car. 84 (58) no. 667. 1822. S. Syn. Am. Bor. 147 no. 75. 1834. M. A. Curtis, Bot. N. Car. 90. 1867. Pk. Rept. N. Y. Mus. 22: 78. 1869. Cke. & B. Fungi 89. 1875. Frost in Cat. Pl. Amherst 64. 1875.

Gerard, Proc. Poughk. Soc. 1: 84. 1 Nov. 1876.
Johnson, Bull. Minn. Acad. 1: 223. 1877 and Rept. Minn. Surv. 5: Hark. & Moore, Cat. Pac. Fung. 7. Feb. 1880. Palmer, Mushrooms pl. 4. 1885. Cobb, List Pl. Amherst 32. 1887. Webster, Am. Kitchen Mag. 6: 217. Feb. 1897. Taylor, Hdbk. Mushrooms 2: 24. 1897. McIlvaine & Macadam, Am. Fung. 344. d. 1900. Psalliota cretacea, Lloyd. Lloyd, Myc. Notes 20. Nov. 1800. **Agaricus cretatus,** B. & Br. See Clitopilus cretatus, B. & Br. Agaricus crinitus. L See Lentinus crinitus, (L.) Fr. Agaricus crinitus, S. See Lentinus Lecomtei, Fr. **Agaricus cristatellus,** Pk. See Lepiota cristatella, Pk. **Agaricus cristatus,** A. & S. See Lepiota cristata, A. & S. **Agaricus crocatus,** Schrad. See Mycena crocata, (Schrad.) Fr. Agaricus croceocœruleus. P. See Cortinarius croceocœruleus, (P.) Fr. **Agaricus croceotinetus,** Pk. See Crepidotus croceotinctus, Pk. Agaricus croceus, Schæff. See Cortinarius cinnamomeus, var. croceus. Fr. Agarieus erocophyllus, B. See Crepidotus crocophyllus, B. Agaricus crocosporus, B. & C. See Galera crocospora, B. & C. Agaricus crustuliniformis, Bull. See Hebeloma crustuliniforme, (Bull.) Fr. Agaricus Cubensis, B. & C. See Amanitopsis Cubensis, (B. & C.) Sacc. Syll. Agaricus cultorum, B. & C. See Lepiota cultorum, B. & C. **Agaricus c**uneifolius, Fr. See Tricholoma cuneifolium. Fr. Agaricus Curcuma, B. & C. See Naucoria Curcuma, B. & C. Agaricus Curtisii, B. See Pluteus Curtisii, B. Agaricus curvipes, P. See Pholiota tuberculosa, Fr. Agaricus curvomarginatus, Pk. See Naucoria curvomarginata, Pk. Agaricus cuspidatus, Pk. See Entoloma cuspidatum. Pk.

Agaricus cyaneus, Pk.

See Entoloma cyaneum, Pk.

Agaricus eyaneus, S. Syn. Car. 572. See *Cortinarius cærulescens*, (Schæff.) Fr.

Agaricus cyanipes, Frost.

Note. Apparently no description has ever been published.

Frost in Cat. Pl. Amherst 64. 1875. Cobb, List Pl. Amherst 32. 1887.

Agarieus eyanoxanthus, Schæff. See Russuia cyanoxantha, (Schæff.) Fr.

Agaricus eyanoxanthus, S. Syn. Car. 757. See *Russula emetica*, Fr.

Agaricus cyathiformis, Bull. See Clitocybe cyathiformis, (Bull.) Fr.

Agaricus cyathoides, Bolt. See Clitocybe cyathiformis, (Bull.) Fr.

Agaricus cymbaliferus, Mont. See Mycena cymbalifera, Mont.

Agaricus cyphellæformis, B. See Pleurotus cyphellæformis, B.

Agaricus daetyliotus, B. & Mont. See *Phollota daetyliota*, B. & Mont.

Agaricus daucipes, B. & Mont. See Amanitopsis daucipes, (B. & Mont.) Sacc.

Agaricus dealbatus, Sow. See Clitocybe dealbata, (Sow.) Fr.

Agaricus debilis, Bull. See Mycena debilis, (Bull.) Fr.

Agaricus decipiens, P. See Cortinarius decipiens, (P.) Fr.

Agaricus decolorans, P. See Cortinarius decolorans, (P.) Fr.

Agaricus decolorans, S. Syn. Car. 580. See Cortinarius calochrous, (P.) Fr.

Agaricus decorosus, Pk. See *Tricholoma decorosum*, Pk.

Agaricus decumbens, P. See Cortinarius decumbens, (P.) Fr.

Agaricus deglubens, Fr. See *Inocybe deglubens*, Fr.

Agaricus delectabilis, Pk. See *Mycena delectabilis*, Pk.

Agaricus delicatellus, Pk. See Collybia delicatella, Pk.

Agaricus delicatulus, Pk. See *Nolanea delicatula*, Pk.

Agaricus delicatus, Fr. See *Lepiota delicata*, Fr.

Agaricus deliciosus, L. See *Lactarius deliciosus*, (L.) Fr.

Agaricus demetriacus, B. & Mont. See Entoloma demetriacum, B. & Mont.

Agaricus dentatus. P. See Lentinus cochleatus, Fr. **Agaricus denticulatus,** S See Lentinus Schweinitzii, Fr. Agaricus depallens, P. See Russuia depallens, (P.) Fr. Agaricus depluens, Batsch. See Ciaudopus depluens. (Batsch) Fr. **Agaricus destrictus.** Fr. See Inocybe destricta, Fr. Agaricus detersibilis, B. & C. See Collybia detersibilis, B. & C. **Agaricus detersibilis,** Pk. See *Pholiota detersibilis*, Pk. Agaricus dichromus, B. & C See *Psilocybe dichroma*, B. & C. Agaricus dichropus, Fr. See Tricholoma dichropus, Fr. Agaricus digitalis, Batsch. See Coprinus digitalis, (Batsch) Fr. **Agaricus dilatatus,** Fr. See Mycena dilatata, Fr. Agaricus dilutus, P See Cortinarius dilutus, (P.) Fr. Agaricus diminutivus, Pk. Pk. Bull. Buf. Soc. 1: 53. d. July 1873 and Rept. N. Y. Mus. 26: 59. d. April 1874. Pk. Rept. N. Y. Mus. **86**: 49. d. 1885. Sacc. Cub. & Manc. Syll. **5**: 1009. d. 28 May 1887. Smith, C. O., Rhodora 1: 162. d. 1 Sept. 1899. Atk. Mushrooms 26. d. 20 Oct. 1900. McIlvaine & Macadam, Am. Fung. 335. d. 1900. Pk. Rept. N. Y. Mus. 541: 184. d. pl. 74, f. 1-8. Conant, Bull. Boston Myc. Club 19: 5 Feb. 1903. Longyear, Rept. Mich. Acad. 4: 115. 1904. Dec. 1901. Psálliota diminutiva, Pk. Henn. in Engler & Prantl, Pflanzenfam. 11**: 238. 1898. Lloyd. Myc. Notes 29. Nov. 1899. Agaricus discoideus, P. See Hygrophorus discoideus, (P.) Fr. **Agaricus discolor,** Pk. See **Pholiota discolor**, Pk. **Agaricus discomorbidus,** Pk. See *Naucoria discomorbida*, Pk. **Agaricus discopus,** Lev. ?See Mycena discopus, Lev. Agaricus discretus, Fr. See Hiatula discreta, Fr. Agaricus dispersus, Fr. See Hypholoma dispersum, Fr.

Agaricus disseminatus. P.

See *Clitocybe ditopus*, Fr.

Agaricus ditopus, Fr.

See **Psathyrella disseminata**, (P.) Fr.

Agarieus domestieus, P. See Coprinus domesticus, P.

Agaricus dorsalis, Bosc. See Panus dorsalis, (Bosc) Fr.

Agaricus dorsalis, Pk. See Crepidotus dorsalis, Pk.

Agaricus dryinus, P. See *Pleurotus dryinus*, (P.) Fr.

Agaricus dryophilus, Bull. See Collybia dryophila, (Bull.) Fr.

Agaricus dulcamarus, A. & S. See *Inocybe dulcamara*, (A. & S.) Fr.

Agaricus dulcamarus, S. Syn. Car. 628. See *Cortinarius Hopodius*, (Bull.) Fr.

Agaricus durus, Bolt. See *Pholiota dura*, (Bolt.) Fr.

Agaricus dysthales, Pk. See Entoloma dysthales, Pk.

Agaricus eburneus, Bull. See *Hygrophorus eburneus*, (Bull.) Fr.

Agaricus echinatus, Roth.

NOTE. The species of this name is referred to by American authors as both *Psalliota echinata*, Fr. and *Inocybe echinata*, Sacc. Syll. The generic position is perhaps doubtful. For references see *Inocybe echinata*, (Roth) Sacc. Syll.

Agaricus echinipes, Lasch. See Mycena echinipes, (Lasch) Fr.

Agaricus echinocarpus, Ell. See *Inocybe Galliardi*, Gillet.

Agaricus ectypoides, Pk. See Clitocybe ectypoides, Pk.

Agaricus edulis, Auct. Amer. See Agaricus arvensis, Schæff.

Agaricus egenulus, B. & Br. See *Hypholoma egenulum*, B. & Br.

Agaricus elatinus, P. See *Panus vioiaceofulvus*, (Batsch) Quel.

Agaricus elatior, Pk. See Naucoria elatior, Pk.

Agaricus elegans, P. See *Mycena elegans*, (P.) Fr.

Agaricus elixus, Sow. See Clitocybe elixa, (Sow.) Fr.

Agaricus elodes, Fr. See *Entoloma elodes*, Fr.

Agaricus elongatipes, Pk. See *Psilocybe elongatipes*, Pk.

Agaricus elvensis, B. & Br.
Hark. & Moore, Cat. Pac. Fung. 7. Feb. 1880.
McIlvaine & Macadam, Am. Fung. 338. d. 1900.

Psalliota elvensis, B. & Br. Lloyd, Myc. Notes 29. Nov. 1899.

Agaricus emendatior, B. & C. See Volvaria emendatior, B. & C.

Agaricus emeticus, Fr. See Russula emetica, Fr.

Agaricus ephemeroides, Bull. See **Coprinus ephemeroides**, (Bull.) Fr.

Agaricus ephemerus, Bull. See Coprinus ephemerus, (Bull.) Fr.

Agaricus epibates, Fr. See *Psathyra epibates*, Fr.

Agaricus Epichysium, P. See Omphalla Epichysium, (P.) Fr.

Agaricus epigæus, S. Syn. Car. 816. See *Pieurotus applicatus*, (Batsch) Fr.

Agaricus epimyces, Pk. See *Panæolus epimyces*, Pk.

Agaricus epiphyllus, Fr. See *Marasmius epiphyllus*, Fr.

Agaricus epipterygius, Scop. See Mycena epipterygia, (Scop.) Fr.

Agaricus epixanthus, Fr.
See *Hypholoma epixanthum*, Fr.

Agaricus equestris, L. See *Tricholoma equestre*, (L.) Fr.

Agaricus ericaceus, S. See *Psilocybe ericæa*, (P.) Fr.

Agaricus ericæus, P. See *Psilocybe ericæa*, (P.) Fr.

Agaricus ericetorum, P. See Omphalia umbelittera, (L.) Fr.

Agaricus erinaceëllus, Pk. See **Pholiota detersibilis**, Pk.

Agaricus erinaceus, Fr. See Naucoria erinacea, Fr.

Agaricus erubescens, Fr. See *Hygrophorus erubescens*, Fr.

Agaricus erubescens, Mont. See Clitocybe erubescens, Mont.

Agaricus erysibodes, Mont. See *Hebeloma erysibodes*, Mont.

Agaricus esculentoides, Pk. See Collybia esculentoides, Pk.

Agaricus esculentus, Wulf. See Collybla esculenta, (Wulf.) Fr.

Agaricus Estensis, Morg. See Collybia Estensis, Morg.

Agaricus eugrammus, Mont. See Panus eugrammus, (Mont.) Fr.

Agaricus eumorphus, S. Syn. Car. 644. See *Cortinarius anomalus*, Fr.

125 Agaricus euosmus, B. See Pleurotus euosmus, B. Agaricus euspeireus, B. & C See Mycena euspeirea, B. & C. Agaricus eutheles, B. & Br. See Inocybe eutheles, B. & Br. Agaricus eutheloides, Pk. See *Inocybe eutheloides*, Pk. Agaricus euthygrammus, B. & C. See Naucoria euthygramma B. & C. Agaricus excavatus, B. & C. See Pleurotus excavatus, B. & C. Agaricus excedens, Pk. See *Hebeloma excedens*, Pk. **Agaricus excelsus,** Fr. See Amanita excelsa, Fr. Agaricus excoriatus, Schæff. See Lepiota excoriata, (Schæff.) Fr. Agaricus eximius, Pk. See *Pilosace eximia.* Pk. Agaricus expallens, P. See Clitocybe expallens. (P.) Fr. Agaricus expansus, Pk. See Galera expansa, Pk. **Agaricus exsculptus,** Fr. See Collybia exsculpta, Fr. Agaricus exsertus, Fr.

NOTE. This is considered by Fries to be a variety of Agaricus campestris, L.

Psalliota exserta, Fr. Lloyd, Myc. Notes 28. d. Nov. 1899. Agaricus fabaceus. B.

NOTE. We have placed here the references to Agaricus amygdalinus, M. A. Curtis of which no description was ever published by Curtis but which he later considered, as shown by notes in his herbarium, to be really Agaricus fabaceus, B. Agaricus subrufescens, Pk. is certainly closely related to what is here classed under Agaricus fabaceus and inasmuch as it is not possible at present to settle the points of distinction, all references to these species are placed together since one studying the subject should examine them all.

B. Lond. Jour. Bot. 6: 314 (3). d. 1847. [No. 114.]
B. & C. Am. Jour Sci. II. 8: 403. Nov. 1849.
Lea, Cat. Pl. Cin. 53. d. 1849 and Jour. Cin. Soc. 5: 200 (4). d. Dec. 1882.
Rav. Charleston Med. Jour. & Rev. 6: 192. March 1851.
*Rav. Fung. Car. 8: 3. 1855.
Sprague, Proc. Boston Soc. 6: 316. 1859.
B. Outl. 80. 1860.
James, Jour. Cin. Soc. 2: 64 (23). April 1879.
Morg. Jour. Cin. Soc. 6: 111. d. July 1883.
Sacc. Cub. & Manc. Syll. 5: 994. d. 28 May 1887.
Farl. Proc. Boston Soc. 26: 358. 8 Sept. 1894.
Kellerm. & Werner, Geol. Ohio 72: 315. Jan. 1895.
Atk. Mushrooms 23. 1900.

Atk. in Bailey's Cycl. Am. Hort. 1043. 1900. McIlvaine & Macadam, Am. Fung. 341. d. 1900.

Agaricus amygdalinus, M. A. Gurtis.

M. A. Curtis in Rav. Fung. Car. 8: 3. 1855. (MS. note.)

M. A. Curtis, Bot. N. Car. 90. 1867.

M. A. Curtis, Jour. Roy. Hort. Soc. II. 2: 72, 78. 1870.

Featherman, Bot. Surv. La. 1870: 123. 1871.

Cke. & B. Fungi 88. 1875. Rav. S. Car. Resources 355. 1883. Atk. Mushrooms 23. 20 Oct. 1900. Trel. Rept. Mo. Hort. Soc. 48: 228 (5). 1900. Trel. Rept. Mo. Bot. Gard. 15: 84. pl. 35, 36. Memminger, Jour. Myc. 11: 12. 4 Jan. 1905. 30 April 1904. Agaricus subrufescens, Pk. Pk. N. Y. Tribune. d. 25 Dec. 1892 and Gard. & For. 5: 624 d. 28 Dec. 1892 Pk. Rept. N. Y. Mus. 46: 105 (25) d. Dec. 1893 and Rev. Myc. 16: 125. d. 1 July 1894. Falconer, Am. Florist 9: 657. 22 Feb. 1804.
Taylor, Rept. U. S. Agr. 1885: (22). 1804. [In reprint of Taylor, Rept. U. S. Agr. 1893: pl. 4. 1894.
Sacc. Syll. 11: 70. d. July 1895.
Pk. Rept. N. Y. Mus. 48; 236 (138). pl. 7. f. March 1897. [In reprint only.] Underw. Moulds 122. 1899. Atk. Mushrooms 23. d. 20 Oct. 1900. McIlvaine & Macadam, Am. Fung. 344. d. Williams, Plant World 4: 207. Nov. 1901. Trel. Rept. Mo. Hort. Soc. 48: 227. (4). Psalliota amygdalina, M. A. Curtis. M. A. Curtis, Bot. N. Car. 90. 1867. Taylor, Food Products 2: 21. 1893. Lloyd, Myc. Notes 29. Nov. 1899. Lloyd, Myc. Notes 29. Nov. 1899. Hyams, Bull. N. Car. Exp. Sta. 177: 45. Dec. 1900. **Psaliiota fabacea,** Lloyd. Lloyd, Myc. Notes 29. Nov. 1899.

Perry, Agricultural Student 6: 179. May 1900 and Ohio Univ. Bull.

IV. 30: 7. May 1900. Psalliota subrufescens, Lloyd. Lloyd, Myc. Notes 29. Agaricus facifer, B. & C. See Pleurotus facifer, B. & C. **Agaricus fagicola,** Lasch. See Psathyra fagicola, (Lasch) Fr. Agaricus falcifolius, Mont. See Psathyrelia falcifolia, Mont. Agaricus fallax, Pk. See Tricholoma fallax, Pk. Agaricus Familia, Pk. See Collybia Familia, Pk. Agaricus farinaceus, Huds. See Laccaria iaccata, (Scop.) B. & Br. Agaricus farinaceus, Schum. See Panus farinaceus, (Schum.) Fr. Agaricus farinosus, S. See Amanitopsis farinosa, (S.) Atk.

Agaricus fascicularis, Huds. See *Hypholoma fasciculare*, (Huds.) Fr.

Agaricus fastibilis, P. See *Hebeioma fastibile*, (P.) Fr.

Agarieus fastigiatus, Schæff.

See Inocybe fastigiata, (Schæff.) Fr.

Agaricus Feildeni, B. See Stropharia Feildeni, B.

Agaricus felinus, P. See *Lepiota felina*, P.

Agaricus Fenzlii, Schulz. See Annuiaria Fenzlii. Schulz.

Agaricus ferrugineus, S. Syn. Car. 703. See *Coprinus micaceus*, (Bull.) Fr.

Agaricus fertilis, A. & S. See Entoloma clypeatum, (L.) B.

Agaricus fibrillosus, P. See *Psathyra fibrillosa*, (P.) Fr.

Agaricus Fibula, Bull. See Omphalia Fibula, (Bull.) Fr.

Agaricus Fibula, var. Swartzii, Fr. See Omphalia Swartzii, (Fr.) Pk.

Agaricus fibuloides, Pk. See *Omphalia fibuloides*, Pk.

Agaricus filipes, Bull. See Mycena filipes, (Bull.) Fr.

Agaricus fimetarius, L. See Coprinus fimetarius, (L.) Fr.

Agaricus fimicola, Fr. See *Panæolus fimicola*, Fr.

Agaricus fimiputris, Bull. See **Anellaria fimiputris,** (Bull.) Karst.

Agaricus flabelliformis, Bolt. See *Lentinus flabelliformis*, (Bolt.) Fr.

Agarieus flaccidus, Sow. See Clitocybe flaccida, (Sow.) Fr.

Agaricus flammans, Fr. See *Pholiota flammans*, Fr.

Agaricus flavellus, B. & C. See Omphalia flavella, B. & C.

Agaricus flavescens, Pk. See Tricholoma flavescens, Pk.

Agaricus flavidellus, Pk. See Clitocybe fiavidella, Pk.

Agaricus flavidus, P. See *Flammula flavida*, (P.) Fr.

Agaricus (Mycena) flavipes, S. Syn. Car. 685.

Note. It is impossible to say what plant this name is intended to designate.

S. Syn. Car. 85 (59) no. 685. 1822.

Agarieus flavobrunneus, Fr. See *Tricholoma flavobrunneum*, Fr. Agaricus flavolanatus, B. & C. See Pleurotus flavolanatus, B. & C.

Agaricus flavorubens, B. & Mont. See Amanita flavorubens, B. & Mont.

Agaricus flavovirens, P. See Tricholoma equestre, (L.) Fr.

Agaricus flavus, Johnson.

See *Entoloma flavum*, Johnson.

Agaricus flexipes, Fr.

See Cortinarius flexipes. Fr.

Agaricus flexuosus, Fr.

See Lactarius flexuosus, Fr.

Agarieus floccosus, Schæff.

See Pholiota squarrosa, (Muell.) Fr.

Agaricus (Galera) flocculentus, Fr.

NOTE. In the reference given below Fries cites his Epicrisis p. 209 but in that place the name Agaricus flocculentus, Fr. does not occur; instead is Agaricus frustulentus, Fr. which is not said to occur in Central America.

Fr. Nova Acta R. Soc. Sci. Upsal. III. 1: 24. Cent. Amer. Polakowsky, Jahresber. Ver. Erdkunde Dresden 16: 74. 1879.

Agaricus flocculentus, Poll.

See *Inocybe lanuginosa*, (Bull.) Fr.

Agaricus flocculosus, B.

See *Inocybe flocculosa*, B.

Agaricus floralis, B. & Rav. See Lepiota floralis, B. & Rav.

Agaricus fluxilis, Fr. See Pleurotus fiuxilis, Fr.

Agaricus fœderatus, B. & Mont.

Mont. Syll. Crypt. 121. d. 1856.

Sacc. Cub. & Manc. Syll. 5: 1003. d. 28 May 1887. McIlvaine & Macadam, Am. Fung. 339. d. 1900.

Psalliota foederata, B. & Mont.

Henn. in Engler & Prantl, Pflanzenfam. 11**: 240. 1898. Lloyd, Myc. Notes 29. Nov. 1899. Agaricus fonisecii, P.

See Psilocybe fænisecii, (P.) Fr.

Agaricus fœtens, P.

See Russula fœtens, (P.) Fr.

Agaricus foliomarginatus, Pk. See Leptonia foliomarginata, Pk.

Agaricus fragilior, Pk

See *Hebeloma fragilius*, Pk.

Agaricus fragilis, Schæff. See Omphalia Campanella, (Batsch) Fr.

Agaricus fragilis, P.

See Russula fragilis, P.

Agaricus fragilissimus, Henn. See *Hiatula fragil* ssima, Rav.

Agaricus fragrans, Sow.

See Clitocybe fragrans, (Sow.) Fr.

Agaricus Friesii, Lasch.

See Lepiota Friesii, (Lasch) Fr.

Agaricus Frostianus, Pk.

See Amanita Frostiana, Pk.

Agaricus frumentaceus, Bull.

See Tricholoma frumentaceum, (Bull.) Fr.

Agaricus (Galera) frustulentus, Fr.

NOTE. See note under Agaricus flocculentus, Fr.

Agaricus fulgens, A. & S.

See *Cortinarius fulgens*, (A. & S.) Fr.

Agaricus fuliginarius, Batsch. See *Collybia plexipes*, Fr.

Agaricus fuliginosus, Fr.

See *Lactarius fuilginosus*, Fr.

Agaricus fulvaster, B. & C. See Lepiota fulvastra, B. & C.

Agaricus fulvellus, Fr.

See Tricholoma fulvellum, Fr.

Agaricus fulvofuligineus, A. & S. See Cortinarius scaurus, Fr.

Agaricus fulvotomentosus, Pk. See Crepidotus fulvotomentosus, Pk.

Agaricus fulvus, Fr.

See Tricholoma flavobrunneum, Fr.

Agaricus fulvus, Pk. See Naucoria fulva, Pk.

Agaricus fumescens, Pk.

See Tricholoma fumescens, Pk.

Agaricus fumidellus, Pk. See Tricholoma fumidellum, Pk.

Agaricus fumosoluteus, Pk.

See *Tricholoma fumosoluteum*, Pk. Agaricus fumosus, P.

See Ciltocybe fumosa, (P.) Fr.

Agaricus furcatus, P. See *Russula furcata*, P.

See Russula Turcata, P. Agaricus furfuraceus, P.

See Tubaria furfuracea, (P.) Fr.

Agaricus furnus, Batsch.

NOTE. This is possibly a misprint for Agaricus firmus but in any case it is impossible to say what species the author intended to designate.

Muhl. Tr. Am. Phil. Soc. 4: 240. 1799.

Agaricus fuscescens, Schæff.

See Coprinus fuscescens, (Schæff.) Fr.

Agaricus fuscifolius, Pk.

See Noianea fuscifolia, Pk.

Agaricus fuscifrons, B. & C. See Pleurotus fuscifrons, B. & C.

Agaricus fuscocarneus.

NOTE. It is impossible to determine what species is intended in the citation given.

Bennett, Cat. Pl. R. I. 77. 1888.

Agarieus fuscodiseus, Pk. See *Inocybe fuscodisca*, (Pk.) Massee.

Agaricus fuscogriseëllus, Pk. See *Noianea fuscogriseëlla*, Pk.

Agaricus fuscolilacinus, Pk. See Collybia fuscolilacina, Pk.

Agaricus fuscosquameus, Pk. See Lepiota fuscosquamea, Pk.

Agaricus fusipes, Bull. See Collybia fusipes, (Bull.) B.

Agaricus Fusus, Batsch. See Flammula Fusus, (Batsch) Fr.

Agaricus galericulatus, Scop. See *Mycena galericulata*, (Scop.) Fr.

Agaricus galopus, P. See Mycena galopus, P.

Agaricus gambosus, Fr. See Tricholoma gambosum, Fr.

Agaricus gelatinosus, Gmel. See *Crepidotus moliis*, (Schæff.) Fr.

Agaricus geminellus, Pk. See Naucorla geminella, Pk.

Agaricus gentilis, Fr. See Cortinarius gentilis, Fr.

Agaricus geophyllus, Sow. See *Inocybe geophylla*, (Sow.) Fr.

Agaricus geotropus, Bull. See Clitocybe geotropa, (Bull.) Fr.

Agaricus Gerardianus, Pk. See *Omphalia Gerardiana*, Pk.

Agaricus gibbus, P. See *Clitocybe infundibuliformis*, (Schæff.) Fr.

Agaricus giganteus, Leys. See Clitocybe maxima, (Gaertn. & Meyer) Fr.

Agaricus gilvus, Fr. See *Clitocybe gilva*, Fr.

Agaricus glandulosus, Bull. 'See *Pleurotus glandulosus*, (Bull.) Fr.

Agaricus glaucipes, B. & C.' See *Clitocybe glaucipes*, B. & C.

Agaricus glaucopus, Schæff. See Cortinarius glaucopus, (Schæff.) Fr.

Agaricus gliodermus, Fr. See *Lepiota giioderma*, Fr.

Agaricus gloiocephalus, D.C. See *Volvaria gloiocephala*, (D.C.) Fr.

Agaricus glutinosus, Lindgr. See *Hebeioma glutinosum*, (Lindgr.) Fr.

Agaricus Gordoni, B. & Br. See *Psathyra Gordoni*, B. & Br.

Agaricus gossypinus, Johnson. See *Hebeloma gossypinum*, Johnson. Agaricus gracilentus, Krombh. See *Lepiota graciienta*, (Krombh.) Fr. Agaricus gracilis, Fr. See Psathyrelia gracilis, Fr. Agaricus gracillimus, Weinm. See Omphalia gracillima, (Weinm.) Fr. **Agaricus graciloides,** Pk. See Psathyrella graciloides, Pk. Agaricus grammopodius, Bull. See *Tricholoma grammopodium*, (Bull.) Fr. Agaricus granosus, Morg See Lepiota granosa, Morg. Agaricus granularis, Pk. See Pluteus granularis, Pk. Agaricus granulosus, Batsch. See Lepiota granuiosa, (Batsch) Fr. **Agaricus granulosus,** Batsch, var. **amianthinus,** Pk. See *Lepiota amianthina*, (Scop.) Fr. Agaricus graveolens, P. See Tricholoma graveolens, (P.) Fr. **Agaricus Grayanus**, Pk. See Entoloma Grayanum, Pk. Agaricus Greigensis, Pk. See Claudopus Greigensis, Pk. Agaricus griseoscabrosus, Pk. See Inocybe griseoscabrosa, (Pk.) Earle. Agaricus Guadelupensis, Pat. Pat. Bull. Soc. Myc. Fr. 15: 197. d. 31 July 1899. Sacc. & Syd. Syll. Fung. 16: 114. d. 1 Feb. 1902. Duss, Champ. Guad. & Martinique 56. 1903. West Indies. Agaricus gummosus, Lasch. See Fiammuia gummosa, (Lasch) Fr. Agaricus gyroflexus, Fr. See Psathyra gyroflexa, Fr. Agaricus hædinus, B. & C. See Pieurotus hædinus, B. & C. Agaricus hæmatocephalus, Mont. See Marasmius hæmatocephalus, (Mont.) Fr. **Agaricus hæmatopus,** P. See Mycena hæmatopus, (P.) Fr. Agaricus hæmorrhoidarius, Schulzer. Pk. Rept. N. Y. Mus. 45: 79 (19) d. Dec. 1893. Pound, Bot. Surv. Nebr. 3: 12. 18 June 1894. Pk. Bull. Torr. Bot. Club 26: 67. d. 18 Feb. 1899. Underw. Moulds 122. 1899. McIlvaine & Macadam, Am. Fung. 336. d. 1900. Williams, Plant World 4: 207. Nov. 1901. Pk. Rept. N. Y. Mus. 54: 183. d. pl. 75 f. 1-13. Dec. 1901. Psailiota hæmorrholdarla, Schulzer.

Lloyd, Myc. Notes 29. Nov. 1899.

See Crepidotus hærens, Pk. Agaricus Hallianus, Pk. See Flammula Halliana, Pk.

Agaricus hærens, Pk.

Digitized by Google

Agaricus hariolorum, Bull. See *Collybia hariolorum*, (Bull.) Fr.

Agaricus haustellaris, Fr.
See Crepidotus haustellaris, Fr.

Agaricus Hebeloma, Pk. See *Tricholoma Hebeloma*, Pk.

Agaricus helictus, B. See Noianea helicta, B.

Agaricus helodes, Fr. See Entoloma helodes, Fr.

Agaricus helvoliceps, B. & C. See Flammula helvoliceps, B. & C.

Agaricus helvolus, P. See Cortinarius gentilis, Fr.

Agaricus helvus, Fr. See *Lactarius heivus*, Fr.

Agaricus hemileucus, B. & C. See Collybia hemileuca, B. & C.

Agaricus hemiphlebius, B. & C. See *Pleurotus hemiphlebius*, B. & C.

Agaricus hemisclerus, B. & C. See Lepiota hemisclera, B. & C.

Agarieus hemispilus, Lev. See Clitocybe? hemispila, (Lev.) Sacc. Syll.

Agaricus hemitrichus, P. See Cortinarius hemitrichus, (P.) Fr.

Agaricus hepaticus, Batsch. See Omphalia hepatica, (Batsch) Fr.

Agaricus herbarum, Pk. See *Crepidotus herbarum*, Pk.

Agaricus hercynicus, var. brunneus, S. Syn. Car. 574. See Cortinarius violaceus, (L.) Fr.

Agaricus heteroclitus, Fr. See *Pholiota heteroclita*, Fr.

Agaricus hiascens, Fr. See *Psathyrella hiascens*, Fr.

Agaricus hiemalis, Osbeck. See Mycena hiemalis, (Osbeck) Fr.

Agaricus Highlandensis, Pk. See *Flammuia Highlandensis*, Pk.

NOTE. Compare also Agaricus ascephorus, Pk.

Agarieus hirtipes, Schum. See Nolanea hirtipes, (Schum.) Fr.

Agaricus hirtosquamulosus, Pk.

See Hypholoma hirtosquamulosum, Pk.

Agaricus Hoffmani, Pk. See Clitocybe Hoffmani, Pk.

Agaricus hololepis, Fr. See *Piiosace hololepis*, Fr.

Agaricus holoporphyrus, B. & C. See Clitocybe holoporphyra, B. & C.

Agaricus holosericeus, Fr. See *Lepiota holosericea*, Fr.

Agaricus hordus, Pk. nec Fr. See Collybla platyphylla, (P.) Fr.

Agaricus hormophorus, Mont. See *Pholiota hormophora*, Mont.

Agaricus Hornemanni, Fr. See Stropharia depilata, (P.) Fr.

Agaricus Howeanus, Pk.
See *Pholiota Howeana*, (Pk.) Earle.

Agaricus humilis, P. See *Tricholoma humile*, (P.) Fr.

Agaricus hyacinthus, Batsch. See *Hygrophorus conicus*, (Scop.) Fr.

Agaricus hydrophorus, Bull. See Psathyrella hydrophorus, (Bull.) Fr.

Agaricus hygrophoroides, Pk. See *Collybia hygrophoroides*, Pk.

Agaricus hymenocephalus, Pk. See Hypholoma hymenocephalum, Pk.

Agaricus hypnophilus, B. See *Pleurotus hypnophilus*, B.

Agaricus Hypnorum, Batsch. See Galera Hypnorum, (Batsch) Fr.

Agaricus hypopithyus, M. A. Curtis.

Note. This species is mentioned in the citations given below under the subgenus *Tricholoma* but it apparently was never described. Under the genus *Tricholoma* it is referred to but again without description.

Curtis, M. A., Bot. N. Car. 84. 1867.

Cke. & B. Fungi 89. 1875.

Agaricus hypoporphyrus, B. & C. See Leptonia hypoporphyra, B. & C.

Agaricus hypothejus, Fr. See *Hygrophorus hypothejus*, Fr.

Agaricus ianthinus, Batsch. See Mycena pura, (P.) Fr.

Agaricus iliopodius, Bull. See Cortinarius iliopodius, (Bull.) Fr.

Agaricus illicitus, Pk. See *Hebeloma illicitum*, Pk.

Agaricus illinitus, L. See *Lepiota illinita*, (L.) Fr.

Agaricus illudens, S. See Clitocybe illudens, S.

Agaricus imbricatus, Fr. See Tricholoma imbricatum, Fr.

Agaricus immaculatus, Pk. See Mycena immaculata, Pk.

Agaricus impolitoides, Pk. See *Tricholoma scalpturatum*, Fr.

Agaricus incanus, Fr. See *Leptonia incana*, Fr. Agaricus incertus, Pk.

See Hyphoioma appendiculatum, (Bull.) Fr.

Agaricus inconstans, Fr.

Note. This species, mentioned by Muhlenberg, 1813, 1818, Torrey 1819, is uncertain. It is referred by Schweinitz, 1834, to Panus conchatus, Fr.

Agaricus indecens, Pk.

See **Phoiiota indecens**, Pk.

Agaricus Indigo, S.

See Lactarius Indigo, (S.) Fr.

Agaricus indigoferus, Ell.

See Entoioma indigoferum, Ell.

Agaricus infelix, Pk.

See *Inocybe infelix*, Pk.

Agaricus infidus, Pk.

See *Inocybe infida*, (Pk.) Earle.

Agaricus infractus, Fr.

See Cortinarius Infractus. Fr.

Agaricus infundibuliformis, Schæff.

See Clitocybe infundibuliformis, (Schæff.) Fr.

Agaricus inopus, Fr. See *Flammula inopus*, Fr.

Agaricus inquilinus. Fr.

See Tubaria inquilina, Fr. Agaricus integrellus, P.

See Omphalia integreila, (P.) Fr.

Agaricus intertextus, B. & C See Mycena intertexta, B. & C.

Agaricus involutus, Batsch.

See Paxillus involutus, (Batsch) Fr.

Agaricus iocephalus, B. & C. See Mycena iocephala, B. & C.

Agaricus Iris, B. See Mycena Iris, B.

Agarieus jejunus, Fr. Fr. Nova Acta R. Soc. Sci. Upsal. III. 1: 24. d. 1851. Sacc. Cub. & Manc. Syll. 5: 1001. d. 28 May 1887. West Indies.

Agaricus Johnsonianus, Pk.

See Pholiota Johnsoniana, (Pk.) Atk.

Agaricus jubatus, Fr. See *Entoloma jubatum*, Fr.

Agaricus juncicola, Fr.

See Mycena juncicola. Fr.

Agaricus kermesinus, B. & C.

See Omphaila kermesina, B. & C:

Agaricus laccatus, Scop.

See Laccaria laccata, (Scop.) B. & Br.

Agaricus laceratus, S. Syn. Car. 637.

NOTE. It is uncertain to what plant this name belongs, but it apparently is not Collybia lacerata, (Lasch). See P. Syn. 336. 1801 and Streinz, Nomenclator 61. 1862.

S. Syn. Car. 82 (56) no. 637. 1822.

Agaricus lacerus, Fr. See *Inocybe lacera*, Fr.

Agaricus lachnophyllus, B. See *Collybia lachnophylla*, B. See Marasmius cohærens, (P.) Cke.

Agaricus lachrymabundum, Buli. See Hypholoma lachrymabundum, (Bull.) Fr.

Agaricus lacteus, P. See Mycena lactea, P.

Agaricus lacteus, S. Syn. Car. 745. See Russula furcata, P.

Agaricus lactifluus, Schæff. See Lactarius volemus, Fr.

Agaricus lacunosus, Pk. See Collybia lacunosa, Pk.

Agaricus lætifrons, B. & C. See Pluteus lætifrons, B. & C.

Agaricus lætus, P.

See Hygrophorus lætus, (P.) Fr.

Agaricus lævis, Krombh. See Annularia lævis, (Krombh.) Fr.

Agaricus lamellirugus, DC. See Paxillus panuoides, Fr.

Agaricus (Pleurotus) lamellosus, S.

NOTE. The only reference we have to this species is that given below, but no description appears to have been given, although Schweinitz gives himself as authority.

S. Syn. Am. Bor. 149 no. 161. 1834.

Agaricus lampropus, Fr. See *Leptonia lampropus*, Fr.

Agaricus lanuginosus, Bull.

See *Inocybe lanuginosa*, (Bull.) Fr.

Agaricus lascivus, Fr. See *Tricholomá lascivum*. Fr.

Agaricus laterarius, Pk. See Tricholoma laterarium, Pk.

Agaricus latericolor, Mont. See *Hebeloma latericolor*, Mont.

Agaricus lateritius, Schæff. See Hypholoma sublateritium, Fr.

Agaricus lateritius, Fr. non Schæff. See Galera lateritia, Fr.

Agaricus latifolius, Pk. See Mycena iatifolia, Pk.

Agaricus Leaianus, B. See Mycena Lealana, B.

Agaricus Leightoni, B. See Pleurotus Leightoni, B.

Agaricus leiopus, S. Syn. Car. 658. See Collybia asema, Fr.

Agaricus leiphæmius, Mont. See Clitocybe leiphæmia, Mont. Agaricus lenticeps, Pk. See *Naucoria lenticeps*, Pk.

Agaricus lenticularis, Lasch. See *Lepiota lenticularis*, (Lasch) Gillet.

Agaricus lentinoides, Pk. See Collybia lentinoides, Pk.

Agaricus lentus, P. See *Flammula lenta,* (P.) Fr.

Agaricus leoninus, Schæff. See *Pluteus leoninus*, (Schæff.) Fr.

Agaricus leoninus, var. b., S. Syn. Car. 638. See *Pluteus leoninus*, (Schæff.) Fr.

Agaricus lepideus, Fr. See Lentinus lepideus, Fr.

Agaricus lepidomyces, A. & S. See *Cortinarius pholideus*, Fr.

Agaricus leptocephalus, P. See Mycena alcalina, Fr.

Agaricus leptolomus, Pk. See *Clitocybe leptoloma*, Pk.

Agaricus leptophyllus, Pk. See Mycena leptophylla, Pk.

Agaricus leucocephalus, Fr. See Tricholoma leucocephalum, Fr.

Agaricus leucophanes, B. & Br. See Panæolus leucophanes, B. & Br.

Agaricus leucophyllus, A. & S. See *Tricholoma ustale*, Fr.

Agaricus leucoxanthus, P. See *Tricholoma sejunctum*, (Sow.) Fr.

Agaricus lignatilis, P. See *Pleurotus lignatilis*, (P.) Fr.

Agaricús lignicola, Pk. See *Naucoria lignicola*, Pk.

Agaricus lilacifolius, Pk. See *Omphalia illacifolia*, Pk.

Agaricus lilacinus, Pk. See *Omphalia lilacifolia*, Pk.

Agaricus lilacinus, Mont. See Mycena lilacina, Mont.

Agaricus limicola, Pk. See *Psilocybe iimicola*, Pk.

Agaricus limonellus, Pk. See *Pholiota limonella*, Pk.

Agaricus Limonium, Pk. See *Collybia scorzonerea*, (Batsch) Fr.

Agaricus limophilus, Pk. See *Psilocybe limophila*, Pk.

Agaricus limpidus, Fr. See *Pleurotus limpidus*, Fr.

Agaricus lineatus, Bull. See Mycena lineata, (Bull.) P. Agaricus liratus, B. & C. See Galera lirata, B. & C.

Agaricus lividus, S. Syn. Car. 758. See Russula furcata. P.

Agaricus longicaudus, P.

See Hebeloma longicaudum, (P.) Fr

Agaricus longipes, Bull. See Collybia longipes, (Bull.) Fr.

Agaricus longistriatus, Pk. See *Pluteus longistriatus,* Pk.

Agaricus lucifugus, Fr. See Inocybe lucifuga, Fr.

Agaricus lupinus, Fr. See Flammula lupina, Fr.

Agaricus luridus, Schæff. See *Tricholoma luridum*, (Schæff.) Fr.

Agaricus (Mycena) luteo-alba? Somers, Tr. N. Scot. Inst. 6: 286. 1887.

Agaricus luteofolius, Pk. See *Pholiota luteofolia*, Pk.

Agaricus luteo-olivaceus, B. & C. See Collybia luteo-olivacea, B. & C.

Agaricus luteopallens, Pk. See Mycena luteopallens, Pk.

Agaricus luteovirens, A. & S. See Armiliaria iuteovirens, (A. & S.) Fr.

Agaricus luteus, Huds. See Russula lutea, (Huds.) Fr.

Agaricus lycoperdoides, Bull. See Nyctalis lycoperdoides, (Bull.) Schrt.

Agaricus macromastes, Fr. See Galera macromastes, Fr.

Agaricus macropus, Fr.
See Cortinarius macropus, Fr.

Agaricus macrosporus, Mont. See Lentinus Lecomtei, Fr.

Agaricus macrourus, Scop. See Collybla radicata, (Relh.) Fr.

Agaricus maculatus, A. & S. See Collybia maculata, (A. & S.) Fr.

Agaricus maculatus, Scop.
See Gomphidius maculatus, (Scop.) Fr.

Agaricus maculosus, Pk. See Clitocybe maculosa, Pk.

Agaricus madeodiscus, Pk. See **Hypholoma madeodiscum,** Pk.

Agaricus madidus, Fr. See *Entoloma madidum*, Fr.

Agaricus magnificus, Pk.
Pk. Bull. Torr. Bot. Club. 26: 67. d. 8 Feb. 1899.
McIlvaine & Macadam, Am. Fung. 342. d. pl. 94.
Trel. Rept. Mo. Hort. Soc. 48: 228 (5). 1900.

Sacc. & Syd. Syll. 16: 119. d. 1 Feb. 1902. Psalliota magnifica, Lloyd. Lloyd, Myc. Notes 29. Nov. 1899.

Agaricus magnivelaris, Pk. See Armiliaria ponderosa, Pk.

Agaricus magnus, Frost.

NOTE. This species, so far as we know, is mentioned only in places cited below and no description has been published.

Frost in Cat. Pl. Amherst 65. 1875. Cobb, List Pl. Amherst 32. 1887.

Agaricus majalis, Fr. See Entoloma majale. Fr.

Agaricus malachius, B. & C. See *Crepidotus malachius*, B. & C.

Agaricus mammosus, L. See Nolanea mammosa, (L.) Fr.

Agarieus Mappa, Batsch. See Amanita Mappa, (Batsch) Fr.

Agaricus marginatus, Batsch.
See Pholiota marginata, (Batsch) Fr.

Agaricus maritimoides, Pk. See *Inocybe maritimoides*, Pk.

Agaricus maritimus, Fr. See *Inocybe maritima*, Fr.

Agaricus maritimus, Pk.
Pk. Bull. Torr. Bot. Club 26; 66. d. 8 Feb. 1899.
Underw. Moulds 122. 1899.
Atk. Mushrooms 142. 20 Oct. 1900.
McIlvaine & Macadam, Am. Fung. 337. d. 1900.
Pk. Rept. N. Y. Mus. 541: 184. d. Dec. 1901.
Sacc. & Syd. Syll. 16: 114. d. 1 Feb. 1902.
Conant, Bull. Boston Myc. Club 19. 5 Feb. 1903.

Pestilinta maritima. I loyd

Psalliota maritima, Lloyd. Lloyd, Myc. Notes 29. Nov. 1899. Agaricus marmoreus, Pk.

See Clitocybe marmorea, Pk.

Agaricus Martianus, B. & C.

See Galera Martiana, B. & C.

Agaricus mastiger, B. & Br.` See Psathyra mastigera, B. & Br.

Agaricus mastoideus, Fr. See *Lepiota mastoidea*, Fr. See *Lepiota umbonata*, (Schum.) Schrt.

Agaricus mastrucatus, Fr. See *Pleurotus mastrucatus*, Fr.

Agaricus maximus, Gærtn. & Meyer. See Clitocybe maxima, (Gærtn. & Meyer) Fr.

Agaricus melaleucus, P. See *Tricholoma melaleucum*, (P.) Fr.

Agaricus meliigena, B. & Cke. See Mycena meliigena, B. & Cke.

Agaricus Melilotus, B. & C. See Ciitoplius Melilotus, B. & C. Agaricus melinoides, P. See Naucoria melinoides, (P.) Fr.

Agaricus melleorubens, B. & C. See Armiliaria melleorubens, B. & C.

Agaricus melleus, Vahl. See Armiliaria mellea, (Vahl) Fr.

Agaricus mesomorphus, A. & S. See Lepiota delicata, Fr.

Agaricus mesophæus, P. See Hebeloma mesophæum, (P.) Fr.

Agaricus metachrous, Fr. . See Clitocybe metachroa, Fr.

Agaricus metulisporus, B. & Br. See *Lepiota metulispora*, B. & Br.

Agaricus Miamensis, Morg. See Lepiota Miamensis, Morg.

Agaricus micaceus, Bull. See Coprinus micaceus, (Bull.) Fr.

Agaricus Michelianus, Fr. See *Collybla Micheliana*, Fr.

Agaricus Micheneri, B. & C. See Pleurotus Micheneri, B. & C.

Agaricus micropus, Pk. See *Clitopilus micropus*, Pk.

Agaricus microsporus, Ell. See *Tricholoma microsporum*, Ell.

Agaricus miculatus, Fr. See *Tricholoma miculatum*, Fr.

Agaricus miniatus, Fr.
See *Hygrophorus miniatus*, Fr.

Agaricus minutulus, Pk. See Mycena minutula, Pk.

Agaricus minutus.

NOTE. This name recorded by Muhlenberg without authority is impossible to trace.

Muhl. Tr. Am. Phil. Soc. 4: 240. 1799.

Agaricus miratus, Pk. See Mycena mirata, Pk.

Agaricus mitis, P. See *Pleurotus mitis*, (P.) Fr.

Agaricus modestus, Pk. See *Hypholoma modestum*, Pk.

Agarieus mollis, Schæff. See Crepidotus mollis, (Schæff.) Fr.

Agaricus monadelphus, Morg. See *Clitocybe monadelpha*, Morg. See *Armillaria mellea*, (Vahl) Fr.

Agarieus (Tricholoma) monstrosus, Sow.

Note. We are unable to say what this species is.

Johnson, Bull. Minn. Acad. 1: 354. 1880.

Agarieus montanus, P. See *Psilocybe atrorufa*, (Schæff.) Fr.

Agaricus montanus, Pk. See Omphalia montana, Pk.

Agarieus monticulosus, B. & C. See Amanita monticulosa, B. & C.

Agaricus Morgani, Pk. See *Lepiota Morgani*, Pk.

Agaricus mucidolens, B. See Galera mucidolens, B.

Agaricus mucidus, Schrad. See Armillaria mucida, (Schrad.) Fr.

Agaricus mucifer, B. & Mont. See Tricholoma muciferum, B. & Mont.

Agaricus Mucor, Batsch. See Mycena Mucor, (Batsch) Fr.

Agaricus multipunetus, Pk.
See Pleurotus decorus, Fr.

Agaricus muralis, Sow. See Omphalia muralis, (Sow.) Fr.

Agaricus muricatus, Fr. See *Pholiota muricata*, Fr.

Agaricus murinaceus, Bull. See *Tricholoma murinaceum*, (Bull.) Fr.

Agaricus murinolilacinus, Ell. & Ev. See *Inocybe murinolilacina*, Ell. & Ev.

Agaricus Murrayi, B. & C. See *Entoloma Murrayi*, B. & C.

Agaricus musæcola, B. & C. See Crepidotus musæcola, B. & C.

See Crepidotus musæcola, B. & C. Agarieus musearius, L.

See Amanita muscaria, (L.) P.

Agaricus muscarius, var. major, Pk.
See Amanita strobiliformis, (Vitt.) Fr.

Agaricus muscarius, var. minor, Pk. See Amanita Frostiana, Pk.

Agaricus muscigenus, Schum. See Collybia muscigena, (Schum.) Fr.

Agaricus muscorum, Hoffm. See *Tubarla muscorum*, (Hoffm.) Fr.

Agaricus mutabilis, Schæff. See *Pholiota mutabilis*, (Schæff.) Fr.

Agaricus mutatus, Pk.
See *Inocybe mutata*, (Pk.) Massee.

Agaricus mutilus, Fr. See *Picurotus mutilus*, Fr.

Agaricus mycenoides, Fr. See Pholiota mycenoides, Fr.

Agaricus myomyces, A. & S. no. 503. See *Tricholoma terreum*, (Schæff.) Fr.

Agaricus myriadophyllus, Pk. See *Collybia myriadophylla*, Pk. Agaricus nanus, P.
See *Pluteus nanus*, (P.) Fr.

Agarieus narcotieus, Batsch. See Coprinus narcoticus, (Batsch) P.

Agaricus nardosmius, Ell. See Armillaria nardosmia, Ell.

Agaricus naucinoides, Pk. See *Leplota naucina*, Fr.

Agaricus naucinus, Fr. See Lepiota naucina, Fr.

Agaricus nauseosus, P.

NOTE. The species by this name in S. Syn. Car. 759 is later referred by Schweinitz to Russula nitida, P. q. v. Other references to this species seem doubtful.

Agaricus (Entoloma) nauseosus, M. A. Curtis.

Note. This occurs only in Curtis's Catalogue and no description has ever been published.

M. A. Curtis, Bot. N. Car. 88. 1867.

Agaricus nebularis, Batsch. See *Clitocybe nebularis*, (Batsch) Fr.

Agaricus necator, P. See Lactarius turpis, Fr.

Agaricus nephrodes, B. & C. See Crepidotus nephrodes, B. & C.

Agaricus nephrodes, Pk. 26 Rept. non B. & C. See Crepidotus applanatus, Fr.

Agaricus Nicotiana, B. & C.
See Naucoria Nicotiana, B. & C.

Agaricus nidorosus, Fr. See Entoloma nidorosum, Fr.

Agaricus nidulans, P. See Claudopus nidulans, (P.) Pk.

Agaricus niger, S. See *Pleurotus niger*, (S.) Fr.

Agaricus nigrella, S. Syn. Car. 785. See *Collybia atrata*, Fr.

Agaricus nigripes, S. See Marasmius nigripes, (S.) Fr.

Agaricus nigrita, B. & C. See *Collybla nigrita*, B. & C.

Agaricus niphetus, Ell. See *Pleurotus niphetus*, Ell.

Agaricus nitidipes, Pk. See *Hypholoma nitidipes*, Pk.

Agaricus nitidus, Fr. See Amanita nitida, Fr.

Agaricus nitidus, P. See Russula nitida, P.

Agaricus nitidus, S. Syn. Car. 716. See *Psilocybe ericæa*, (P.) Fr. Agaricus nivalis, Pk. non Grev. See Amanitopsis albocreata, Atk.

Agaricus niveus, P. Syn. p. 400. See *Coprinus niveus*, P.

Agaricus niveus, P. Syn. p. 438. See Russula fragilis, P.

Agaricus noctiphilus, Ell. See Lepiota noctiphila, Ell.

Agaricus nodulosporus, Pk. See *Inocybe nodulispora*, Pk.

Agaricus nolitangere, Fr. See Psathyra nolitangere, Fr.

Agaricus Noveboracensis, Pk. See Clitopilus Noveboracensis, Pk.

Agaricus nuceus, Bolt. See Naucoria nucea, (Bolt.) Fr.

Agaricus nudus, Bull. See Tricholoma nudum, (Bull.) Fr.

Agaricus oblitus, Pk. See *Lepiota oblita*, Pk.

Agaricus obscuratus, B. & Br. See *Marasmius obscuratus*, B. & Br.

Agaricus obscurus, P. See *Inocybe obscura*, (P.) Fr.

Agaricus obtusatus, Fr. See *Psathyra obtusata*, Fr.

Agaricus ocellatus, Fr. See Collybia ocellata, Fr.

Agaricus ochraceus, A. & S. See Russula ochracea, A. & S.

Agaricus ochroleucus, P. See Cortinarius ochroleucus, (P.) Fr.

Agaricus ochroleucus, S. Syn. Car. 754. See Russula emetica, Fr.

Agaricus ochropurpureus, B. See Clitocybe ochropurpurea, B.

Agaricus Oculus, Pk. See Omphalia Oculus, Pk.

Agaricus odoratus, Pk. See *Psathyrella odorata*, Pk.

Agaricus odorifer, Pk. See Mycena odorifera, Pk.

Agaricus odorus, Bull. See Clitocybe odora, (Bull.) Fr.

Agaricus Ohiensis, Mont. See Clitocybe Ohiensis, Mont.

Agaricus oinodes, B. & C. See Naucoria oinodes, B. & C.

Agaricus oligosarcus, Rav. See *Lepiota oligosarca*, Rav.

Agaricus olivæsporus, Ell. & Ev. See *Hypholoma olivæsporum*, Ell. & Ev. Agaricus olivarius, Pk. See *Omphalia olivaria*, Pk.

Agarieus olivascens, S. Syn. Car. 762.

See Russula alutacea, Fr.

Agaricus Oniscus, Fr. See Omphalia Oniscus, Fr.

Agaricus onustus, Howe. See Amanita onusta, Howe.

Agaricus opacus, With. See *Clitocybe opaca*, (With.) Fr.

Agaricus Orcella, Bull. See Clitopilus Orcella, (Bull.) Fr.

Agaricus oreades, Bolt.

See Marasmius oreades, (Bolt.) Fr. See Marasmius caryophylleus, (Schæff.) Schrt.

Agaricus ornellus, Pk. See *Hypholoma ornellum*, Pk.

Agaricus ostreatus, Jacq. See *Pleurotus ostreatus*, (Jacq.) Fr.

Agaricus ovalis, Fr. See Galera ovalis, Fr.

Agaricus pallidipes, Ell. & Ev. See *Inocybe pallidipes*, Ell. & Ev.

Agaricus pallidomarginatus, Pk. See *Hebeloma pallidomarginatum*, Pk.

Agaricus pallidus, P. See *Lactarius pallidus*, (P.) Fr.

Agaricus palmigena, B. & C. See *Psilocybe palmigena*, B. & C.

Agaricus paludinellus, Pk. See *Inocybe trechispora*, (B.) Karst.

Agaricus palustris, Pk. See Mycena palustris, Pk.

Agaricus panæolus, Fr. See *Tricholoma panæolum*, Fr.

Agaricus pantherinus, D.C. See Amanita pantherina, (D.C.) Fr.

Agaricus papilionaceus, Bull. See Chalymotta papilionacea, (Bull.) Karst. See Panæolus papilionaceus, (Bull.) Fr.

Agaricus papillatus, Batsch. See Coprinus papillatus, (Batsch) P.

Agaricus papularis, Fr. See Naucoria papularis, Fr.

Agaricus papyraceus.

NOTE. We have no means of knowing what species this is.

Dewey in Hist. Berkshire Co. 85. 1829. Hitchcock, Cat. Pl. Mass. 644. 1833. 2 ed. 646 (126). 1835.

Agaricus parilis, Fr. See *Clitocybe parilis*, Fr.

Agaricus parvifructus, Pk. See *Hebeloma parvifructum*, Pk. **Agaricus parvulus,** Weinm. See *Volvaria pusilla*, (P.) Fr.

Agaricus pascuensis, Pk. See Clitopilus pascuensis, Pk.

Agaricus pascuus, P. See Nolanea pascua, (P.) Fr.

Agaricus patuloides, Pk. See *Tricholoma patulum*, Fr.

Agaricus pauperculus, B. See Mycena paupercula, B.

Agaricus Peckii, Howe. See Armillaria aurantia, (Schæff.) Fr.

Agaricus Pecten, B. & C. See Crepidotus Pecten, B. & C.

Agaricus pectinatus, S. See *Lentinus pectinatus*, (S.) Fr.

Agaricus pectinatus, B. & C. See Naucoria pectinata, B. & C.

Agaricus pediades, Fr. See Naucoria pediades, Fr.

Agaricus pelianthinus, Fr. See Mycena pelianthina, Fr.

Agaricus pelidnus, B. & Mont. See *Lepiota pelidna*, B. & Mont.

Agaricus pelliculosus, S. See *Lentinus pelliculosus*, (S.) Fr.

Agaricus pellucidus, Bull. See *Tubaria pellucida*, (Bull.) Fr.

Agaricus peltigerinus, Pk. See Clitocybe peltigerina, Pk.

Agaricus penetrans, Fr. See *Flammula penetrans*, Fr.

Agaricus Pennsylvanicus, B. & C. See Naucoria Pennsylvanica, B. & C.

Agaricus perbrevis, Weinm.
See Inocybe perbrevis, Weinm.

Agaricus peregrinus, Fr. See *Flammula peregrina*, Fr.

Agaricus perforans, Hoffm. See Marasmius perforans, (Hoffm.) Fr.

Agaricus periporphyrus, B. & C.

NOTE. In Engler & Prantl, Pflanzenfam. 1^{1**}: 267. 1898 this species credited to Peck is quoted from North America, evidently by error. The species is described by Berkeley and Curtis from the Bonin Islands. See B. & C. Proc. Am. Acad. 4: 111. 14 Dec. 1858 and Sacc. Syll. 5: 115.

Agaricus perplexus, Pk. See *Hypholoma perplexum*, Pk.

Agaricus perpusillus, Fr. See Pleurotus perpusillus, Fr.

Agaricus personatus, Fr.
See Tricholoma personatum, Fr.

Agaricus pessundatus, Fr.
See *Tricholoma pessundatum*, Fr.

Agaricus petaloides, S. Am. Bor. 147. See *Panus angustatus*, B.

Agaricus petaloides, Bull. See *Pleurotus petaloides*, (Bull.) Fr.

Agaricus petasatus, Fr. See *Pluteus petasatus*, Fr.

Agaricus Phalænarum, Fr. See Panæolus Phalænarum, Fr.

Agaricus phalloides, Fr. See Amanita phalloides, Fr.

Agaricus phlebophorus, Ditm. See *Pluteus phlebophorus*, (Ditm.) Fr.

Agaricus pholideus, Fr.
See Cortinarius pholideus, Fr.

Agaricus pholidotus, Mont. See Psathyra pholidota, Mont.

Agaricus phyllogenus, Pk. See Hypholoma phyllogenum, Pk.

Agaricus phyllophilus, P. See Clitocybe phyllophila, (P.) Fr.

Agaricus physcopodius, Mont. See Collybia physcopodia, Mont.

Agaricus picreus, P. See *Flammula picrea*, (P.) Fr.

Agaricus pilularius, Mont. See Collybia pilularia, Mont.

Agaricus pineus, Spreng. See Clitocybe piniaria, (Bosc) Fr.

Agaricus piniarius, Bosc. See *Clitocybe piniaria*, (Bosc) Fr.

Agaricus pinophilus, Pk. See Clitocybe pinophila, Pk.

Agaricus pinsitus, Fr. See *Pleurotus pinsitus*, Fr.

Agaricus Pinus, Frost. See *Clitocybe clavipes*, (P.) Fr.

Agaricus piperatus, Scop. See Lactarius piperatus, (Scop.) Fr.

Agaricus pirinus, B. & C. See *Eccilia pirina*, B. & C.

Agaricus piriodorus, P. See *Inocybe piriodora*, (P.) Fr.

Agaricus pithyophilus, Fr. See Clitocybe pithyophila, Fr.

Agaricus Placenta, Batsch. See *Entoloma Placenta*, (Batsch) Fr.

Agaricus placomyces, Pk.

NOTE. This species is nearly related to Agaricus silvaticus, Schæff. of which it is considered by some to be merely a variety.

Pk. Rept. N. Y. Mus. 29: 40. d. 1878. Pk. Rept. N. Y. Mus. 36: 48. d. 1885. Sacc. Cub. & Manc. Syll. 5: 1003. d. 28 May 1887. Sacc. Cub. & Manc. Syll. 5: 1003. d. 28 May 1887.
Fairman, Proc. Rochester Acad. 2: 159. Feb. 1893.
Pk. Country Gent. 59: 518 (31) d. f. 12 July 1894.
Pk. Rept. N. Y. Mus. 48: 240 (142). pl. 9. f. 7-12. March 1897.
Atk. Bull. Cornell Univ. 3: 25. 25 June 1897.
Underw. & Earle, Bull. Ala. Exp. Sta. 80: 253. 28 June 1897.
[Underw.] N. Y. Myc. Club 16. 1898.
Smith, C. O., Rhodora 1: 163. d. 1 Sept. 1899.
Underw. Moulds 122. 1899.
Atk. in Bailey's Cycl. Am. Hort. 1043. 1900.
Atk. Mushrooms 23. d. pl. 4. f. 21. 22. pl. 5. f. 22. 20 Oct. 1000. Atk. Mushrooms 23. d. pl. 4, f. 21, 22, pl. 5, f. 23. 20 Oct. 1900.

McIlvaine & Macadam, Am. Fung. 345. d. pl. 91, f. 3. 1900.

Sweetser, Bull. Pacific Univ. 14: 12. May 1901.

Earle in Mohr, Contr. U. S. Nat. Herb. 6: 224. 31 July 1901.

Ferguson, Bull. U. S. Agr. Pl. Industry 16: 5, 17. 14 June 1902.

Psalliota placomyces, Pk. Henn. in Engler & Prantl, Pflanzenfam. 11**: 240. 1898. Lloyd, Myc. Notes 27. d. Nov. 1899. Agaricus planus, P.

See *Pleurotus planus*, (P.) Fr.

Agaricus platyphyllus, P. See Collybia platyphylla, (P.) Fr.

Agaricus plexipes, Fr. See Collybia plexipes, Fr.

Agaricus plicatellus, Pk. See Galera coprinoides. Pk.

Agaricus plicatilis, Curt. See Coprinus plicatilis, (Curt.) Fr.

Agaricus plumatus, Wait. See Lentinus plumatus, (Walt.) Fr.

Agaricus plumbeus, Schæff. See Amanitopsis vaginata, (Bull.) Roze.

Agaricus plumiger, B. & C. See **Psathyra plumigera**, B. & C.

Agaricus Pluteus, P. See Pluteus cervinus, (Schæff.) Fr.

Agaricus Plutonius, B. & C. See Psilocybe Plutonius, B. & C.

Agaricus Poculum, Pk. See Clitocybe Poculum, Pk.

Agaricus polychrous, B. See *Flammula polychroa*, B.

Agaricus polychrous, Pk. Rept. See Flammula spumosa, Fr.

Agaricus polygrammus, Bull. See Mycena polygramma, (Bull.) P.

Agaricus polymyces, P. See Armiliaria mellea, (Vahl.) Fr.

Agaricus polypyramis, B. & C. See Amanita solitaria, (Bull.) Fr.

Agaricus polystictus, B. See Lepiota polysticta, B.

Agaricus polytrichophilus, Pk. See *Psathyra polytrichophila*, Pk.

Agaricus pometi, Paul. See *Pleurotus pometi*, (Paul.) Fr.

Agaricus ponderosus, Pk. See Armiliaria ponderosa, Pk.

Agaricus popinalis, Fr. See Clitopilus popinalis, Fr.

Agaricus porcellanus, Schæff. See Coprinus comatus, (Fl. Dan.) P.

Agaricus porphyrellus, B. & C. See Clitocybe porphyrelia, B. & C.

Agaricus porrigens, P. See *Pleurotus porrigens*, (P.) Fr.

Agaricus portentosus, Fr.
See Tricholoma portentosum, Fr.

Agaricus præceps, B. & C. See Collybia præceps, B. & C.

Agaricus præcox, P. See *Pholiota præcox*, (P.) Fr.

Agaricus præfoliatus, Pk. See *Collybia piatyphylla*, (P.) Fr.

Agaricus prælongus, Pk. See Mycena polygramma, (Bull.) P.

Agarieus prætorius, Fr. p. p. See Amanita cæsarea, (Scop.) P.

Agaricus pratensis, Schæff.

S. Syn. Car. 81 (55) no. 605. 1822. S. Syn. Am. Bor. 147 no. 77. 1834. Hark. & Moore, Cat. Pac. Fung. 7. Feb. 1880. Webber, Rept. Nebr. Agr. 1889: 229 (89). 1890. McIlvaine & Macadam, Am. Fung. 340. d. 1900.

Agarieus procerus, Scop. See Lepiota procera, (Scop.) P.

Agaricus proliferus, Sow. See *Mycena prolifera*, (Sow.) Fr.

Agaricus pronus, Fr. See *Psathyrella prona*, Fr.

Agaricus pruinatipes, Pk. See *Naucoria pruinatipes*, Pk.

Agaricus pruinosus, Lasch. See *Clitocybe pruinosa*, (Lasch) Fr.

Agaricus prunuloides, Fr. See Entoloma prunuloides, Fr.

Agaricus Prunulus, Scop. See Clitopilus Prunulus, (Scop.) Fr.

Agaricus Prunulus, var. Orcella, Auct. Amer. See Clitopilus Orcella, (Bull.) Fr.

Agaricus pseudotener, Fr. See *Psathyra pseudotenera*, Fr.

Agaricus psilopus, Rav. See *Lepiota psilopus*, Rav.

Agaricus psittacinus, Schæff. See *Hygrophorus psittacinus*, (Schæff.) Fr.

Agaricus pterigenus, Fr. See *Mycena pterigena*, Fr.

Agaricus pubescens, S. See Amanitopsis pubescens, (S.) Sacc.

Agaricus pubescentipes, Pk. See Volvaria pubescentipes, Pk.

Agaricus pulcher, P. See Coprinus plicatilis, (Curt.) Fr.

Agaricus pulcherrimus, Pk. See Mycena pulcherrima, Pk.

Agaricus pulicosus, Mont. See *Psilocybe pulicosa*, Mont.

Agaricus pulvinatus, P. See *Pleurotus pulvinatus*, (P.) Fr.

Agaricus pumilus, P. See *Pholiota pumila*, (P.) Fr.

Agaricus punctatus, Fr. See *Hebeloma punctatum*, Fr.

Agaricus purpurascens, A. & S. See *Hygrophorus purpurascens*, (A. & S.) Fr.

Agaricus purpureofuscus, Pk. See Mycena purpureofusca, Pk.

Agaricus purus, P. See *Mycena pura*, (P.) Fr.

Agaricus pusillomyces, Pk. See *Lepiota pusillomyces*, Pk.

Agaricus pusillus, (P.) Fr. See Volvaria pusilia, (P.) Fr.

Agaricus pusillus, Fr. non P. See Agaricus pusiolus, Fr.

Agaricus pusillus, Pk.

NOTE. This species is assigned to Agaricus proper. It should be borne in mind that there is also Agaricus (Volvaria) pusillus, (P.) Fr. S.M. 1: 279 found in America which is here placed under Volvaria pusilla, (P.) Fr.

Pk. Rept. N. Y. Mus. **54**¹: 152. d. Dec. 1901. Longyear, Rept. Mich. Acad. **3**: 60. 1902. and **4**: 115. 1904. Conant, Bull. Boston Myc. Club 19: 5 Feb. 1903.

Agaricus pusiolus, Fr. See *Naucoria pusiola*, Fr.

Agaricus putredinis, B. & C. See *Pleurotus putredinis*, B. & C.

Agaricus putrigenus, Pk. See Crepidotus putrigenus, Pk.

Agaricus pyrrholepis, Mont. See *Hebeloma pyrrholepidum*, Mont.

Agaricus pyrrhus, B. & C. See *Crepidotus pyrrhus*, B. & C. Agaricus pyxidatus, Bull. See Omphalia pyxidata, (Bull.) P.

Agaricus quadratus, B. & C. See Nolanea quadrata, B. & C.

Agaricus quercinus, L. See *Dædalea quercina*, (L.) P.

Agaricus racemosus, P. See Collybia racemosa, (P.) Fr.

Agaricus radiatus, Bolt. See *Coprinus radiatus*, (Bolt.) P.

Agaricus radicatellus, Pk. See *Mycena radicatella*, Pk.

Agaricus radicatus, Relh. See Collybia radicata, (Relh.) Fr.

Agaricus radicosus, Bull. See *Pholiota radicosa*, (Bull.) Fr.

Agaricus radiozonarius, Johnson.
See Clitocybe radiozonaria, Johnson.

Agaricus Radius, Johnson. See *Mycena Radius*, Johnson.

Agaricus ramealis, Bull. See *Marasmius ramealis*, (Bull.) Fr.

Agaricus ramentaceus, Bull. See Armillaria ramentacea, (Bull.) Fr.

Agaricus ramosus, Bull. See *Coliybia ramosa*, (Bull.) Fr.

Agaricus Ravenelii, B. & C. See Amanita Ravenelii, B. & C.

Agaricus recutitus, Fr. See Amanita recutita, Fr.

Agaricus reflexus, Muhl.

NOTE. This is probably Pholiota squarrosa, (Muell.) Fr.

Muhl. Cat. Pl. Am. Sept. 1 ed. 104. 1813. 2 ed. 107. 1818.

Agaricus repandus, Bull. See Entoloma repandum, (Bull.) Fr.

Agaricus resplendens, Fr. See *Tricholoma resplendens*, Fr.

Agaricus reticeps, Mont. See Clitocybe reticeps, Mont.

Agaricus reticulatus, Johnson. See *Tricholoma reticulatum*, Johnson.

Agaricus retirugis, Fr. See Panæolus retirugis, Fr.

Agaricus rhacodes, Vitt. See *Lepiota rhacodes*, (Vitt.) Fr.

Agaricus rhacodes, Pk. 22 Rept. See Lepiota Americana, Pk.

Agaricus Rhacodium, B. & C. See *Pleurotus Rhacodium*, B. & C.

Agaricus rhagadiosus, Fr. See *Armillaria rhagadiosa*, Fr. Agaricus rheicolor, B. See Collybia rheicolor, B.

Agaricus rhinarius, B. & C. See Tricholoma rhinarium, B. & C.

Agarieus rhodocylix, Lasch. See Eccilia rhodocylix, (Lasch) Fr.

Agaricus Rhododendri, Pk. See Omphalia Rhododendri, Pk.

Agaricus rhodophaeus, Mont. See Psilocybe rhodophæa, Mont.

Agaricus rhodopolius, Fr. See Entoloma rhodópolium, Fr.

Agaricus rhodoxanthus, S. See Paxillus rhodoxanthus, (S.) Pk.

Agaricus rhyssosporus, Mont. See Omphalia rhyssospora, Mont.

Agaricus rhytopilus, Mont. Massee, Jour. of Bot. 30: 196. July 1892.

Agaricus Ricensis, Fr. See *Flammula Ricensis*, Fr.

Agaricus rigens, S. Am. Bor. no. 157. Misprint for Agaricus ringens.

Agaricus rimosus, Bull. See *Inocybe rimosa*, (Bull.) Fr.

Agaricus ringens, var. tenuissimus, Fr. See Lentinus tenuissimus, (S.) Fr.

Agaricus rivulosus, P. See Clitocybe rivulosa, (P.) Fr.

Agaricus Robinsonii, B. & Mont. See Entoloma Robinsonii, B. & Mont.

Agaricus robustus, A. & S. See Armillaria robusta, (A. & S.) Fr.

Agaricus Rodmani, Pk. Pk. Rept. N. Y. Mus. 36: 45. d. 1885.

Macoun, Ottawa Nat. 2: 142. Feb. 1889.

Forster, Boston Med. & Surg. Jour. 128: 454 (1). 6 Nov. 1890.

Pk. Country Gent. 59: 518 (28) f. 12 July 1894.

Millsp. & Nutt. Publ. Field Columb. Mus. Bot. 1: 16c. Jan. 189 Pk. Rept. N. Y. Mus. **48**: 235 (137) pl. 9, f. 1-6. March 1897. [Underw.] N. Y. Myc. Club 16. 1898. Smith, C. O., Rhodora 1: 161. d. 1 Sept. 1899. Underw. Moulds 122. 1899.

Longyear, Rept. Mich. Bd. Agr. 1898; 92. 1899.

Underw. Moulds 122. 1899.

Atk. in Bailey's Cycl. Am. Hort. 1043. 1900.

Atk. Mushrooms 20 d. f. 17. 20 Oct. 1900.

McIlvaine & Macadam, Am. Fung. 336. d. 1900.

Kellerm. Ohio Myc. Bull. 1: 22. f. 28. 24 June 1903.

Psalliota Rodmani, Pk.

Taylor, Food Products 2: 21. 1893. Lloyd, Myc. Notes 29. Nov. 1899.

Agaricus roridulus, B. & C See Mycena roridula, B. & C. Jan. 1806.

West Indies.

Agaricus roridus, Fr. See *Mycena rorida*, Fr.

Agaricus rosaceus, P. See Russula rosacea (P.) Fr.

Agaricus rosaceus, S. Syn. Car. 746. See Russula rubra. Fr.

Agaricus rosellus, Fr. See *Mycena rosella*, Fr.

Agaricus roseoalbus, Fr. See *Pluteus roseoalbus*, Fr.

Agaricus roseocandidus, Pk. See Mycena roseocandida, Pk.

Agaricus roseus, Bull. See Mycena pura, (P.) Fr.

Agaricus Rotula, Scop. See Marasmius Rotula, (Scop.) Fr.

Agaricus ruber, S. Syn. Car. 738. See *Lactarius helvus*, Fr.

Agaricus ruber, Fr. See Russula rubra, Fr.

Agaricus rubescens, Fr. See Amanita rubescens, P.

Agaricus rubescentifolius, Pk. See Collybia colorea, Pk., var. rubescentifolia, Pk.

Agaricus Rubi, B. See *Crepidotus Rubi*, B.

Agaricus rubicundus, Pk. See *Tricholoma Russuia*, (Schæff.) Fr.

Agaricus rubiginosus, P. See Galera rubiginosa, (P.) Fr.

Agaricus rubromarginatus, Fr. See Mycena rubromarginata, Fr.

Agaricus rubrotinetus, Pk. See *Lepiota rubrotineta*, Pk.

Agaricus rubrotinetus, B. & C. See Clitocybe rubrotineta, B. & C.

Agaricus rufocarneus, B. See Nolanea rufocarnea, B.

Agaricus rufo-olivaceus, Fr. See Cortinarius rufo-olivaceus, Fr.

Agaricus rufo-violaceus.
? Error for Agaricus rufo-olivaceus, Fr.

Agaricus rufulus, B. & Br. See *Omphalia demissa*, Fr.

Agaricus rugosodiscus, Pk.

See *Omphalia rugosodisca*, Pk. See *Mycena rugosodisca*, (Pk.) Sacc. Syll. See *Collybia rugosodisca*, Pk.

Agaricus rugosus, Fr. See Mycena rugosa, Fr.

Agaricus rugulosus, S.

S. Syn. Car. 83 (57) no. 653. d. 1822.

Agaricus rupincola, Mont. See Psathyrella rupincola, Mont.

Agaricus Russula, Schæff. See *Tricholoma Russula*, (Schæff.) Fr.

Agaricus russuloides, Pk.

See Amanita russuloides. Pk.

Agaricus rusticus, Fr. See Omphalia rustica. Fr.

Agaricus rutilans, Schæff.

See Tricholoma rutilans, (Schæff.) Fr.

Agaricus rutilescens, Pk. Pk. Bull. Torr. Bot. Club 81: 179. d. 28 April 1904.

Agaricus sabuletorum, B. & C. See *Inocybe lanuginosa*, (Bull.) Fr.

Agaricus sacchariferus, B. & Br. See Mycena saccharifera, B. & Br.

Agaricus saccharinophilus, Pk. See **Hypholoma saccharinophilum**, Pk.

Agaricus salignus, P. See Pleurotus salignus, (P.) Fr.

Agarieus Sallei, B.
B. Ann. Nat. Hist. II. 9: 193. d. March 1852. West Indies. Sacc. Cub. & Manc. Syll. 5: 995. d. 28 May 1887.

Agaricus salmoneus, Pk.

See Entoloma salmoneum, Pk.

Agaricus sambucinus, Fr. See Inocybe sambucina, Fr.

Agaricus sandicinus, Fr.

See *Clitocybe sandicina*, Fr.

Agaricus sanguineus, Wulf. See Cortinarius sanguineus, (Wulf.) Fr.

Agaricus sanguineus, B. & C. See Omphalia sanguinea, B. & C.

Agaricus sanguinolentus, A. & S. See Mycena sanguinolenta, A. & S.

Agaricus sapidus, Kalchbr. See Pleurotus sapidus, Kalchbr.

Agaricus sapineus, Fr. See Flammula sapinea, Fr.

Agaricus saponaceus, Fr. See Tricholoma saponaceum, Fr.

Agaricus sarcophyllus, Pk See Hebeloma sarcophyllum, Pk.

Agaricus scabellus, A. & S. See *Inocybe scabella*, (A. & S.) Fr.

Agaricus scabrinellus, Pk.

See Entoloma scabrinellum, Pk. Agaricus scabriusculus, Pk.

See Omphalla umbellitera, (L.) Fr., var. scabriuscula, Pk.

Agaricus scabrosus, Fr. See Leptonia scabrosa, Fr. Agaricus scalpturatus, Fr. See *Tricholoma scalpturatum*, Fr.

Agaricus scatigena, B. & C. See *Psilocybe scatigena*, B. & C.

Agaricus scaurus, Fr.
See Cortinarius scaurus. Fr.

Agaricus Schumacheri, Pk. 24 Rept. See *Clitocybe nebularis*, (Batsch) Fr.

Agaricus scobifer, B. & C. See *Pholiota scobifera*, B. & C.

Agaricus scorodonius, Fr.
See Marasmius scorodonius, Fr.

Agaricus scorpioides, Fr. See Naucoria scorpioides, Fr.

Agaricus scyphoides, Fr. See Omphalla scyphoides, Fr.

Agaricus sejunctus, Sow. See Tricholoma sejunctum, (Sow.) Fr.

Agaricus semicaptus, B. & C. See *Pleurotus semicaptus*, B. & C.

Agaricus semiglobatus, Batsch. See Stropharia semiglobata, (Batsch) Fr.

Agaricus semihærens, B. & C. See *Collybia semihærens*, B. & C.

Agaricus semilanceatus, Fr. See Psilocybe semilanceata, Fr.

Agaricus semiorbicularis, Bull. See *Naucoria semiorbicularis*, (Bull.) Fr.

Agaricus semiovatus, Sow. See Anellaria separata, (L.) Karst.

Agaricus semitectus, B. & C. See Pleurotus semitectus, B. & C.

Agaricus semivestitus, B. & Br. See *Psathyra semivestita*, B. & Br.

Agaricus separatus, L. See Anellaria separata, (L.) Karst.

Agaricus sepiarius, Wulf. See Lenzites sepiaria, (Wulf.) Fr.

Agaricus septicus, Fr. See *Picurotus septicus*, Fr.

Agaricus sericelius, Fr. See *Entoloma sericellum*, Fr.

Agaricus sericeus, S. Syn. Car. 665. See Entoloma sericellum, Fr.

Agaricus sericeus, Bull. See Entoloma sericeum, (Bull.) Fr.

Agaricus serotinoides, Pk. See *Pleurotus petaloides*, (Bull.) Fr.

Agaricus serotinus, Schrad. See *Pleurotus serotinus*, (Schrad.) Fr.

Agarieus serotinus, Pk. in Day's Cat. See *Pleurotus petaloides*, (Bull.) Fr. Agaricus serrulatus, Fr. See Leptonia serrulata, Fr.

Agaricus (Pleurotus) sestonoides, Cke.

NOTE. Known to us only at the place cited below.

Hark. & Moore, Cat. Pac. Fung. 4. Feb. 1880.

Agaricus setipes. Fr.

NOTE. The only reference is the one given below which is probably referable to Omphalia setipes, Fr.

Curtis, M. A., Bot. N. Car. 87. 1867.

Agaricus setisedus, S. See Clitocybe setiseda, (S.) Fr.

Agaricus setosus, (Sow.) See Mycena setosa, (Sow.) Fr.

Agaricus Seymourianus. Pk. See Clitopilus Seymourianus, Pk.

Agaricus siccus. S.

See Marasmius siccus, (S.) Fr.

Agaricus sideroides, Bull.

See Naucoria sideroides, (Bull.) Fr.

Agaricus Sienna, Pk.

See Tricholoma Sienna. Pk.

Agaricus silaceus, S. Syn. Car. 726.

See Flammula spumosa, Fr.

Agaricus siligineus, Fr. See Galera siliginea, Fr.

Agaricus silvaticus, Schæff.

NOTE. See note under Agaricus placomyces, Pk.

Lea, Cat. Pl. Cin. 53. 1849. M. A. Curtis, Bot. N. Car. 90. 1867.

Cke. Handbook 138. d. 1871.

Pk. Rept. N.Y. Mus. 26: 59. April 1874.

March 1876.

Cke. & B. Fungi 80. 1875. Farl. Bull. Bussey Inst. 1: 436. Mar Pk. Rept. N. Y. Mus. 28: 85. 1876.

Johnson, Bull. Minn. Acad. 1: 235. 1877 and Rept. Minn. Surv. 5:

1877.

72. 1877.

James, Jour. Cin. Soc. 2: 64 (23). April 1879.

Hark. & Moore, Cat. Pac. Fung. 7. Feb. 1880.

Morg. Jour. Cin. Soc. 6: 112. d. July 1883.

Bundy, Geol. Wis. 1873-79, 1: 397. 1883.

Pk. in Day's Cat. Bull. Buf. Soc. 4: 179 (115). 188.

Pk. Rept. N. Y. Mus. 36: 48. d. 1885.

Sacc. Cub. & Manc. Syll. 5: 1000. d. 28 May 1887.

Macbride, Bull. Univ. lowa 1: 188. d. June 1890.

Banning in Pk. Rept. N. Y. Mus. 44: 182 (70). Dec

Pk. Country Gent. 59: 518 (32). 12 July 1894.

Underw. Proc. Ind. Acad. 1898: 61. Aug. 1894.

Kellerm. & Werner, Geol. Ohio 72: 315. Jan. 1895.

Kellerm. & Werner, Geol. Ohio 72: 315. Jan. 1895. Millsp. & Nutt. Publ. Field Columb. Mus. Bot. 1: 160. Jan. 1896.

5 June 1897.

McClatchie, Proc. S. Calif. Acad. 1: 382. 5 Ju Atk. Bull. Cornell Univ. 8: 25. 25 June 1897. Pk. Bull. N. Y. Mus. 6: 213. July 1899.

Smith, C. O., Rhodora 1: 163. I Sept. 1899. Underw. Moulds 122. 1899. Herbst, Fungal Fl. Lehigh Valley 73. d. 1899. Atk. in Bailey's Cycl. Am. Hort. 1043. 1900. McIlvaine & Macadam, Am. Fung. 334. d. 1900. Nelson, Rept. Wyo. Exp. Sta. 10: (38). 1900. Pound & Clements, Bot. Surv. Nebr. 5: 25. 30 M Sweetser, Bull. Pacific Univ. 14: 12. May 1901. Earle in Mohr, Contr. U. S. Nat. Herb. 6: 224. Williamson, Proc. Ind. Acad. 1900: 165. 1901. Psailiota silvatica. Fr. 30 March 1001. 31 July 1901. Psalliota silvatica, Fr. Henn. in Engler & Prantl, Pflanzenfam. 11**: 239. d. 1898. Lloyd, Myc. Notes 27. d. Nov. 1899. Perry, Agricultural Student 6: 179. May 1900. and Ohio Univ. Bull. IV. 30: 7. May 1900. Hyams, Bull. N. Car. Exp. Sta. 177: 45. d. Dec. 1900. Agaricus silvicola, Vitt. NOTE. See Agaricus abruptus, Pk. to which some of the following references may belong rather than to Agaricus silvicola, Vitt. Millsp. & Nutt. Publ. Field Columb. Mus. Bot. 1: 160. Jan. 1896. Webster, Am. Kitchen Mag. 6: 217. Feb. 1897 and Taylor, Hdbk. Mushrooms 2: 24. 1897.

Smith, C. O., Rhodora 1: 163. 1 Sept. 1899.

Atk. Mushrooms 22 d. f. 19, 20. 20 Oct. 1900.

Pk. Mem. N. Y. Mus. 3: 164. d. pl. 59, f. 1-7. Nov. 1900.

McIlvaine & Macadam, Am. Fung. 343. d. pl. 91, f. 2. 1900.

Atk. in Bailey's Cycl. Am. Hort. 1043. d. 1900.

Hay, Bull. N. H. Soc. N. B. 4: 343. 1901 and Bull. N. H. Soc. N. B.

5: 119. 1903.

Proven & Fernalder Bull. Wie. Not. Hick. Soc. H. 2. 46. Inp. 1902. Brown & Fernékés, Bull. Wis. Nat. Hist. Soc. II. 2. 46. Jan. 1902. Conant, Bull. Boston Myc. Club 19: 5 Feb. 1903. Psalliota silvicola, Fr. Taylor, Food Products 2: 21. 1893. Lloyd, Myc. Notes 28. d. Nov. 1899. Perry, Agricultural Student 6: 179. May 1900 and Ohio Univ. Bull. IV. 30: 7. May 1900. Hyams, Bull. N. Car. Exp. Sta. 177: 45. d. Dec. 1900. Agaricus silvicola, Pk. non Vitt. See Agaricus abruptus, Pk. Agaricus silvicola, var. abruptus, Conant. See Agaricus abruptus, Pk. Agaricus simillimus, Pk. See Collybia acervata, Fr. Agaricus sinapizans, Fr. See *Hebeloma sinapizans,* Fr. Agaricus sinopicus, Fr. See *Clitocybe sinopica*, Fr. Agaricus sinuatus, Bull. See Entoloma sinuatum, (Bull.) Fr. Agaricus siparioides, B. & C. See Naucoria siparioides, B. & C. Agaricus soleatus, Howe. See Amanitopsis volvatus, (Pk.) Sacc. Agaricus solidipes, Pk. See Panæolus solidipes, Pk.

Agaricus solidipes, Pk. Pk. Bull. Torr. Bot. Club 81: 179. d. 28 April 1904.

Agaricus solitarius, Bull.

See *Amanita solitaria,* (Bull.) Fr. See also *Amanita strobiliformis,* (Vitt.) Fr.

Agaricus sordarius, P.

Note. Agaricus sordarius, P. is referred by authors to Clitocybe obtexta, (Lasch) Fr. but we do not know whether the citation below relates to the same or not.

S. Syn. Car. 84 (58) no. 668. 1822.

Agaricus sordescens, B. & C. See Lepiota sordescens. B. & C.

Agaricus sordidulus, Pk. See Hebeloma sordidulum, Pk.

Agaricus sordidus, Schum. See Tricholoma sordidum, (Schum.) Fr.

Agaricus spadiceus, Schæff. See **Psilocybe spadicea**, (Schæff.) Fr.

Agaricus sparteus, Fr. See Galera spartea, Fr.

Agaricus spathulatus, S. Syn. Car. 807. See Panus angustatus, B.

Agaricus spathulatus, P See Pleurotus petaloides, (Bull.) Fr., var. spathulatus, (P.) Fr.

Agaricus speciosus, Fr. See Volvaria speciosa, Fr.

Agaricus spectabilis, Fr. See Pholiota spectabilis, Fr.

Agaricus speireus, Fr. See Mycena speirea, Fr.

Agaricus spermaticus, (Paul.) Fr. See Tricholoma spermaticum, (Paul.) Fr.

Agaricus sphærosporus, B. See Omphalla sphærospora, B.

Agaricus sphærosporus, Pk. Pk. Bull. Torr. Bot. Club. 31: 181, d. 28 April 1004.

Agaricus Sphagnorum, P. See Galera Sphagnorum, (P.) Fr.

Agaricus spinulifer, Pk. See Marasmius cohærens, (P.) Cke.

Agaricus spissus, Fr. See Amanita spissa, Fr.

Agaricus Spraguei, B. & C. See *Collybia Spraguei*, B. & C.

Agaricus spretus, Pk. See Amanita spreta, Pk.

Agaricus spumosus, Fr. See Fiammuia spumosa. Fr

Agaricus squalens, Fr. See Psilocybe squalens, Fr. Agaricus squalidellus, Pk. See *Psilocybe squalidelia*, Pk.

Agaricus squamosus, P. See Stropharia squamosa, (P.) Fr.

Agaricus squarrosoides, Pk.
See *Pholiota squarrosoides*, Pk.

Agaricus squarrosus, Muell.

See Pholiota squarrosa, (Muell.) Fr.

Agaricus stellatosporus, Pk. See *Inocybe stellatospora*, (Pk.) Earle.

Agaricus stellatus, Fr. See Omphalia stellata. Fr.

Agaricus stereorarius, Schum. See Stropharia stereoraria, (Schum.) Fr.

Agaricus stereocephalus, B. & C. See Collybia stereocephala, B. & C.

Agaricus sterilomarginatus, Pk. See *Pluteus sterilomarginatus*, Pk.

Agaricus Sterlingii, Pk. Pk. Bull. Torr. Bot. Club 29: 73. d. 25 Feb. 1902.

Agaricus sterquilinus, Fr. See Coprinus sterquilinus, Fr.

Agaricus stipatus, Auct.

NOTE. It is impossible to say to what species the following references belong but they probably belong to some species of *Hypholoma* and perhaps to *Hypholoma appendiculatum*, (Bull.) Fr.

S. Syn. Car. 86 (60) no. 727. 1822. S. Syn. Am. Bor. 151 no. 247. 1834. Lea, Cat. Pl. Cin. 53. 1849. James, Jour. Cin. Soc. 2: 64 (23). April 1879.

Agaricus stipitarius, Fr. See Collybia stipitaria, Fr.

Agaricus stipticus, Bull. See Panus stipticus, (Bull.) Fr.

Agaricus stipularis, Fr. See Mycena stipularis, Fr.

Agaricus strangulatus, Fr. See Amanitopsis strangulata, (Fr.) Roze.

Agaricus striatellus, Batsch. See *Psathyrella disseminata*, (P.) Fr.

Agaricus striatifolius, Pk. See *Tricholoma striatifolium*, Pk.

Agaricus striatulus, P. See *Pleurotus striatulus*, (P.) Fr.

Agaricus striatus, Swartz. See Lenzites striata, (Swartz) Fr.

Agaricus strictior, Pk. See Entoloma strictius, Pk. Agaricus strigosus, S. See Lentinus Lecomtei, Fr. See Lentinus strigosus, (S.) Fr.

Agaricus strobiliformis, Vitt. See Amanita strobiliformis, (Vitt.) Fr.

Agaricus strobilinus, P. See Mycena strobilina, P.

Agaricus strombodes, B. & Mont. See *Omphalia strombodes*, B. & Mont.

Agaricus stupparius, B. & C. See Collybia stupparia, B. & C.

Agaricus stylobates, P. See Mycena stylobates, P. Agaricus subareolatus, Pk. See Pleurotus subareolatus, Pk.

Agaricus subatratus, Fr. See *Psathyrella subatrata*, Fr.

Agaricus subbarbatus, B. & C. See Pleurotus subbarbatus, B. & C.

Agaricus subcæruleus, Pk. See Mycena subcærulea, Pk.

Agaricus subclypeolarius, B. & C. See Lepiota subclypeolaria, B. & C.

Agaricus subdecurrens, Ell. & Ev. See *Inocybe subdecurrens*, Ell. & Ev.

Agaricus subdulcis, Bull. See Lactarius subdulcis, (Bull.) Fr.

Agaricus subexilis, Pk. See *Inocybe subexilis*, Pk.

Agaricus subglobosus, A. & S. See *Naucoria subglobosa*, (A. & S.) Fr.

Agaricus subhirtus, Pk. See *Clitocybe subhirta*, Pk.

Agaricus subinearnatus, Pk. See *Mycena subincarnata*, Pk.

Agaricus subinvolutus, Batsch. See *Clitocybe subinvoluta*, (Batsch) Fr.

Agaricus sublateritius, Fr. See *Hypholoma sublateritium*, Fr.

Agaricus subochraceus, Pk. See *Inocybe subochracea*, Pk.

Agaricus subpalmatus, Fr. See *Pleurotus subpalmatus,* Fr.

Agaricus subpellucidus, B. & C. See *Omphalia subpellucida*, B. & C.

Agaricus subremotus, B. & C. See Lepiota subremota, B. & C.

Agaricus subrufescens, Pk. See Agaricus fabaceus, B.

Agaricus subrufescens, Ell. & Ev. See *Tricholoma subrufescens*, Ell. & Ev. Agaricus subtortus, P.
See Cortinarius subtortus, (P.) Fr.

Agaricus subversus, Schum. See Pleurotus perpusillus, Fr.

Agaricus subviridis, B. & C. See *Psilocybe subviridis*, B. & C.

Agaricus subzonalis, Pk. See *Clitocybe subzonalis*, Pk.

Agaricus succosus, Pk. See Mycena succosa, (Pk.) Sacc. Syll.

Agaricus sudus, Fr. See Tricholoma sudus, Fr.

Agaricus sulcatipes, Pk. See Galera sulcatipes, Pk.

Agaricus sulcatus, L. See Mycena galericulata, (Scop.) Fr.

Agaricus Sullivantii, Mont. See *Psilocybe Sullivantii*, Mont.

Agaricus sulphureoides, Pk. See *Pleurotus sulphureoides*, Pk.

Agaricus sulphureus, Bull. See *Tricholoma sulphureum*, (Bull.) Fr.

Agaricus tabularis, Pk.
Pk. Bull. Torr. Bot. Club 25: 325. d. 8 June 1898.
McIlvaine & Macadam, Am. Fung. 347. d. 1900.
Sacc. & Syd. Syll. 16: 114. d. 1 Feb. 1902.

Psalliota tabularis, Lloyd.
Lloyd, Myc. Notes 30. Nov. 1899.

Agaricus Tagetes, B. & Mont. See *Omphalia Tagetes*, B. & Mont. See *Collybia Tagetes*, (B. & Mont.) Sacc.

Agaricus tardus, S. Syn. Car. 782. See *Clitocybe cyathiformis*, (Bull.) Fr.

Agaricus Taylori, B. See Volvaria Taylori, B.

Agaricus temnophyllus, Pk. See *Pholiota temnophylla*, Pk.

Agaricus tenacellus, P. See Collybla tenacella, (P.) Fr.

Agaricus tener, Schæff. See Galera tenera, (Schæff.) Fr.

Agaricus teneroides, Pk. See Galera teneroides, Pk.

Agaricus tenerrimus, B. See Mycena tenerrima, B.

Agaricus tenuipes, S. See Collybia tenuipes, (S.) Sacc. Syll.

Agaricus tenuis, Bolt. See *Mycena tenuis*, (Bolt.) Fr.

Agaricus tenuissimus, S. See Lentinus tenuissimus, (S.) Fr. Agaricus tephroleucus, P. See *Hygrophorus tephroleucus*, (P.) Fr.

Agaricus tephromelas, P. See *Pleurotus tremulus*, (Schæff.) Fr.

Agaricus tephrostictus, B. & C. See Pluteus tephrostictus, B. & C.

Agaricus terræolens, Pk. See Tricholoma terræolens, Pk.

Agaricus terreus, Schæff. See Tricholoma terreum; (Schæff.) Fr.

Agaricus tessellatus, P. See *Pleurotus tessellatus*, (P.) Fr.

Agaricus testaceus, A. & S. See Lactarius volemus, Fr.

Agaricus Texensis, B. & C. See Collybia Texensis, B. & C.

Agaricus theiogalus, Bull. See *Lactarius theiogalus*, (Bull.) Fr.

Agaricus thujinus, Pk. See *Tricholomia thujinum*, Pk.

Agaricus tigrinus, Bull. See *Lentinus tigrinus*, (Bull.) Fr.

Agaricus tiliophilus, Pk.
See Crepidotus tiliophilus, Pk.

Agaricus Tintinabulum, Fr. See Mycena Tintinabulum, Fr.

Agaricus titubans, Bull. See Bolbitius titubans, (Bull.) Fr.

Agaricus tomentellus, Auct. Amer. See *Lentinus plumatus*, (Walt.) Fr.

Agaricus tomentosulus, Pk. See *Pleurotus tomentosulus*, Pk.

Agaricus tomentosus, Ell. & Ev. See *Inocyhe subdecurrens*, Ell. & Ev.

Agaricus torminosus, Schæff. See *Lactarius torminosus*, (Schæff.) Fr.

Agaricus tortipes, Mont. See Galera tortipes, Mont.

Agaricus torulosus, P. See Lentinus carneotomentosus, (Batsch) Schrt.

Agaricus torulosus, P. sec. S. Syn. Car. 797. See *Panus conchatus*, (Bull.) Fr.

Agaricus trabeus, P. See *Lenzites trabeus*, (P.) Fr.

Agaricus transmutans, Pk. See Tricholoma transmutans, Pk.

Agaricus trechisporus, B. See *Inocybe trechispora*, B.

Agaricus tremulus, Schæff. See *Pleurotus tremulus*, (Schæff.) Fr.

Agaricus Trentonensis, Pk. See *Tricholoma Trentonense*, Pk.

Agaricus trepidus, Fr. See *Psathyrella trepida*, Fr.

Agaricus tricholepis, Fr. See *Pilosace tricholepis*, Fr.

Agarieus trichopus, A. & S. See *Tricholoma flavobrunneum*, Fr.

Agarious tridens, Moore.

NOTE. This is possibly sterile Lentinus lepiaeus, (Schæff.) Fr.

Hark. & Moore, Cat. Pac. Fungi 46. d. Feb. 1880 and Bull. Torr. Bot. Club. 7 1 58. May 1880.

Agaricus triscopus, Fr. See Naucoria triscopus, Fr.

Agaricus trullæformis, Fr. See Clitocybe trullæformis, Fr.

Agaricus trullisatus, Ell. See Clitocybe trullisata, Ell.

Agaricus truncicola, Pk. See Clitocybe truncicola, Pk.

Agaricus tubæformis, S. See *Lentinus friabilis*, Fr.

Agaricus tuberculosus, Fr. See *Pholiota tuberculosa*, Fr.

Agaricus tuberosus, Bull. See Collybia tuberosa, (Bull.) Fr.

Agaricus tumulosus, Kalchb. See Clitocybe tumulosa, (Kalchb.) Fr.

Agaricus turbidus, Fr. See Entoloma turbidum. Fr.

Agaricus turbinatus, Bull. See Cortinarius turbinatus, (Bull.) Fr.

Agaricus udus, P. See *Psilocybe uda*, (P.) Fr.

Agaricus ulmarius, Bull. See *Pleurotus ulmarius*, (Bull.) Fr.

Agaricus umbelliferus, L. See Omphalia umbellifera, (L.) Fr.

Agarieus umbilicatus, Schæff. See Omphalia umbilicata, (Schæff.) Fr.

Agaricus umbonatescens, Pk. See Stropharia umbonatescens, Pk.

Agaricus umboninotus, Pk. See *Inocybe umboninota*, Pk.

Agaricus umbrinus, P. See *Lactarius umbrinus*, (P.) Fr.

Agaricus umbrosus, P. See *Pluteus umbrosus*, (P.) Fr.

Agaricus undatus, Fr. See Clitopilus undatus, Fr.

Agaricus undulatellus, Pk. See *Leptonia undulatella*, Pk. Agaricus unicolor, Vahl. See *Pholiota unicolor*, (Vahl.) Fr.

Agaricus unitinetus, Pk. See Clitopilus unitinetus, Pk.

Agaricus ustalis, Fr. See *Tricholoma ustale*, Fr.

Agaricus vaccinus, P. See *Tricholoma vaccinum*, (P.) Fr.

Agaricus vaginatus, Bull.
See Amanitopsis vaginata, (Bull.) Roze.

Agaricus variabilis, P. See *Claudopus variabilis*, (P.) Cke.

Agaricus variegatus, Scop. See *Tricholoma variegatum*, (Scop.) Fr.

Agaricus variicolor, B. & C. See *Leptonia variicolor*, B. & C.

Agaricus vellereus, Fr. See *Lactarius vellereus*, Fr.

Agaricus velutinus, P. See *Hypholoma velutinum*, (P.) Fr.

Agaricus velutipes, Curt. See **Collybia velutipes**, (Curt.) Fr.

Agaricus venifer, B. & C. See *Hebeloma venifer*, B. & C.

Agaricus ventricosus, Bull. See Collybia ventricosa, (Bull.) Fr.

Agaricus vermifluus, Pk. See *Phollota vermiflua*, Pk.

Agaricus vernalis, Pk. See *Naucoria vernalis*, Pk.

Agaricus vernus, Auct. Amer. See Amanita phalloides, Fr.

Agaricus versicolor, Bull. See Lenzites variegata, Fr.

Agaricus versipellis, Fr. See Hebeloma versipellis, Fr.

Agaricus versutus, Pk. See *Crepidotus versutus*, Pk.

Agaricus vervacti, Fr. See Naucoria vervacti, Fr.

Agaricus vexans, Pk. See Mycena vexans, Pk.

Agarieus vialis, S. Syn. Car. 609.

NOTE. It is impossible to state to what species the following citation relates.

S. Syn. Car. 82 (56) no. 609. 1822.

Agaricus vilescens, Pk.

See Clitocybe vilescens, Pk.

Agaricus villaticus, Brond. See Agaricus campestris, L., var. villaticus, Brond. Agaricus villosus, Fr. See Pholiota villosa, Fr.

Agaricus violaceocinereus, P. See Cortinarius violaceocinereus, (P.) Fr.

Agaricus violaceofulvus, S. Am. Bor. 230. See *Pleurotus pinsitus*, Fr.

Agaricus violaceus, L. See *Cortinarius violaceus*, (L.) Fr.

Agaricus virescens, Schæff. See Russula virescens, (Schæff.) Fr.

Agaricus virescens, S. Syn. Car. 761. See Russuia furcata, P.

Agarieus virescens, Fr. See Amanita virescens, P.

Agaricus virescens, Pk. See Tricholoma virescens, Pk.

Agaricus virgineus, Wulf. See *Hygrophorus virgineus*, (Wulf.) Fr.

Agaricus viridis, With. See Clitocybe viridis, (Wulf.) Fr.

Agaricus viriditinetus, Pk. See *Tricholoma virescens*, Pk.

Agaricus virosus, Fr. See Amanita virosa, Fr.

Agaricus viscidus, L. See Gomphidius viscidus, (L.) Fr.

Agaricus viteilinus, P. See Bolbitius vitellinus, (P.) Fr.

Agaricus vitilis, Fr. See Mycena vitilis, Fr.

Agaricus vitreus, Fr. See Mycena vitreus, Fr.

Agaricus Vittadini, Farl. non Morett. See Leplota subremota, B. & C.

Agaricus volemus, Fr. See Lactarius volemus, Fr.

Agaricus volvaceus, Bull. See Volvaria volvacea, (Bull.) Fr.

Agaricus volvatus, Pk. See Amanitopsis voivata, (Pk.) Sacc.

Agaricus vulgaris, P. See Mycena vulgaris, (P.) Fr.

Agaricus Watsoni, Pk. See *Eccilia Watsoni*, Pk.

Agaricus Woodianus, Pk. See Clitopilus Woodianus, Pk.

Agaricus xanthophyllus, B. & C. See Omphalla xanthophylla, B. & C.

Agaricus xanthopilus, Mont. See Collybia xanthopila, Mont.

Agaricus xanthopus, Fr. See Collybia xanthopus, Fr.

'Agarieus xylogenus, Mont.
Mont. Syll. Crypt. 122. d. 1856.
Sacc. Cub. & Manc. Syll. 5: 1010. d. 28 May 1887.
McIlvaine & Macadam, Am. Fung. 339. d. 1900.

Psalliota xylogena, Mont.
Lloyd, Myc. Notes 30. Nov. 1800.

Agaricus Yucatanensis, Ell. & Ev.
Ell. & Ev. in Ell. Publ. Field Columb. Mus. Bot. 1: 285. d. pl. 8. Dec.
1896. [Publ. no. 15.]
Cent. Amer.
Sacc. & Syd. Syll. 14: 150. d. 20 Aug. 1899.

Agaricus Zippelii, Lev. See *Pleurotus Zippelii*, (Lev.) Sacc. Syll.

Agaricus zonatus, Pk. See Collybia zonata, Pk.

Aglaospora Betulæ, (Schum.) O. Kuntze.

NOTE. The Spharia melasperma of Fries S.M. 2: 389. a. 1823 and Scl. Suec. 157 is a synonym of this species but the Spharia melasperma of Schweinitz Am. Bor. which we have examined is not the same as Fr. Scl. Suec. 157.

Kuntze, O., Rev. Gen. Pl. 82: 441. 1898. Sphæria lanciformis, Fr.

S. Syn. Am. Bor. 196 no. 1263. 1834. Melanconis lanciformis, Tul.
Cke. Proc. Phil. Acad. 1877: 127. d. 22 May 1877. Pseudovalsa lanciformis, Ces. & De Not.
Berl. Icon. 1: 47. d. pl. 35, f. 2. 1 Jan. 1891.*
Rostr. Meddelelser om Groenl. 8: 619. 1891.
Ell. & Ev. Pyren. 540. d. May 1892.
Harvey, Bull. Torr. Bot. Club 28: 56. 29 Feb. 1896.
Ricker, Univ. of Maine Studies 3: 36. 30 April 1902. Melanconis elliptica, Pk.
Pk. Rept. N.Y. Mus. 25: 102. Sept. 1873.
Frost in Cat. Pl. Amherst 94. 1875.
Cke. Proc. Phil. Acad. 1877: 127. d. 22 May 1877.
Cobb, List Pl. Amherst 45. 1887.
Diatrype elliptica, Pk.
Pk. Rept. N.Y. Mus. 28: 87. 1876.
Pseudovalsa lanciformis, (Fr.) De Not., var. elliptica, (Pk.) Sacc. Sacc. Syll. 2: 135. d. 13 June 1883.

Aglaospora bicornis, (Cke.) O. Kuntze. Kuntze, O., Rev. Gen. Pl. 82: 441. 1898. Melanconis bicornis, Cke. Cke. & B. Fungi 134. f. 72. 197. 1875. Pk. Rept. N.Y. Mus. 28: 72. d. 1876. Cke. Proc. Phil. Acad. 1877: 127. d. 22 May 1877. Pk. in Day's Cat., Bull. Buf. Soc. 4: 229 (165). 1883. Pseudovalsa bicornis, Sacc. Sacc. Syll. 2: 139. d. 13 June 1883. Berl. Icon. 1: 49. d. pl. 36, f. 4. 1 Jan. 1891. Ell. & Ev. Pyren. 539. d. May 1892.

Aglaospora Canadensis, (Ell. & Ev.) n. n. Pseudovalsa Canadensis, Ell. & Ev. Ell. & Ev. Jour. Myc. 9: 224. d. 31 Dec. 1903.

```
Aglaospora caudata, (Ell. & Ev.) n. n.
Massariovaisa caudata, Ell. & Ev.
Ell. & Ev. Pyren. 408. d. May 1892.
Ell. & Ev. Proc. Phil. Acad. 1898: 138. d. 28 Feb. 1893.
*Ell. & Ev. N. A. F. 2928. Oct. 1893.
Lindau in Engler & Prantl, Pflanzenfam. 11: 445. Feb. 1897.
      Pseudovalsa caudata, Sacc.
   Sacc. Syll. 11: 330. d. July 1895.
Aglaospora convergens, (Tode) O. Kuntze.
Kuntze, O., Rev. Gen. Pl. 32: 441. 1898.
Sphæria convergens, Tode.
   Muhl. Cat. Pl. Am. Sept. 1 ed. 103. 1813. 2 ed. 106.
   S. Syn. Car. 38 (12) no. 112. 1822.
S. Syn. Am. Bor. 203 no. 1390. 1834.
Lea, Cat. Pl. Cin. 75. 1849.
Pseudovalsa convergens, Sacc.
   Sacc. Syll. 2: 136. d. 13 June 1883.
   Ell. & Ev. Pyren. 542. d. May 1892.
Kellerm. & Werner, Geol. Ohio 72: 358. Jan. 1895.
Aglaospora Fairmani, (Ell. & Ev.) O. Kuntze.
Kuntze, O., Rev. Gen. Pl. 82: 441. 1898.
      Pseudovalsa Fairmani, Ell. & Ev.
   Fairman, Proc. Rochester Acad. 1: 49. d. pl. 3, f. 1-3, 10, 11. Aug. 1890.
   Berl. Icon. 1: 49. 1 Jan. 1891.
Sacc. Syll. 9: 820. d. 15 Sept. 1891.
Ell. & Ev. Pyren. 540. d. May 1892.
Aglaospora hapalocystis, (B. & Br.) O. Kuntze.
   Kuntze, O., Rev. Gen. Pl. 32: 441. 1898.
       Valsa hapalocystis, B. & Br.
   Pk. Rept. N.Y. Mus. 25: 104. Sept. 1873.
   Frost in Cat. Pl. Amherst 95. 1875.
Cke. Proc. Phil. Acad. 1877: 123. d. 22 May 1877.
Cobb, List Pl. Amherst 46. 1887.
      Pseudovalsa hapalocystis, Sacc.
 Sacc. Syll. 2: 138. d. 13 June 1883. *Ell. & Ev. N. A. F. 2119. 1889.
   Berl. Icon. 1: 48. d. pl. 36, f. 1. 1 Jan. 1891.
Ell. & Ev. Pyren. 538. d. May 1892.
Lindau in Engler & Prantl, Pflanzenfam. 1<sup>1</sup>: 472. Feb. 1897.
 *Rehm, Ascomyceten 1479.
                                             1903.
 *Barthol. Ell. & Ev. Fung. Columb. 1843. 28 Dec. 1903.
Aglaospora irregularis, (DC.) O. Kuntze. Kuntze, O., Rev. Gen. Pl. 82: 441. 1898.
      Sphæria profusa, Fr.
   S. Syn. Am. Bor. 201 no. 1346. 1834.
      Sphæria anomia, Fr.
   S. Syn. Am. Bor. 199 no. 1316. Sphæria amorphostoma, S.
   S. Syn. Am. Bor. 201 no. 1334. d. 18
Sacc. Syll. 2: 383. d. 13 June 1883.

Sphæria ocellata, S.
   S. Syn. Am. Bor. 217 no. 1638. 1834.
   B. Grev. 4: 155 (193). June 1876.
       Valsa profusa, Fr.
   Pk. Rept. N. Y. Mus. 25: 103. Sept. 1873.
   Cke. Proc. Phil. Acad. 1877: 123. 22 May 1877.
```

C. & E. Grev. 6: 12. Sept. 1877. *Ell. N. A. F. 172. 1878. Valsa amorphostoma, Cke. Cke. Proc. Phil. Acad. 1877: 124. 22 May 1877. Stevenson, Proc. Phil. Acad. 1878: 87. 9 April 1878. *Aglaospora profusa*, De Not. Rehm, Asc. Lojk. 41. d. 1882. Sacc. Syll. 2: 133. d. 13 June 1883. Cke. Grev. 18: 39. Dec. 1884. Tubeuf-Smith, Diseases of Plants 229. 1897. Schrenk, Rept. Mo. Bot. Gard. 12: 21. 10 Feb. 1901. Ricker, Univ. of Maine Studies 3: 32. 30 April 1902. Valsa anomia, Strauss.

B. Grev. 4: 99 (169). d. March 1876.
Cke. Proc. Phil. Acad. 1877: 116. 17 April 1877. Sacc. Syll. 1: 126, d. 13 June 1882. Cke. Grev. 14: 51. Dec. 1885. Ell. & Ev. Pyren. 474. d. May 1892.

Sphæria Sartwellii, B. & C. nom. nud. Sprague, Proc. Boston Soc. 6: 320. 1859.

Massaria macrospora, B. & C. nom. nud. Pk. Rept. N.Y. Mus. 25: 103. Sept. 1873. Massaria seiridia, B. & C. Curtis, M. A., Bot. N. Car. 150. 1867. B. Grev. 4: 155 (193) no. 976. d. June 1876. Valsa Sartwellii, B. & C. nom. nud. Cke. Proc. Phil. Acad. 1877: 123. 22 May 1877. Psęudovalsa profusa, Cke. Cke. Grev. 14: 55. Dec. 1885. Ell. in Cat. Pl. N. J. 534. 1889. Berl. Icon. 1: 47. d. pl. 34, f. 6. I Jan. 1891. Ell. & Ev. Pyren. 538. d. May 1892. Starb. Bihang till K. Sv. Vet.-Akad. Handl. 198: no. 2: 36. 1894. *Ell. & Ev. Fung. Columb. 523. 1894. Harvey, Bull. Torr. Bot. Club 28: 55. 29 Feb. 1896. *Barthol., Ell. & Ev. Fung. Columb. 1566. Dec. 1901.

*Pseudovalsa irregularis, Schrt.

Lindau in Engler & Prantl, Pflanzenfam. 11: 472. d. f. 280 K. Feb. Aglaospora minima, (Ell. & Ev.) n. n. Pseudovalsa minima, Ell. & Ev. Ell. & Ev. Jour. Myc. 9: 224. d. 31 Dec. 1903. Aglaospora occulta, (Ell.) n. n. Pseudovaisa occulta, Ell. Ell. Proc. Phil. Acad. 1895: 27 (8). d. April 1895. Sacc. Hedw. **85**: Rep. 7: xxx. d. 25 Feb. 1896. Sacc. & Syd. Syll. **14**: 578. d. 20 Aug. 1899. Aglaospora profusa, De Not. See Aglaospora irregularis, (DC.) O. Kuntze. Aglaospora ribesia, (Sacc. & Scalia) n. n. Pseudovalsa ribesia, Sacc. & Scalia. Sacc. Pk. & Trel., Harriman Alaska Exp. 5: 29. d. pl. 5, f. 14. 5 April Aglaospora sambucina, (Pk.) O. Kuntze. Kuntze, O., Rev. Gen. Pl. 82: 441. 1898. Valsa sambucina, Pk. Pk. Rept. N. Y. Mus. 28: 75. d. 1876.

```
Pseudovalsa sambucina, Sacc.
   Sacc. Syll. 2: 137. d. 13 June 1883.
Cke. Grev. 14: 56. Dec. 1885.
   Berl. Icon. 1: 49. 1 Jan. 1891.
   Ell. & Ev. Pyren. 539. d. May 1892.
Aglaospora sigmoidea, (C. & E.) O. Kuntze.
Kuntze, O., Rev. Gen. Pl. 82: 441. 1898.
      Meianconis sigmoidea, C. & E.
 C. & E. Grev. 6: 92. d. pl. 100, f. 26. March 1878.
*Ell. N. A. F. 1566. 1886.
*Pseudovalsa sigmoidea, Sacc.
   Sacc. Syll. 2: 136. d. 13 June 1883.
Cke. Grev. 14: 56. Dec. 1885.
Ell. in Cat. Pl. N. J. 534. 1889.
 Berl. Icon. 1: 47. d. pl. 35, f. 1. 1 Jan. 1891.
Ell. & Ev. Pyren. 541. d. May 1892.
*Ell. & Ev. N. A. F. 2758. May 1892.
Millsp. & Nutt. Publ. Field Columb. Mus. Bot. 1: 116, 142. d. Jan.
         1806.
 *Ell. & Ev. Fung. Columb. 949. April 1896.
*Shear, Ell. & Ev. Fung. Columb. 1423. May 1901.
Aglaospora Smithii, (Ell. & Ev.) n. n. 

Pseudovalsa Smithii, Ell. & Ev.
                                                                                         [Cent. Amer.
 Ell. & Ev. in Smith, C. L., Bull. Univ. Iowa 2: 404. d. Nov. 1893. Sacc. Syll. 11: 331. d. July 1895. *Smith, C. L., Cent. Amer. Fungi 16. 1896.
Aglaospora stylospora, (Ell. & Ev.) O. Kuntze. Kuntze, O., Rev. Gen. Pl. 82: 441. 1898.

Pseudovalsa stylospora, Ell. & Ev.
   Ell. & Ev. Proc. Phil. Acad. 1890: 223. d. 1890.
   Berl. lcon. 1: 48. d. pl. 35, f. 5. 1 Jan. 1891.
Sacc. Syll. 9: 821. d. 15 Sept. 1891.
   Ell. & Ev. Pyren. 539. d. pl. 35, f. 9-11. May 1892.
Aglaospora subrufa, (Ell. & Ev.) n. n.
      Pseudovalsa subruta, Ell. & Ev.
   Ell. & Ev. Erythea 1: 146. d. 1 July 1893. Sacc. Syll. 11: 330. d. July 1895.
Aglaospora taleola, Tul.
See Diaporthe taleola, (Fr.) Sacc.
Aglaospora Titan, O. Kuntze.
      See Titania Berkeleyi, Berl.
Aglaospora tubulosa, (B. & C.) O. Kuntze.
         NOTE. The name of this fungus was originally Valsa tubulosa, B. & C. as
      in Curtis, M. A., Bot. N. Car. 142. 1867 and in the Curtis herbarium. In
      Grevillea, 1876 it is Valsa tribulosa, B. & C. but the original spelling has
      been followed by subsequent authors.
   Kuntze, O., Rev. Gen. Pl. 82: 441. 1898. 
Valsa tubulosa, B. & C.
   Curtis, M. A., Bot. N. Car. 142. 1867.
Cke. Proc. Phil. Acad. 1877: 123. d. 22 May 1877.
   Valsa tribulosa, B. & C.
B. Grev. 4: 102 (172). no. 877. d. March 1876.

Pseudovalsa tubulosa, Sacc.
   Sacc. Syll. 2: 137. d. 13 June 1883. Cke. Grev. 14: 48, 56. Dec. 1885.
   Berl. & Vogl. in Sacc. Syll. Add. 1-4: 151. 31 Dec. 1886:
```

Berl. Icon. 1: 47. d. pl. 34, f. 5. 1 Jan. 1891. Ell. & Ev. Pyren. 542. d. May 1892. Calospora tribulosa, Sacc. Sacc. Svll. 2: 232. d. 13 June 1883. Aglaospora ulmicola, (Ell. & Ev.) n. n. Pseudovaisa ulmicola, Ell. & Ev. Ell. & Ev. Proc. Phil. Acad. 1893: 450. d. 1893. Sacc. Syll. 11: 330. d. July 1895. Aglaospora viticola, (Ell. & Ev.) n. n. Pseudovalsa viticola, Ell. & Ev. Ell. & Ev. Proc. Phil. Acad. 1894: 343. d. 30 Nov. 1894. Sacc. Syll. 11: 330. d. July 1895.
Smyth, Tr. Kans. Acad. 15: 67. March 1898.
Ell. & Ev. Bull. Torr. Bot. Club 27: 63. d. 17 Feb. 1900.
Sacc. & Syd. Syll. 16: 527. 1 Feb. 1902.
Lophlostoma pustulatum, Ell. & Ev. Ell. & Ev. Bull. Torr. Bot. Club 25: 503. d. 10 Sept. 1898. Smyth, Tr. Kans. Acad. 16: 165. June 1800. Aglaospora Xanthoxyli, O. Kuntze See Fenestella Xanthoxyll, (Pk.) Sacc. **Agyriella,** Ell. & Ev. See Agyriopsis, Sacc. & Syd. Agyriella Betheli, Ell. & Ev. See Agyrlopsis Bethell, (Ell. & Ev.) Sacc. & Syd. Agyriopsis, Sacc. & Syd. Sacc. & Syd. Syll. 14: 805. d. 20 Aug. 1899. Lindau in Engler & Prantl, Pflanzenfam. 1^{1**}: 533. d. Feb. 1900. Agyriella, Ell. & Ev. Ell. & Ev. Bull. Torr. Bot. Club. 24: 470. d. 30 Oct. 1897. Lindau & Syd. Hedw. 87: Beibl. 7: li. d. 9 April 1898. Agyriopsis Betheli, (Ell. & Ev.) Sacc. & Syd. Sacc. & Syd. Syll. 14: 805. d. 20 Aug. 1809. Lindau in Engler & Prantl, Pflanzenfam. 11**: 533. Feb. 1900. **Agyriella Bethell,** Ell. & Ev. Ell. & Ev. Bull. Torr. Bot. Club 24: 470. d. 30 Oct. 1897. Lindau & Syd. Hedw. 87: Beibl. 7: li. 9 April 1898. Agyrium, Fr. NOTE. The genus Agyrium was by some of the earlier writers regarded as belonging to Lichens while others regarded it as belonging to Fungi. For notes as to its relation to Lichens see Tuck. Gen. Lich. 225. 1872. Agyrium atrovirens, Fr. Note. The reference in Schweinitz below is to the Agyrium atrovirens of Fr. S.M. 2: 232. 1822 which was later considered by Fr. El. 2: 25. 1830 to be an abortive form of Stictis Pupula, Fr. Other references to Agyrium atrovirens are to be found under Cryptodiscus atrovirens, (Fr.) Cda. and Propolidium atrovirens, (Fr.) Rehm. S. Syn. Am. Bor. 187 no. 1141. Agyrium brunneolum, B. & C. B. Grev. 4: 6 (144) no. 774. d. Sept. 1875. Sacc. Syll. 8: 635. d. 20 Dec. 1880. Underw. & Earle, Bull. Ala. Exp. Sta. 80: 200. d. 28 June 1897. Earle in Mohr, Contr. U. S. Nat. Herb. 6: 159. 31 July 1901. Agyrium eæsium, Fr. S. Syn. Am. Bor. 187 no. 1139. 1834.

Agyrium carneolum, Tuck. Tuck. Syn. N. Am. Lichens 2: 111. d. 1888. **Agyrium herbarum,** Fr. Agyrium nerdarum, fr.
S. Syn. Am. Bor. 187 no. 1144. 1834.
C. & E. Grev. 6: 9. Sept. 1877.
*Ell. N. A. F. 451. 1880.
Sacc. Syll. 8: 635. d. 20 Dec. 1889.
Ell. in Cat. Pl. N. J. 556. 1889. ?Tremella Stictis, A. & S. non P. S. Syn. Car. 116 (90) no. 1146. 1822. Agyrium lacteum, Fr. NOTE. The only information we have of this species is a description contained in a short account in Fries, Summa 480. 1846 where it occurs in a foot note under *Diaphanium*. This is repeated in Sacc. Syll. 4: 672. 10 April 1886. The specimen labeled *Agyrium lacteum* from Herb. Schweinitz which we have examined is on the stem of some unknown herbaceous plant and is Cylindrocolla Urtica, (P.) Bon. S. Syn. Am. Bor. 187 no. 1143. d. Agyrium nigricans, Fr. See *Epidochium nigricans*, Fr. **Agyrium rufum,** (P.) Fr. NOTE. Under Tuckerman and Willey are given the principal references to this species in North American lichenological literature. Grev. Scot. Crypt. Fl. 4: pl. 232. 1826. S. Syn. Am. Bor. 187 no. 1140. 1834. M. A. Curtis, Bot. N. Car. 135. 1867. Cke. Handbook 733. d. f. 340. 18 B. Grev. 4: 6 (144). Sept. 1875. C. & E. Grev. 4: 180. June 1876. Cke. Grev. 7: 48. Dec. 1878. 1871. *Rav. Fung. Am. 314. 18 *Ell. N. A. F. 450. 1881. Rehm, Asc. Lojk. 24. d. 1882. Willey, Intr. to study of Lichens 54. 1887.
Tuck. Syn. N. Am. Lichens 2: 111. d. 1888.
Sacc. Syll. 8: 634. d. 20 Dec. 1889.
Ell. in Cat. Pl. N. J. 556. 1889.
Willey, Enum. Lichens New Bedford 28. 1892. Lindau in Engler & Prantl, Pflanzenfam. 1: 219. f. 170 A, B. Underw. & Earle, Bull. Ala. Exp. Sta. 80: 200. 28 June 1897. Earle in Mohr, Contr. U. S. Nat. Herb. 6: 159. 31 July 1901. Ricker, Univ. of Maine Studies 3: 47. 30 April 1902. Agyrium sexdecimsporum, Fckl.

NOTE. This species is referred by Rehm in Rabh. Krypt.—Fl. 1³: 307. 1890 to Biatorella geophana, (Nyl.) Rehm, q.v. It was formerly considered to be a lichen and it appears in the lichenological literature of North America as Biatora and Biatorella. See Tuck. Syn. N. Am. Lichens 2: 50. d. 1888. Willey, Intr. to study of Lichens 48. 1887 and Enum. Lichens New Bedford 25. 1892.

C. & E. Grev. 8: 13. Sept. 1879. Sacc. Syll. 8: 636 d. 20 Dec. 1889. Ell. in Cat. Pl. N. J. 556. 1889.

Agyrium Tuckermanii, B. & Rav. B. Grev. **4:** 6 (144) no. 773. d. Sept. 1875. Sacc. Syll. **8:** 635. d. **20** Dec. 1889. Ailographum. See *Aulographum*. **Albugo**, (P.) S. F. Gray. Swingle, Jour. Myc. 7: 109. d. April 1892. Magn. Hedw. **32**: 66. April 1893. Albugo Amaranti, O. Kuntze. See Albugo Bliti, (Biv.) O. Kuntze. **Albugo Bliti,** (Biv.) O. Kuntze. Kuntze, O., Rev. Gen. Pl. 2: 658 1891. Kuntze, O., Rev. Gen. Pl. 2: 658 1891.
Schrt. in Engler & Prantl, Pflanzenfam. 11: 112. d. Aug. 1893.
Clements, Fl. Nebr. 1: 57. d. 15 Aug. 1894.
McClatchie, Proc. S. Cal. Acad. 1: 351. 5 June 1897.
Stevens, F. L., Bot. Gaz. 28: 149. pl. 11-15. 25 Sept. 1899 and 28: 233. 21 Nov. 1899 and Rev. Myc. 22: 117. pl. 206, f. 1-8. pl. 207, f. 14-22. Oct. 1900.
Davis, B. M., Bot. Gaz. 29: 297. 25 May 1900.
Stevens, Bot. Gaz. 32: 254. pl. 4, f. 47, 51, 52. 21 Oct. 1901.
Swingle, Bull. U.S. Agr. Pl. Industry 37: 35. 27 June 1903.
Cæoma Amaranti, S.
S. Syn. Am. Bor. 202 no. 2852 d. 1824 S. Syn. Am. Bor. 202 no. 2853. d. 1834. Uredo Amaranti, B. B. Jour. Roy. Hort. Soc. 8: 270 (8). f. 4. Aug. 1848. Cystopus Bliti, Lev. Farl. Bull. Bussey Inst. 1: 429. d. 432. March 1876. Burrill, Bull. Ill. Lab. 11: 57. Dec. 1876. *Thm. Myc. Univ. 619. 1877. Pk. Rept. N. Y. Mus. 29: 76. 1878. *Ell. N. A. F. 206. 1879. Farl. Bot. Gaz. 8: 335. d. Nov. 1883.
Pk. in Day's Cat., Bull. Buf. Soc. 4: 213 (149). 1883.
Farl. Bot. Gaz 9: 40. March 1884.
Trel. Tr. Wis. Acad. 6: 108 (4). Nov. 1884.
Bessey, Bull. Iowa Agr. Coll. 1884: 140. Jan. 1885.
Kellerm. Bull. Wash. Lab. 1: 78. Jan. 1885 and Tr. Kans. Acad. Bessey, Bull. lowa Agr. Coll. 1884: 140. Jan. 1885.
Kellerm. Bull. Wash. Lab. 1: 78. Jan. 1885 and Tr. Kans. Acad. 9: 83. 1885.
Wint. & Demet. Hedw. 24: 201 (25). Oct. 1885.
Arth. & Holw. Bull. Minn. Surv. 3: 36. 1 Oct. 1887.
Brendel, Fl. Peoriana 2 ed. 69. 1887.
Kellerm. & Carl. Tr. Kans. Acad. 10: 94. 1887.
Berl. & De Toni in Sacc. Syll. 7: 236. d. 15 March 1888.
Halsted, Bot. Gaz. 18: 57. March 1888.
Halsted, Bull. lowa Agr. Coll. 1888: 100. April 1888.
*Roum. Fung. Gall. 4551. 1888.
Roum. Rev. Myc. 10: 145. 1 July 1888.
Tracy & Gall. Jour. Myc. 4: 36. May 1888.
Macbr. & Hitchcock, Bull. Univ. lowa 1: 51. Nov. 1888.
Halsted, Jour. Myc. 5: 10. March 1889.
Seymour, Proc. Boston Soc. 24: 184. 8 Nov. 1889.
Jennings, Bull. Tex. Exp. Sta. 9: 25. May 1890.
Webber, Rept. Nebr. Agr. 1889: 190 (50). 1890.
Pammel, Bull. lowa Exp. Sta. 15: 236 (3). pl. 6, f. 1-4. Nov. 1891. and Am. Mo. Micr. Jour. 14: 191. pl. 1, f. 1-4. July 1893.
Williams, Bull. S. Dak. Exp. Sta. 29: 46. Dec. 1891.
Williams, Bull. Torr. Bot. Club 19: 83. 5 March 1892.
Pammel, Jour. Myc. 7: 102. April 1802.
*Seymour & Earle, E. F. 352, 354. 1 May 1893.
*Ell. & Ev. Fung. Columb. 46. 1893.

```
Halsted, Rept. N. J. Exp. Sta. 1892: 348. 1893. *Shear, N. Y. Fungi 198. 1893. Halsted, Bull. N. J. Exp. Sta. 107: 11. 10 Jan. 1895. Halsted, Rept. N. J. Exp. Sta. 1894: 345. 1895. Millsp. & Nutt. Publ. Field Columb. Mus. Bot. 1: 83.
                                                                                                                                                                                                                                                                           Jan. 1896.
          Pammel & Carver, Proc. Iowa Acad. 8; 144. 1896. Atk. Bull. Cornell Univ. 8: 14. 25 June 1897.
          Tubeuf-Smith, Diseases of Plants 127. 1897.
Orton, Rept. Vt. Exp. Sta. 11: 202. Sept. 1898 and Contr. Bot. Vt. 2: 4. Sept. 1898.

Halsted, Bull. Torr. Bot. Club 25: 575. 7 Nov. 1898.
  Halsted, Bull. Torr. Bot. Club 25: 575. 7 Nov. 1898.
Berl. Icon. Phyc. 8. d. pl. 4. 1898.
Hume, Proc. Davenport Acad. 7: 253. 12 May 1899.
Selby, Bull. Ohio Exp. Sta. 121: 18. Sept. 1900.
Berl. Riv. Patol. Veg. 9: 20. d. f. 5. 20 Feb. 1901.
Selby & Ames, Bull. Ohio Exp. Sta. 126: 173. March 1901.
Sturgis, Rept. Conn. Exp. Sta. 24: 261. 1901.
*Griffiths, West Am. Fung. 33. 22 March 1902.
Cystopus candidus, Pk. p.p. non Lev.
Pk. Rept. N. Y. Mus. 22: 93. 1869.
Pk. Rept. N. Y. Mus. 24: 103. 1872.
Cystopus Amaranti, B.
B. Grev. 8: 58 (100) pp. 571. d. Dec. 1874.
         Cystopus Amarani, B.
B. Grev. 8: 58 (100) no. 571. d. Dec. 1874.
Pk. Rept. N. Y. Mus. 28: 61. 1876.
Berl. & De Toni in Sacc. Syll. 7: 236. d. 15 March 1888.
Swingle, Tr. Kans. Acad. 11: 69. 1 Nov. 1889.
Swingle, Tr. Kans. Acad. 12: 131. 1890.
Halsted, Rept. N. J. Exp. Sta. 1892: 278. 1893.

Cystopus Cyathulæ, Wint. in litt. ad Roum.

Paum Fung Gall 1863. 1888.
    *Roum. Fung. Gall. 4863. 1888.
Roum. Rev. Myc. 11: 66. 1 April 1889.
Albugo Amaranti, O. Kuntze.
Kuntze, O., Rev. Gen. Pl. 2: 658. 1891
  Kuntze, O., Rev. Gen. Pl. 2: 658. 1891.
Swingle, Jour. Myc. 7: 115. April 1892.
Davis, J. J., Tr. Wis. Acad. 9: 155. 21 Aug. 1893.
Underw. Proc. Ind. Acad. 1898: 31. Aug. 1894.
Kellerm. & Werner, Geol. Ohio 72: 348. Jan. 1895.
Tracy & Earle, Bull. Miss. Exp. Sta. 34: 94. May 1895.
Underw. & Earle, Bull. Ala. Exp. Sta. 80: 136. 28 June 1897.
Stevens, Rept. Ohio Acad. 6: 38. 1898.
Long, Bull. Torr. Bot. Club 27: 586. 14 Nov. 1900.
Earle in Mohr, Contr. U. S. Nat. Herb. 6: 151. 31 July 1901.
Patterson, Bull. U. S. Agr. Pl. Industry 8: 17. 3 Feb. 1902.
*Barthol., Ell. & Ev. Fung. Columb. 1709. Feb. 1903.
Albugo Bliti, Vestergren.
See Albugo Platensis, (Speg.) Swingle.
Albugo candidus, (P.) O. Kuntze.

Kuntze, O., Rev. Gen. Pl. 2: 568. 1891.

Swingle, Jour. Myc. 7: 110. April 1892.

Davis, J. J., Tr. Wis. Acad. 9: 154. 21 Aug. 1893.

Schrt. in Engler & Prantl, Pflanzenfam. 1: 110. d. f. 94, 95. Aug.
         Underw. Proc. Ind. Acad. 1898: 31, 32. Aug. 1894. Clements, Fl. Nebr. 1: 57. d. 1894. Kellerm. & Werner, Geol. Ohio 72: 348. Jan. 1895. Tracy & Earle, Bull. Miss. Exp. Sta. 34: 94. May 1895. Underw. Proc. Ind. Acad. 1894: 153. Oct. 1895. Ellis & James in Holzinger, Contr. U. S. Nat. Herb. 8: 276.
                                                                                                                                                                                                                                                                                                                     [1895.
                                                                                                                                                                                                                                                                                                         23 Nov.
```

```
Pammel, Proc. Iowa Acad. 2: 203. 1895.
Pound, Clements and others, Bot. Surv. Nebr. 4: 34. 20 Jan. 1896.
Stevens, Rept. Ohio Acad. 4: 20. 1896.
McClatchie, Proc. S. Cal. Acad. 1: 351. 5 June 1897.
Underw. & Earle, Bull. Ala. Exp. Sta. 80: 136. 28 June 1897.
   Underw. & Earle, Bull. Ala. Exp. Sta. 80: 130. 20 June Stevens, Rept. Ohio Acad. 5: 66. 1897. Stevens, Rept. Ohio Acad. 6: 38. 1898. Underw. Moulds 32. pl. 3, f. 6. 1899. Davis, B. M., Bot. Gaz. 29: 297. pl. 22. 25 May 1900. Long, Bull. Torr. Bot. Club 27: 586. 14 Nov. 1900. Nelson, Rept. Wyo. Exp. Sta. 10: (20). 1900. Tracy & Earle in Greene, Pl. Baker 1: 16. 22 Feb. 1901. Stevens Rev. Davidsch. Rot. Ges. 19: 174. 24. April 1901.
   Stevens, Ber. Deutsch. Bot. Ges. 19: 174, 24 April 1901.
Earle in Mohr. Contr. U. S. Nat. Herb. 6: 152. 31 July 1901.
Stevens, Bot. Gaz. 32: 91, 98. pl. 2. 20 Aug. 1901 and 32: 254.
21 Oct. 1901.
Patterson, Bull. U. S. Agr. Pl. Industry 8: 17. 3 Feb. 1902. *Griffiths, West. Am. Fung. 335. 21 May 1902. Kellerm. Jour. Myc. 8: 57. d. 30 June 1902. *Kellerm. Ohio Fungi 63. d. July 1902. *Barthol. Ell. & Ev. Fung. Columb. 1710. Feb. 1903.
 *Kellerm. Ohio Fungi 122. 1903.
Kellerm. John Fullgi 122. 1903.
Kellerm. Jour. Myc. 9: 111. 29 May 1903.
*Barthol., Ell. & Ev. Fung. Columb. 1805, 1806. 28 Dec. 1903.
Clint. Rept. Conn. Exp. Sta. 27: 353. May 1904.
Kellerm. Jour. Myc. 10: 115. 31 May 1904.
*Barthol., Ell. & Ev. Fung. Columb. 2001. 20 March 1905.

Aecidium candidum, P.
Pin Gmel Suct. Not. 20. 11.
     P. in Gmel. Syst. Nat. 2: 1473. d. 1791.*
            Uredo candida, P.
     S. Syn. Car. 71 (45) no. 481. 1822.
Grev. Scot. Crypt. Fl. 5: pl. 251. 1827.
Lea, Cat. Pl. Cin. 71. 1849.
Watt, Can. Nat. & Geol. Il. 2: 392. Oct. 1865.
             Uredo Cheiranthi, P.
     S. Syn. Car. 71 (45) no. 482. 1822. 
Cæoma candidum, S. Am. Bor. p.p.
     S. Syn. Am. Bor. 292. no. 2852. 1834. 
Cystopus candidus, Lev.
*Rav. Fung. Car. 4: 93. 1855.
Sprague, Proc. Boston Soc. 6: 319. 1859.
Watt, Can. Nat. & Geol. II. 2: 391. Oct. 1865.
     Curtis, M. A., Bot. N. Car. 124. 1867.
Russell, Am. Nat. 2: 633. f. 4. Feb. 1869.
Pk. Rept. N. Y. Mus. 24: 103. 1872.
     B. Grev. 8: 58 (100). Dec. 1874.
Farl. Bull. Bussey Inst. 1: 329. f. 5. 1875.
     Frost in Cat. Pl. Amherst 84. 1875.
Frost in Cat. Pl. Amherst 84. 1875.

Farl. Bull. Bussey Inst. 1; 429. d. 432. March 1876.

Burrill, Bull. Ill. Lab. 1: 57. pl. 1, f. 1-4. Dec. 1876.

Pk. Rept. N. Y. Mus. 29: 76. 1878.

James, Jour. Cin. Soc. 2: 67 (26). April 1879.

*Ell. N. A. F. 204. 1879.

Hark & Moore, Cat. Pac. Fung. 26. Feb. 1880.

Johnson, Bull. Minn. Acad. 1: 365. 1880.

Farl. Bot. Gaz. 8: 334. d. Nov. 1883.

Bundy, Geol. Wis. 1873-79. 1: 400. 1883.

Pk. in Day's Cat., Bull. Buf. Soc. 4: 213 (149). 1883.
```

Farl. Bot. Gaz. 9: 40. March 1884.
Trel. Tr. Wis. Acad. 6: 108 (4). Nov. 1884.
Barnes in Bot. Gaz. 9: 104. Dec. 1884.
Bessey, Bull. Iowa Agr. Coll. 1884: 140. Jan. 1885.
Kellerm. Bull. Wash. Lab. 1: 78. Jan. 1885 and Tr. Kans. Acad. 9: 83. 1005.
Hark. Bull. Cal. Acad. 1: 163. 7 March 1885.
Wint. & Demet. Hedw. 24: 201 (25). Oct. 1885.
Arth. & Holw. Bull. Minn. Surv. 3: 36. 1 Oct. 1887.
Brendel, Fl. Peoriana 2 ed. 69. 1887.
Halsted, Bull. lowa Agr. Coll. 1886: 54. 1887.
Kellerm. & Carl. Tr. Kans. Acad. 10: 94. 1887.
Langlain Cat. Pl. Langlain Cat. 1887. Kellerm. & Carl. Tr. Kans. Acad. 10: 94. 1887.

Langlois, Cat. Pl. La. 29. 1887.

Scribner, Rept. U. S. Agr. 1886: 134. 1887.

Berl. & De Toni in Sacc. Syll. 7: 234. d. 15 March 1888.

Halsted, Bot. Gaz. 18: 56. March 1888: 99. April 1888.

Halsted, Bull. lowa Agr. Coll. 1888: 99. April 1888.

Tracy & Gall. Jour. Myc. 4: 36. May 1888.

Macbr. & Hitchcock, Bull. Univ. lowa 1: 51. Nov. 1888.

Halsted, Jour. Myc. 5: 9. March 1889.

Kelsey, Jour. Myc. 5: 81. June 1889.

Swingle, Tr. Kans. Acad. 11: 66. 1 Nov. 1889.

Ell. in Cat. Pl. N. J. 594. 1889.

*Underw. & Cook, Illustr. Fungi 91. 1889.

Humphrey, Rept. Mass. Exp. Sta. 8: 222. Jan. 1890.

*Ell. & Ev. N. A. F. 2420. 1890.

Webber, Rept. Nebr. Agr. 1889: 190 (50). 1890.

Swingle, Tr. Kans. Acad. 12: 130. 30 March 1891.

Halsted, Rept. N. J. Exp. Sta. 1890: 350. June 1891.

Halsted, Bot. Gaz. 16: 340. 15 Dec. 1891. Swingle, Tr. Kans. Acad. 12: 130. 30 March 1891.

Halsted, Rept. N. J. Exp. Sta. 1890: 350. June 1891.

Halsted, Bot. Gaz. 16: 340. 15 Dec. 1891.

Williams, Bull. S. Dak. Exp. Sta. 29: 46. Dec. 1891.

Williams, Bull. Torr. Bot. Club 19: 83. 5 March 1892.

Atk. Bull. Ala. Exp. Sta. 41: 44. Dec. 1892.

McCarthy, Bull. N. Car. Exp. Sta. 84: 15. 21 April 1892.

Millsp. Bull. W. Va. Exp. Sta. 24: 510. June 1892.

Halsted, Rept. N. J. Exp. Sta. 1891: 249. 1892.

*Seymour & Earle, E. F. 256, 257, 259. I May 1893.

*Ell. & Ev. Fung. Columb. 133. 1893.

Halsted, Rept. N. J. Exp. Sta. 1892: 277, 346. 1893.

*Shear, N. Y. Fungi 199. 1893.

Halsted, Rept. N. J. Exp. Sta. 1893: 326. 1894.

*Seymour & Earle, E. F. 401. 1 July 1895.

Halsted, Rept. N. J. Exp. Sta. 1894: 356. 1895.

Millsp. & Nutt. Publ. Field Columb. Mus. Bot. 1: 82. Jan. 1896.

Wager, Ann. Bot. 10: 297. pl. 15, 16. Sept. 1896.

Pammel & Carver, Proc. lowa Acad. 8: 144. 1896.

Atk. Bull. Cornell Univ. 8: 14. 25 June 1897.

*Seymour & Earle, E. F. 454. 15 Oct. 1897.

Beal, Proc. Soc. Prom. Agr. Sci. 18: 37. 1897.

Beal, Proc. Soc. Prom. Agr. Sci. 18: 37. 1898.

Berl. Icon. Phyc. 6. d. pl. 1. pl. 2, f. 1. 1898.

Berl. Icon. Phyc. 6. d. pl. 1. pl. 2, f. 1. 1898.

Berl. Icon. Phyc. 6. d. pl. 1. pl. 2, f. 1. 1898.

Berl. Icon. Phyc. 6. d. pl. 1. pl. 2, f. 1. 1898.

Halsted, Bull. Torr. Bot. Club 26: 18. 16 Jan. 1899.

Orton, Rept. Vt. Exp. Sta. 12: 165. Dec. 1899 and Contr. Bot. Vt. 7: 165. Dec. 1899.

Halsted, Rept. N. J. Exp. Sta. 1898: 368. 1899. Herbst, Fungal Fl. Lehigh Valley 205. d. 1899. Selby, Bull. Ohio Exp. Sta. 121: 21, 37. Sept. 1900. Hume, Rept. Fla. Exp. Sta. 1900: 39. 1900. Berl. Riv. Patol. Veg. 9: 9. d. f. 1. 20 Feb. 1901. Halsted, Rept. N. J. Exp. Sta. 1900: 462. pl. 11. Sturgie Part Copp. Exp. Sta. 24: 262. 285. 201. 1 1901 Sturgis, Rept. Conn. Exp. Sta. 24: 262, 285, 291. 1901. *Griffiths, West Am. Fung. 46. 22 March 1902. Ricker, Univ. of Maine Studies 3: 18. 30 April 1902.

Albugo Convolvulacearum, Henn.

See Albugo Ipomææ-panduranæ, (S.) Swingle.

Albugo IpomϾ-panduranæ, (S.) Swingle.

NOTE. For notes on the structure of Aecidium Ipomaa-pandurana, S. which some writers even at the present date quote incorrectly as a true Aecidium, see Farl. Bot. Gaz. 14: 187-189. 16 Aug. 1889.
Whether Cystopus Convolvulacearum, Speg. is specifically distinct from

this species as supposed by some mycologists seems to us doubtful and at least the no. 1809 N. A. F. and 501 Rav. Fung. Am. cited by Berlese in Riv. Patol. Veg. 9: 25 under C. Convolvulacearum seem to us to be Albugo Ipomææ-panduranæ as is probably also Albugo Convolvulacearum of Hennings given below.

Swingle, Jour. Myc. 7: 112. April 1802. Swingle, Jour. Myc. 7: 112. April 1892.
Schrt. in Engler & Prantl, Pflanzenfam. 11: 112. d. Aug. 1893.
Underw. Proc. Ind. Acad. 1898: 32. Aug. 1894.
Clements, Fl. Nebr. 1: 58. d. 1894.
Tracy & Earle, Bull. Miss. Exp. Sta. 34: 94. May 1895.
Underw. & Earle, Bull. Ala. Exp. Sta. 80: 136. 28 June 1897.
Underw. Proc. Ind. Acad. 1896: 172. 1897. Long, Bull. Torr. Bot. Club 27: 586. 14 Nov. 1900.

Earle in Mohr, Contr. U. S. Nat. Herb. 6: 152. 31 July 1901.

Patterson, Bull. U. S. Agr. Pl. Industry 8: 17. 3 Feb. 1902.

Stevens, Bot. Gaz. 38: 300. f. 1, 2. 20 Oct. 1904.

*Barthol, Ell. & Ev. Fung. Columb. 2002, 2003, 2004. 20 March 1905.

Aecidium Ipomeæ-panduranæ, S.

Syn. Car 60 (42) 20 414. 3 200. S. Syn. Car. 69 (43) no. 454. d. 1822. Uredo Convolvuli, Spreng. Spreng. in L. Syst. Veg. 16 ed. 4¹: 572. d. 1827. Hark. & Moore, Cat. Pac. Fung. 26. Feb. 1880. Cæoma convolvulatum, Lk. Lk., L. Sp. Pl. ed. Willd. 62; 49. d. 1825. S. Syn. Am. Bor. 292 no. 2866. 1834. Aecidium rutilum, Bon. Bon. Abh. Nat. Ges. Halle 5: 212 (46). d. 1860. ? Aecidium Convolvuli, M. A. Curtis. Curtis, M. A., Bot. N. Car. 123. 1867. Cystopus cubicus, Auct. Amer. p.p.
B. & C. Jour. Linn. Soc. 10: 357. 1869.
B. Grev. 8: 58 (100). Dec. 1874.
Farl. Bull. Bussey Inst. 1: 429. d. March 1876. *Thm. Myc. Univ. 815. 1877. Cke. Grev. 7: 46. Dec. 1878. *Rav. Fung. Am. 501. 1881. Kellerm. Bull. Wash. Lab. 1: 78. Jan. 1885 and Tr. Kans. Acad. 9: 83. 1885. Ell. in Cat. Pl. N. J. 594. Aecidium Ipomææ, B. B. Grev. **3:** 60 (102). Dec. 1874.

```
Cystopus convolvulacearum, Zalewski.
    Zalewski, Bot. Centralbl. 15: 223. 1883.
Zalewski, Bot. Centraidi. 15: 223. 1883.

*Ell. & Ev. N. A. F. 1809. 1887.

Kellerm. & Carl. Tr. Kans. Acad. 10: 94. 1887.

Langlois, Cat. Pl. La. 29. 1887.

Farl. Bot. Gaz. 14: 187, 188. Aug. 1889.

Tubeuf-Smith, Diseases of Plants 127. 1897.

Ell. in Hitchcock, Rept. Mo. Bot. Gard. 9: 120. 20 April 1898.

Berl. Riv. Patol. Veg. 9: 25. d. f. 4. 20 Feb. 1901.
   Cystopus Tragopogonis, Auct. Amer. p.p.
Berl. & De Toni in Sacc. Syll. 7: 234. d. 15 March 1888.
    Bomm. & Rouss. in Durand & Pittier, Bull. Soc. Bot. Belg. 351: 156.
              1896.
    Berl. Icon. Phyc. 8. d. pl. 5. 1898.
Berl. Riv. Patol., Veg. 9: 19. d. f. 3. 20 Feb. 1901.
          Cystopus IpomϾ-panduranæ. Farl.
Cystopus Ipomeæ-panduranæ, Farl.
Farl. Bot. Gaz. 14: 187, 189. Aug. 1889.
Swingle, Tr. Kans. Acad. 11: 67, 68. d. 1 Nov. 1889.
Halsted, Jour. Myc. 5: 203. Dec. 1889.
Halsted, Bot. Gaz. 15: 323. Dec. 1890.
*Seymour & Earle, E. F. 47. 1 Jan. 1890.
Halsted, Rusts, Smuts, Ergots and Rots 19. June 1890.
Halsted, Bull. N. J. Exp. Sta. 76: 28-30. f. 19. 1890.
Swingle, Tr. Kans. Acad. 12: 131. 30 March 1891.
Sacc. Syll. 9: 341. d. 15 Sept. 1891.
Halsted, Bot. Gaz. 16: 340. Dec. 1891.
Webber, Tr. St. Louis Acad. 6: 11. 12 March 1892 and Contr. Bot. Dept. Univ. Nebr. 3: 11. 14 June 1802.
Webber, Tr. St. Louis Acad. 6: 11. 12 March 189 Dept. Univ. Nebr. 3: 11. 14 June 1892. Halsted, Rept. N. J. Exp. Sta. 1891: 240. 1892. *Seymour & Earle, E. F. 334, 336, 337. 1 May 1893. Halsted, Rept. N. J. Exp. Sta. 1892: 277, 348. 18 Atk. Bull. Cornell Univ. 3: 14. 25 June 1897. Townsend, Bull. Md. Exp. Sta. 60: 166. f. 60. M Selby, Bull. Ohio Exp. Sta. 121: 56. Sept. 1900. Hume, Rept. Fla. Exp. Sta. 1900: 30. 1900. Berl. Riv. Patol. Veg. 9: 14. d. 20 Feb. 1901. Sturgis, Rept. Conn. Exp. Sta. 24: 289. 1901.
                                                                                                                            March 1899.
          Cystopus candidus, var. Convolvuii, Berl.
     Berl. Icon. Phyc. 7. d. 1898.
          ?Albugo Convolvulacearum, Henn.
     Henn. Hedw. 87: 277. 31 Dec. 1898.
          Albugo Tragopogonis, Auct. Amer. p.p.
     Ell. & Kelsey in Millsp. Publ. Field Columb. Mus. Bot. 1: 465. Nov. 1902. [Publ. 68.]
Albugo Platensis, (Speg.) Swingle.
Swingle, Jour. Myc. 7: 113. April 1892.
Long, Bull. Torr. Bot. Club. 27: 586. 14 Nov. 1900.
Patterson, Bull. U. S. Agr. Pl. Industry 8: 17. 3 Feb. 1902.
*Barthol., Ell. & Ev. Fung. Columb. 1605. Oct. 1902.
           Cystopus Platensis, Speg.
     Speg. Revista Argent. Hist. Nat. 1: 32 (7). d. 1 Feb. 1891 and Jour.
     Myc. 7: 115. d. April 1892.*
Berl. Riv. Patol. Veg. 9: 27. d. 20 Feb. 1901.
          Albugo Bliti, Vestergren.
  *Vestergren, Micr. Sel. 586. Dec. 1902.
```

Albugo Portulacæ, (D.C.) O. Kuntze. Kuntze, O., Rey. Gen. Pl. 2: 658. 1891. Swingle, Jour. Myc. 7: 111. April 1892. Swingle, 30th, myc. 7, 111. April 1092.
Schrt. in Engler & Prantl, Pflanzenfam. 1¹: 112. d. f. 96. Aug. 1893.
Underw. Proc. Ind. Acad. 1893: 32. Aug. 1894.
Clements, Fl. Nebr. 1: 57. d. pl. 16, f. 3 a, b. 1894.
Kellerm. & Werner. Geol. Ohio 7²: 348. Jan. 1895.
Tracy & Farla Bull Miss Evo Sta 24. On Mary 200 Tracy & Earle, Bull. Miss. Exp. Sta. 34: 94. May 1895.
Pammel, Proc. Iowa Acad. 2: 203. 1895.
Stevens, Rept. Ohio Acad. 4: 20. 1896.
Underw. & Earle, Bull. Ala. Exp. Sta. 80: 136. 28 June 1897.
Long, Bull. Torr. Bot. Club. 27; 586. 14 Nov. 1900.
Earle in Mohr, Contr. U. S. Nat. Herb. 6: 152. 31 July 1901. Stevens, F. L., Bot. Gaz. 82: 79, 97. pl. 1. pl. 4, f. 44-46, 48-50. 20 Aug. 1901 and 82: 254. 21 Oct. 1901. Patterson, Bull. U. S. Agr. Pl. Industry 8: 17. 3 Feb. 1902. *Kellerm. Ohio Fungi 83. d. Oct. 1902. Kellerm. Jour. Myc. 8: 120. d. 14 Oct. 1902. Cæoma candidum, S. Am. Bor. p.p. S. Syn. Am. Bor. 292 no. 2852. 1834. Cystopus candidus, Pk. p.p. non Lev. Pk. Rept. N. Y. Mus. 24: 103. 1872. Cystopus Portulacæ, Lev. Cystopus Portulacæ, Lev..
Cke. Grev. 7: 46. Dec. 1878.
Pk. Rept. N. Y. Mus 29: 51, 76. 1878.
*Rav. Fung. Am. 500. 1881.
Farl. Bot. Gaz. 8: 336. d. Nov. 1883.
Bundy, Geol. Wis. 1873-79, 1: 400, 1883.
Pk. in Day's Cat., Bull. Buf. Soc. 4: 213 (149). 1883.
Trel. Tr. Wis. Acad. 6: 108 (4). Nov. 1884.
Bessey, Bull. lowa Agr. Coll. 1884: 140. Jan. 1885. [83. 1885.
Kellerm. Bull. Wash. Lab. 1: 78. Jan. 1885 and Tr. Kans. Acad. 9:
Wint. & Demet. Hedw. 24: 201 (25). Oct. 1885.
*Fill & Fv. N. A. F. 1808. 1887. Kellerm. Bull. Wash. Lab. 1: 78. Jan. 1885 and 1r. Kans. Acad Wint. & Demet. Hedw. 24: 201 (25). Oct. 1885.

*Ell. & Ev. N. A. F. 1808. 1887.

Kellerm. & Carl. Tr. Kans. Acad. 10: 94. 1887.

Berl. & De Toni in Sacc. Syll. 7: 235. d. 15 March 1888.

Halsted, Bot. Gaz. 18: 57. March 1888.

Halsted, Bull. Iowa Agr. Coll. 1888: 101. April 1888.

Tracy & Gall. Jour. Myc. 4: 36. May 1888.

Macbr. & Hitchcock, Bull. Univ. Iowa 1: 51. Nov. 1888.

Halsted, Jour. Myc. 5: 10. March 1889.

Swingle, Tr. Kans. Acad. 11: 68. 1 Nov. 1889.

Webber, Bull. Nebr. Exp. Sta. 1: 361 (91). 18 Dec. 1889.

Ell. in Cat. Pl. N. J. 594. 1889.

Jennings, Bull. Tex. Exp. Sta. 9: 25. May 1890.

Swingle, Tr. Kans. Acad. 12: 131. 1890.

Webber, Rept. Nebr. Agr. 1889: 190 (50). 1890.

Halsted, Bot. Gaz. 16: 340. Dec. 1891.

Williams, Bull. S. Dak. Exp. Sta. 29: 46. Dec. 1891.

Halsted, Rept. N. J. Exp. Sta. 1891: 249. 1892.

*Seymour & Earle, E. F. 264. 1 May 1893.

*Ell. & Ev. Fung. Columb. 45. 1893.

Halsted, Rept. N. J. Exp. Sta. 1893: 327. 1894.

Millsp. & Nutt. Publ. Field Columb. Mus. Bot. 1: 83. Jan. 1896.

Pammel & Carver Proc. Iowa Acad. 3: 144. 1896.

Atle Rull. Cornell Univ. 8: 4. 25 June 1896. Pammel & Carver Proc. lowa Acad. 8: 144. 1896. Atk. Bull. Cornell Univ. 8: 14. 25 June 1897. Tubeuf-Smith, Diseases of Plants 127. 1897.

Halsted, Bull. Torr. Bot. Club. 25: 333. 8 June 1898.
Orton, Rept. Vt. Exp. Sta. 11: 203. Sept. 1898 and Contr. Bot. Vt. 2: 5. Sept. 1898.
Halsted, Bull. Torr. Bot. Club. 25: 577. 7 Nov. 1898.
Berl. Icon. Phyc. 7. d. pl. 2, f. 2. pl. 3. 1898.
Hume, Proc. Davenport Acad. 7: 253. 12 May 1899.
Berl. Riv. Patol. Veg. 9: 16. d. f. 2. 20 Feb. 1901.
*Griffiths, West Am. Fung. 31. 22 March 1902. Albugo pulverulentus; (B. & C.) O. Kuntze. NOTE. This species, said to grow on some Composite in Cuba, cannot be traced in Herb. Curtis by the numbers cited in the original description and it is impossible to recognize the fungus from the description. All the species of Cystopus in Herb. Curtis from Cuba are labeled Cystopus cubicus. Kuntze, O., Rev. Gen. Pl. 2: 658. 1891. Cystopus pulverulentus, B. & C. B. & C. Jour. Linn. Soc. 10: 357. d. 1869. Berl. & De Toni in Sacc. Syll. 7: 237. d. 15 March 1888. West Indies. Albugo Tragopogonis, (P.) S. F. Gray. NOTE. See note under Albugo pulverulentus, (B. & C.) O. Kuntze. Swingle, Jour. Myc. 7: 112. April 1892. Davis, J. J., Tr. Wis. Acad. 9: 154. 21 Aug. 1893. Davis, J. J., 17. Wis. Acad. 7: 154. 21 Aug. 1093.

Schrt. in Engler & Prantl, Pflanzenfam. 1 1: 112. d. Aug. 1893.

Clements, Fl. Nebr. 1: 58. d. 1894.

Kellerm. & Werner, Geol. Ohio 7 2: 348. Jan. 1895.

Underw. & Earle, Bull. Ala. Exp. Sta. 80: 136. 28 June 1897.

Stevens, F. L., Ber. Deutsch. Bot. Ges. 19: 171. pl. 8. 24 April 1901.

Earle in Mohr. Contr. U. S. Nat. Herb. 6: 152. 31 July 1901. Earle III monr. Contr. U. S. Nat. Herb. 6: 152. 31 July 1901. Stevens, F. L., Bot. Gaz. 82: 85, 97. pl. 3, pl. 4, f. 43, 53. 20 Aug. 1901 and 82: 254. 21 Oct. 1901. Patterson, Bull. U. S. Agr. Pl. Industry 8: 17. 3 Feb. 1902. *Griffiths, West Am. Fung. 336. 21 May 1902. *Vestergren, Micr. Sel. 705b. Oct. 1903. Clint Rept. Conn. Exp. Sta. 27. 22. May 1902. Vestergren, Micr. Sel. 705°. Oct. 1903.
Clint. Rept. Conn. Exp. Sta. 27: 357. May 1904.
Cystopus cubicus, (Strauss) Lev.
Pk. Rept. N. Y. Mus. 25: 91. Sept. 1873.
Farl. Bull. Bussey Inst. 1: 429, 432. March 1876.
Burrill, Bull. Ill. Lab. 11: 57. Dec. 1876.
Pk. Rept. N. Y. Mus. 29: 76. 1878.
Pk. Rept. N. Y. Mus. 80: 77. Sept. 1878. Pk. Rept. N. Y. Mus. 30: 77. Sept. 10/0.

*Ell. N. A. F. 205. 1879.

Farl. Bot. Gaz. 8: 335. d. Nov. 1883.

Pk. in Day's Cat., Bull. Buf. Soc. 4: 212 (148). 1883.

Farl. Bot. Gaz. 9: 40. March 1884.

Trel. Tr. Wis. Acad. 6: 108 (4). Nov. 1884.

Hark. Bull. Cal. Acad. 1: 163. 7 March 1885.

Wint. & Demet. Hedw. 24: 201 (25). Oct. 1885.

Pl. Rept. N. Y. Mus. 38: 111. 1885. Pk. Rept. N. Y. Mus. 88: 111. 1885.
Arth. & Holw. Bull. Minn. Surv. 3: 36. 1 Oct. 1887.
Planglois, Cat. Pl. La. 29. 1887.
Brendel, Fl. Peoriana 2 ed. 69. 1887.
Halsted, Bot. Gaz. 18: 57. March 1888. Halsted, Bot. Gaz. 13: 57. March 1888.

Halsted, Bull. Iowa Agr. Coll. 1888: 100. Apr.

Tracy & Gall. Jour. Myc. 4: 36. d. May 1888.

Macbr. Bull. Univ. Iowa 1: 51. Nov. 1888.

*Ell. & Ev. N. A. F. 2208. Feb. 1889. April 1888.

Halsted, Jour. Myc. 5: 10. March 1889.

```
Farl. Bot. Gaz. 14; 188. Aug. 1889.
*Ell. & Ev. N. A. F. 2421. April 1890.
*Cystopus spinulosus, D By.
     Farl. Bull. Bussey Inst. 1: 429. March 1876. Pk. Rept. N. Y. Mus. 29: 51, 76. 1878. Pk. in Day's Cat., Bull. Buf. Soc. 4: 213 (149). Halsted, Rept. N. J. Exp. Sta. 1892: 278. 1893.
     Cystopus Tragopogonis, Schrt.
Kelsey, Jour. Myc. 5: 81. June 1889.
Swingle, Tr. Kans. Acad. 11: 68. 1 Nov. 1889.
 Swingle, Ir. Kans. Acad. 11: 08. I Nov. 1889.
Webber, Rept. Nebr. Agr. 1889: 190 (50). 1890.
Williams, Bull. S. Dak. Exp. Sta. 29: 46. Dec. 1891.
Webber, Tr. St. Louis Acad. 6: 3. 12 March 1892 and Contr. Bot. Dept. Univ. Nebr. 3: 4. 14 June 1892.
Williams, Bull. Torr. Bot. Club 19: 83. 5 March 1892.
*Seymour & Earle, E. F. 291, 302. 1 May 1893.
Halsted, Rept. N. J. Exp. Sta. 1892: 278, 347. 1893.
*Seymour & Farle F. F. 465. 1 July 1805.
  *Seymour & Earle, E. F. 445. 1 July 1895.
Halsted, Rept. N. J. Exp. Sta. 1894: 355.
*Ell. & Ev. Fung. Columb. 878. April 1896.
Pammel & Carver Proc. lowa Acad. 8: 144.
      Atk. Bull. Cornell Univ. 8: 14. 25 June 1897.
     Atk. Bull. Cornell Univ. 8: 14. 25 June 1897.
Tubeuf-Smith, Diseases of Plants 127. 1897.
Orton, Rept. Vt. Exp. Sta. 11: 203. Sept. 1898 and Contr. Bot. Vt. 2: 5. Sept. 1898.
Berl. Icon. Phyc. 8. d. pl. 5. 1898.
Hume, Proc. Davenport Acad. 7: 253. 1899.
Berl. Riv. Patol. Veg. 9: 10. d. f. 3. 20 Feb. 1901.
Sturgis, Rept. Conn. Exp. Sta. 24: 286. 1901.
Cystopus Tragopogonis, var. spinus us, J. J. Davis.
Davis I. I. Tr. Wis Acad. 11: 165. Aug. 1807.
      Davis, J. J., Tr. Wis. Acad. 11: 165. Aug. 1897.
Albugo Tragopogonis, Auct. Amer. p.p. See Albugo IpomϾ-panduranæ, (S.) Swingle.
Aleurina, Sacc.
     Rehm, Ann. Myc. 1: 514. 10 Dec. 1903.
Aleurina fuscocarpa, (Ell. & Holw.) Sacc. & Syd. Sacc. & Syd. Syll. 16: 739. I Feb. 1902. Rehm, Ann. Myc. 1: 514. d. 10 Dec. 1903. Peziza fuscocarpa, Ell. & Holw.
      Ell. & Holw. Jour. Myc. 1: 5. d. Jan. 1885.
Arth. & Holw. Bull. Minn. Surv. 3: 35. 1 Oct. 1887.
  Langlois, Cat. Pl. La. 32. 1887.

*Ell. & Ev. N. A. F. 2325. 1890.

*Phæopezia fuscocarpa, Sacc.
Sacc. Syll. 8: 474. d. 20 Dec. 1889.

Durand, Bull. Torr. Bot. Club 27: 479. d. 29 Sept. 1900.
            Humaria fuscocarpa, Morg.
      Morg. Jour. Myc. 8: 189. 20 Dec. 1902.
Aleurina lignicola, (Rostr.) Sacc. & Syd. Sacc. & Syd. Syll. 16: 739. 1 Feb. 1902.
     Rehm, Ann. Myc. 1: 514. 10 Dec. 1903. Phæopezia lignicola, Rostr.
     Rostr. Meddelelser om Groenl. 18: 58 (16). d. Sacc. Syll. 11: 415. d. July 1895.
Aleurina Lloydiana, Rehm.

Rehm, Ann. Myc. 1: 515. 10 Dec. 1903.

Rehm, Ann. Myc. 2: 35. d. 15 Feb. 1904.
```

Aleurina Novæ-Terræ, (Ell. & Ev.) Sacc. & Syd. Sacc. & Syd. Syd. 16: 738. d. 1 Feb. 1902. Rehm, Ann. Myc. 1: 514. 10 Dec. 1903. Phæopeziza Novæ-Terræ, Ell. & Ev.

Ell. & Ev. Bull. Torr. Bot. Club 25: 507. d. 10 Sept. 1898.

Aleurina vinacea, (Clements) Sacc. & Syd. Sacc. & Syd. Syll. 16: 740. 1 Feb. 1902. Rehm, Ann. Myc. 1: 515. 10 Dec. 1903. Phæopezia vinacea, Clements.

Pound, Clements and others, Bot. Surv. Nebr. 4: 16. d. 20 Jan. 1896. Sacc. & Lindau, Hedw. 86: Rep. 7: xxxi. 30 April 1897.

Sacc. & Syd. Syll. 14: 781. d. 20 Aug. 1899.

Aleurina Wisconsinensis, Rehm.

Rehm, Ann. Myc. 2: 34. d. 15 Feb. 1904.

Aleurodiscus amorphus, Rabh. See Corticium amorphum, (P.) Fr.

Aleurodiscus disciformis, Pat. See *Peniophora disciformis*, (D C.) Cke.

Aleurodiseus Maneinianus, Pat. See Stereum Maneinianum, Sacc. & Cub.

Aleurodiscus Micheneri, (B. & C.) Massee.

NOTE. Under the name *Michenera Artocreas*, B. & C. this was made the type of the genus *Michenera*, a genus which, so far as the type species at least is concerned, cannot be accepted. *Michenera*Artocreas* as shown by cultures is undoubtedly merely a conidial form of a *Corticium*, probably *C. subgiganteum*, B. and the references to the conidial stage as given below are inserted here provisionally for convenience.

Massee, Jour. Linn. Soc. 25: 120. 8 June 1889.

Michenera Artocreas, B. & C.
B. & C. Jour. Linn. Soc. 10: 333. d. 1869.

Pk. Rept. N. Y. Mus. 28: 52. 1876.
B. & Br. Jour. Linn. Soc. 15: 83. 3 March 1876.

Sacc. Cub. & Manc. Syll. 6: 653. d. 1 Aug. 1888.

Peirce, Bull. Torr. Bot. Club 17: 306. pl. 110, f. k-n. Dec. 1890

Pat. Bull. Soc. Myc. 7: 42 (3). pl. 4, f. 1-5. 1891.

*Ell. & Ev. N. A. F. 3102. Nov. 1894.

Henn. in Engler & Prantl, Pflanzenfam. 11**: 120. d. f. 67 H. J. 1898.

Pat. Essai Tax. Hymen. 67. d. f. 46. 1900.

Artocreas Micheneri, B. & C.
B. & C. in B. & Br. Jour. Linn. Soc. 14: 73. d. 1875.

*Ell. N. A. F. 105. 1878.

Massee, Jour. Roy. Micr. Soc. 1888: 173 (1). April 1888.

Ell. in Cat. Pl. N. J. 492. 1889.

Aleurodiscus Oakesii, Cke. See Corticium Oakesii, B. & C.

Allantonectria, Earle.

Earle in Greene, Pl. Baker. 2: 11. d. 25 March 1901. Sacc. & Syd. Syll. 16: 1140. d. 1 Feb. 1902.

Allantonectria Yuceæ, Earle.
Earle in Greene, Pl. Baker. 2: 12. d. 25 March 1901.
Sacc. & Syd. Syll. 16: 1140. 1 Feb. 1902.
Sacc. Syll. 17: 778. d. 25 May 1905.

Allantospora radicicola, Wakk.

Howard, Bull. Bot. Dept. Jamaica II. 8: 181. 1901 and Exp. Sta. West Indies. Rec. 14: 58. 1902. Allescherina, Berl. NOTE. This genus is certainly very closely related to Cryptovalsa, being distinguished from it only by the fact that the perithecia are separated and not collected in definite groups. Berl. in Abbado, Malpighia 16: 300. d. 1902 and Jour. Myc. 10: 205. d. 24 June 1904. Berl. & Sacc. Icon. 3: 108. d. March 1905. Allescherina deusta, (Ell. & Martin) Berl.
Berl. in Abbado, Malpighia 16: 303. d. 1902.
Berl. & Sacc. Icon. 8: 109. d. pl. 136, f. 1. March 1905.
Diatrypella deusta, Ell. & Martin. Ell. & Martin, Am. Nat. 16: 809. d. Sacc. Syll. 2: Add. p. ix. d. 13 Jan. 1883. *Ell. N. A. F. 1184. 1884. Calkins, Jour. Myc. 3: 70. June 1887 *Rehm, Ascomyceten 935. June 1888.
Rehm, Hedw. 27: 132. d. June 1888.
Sacc. Syll. 9: 478. d. 15 Sept. 1891.
Ell. & Ev. Pyren. 593. d. May 1892.
*Ell. & Ev. Fung. Columb. 1242. May 1898.
Diatrype deusta, Cke. Cke. Grev. 14: 15. Sept. 1885. Cke. Grev. 14: 15. Sept. 1005.

Allescherina eutypæformis, (Sacc.) Berl.
Berl. in Abbado, Malpighia 16: 306. d. 1902.
Berl. & Sacc. Icon. 8: 110. d. pl. 137, f. 2. March 1905.

Diatrype quercina, (P.) Fr., var. lignicola, C & E.
C. & E. Grev. 5: 54. d. Dec. 1876.

Cryptovalsa entypæformis, Sacc.
Sacc. Mich. 2: 569. d. Dec. 1882.
Sacc. Syll. 2: Add. p. viii. d. 13 June 1883.
Sacc. Syll. 9: 471. d. 15 Sept. 1891.
Ell. & Ev. Pyren. 517. d. May 1892. March 1905. Ell. & Ev. Pyren. 517. d. May 1892. Pk. Rept. N. Y. Mus. 54¹: 157. Dec. 1901. Allescherina sparsa, (Ell. & Ev.) Berl. Berl. in Abbado, Malpighia 16: 303. d. 1902. Berl. & Sacc. Icon. 3: 109. d. pl. 135, f. 2. March 1905. Cryptovalsa sparsa, Ell. & Ev. Ell. & Ev. Proc. Phil. Acad. 1890: 224. d. 1890. Sacc. Syll. 9: 472. d. 15 Sept. 1891. Ell. & Ev. Pyren. 515. d. May 1892. Valsa sparsa, Lindau. Lindau in Engler & Prantl, Pflanzenfam. 11: 459. Feb. 1897. Allophylaria Senecionis, Clements. Clements, Bull. Torr. Bot. Club. 30: 88. d. 28 Feb. 1903. Alternaria. Note. The references to species of this genus have been arranged by A. B. Seymour. Alternaria Brassicæ, (B.) Sacc. *Ell. & Ev. N. A. F. 3506. 24 Jan. 1898. *Seymour & Earle, E. F. 515. 7 June 1899. Ricker, Univ. of Maine Studies 3: 21. 30 April 1902. Clint. Rept. Conn. Exp. Sta. 27: 311, 332. May 1904.

```
Alternaria Brassicæ, (B.) Sacc., var. Citri, Penz.
     Langlois, Cat. Pl. La. 27. 1887.
Alternaria Brassicæ, (B.) Sacc., var. macrospora, Sacc. Clint. Rept. Conn. Exp. Sta. 27: 311, 353. May 1904.
Alternaria Brassicæ, (B.) Sacc., var. nigrescens, Pegi.
             NOTE. The synonymy of this species is stated by Clinton, 1904. For
        other references to cucurbitaceous hosts see Alternaria, sp. indet.
    Selby, Jour. Columbus Hort. Soc. 11: 114 (2) pl. 1. Dec. 1896. Selby, Bull. Ohio Exp. Sta. 73: 235. f. 3. Dec. 1896. Selby, Rept. Ohio Acad. 5: 70 (4). 1897. Sturgis, Rept. Conn. Exp. Sta. 22: 235. 1899. Sturgis, Rept. Conn. Exp. Sta. 24: 275, 292. 1901. Chester, Rept. Del. Exp. Sta. 13: 38. f. 2-4. d. 1902. Clint. Rept. Conn. Exp. Sta. 27: 331, 370. May 1904. Macrosporium cucumerium, Ell. & Ev. Proc. Phila Acad. 1895. 440. d. Nov. 1807.
    Ell. & Ev. Proc. Phila. Acad. 1895: 440. d.
                                                                                                 Nov. 1895.
 Ell. & Ev. Proc. Phila. Acad. 1895; 440. d. Nov. 1895
Sacc. Hedw. 85: Rep. 7: xlix. 25 Feb. 1896.
*Ell. & Ev. N. A. F. 3396. Feb. 1896.
Sacc. & Syd. Syll. 14: 1095. d. 20 Aug. 1899.
Quaintance, Rept. Ga. Exp. Sta. 18: 357. Jan. 1901.
Griffin, Bull. Colo. Exp. Sta. 62: 7. April 1901.
Griffin, Bull. Colo. Exp. 64: 12. June 1901.
Hume, Rept. Fla. Exp. Sta. 1901: 86. d. f. 1901.
    Norton, Rept. Md. Hort. Soc. 4: 31. 1902.
Chester, Bull. Del. Exp. Sta. 57: 3. d. f. 1, 2. June 1902.
Chester, Rept. Del. Exp. Sta. 18: 36. d. f. 1, 5-7. 1902.
Alternaria chartarum, Preuss.

Nume 88: 28. Oct. 1883.
 Pk. Rept. N. Y. Mus. 83: 28. Oct.
Langlois, Cat. Pl. La. 27. 1887.
*Ell. & Ev. N. A. F. 2192. Feb. 1889.
Alternaria Citri, Pierce.
    Pierce, Bot. Gaz. 88: 234. d. 22 March 1902. Orton, Yearb. U. S. Agr. 1902: 717. 1903.
Alternaria fasciculata, (C. & E.) Jones & Grout.
             NOTE. This species and Alternaria Solani have been confused by various
         writers, some considering them to be the same, others writing so vaguely that
        it is impossible to state with certainty what species is implied. The present
        arrangement of these two species depends chiefly on the results of cultures
        and the synonymy given by Jones, 1896, 1897, 1898, 1899.
    Jones & Grout, Bull. Torr. Bot. Club 24: 257. d. pl. 308, f. 4-6.
 Jones & Grout, Bull. 1017. Bot. Club 27. 257. 6. pp. 300, 7. 4 0. 29 May 1897.

Jones, L. R., Rept. Vt. Exp. Sta. 10: 51. 1898.

*Ell. & Ev. Fung. Columb. 1368. May 1899.

*Seymour & Earle, E. F. 522. 7 June 1899.

Jones, L. R., Bull. Vt. Exp. Sta. 72: 10, 24. f. 114-8. Sept. 1899.

Orton, Rept. Vt. Exp. Sta. 12: 178. Dec. 1899 and Contr. Bot. Vt. 7: 178. Dec. 1899.

**Macrosporium chartarum. Pk.
         Macrosporium chartarum, Pk.
    Pk. Bull. Buf. Soc. 1: 60. d. July 1873.
Pk. Rept. N. Y. Mus. 25: 93. d. Sept. 1873.
Cke. Bull. Buf. Soc. 8: 200. July 1877.
Johnson, Bull. Minn. Acad. 1: 367. 1880.
  *Ell. N. A. F. 648. 1881.
Pk. in Day's Cat., Bull. Buf. Soc. 4: 211 (147).
     Sacc. Syll. 4: 539. d. 10 April 1886.
```

```
Ell. in Cat. Pl. N. J. 570. 1889.
Webber, Rept. Nebr. Agr. 1889: 225 (85). 1890.
*Ell. & Ev. Fung. Columb. 306. 1894.
Lindau in Engler & Prantl, Pflanzenfam. 1 1**: 484.
         Macrosporium fasciculatum, C. & E.
C. & E. Grev. 6: 6. d. pl. 96, f. 30.
C. & E. Grev. 6: 88. March 1878.
*Ell. N. A. F. 52. 1878.
*Thm. Myc. Univ. 1870. 1881.
                                                                                                                   Sept. 1877.
Sacc. Syll. 4: 525. d. 10 April 1886.
Ell. in Cat. Pl. N. J. 570. 1889.
*Ell. & Ev. Fung. Columb. 399. 189.
                                                                                                    1894.
    Pound, Clements and others, Bot. Surv. Nebr. 4: 39. 20 Jan. 1896.
   Macrosporium Maydis, C. & E.
C. & E. Grev. 6: 87. d. March 1878.
Kellerm. Bull. Wash. Lab. 1: 78. Jan. 1885 and Tr. Kans. Acad. 9:
                             1885.
Sacc. Syll. 4: 536. d. 10 April 1886.
*Wint. Fung. Eur. 3592. 1886.
Kellerm. & Carl. Tr. Kans. Acad. 10: 94. 1887.
Langlois, Cat. Pl. La. 31. 1887.
    Ell. in Cat. Pl. N. J. 570. 1889.
*Ell. & Ev. N. A. F. 3098. April 1894.

*Ell. & Ev. Pung. Columb. 383. 1894.

Ell. Rept. Del. Exp. Sta. 6: 32. Jan. 1895.

McClatchie in Reid's Hist. Pasadena 618. 1895.

Pound, Clements and others, Bot. Surv. Nebr. 4: 39. 20 Jan. 1896.

Millsp. & Nutt. Publ. Field Columb. Mus. Bot. 1: 96. Jan. 1896.
 *Shear, N. Y. Fungi 393. March 1896.
McClatchie, Proc. S. Cal. Acad. 1: 376. 5 June 1897.
Macrosporium Tomato, Cke.
 *Rav. Fung. Am. 603. 1882.
Cke. Grev. 12: 32. d. Sept. 1883.
Cke. Grev. 12: 32. d. Sept. 1883.
Sacc. Syll. 4: 534. d. 10 April 1886.
Pk. Rept. N. Y. Mus. 40: 65. May 1888.
Gall. Rept. U. S. Agr. 1888: 341. d. pl. 3, f. 1-7. 1889.
*Ell. & Ev. N. A. F. 2484. April 1890.
Thax. Rept. Conn. Exp. Sta. 14: 95 (17). 1891.
Millsp. Bull. W. Va. Exp. Sta. 24: 516. June 1892.
Halsted, Rept. N. J. Exp. Sta. 1894: 360, 1895.
Millsp. & Nutt. Publ. Field Columb. Mus. 1: 96. Jan. 18
    Millsp. & Nutt. Publ. Field Columb. Mus. 1: 96. Jan. 1896. Underw. & Earle, Bull. Ala. Exp. Sta. 69: 262. Feb. 1896. Stewart, Rept. N. Y. Exp. Sta. 14: 531. 1896. Stewart, Bull. N. Y. Exp. Sta. 125: 305. pl. 8. July 1897. Halsted, Bull. Penn. Dept. Agr. 28: 17. 1897. Selby, Jour. Columbus Hort. Soc. 11: 115 (3). 1897. Anderson, J. R., Brit. Columb. Dept. Agr. 1897: 54. 1897. Jones, H. L., Oberlin College Lab. Bull. 9: 6. 15 June 1898. Beach, Rept. N. Y. Exp. Sta. 16: 271. pl. 9. 1898. Massee, Textbk. Pl. Diseases 325. d. f. 89. 1899. Earle, Bull. Ala. Exp. Sta. 108: 21. April 1900. Quaintance, Rept. Ga. Exp. Sta. 18: 358. pl. 7. Jan. 1901. Clint. Rept. Conn. Exp. Sta. 1903: 546. 1904. Alternaria Solani, Sorauer, p. p. Sorauer, Zeitschr. Pflanzenkr. 6: 6. 1896.
                                                                                                                                                            Jan. 1896.
                                                                                                                                                            Jan. 1901.
     Sorauer, Zeitschr. Pflanzenkr. 6: 6. 1806.
            Alternaria Tomato, Jones.
     Jones, Bull. Torr. Bot. Club 28: 353. 25 Sept. 1896.
```

Alternaria hispidula, Ell. Ell. Bull. Torr. Bot. Club 10: 52. d. May 1883. Sacc. Syll. 4: 546. d. 10 April 1886. Alternaria lancipes, Ell. & Ev. Ell. & Ev. Jour. Myc. 4: 45. d. May 1888. Sacc. Syll. 10: 679. d. 30 June 1892. Alternaria Solani, (Ell. & Martin) Jones & Grout. NOTE. See note under Alternaria fasciculata. Jones, L. R., Bull. Torr. Bot. Club 28: 353. 25 Sept. 1896. Selby, Bull. Ohio Exp. Sta. 73: 241. Dec. 1896.
*Seymour & Earle, E. F. 521. 7 June 1899.
Jones, L. R., Bull. Vt. Exp. Sta. 72: 16. f. 8-10, 111-8. Sept. 1899. Orton, Rept. Vt. Exp. Sta. 12: 179. Dec. 1899 and Contr. Bot. Vt. 7: 179. Dec. 1899.
Earle, Bull. Ala. Exp. Sta. 108: 32. d. April 1900. Selby, Bull. Ohio Exp. Sta. 121: 50. f. 44. Sept. 1900. Sturgis, Rept. Conn. Exp. Sta. 24: 283, 290. 1901. Norton, Rept. Md. Hort. Soc. 4: 31. 1902. Halsted, Rept. N. J. Exp. Sta. 1902: 422. 1903. Jones, Tr. Mass. Hort. Soc. 1903: 150. 1903. Macoun, Rept. Ont. Agr. Union 1902: 42. 1903. Clint. Rept. Conn. Exp. Sta. 27; 320, 349, 365. May 1904. Orton, Yearb. U. S. Agr. 1908: 552, 553. 1904. Macrosporium Solani, Ell. & Martin. Ell. & Martin, Am. Nat. 16: 1003. d. Oct. 1882. *Ell. N. A. F. 1265. 1884. Kellerm. Bull. Wash. Lab. 1: 78. Jan. 1885 and Tr. Kans. Acad. 9: 1885. o3. 1005. Arth. Rept. N. Y. Exp. Sta. 4: 250. Jan. 1886. Kellerm. & Carl. Tr. Kans. Acad. 10: 94. 1887. Langlois, Cat. Pl. La. 31. 1887. Ell. in Cat. Pl. N. J. 570. 1889. *Ell. & Ev. N. A. F. 2485. April 1890. Halsted Ruste. Smute. Experts and Data *Ell. & Ev. N. A. F. 2485. April 1890.

Halsted, Rusts, Smuts, Ergots and Rots, 19. June 1890.

Gall. Bull. U. S. Agr. Veg. Pathol. 11: 88. 1890.

Webber, Rept. Nebr. Agr. 1889: 225 (85). 1890.

Chester, Bull. Del. Exp. Sta. 15: 14. Jan. 1892.

Briosi & Cav. Fung. Piante Colt. 190. d. f. April 1892.

Chester, Rept. Del. Exp. Sta. 4: 58. d. f. 4-7. 1892.

Woolverton Jour. Hamilton Assoc. 8: 86. f. 11. 1892.

Pammel, Bull. lowa Exp. Sta. 20: 719. Feb. 1893.

*Seymour & Earle, E. F. 379, 340. 1 May 1893.

Gall. Agr. Sci. 7: 370. Sept. 1893.

Rolfs, Bull. Fla. Exp. Sta. 21: 36. Oct. 1893.

Burrill, Proc. Soc. Prom. Agr. Sci. 12: 29. 1893.

Chester, Rept. Del. Exp. Sta. 5: 67. 1893.

Fletcher, Rept. Exp. Farms Can. 1892: 21. 1893.

Gall. Proc. Soc. Prom. Agr. Sci. 14: 46. 1893.

Halsted, Rept. N. J. Exp. Sta. 1892: 348. 1893.

Jones, L. R., Rept. Vt. Exp. Sta. 6: 67. pl. 4. 1893.

Piper, Bull. Wash. Exp. Sta. 8: 137. June 1893.

Lamson, Bull. N. H. Exp. Sta. 22: 3. d. May 1894. Lamson, Bull. N. H. Exp. Sta. 22: 3. d. May 1894. *Ell. & Ev. Fung. Columb. 398. 1894.

Gall. Rept. U. S. Agr. 1893: 260, 261. f. 1. 1894.

Sturgis, Rept. Conn. Exp. Sta. 17: 101. 1894.

Goff, Rept. Wis. Exp. Sta. 10: 245. 1894.

Clint. Bull. Ill. Exp. Sta. 40: 137. f. 2. April 1895.

```
Fletcher, Bull. Cent. Exp. Farm Can. 23: 24. f. 5. April 1895.
Taft & Davis, Bull. Mich. Exp. Sta. 121: 65. April 1895.
Tracy & Earle, Bull. Miss. Exp. Sta. 34: 121. May 1895.
Jones, L. R., Bull. Vt. Exp. Sta. 49: 91, 93. f. 1. 94. f. 2. Dec. 1895.
Selby, Jour. Columbus Hort. Soc. 10: 140 (2). Dec. 1895.
Halsted, Rept. N. J. Exp. Sta. 1894: 354, 360. f. 42. 1895.
M. Clatchie in Reid's Hist. Pasadena 618. 1895.
Sturgis, Rept. Conn. Exp. Sta. 18: 127. 1895.
Stewart, Bull. N. Y. Exp. Sta. 10: 72. Feb. 1896.
Garman, Bull. Ky. Exp. Sta. 61: 18. March 1896.
*Ell. & Ev. Fung. Columb. 891. April 1896.

*Ell. & Ev. Fung. Columb. 891. April 1896.

McClatchie, Proc. S. Cal. Acad. 1: 376. 5 June 1897.
Atk. Bull. Cornell Univ. 8: 40. 25 June 1897.
Roberts & Clint. Bull. Cornell Exp. Sta. 140: 59. f. 123. Nov. 1897.
Halsted, Bull. Penn. Dept. Agr. 28: 10. 1897.
      Roberts & Clint. Bull. Cornell Exp. Sta. 140: 59. f. 123. Nov. 1 Halsted, Bull. Penn. Dept. Agr. 28: 10. 1897. Stewart, Rept. N. Y. Exp. Sta. 15: 498. 1897. Tubeuf-Smith, Diseases of Plants 517. 1897. Rolfs, Bull. Fla. Exp. Sta. 47: 124. d. pl. 1, f. 1. Sept. 1898. Stewart, Rept. N. Y. Exp. Sta. 16: 378. 1898. Tillinghast & Adams, Bull. R. I. Exp. Sta. 52: 11. Feb. 1899. Lindau in Engler & Prantl, Pflanzenfam. 11**: 484. Feb. 1900. Hume, Rept. Fla. Exp. Sta. 1900: 43. 1900. Earle in Mohr, Contr. U. S. Nat. Herb. 6: 247. 31 July 1901. Ricker. Univ. of Maine Studies 3: 23. 30 April 1902.
   *Ricker, Univ. of Maine Studies 3: 23. 30 April 1902.
*Barthol., Ell. & Ev. Fung. Columb. 1831. 28 Dec. 1903.
*Macrosporium Solani, Cke.
   Cke. Grev. 12: 32. d. Sept. 1883.
*Ell. N. A. F. 1265b. 1885. [Issued with Cent. XIV.].

*Macrosporium Cookei, Sacc.
       Macrosporium Cookel, Sacc.
Sacc. Syll. 4: 530. d. 10 April 1886.
Stevens, F. L., Rept. Ohio Acad. 4: 23. 1896.
Atk. Bull. Cornell Univ. 8: 40. 25 June 1897.
Underw. & Earle, Bull. Ala. Exp. Sta. 80: 155.
Stevens, F. L., Rept. Ohio Acad. 5: 64. 1897.
Earle in Mohr, Contr. U. S. Nat. Herb. 6: 246.
Patterson, Bull. U. S. Agr. Pl. Industry 8: 30.
Macrosporium Solani, "Rav." sec. Gall.
Gall. Rept. II. S. Agr. 1888: 400. pl. 2. 6. 1-7.
                                                                                                                                                                                                       28 June 1897.
                                                                                                                                                                                                     31 July 1901.
                                                                                                                                                                                                     3 Feb. 1902.
       Gall. Rept. U. S. Agr. 1888: 400. pl. 3, f. 1-7. 1880.
Fairchild, Bull. U. S. Agr. Veg. Pathol. 6: 47, 48. 1894.

Alternaria Solani, Sorauer, p. p.
Sorauer, Zeitschr. Pflanzenkr. 6: 6. 1896.
Jones, L. R., Rept. Vt. Exp. Sta. 9: 85, 86. 1896.
Jones & Grout, Bull. Torr. Bot. Club 24: 257. d. pl. 308, f. 1-3. 29
         May 1897.

Jones, L. R., Rept. Vt. Exp. Sta. 10: 45. d. 1897.
        Gall. Farmers' Bull. U. S. Agr. 91: 5. f. 1. 1899.
Patterson, Bull. U. S. Agr. Pl. Industry 8: 27. 3 Feb. 1902.
Alternaria Solani, Sorauer, p. p. See Alternaria fasciculata, (C. & E.) Jones & Grout.
Alternaria Solani, Sorauer, p. p. .
See Alternaria Solani, (Ell. & Martin) Jones & Grout.
Alternaria tenuis, Nees.
            S. Syn. Am. Bor. 286. no. 2753. 1834.
          Wint. & Demet. Hedw. 24: 201 (25). Oct. 1885.
```

Pk. Rept. N. Y. Mus. **85**: 139. 1885.
Sacc. Syll. **4**: 545. d. 10 April 1886.
Ell. in Cat. Pl. N. J. 571. 1889.
PAtk. Bull. U. S. Agr. Office Exp. Sta. **88**: 282. 1896.
Jelliffe, Druggists Circular **41**: 246. d. f. 1-3. Sept. 1897.
Jelliffe, Bull. Torr. Bot. Club **24**: 481. 30 Oct. 1897.
Jones, H. L., Oberlin College Lab. Bull. 9: 4. 15 June 1898.
Earle, Bull. Ala. Exp. Sta. 99: 285. Dec. 1898.
Berl. Fungi Moricolæ fasc. 7: no. 14. pl. 4, f. 4-6. 20 July 1899.
Jelliffe, Flora of Long Island 32. 1800. Jelliffe, Flora of Long Island 33. 1899. Earle, Bull. Ala. Exp. Sta. 107: 317. April 1900. Lindau in Engler & Prantl, Pflanzenfam. 11**: 486. f. 252 H. Feb. Pound & Clements, Bot. Surv. Nebr. 5: 19. 30 March 1901. *Barthol., Ell. & Ev. Fung. Columb. 1505. Dec. 1901.

Alternaria tenuis, Nees, var. condensata, Sacc. Sacc. Mich. 2: 578. I Dec. 1882.

Alternaria Tomato, Jones.

See Alternaria fasciculata, (C. & E.) Jones & Grout.

Alternaria Violæ, Gall. & Dorsett.

Dorsett, Bull. U. S. Agr. V. P. P. 23: 11 d. pl. 1-7. 28 Nov. 190

Jour. Roy. Hort. Soc. II. 26: 491. Dec. 1901.

Sturgis, Rept. Conn. Exp. Sta. 24: 292. 1901.

Sacc. & Syd. Syll. 16: 1080. d. 1 Feb. 1902.

Lewton-Brain, West Indian Bull. 4: 57. 1903.

Clint. Rept. Conn. Exp. Sta. 27: 368. pl. 28, f. d. May 1904.

Orton, Yearb. U. S. Agr. 1903: 555. 1904. 28 Nov. 1900 and

Alternaria, sp. indet.

NOTE. On account of their possible importance from an agricultural point of view the following references to unnamed species of Alternaria are here inserted. For addition references to cucurbitaceous hosts see Alternaria Brassica, (B.) Sacc, var. nigrescens, Pegl.

On Aralia.

Van Hook, Bull. Cornell Exp. Sta. 219: 183. f. 39-41. June 1904.

On Cucurbitaceæ.

Webber, Rept. Nebr. Agr. 1889: 225 (85). 1800. Sturgis, Rept. Conn. Exp. Sta. 20: 267. 1897. Sturgis, Rept. Conn. Exp. Sta. 121: 39. f. 30. Sept. 1900.
Sturgis, Rept. Conn. Exp. Sta. 121: 39. f. 30. Sept. 1900.
Sturgis, Rept. Conn. Exp. Sta. 23: 272. 1900.
Hedgcock, Science II. 16: 136, 137. 25 July 1902.
Stone & Smith, Rept. Hatch Exp. Sta. 14: 63. 1902.
Stone & Smith, Rept. Hatch Exp. Sta. 15: 28, 31. Jan. 1903.

On Gossypium herbaceum.

Atk. Bull. Ala. Exp. Sta. 27: 168 (6). pl. 2, f. 5. May 1891. Earle, Bull. Ala. Exp. Sta. 107: 302, 307, 312, 317. April 1900.

On Linum.

Bolley, Proc. Soc. Prom. Agr. Sci. 23: 85 (4). 1902. Bolley, Bull. N. Dak. Exp. Sta. 55: 187. March 1903.

On Nicotiana.

Sturgis, Rept. Conn. Exp. Sta. 23: 265, 268. 1900.

On Olea.

Sturgis, Rept. Conn. Exp. Sta. 24: 277. 1901. Bioletti, Rept. Cal. Exp. Sta. 1898-1901: 306. 1902.

On Tropæolum majus.

Halsted, Rept. N. J. Exp. Sta. **1891**: 299. 1892. Halsted, Rept. N. J. Exp. Sta. **1892**: 290. d. 1893. Sturgis, Rept. Conn. Exp. Sta. 24: 276. 1901.

On various garden crops.

Pound & Clements, Minn. Bot. Studies 9: 649. d. 30 Nov. 1896. Jones, L. R., Rept. Vt. Exp. Sta. 9: 85. pl. 1, f. 4-6. pl. 2, f. 7. pl. 3, f. 9. 1896. Hedgcock, Science II. 16: 136, 137. 25 July 1902.

Alwisia bombarda, B. & Br.

Lister, Jour. of Bot. 42: 135. d. May 1904.

West Indies.

Alvsidium, Kze.

NOTE. This genus was founded on Alysidium fulvum, Kze. of which the North American references are given below. As limited by some authors it includes certain species referred to Oidium, Oospora, etc. Since all the fungi of this group are either known or suspected to be imperfect forms of higher fungi it seems to us unnecessary to attempt to settle the question as to what is the oldest name of the genus to which they might be referred and we have preferred to retain most of them in Oospora, the genus under which several of our species were first described and under which they are to be found in most recent works.

Alysidium albipes, Pound & Clements. See *Oospora albipes*, (Pk.) Sacc.

Alysidium candidulum, Pound & Clements. See **Oospora candidula,** Sacc.

Alysidium compactum, Pound & Clements. See Oospora compacta, (C. & E.) Sacc. & Vogl.

Alysidium euboideum, Pound & Clements. See Oospora cuboidea, Sacc. & Ell.

Alysidium Cucumeris, Pound & Clements. See **Oospora Cucumeris,** Pk.

Alysidium fasciculatum, Pound & Clements. See Oospora fasciculata, (B.) Sacc. & Vogl.

Alysidium fulvum, Kze.

Pound & Clements, Minn. Bot. Studies 9: 650. 30 Nov. 1896. Oidium fulvum, Lk.

S. Syn. Am. Bor. 285 no. 2745.
Pk. Rept. N. Y. Mus. 26: 79.
April Frost in Cat. Pl. Amherst 87.
1875. April 1874. Cobb, List Pl. Amherst 48. 1887.

Bennett, Cat. Pl. R. I. 90. 1888. Oospora fulva, Sacc. & Vogl.

Sacc. Syll. 4: 22. d. 10 April 1886. Lindau, Rabh. Krypt.-Fl. 18: 46. d. 16 May 1904.

Alysidium hyalinulum, Pound & Clements. See Oospora hyalinula, Sacc.

Alysidium insulare, Pound & Clements. See Oospora insularis, (Thm.) Sacc. & Vogl.

Alysidium lactis, Pound & Clements. See Oospora lactis, (Fres.) Sacc.

Alysidium ovalisporum, Pound & Clements. See Oospora ovalispora, (B.) Sacc. & Vogl.

Alysidium pallidum, Pound & Clements. See Oospora pallida, (B. & Rav.) Sacc. & Vogl.

Alysidium pulvinatum, Pound & Clements. See Oospora pulvinata, (B. & C.) Sacc. & Vogl.

Alysidium Tulipiferæ, Pound & Clements. See Oospora Tulipiteræ, Ell. & Martin.

Alvtosporium. Ehrb.

NOTE. A number of the species of this genus are probably no more than the sterile forms of some higher fungi such as Thelephoracea. Certain other species have been referred to other genera of Fungi Imperfecti.

Alytosporium eroceum, Lk. See Sporotrichum croceum, Kze.

Alytosporium fulvum, Lk.

S. Syn. Am. Bor. 274 no. 2555. 1834.

Alytosporium fuscum, Lk.

See Trichosporium fuscum, (Lk.) Sacc.

Alytosporium murinum, Lk.

See Trichosporium murinum, (Lk.) Sacc.

Alytosporium psittacinum, Lk.

Š. Syn. Am. Bor. 274 no. 2553. 1834.

Alytosporium pteridicola, S. nom. nud.

NOTE. This name is cited at the place referred to below but we have not been able to trace it elsewhere.

Cke. Grev. 20: 22. Sept. 1891.

Amanita abrupta, Pk.

Pk. Bull. Torr. Bot. Club 24: 138. d. 30 March 1807.

PK. Bull. 1 orr. Bot. Club 24: 138. d. 30 March 1897. Underw. & Earle, Bull. Ala. Exp. Sta. 80: 253. d. 28 June 1897. Lindau & Syd. Hedw. 87: Beibl. 7: l. 9 April 1898. Lloyd, Volvæ 7, 14. d. 1898 and Rev. Myc. 21: 93. July 1899. Sacc. & Syd. Syll. 14: 63. d. 20 Aug. 1899. Williams, Asa Gray Bull. 7: 79. Aug. 1899. McIlvaine & Macadam, Am. Fung. 23. d. 1900. Earle in Mohr, Contr. U. S. Nat. Herb. 6: 228. 31 July 1901.

Amanita adnata, W. G. Smith.

See Amanitopsis adnata (W. G. Smith) Sacc.

Amanita affinis, Frost.

See *Amanita Frostiana*, Pk.

Amanita agglutinata, Lloyd.

See Amanitopsis agglutinata, (B. & C.) Sacc.

Amanita aspera, P.

Muhl. Cat. Pl. Am. Sept. 1 ed. 104. 1813. 2 ed. 107. 1818.

S. Syn. Car. 79 (53) no. 552. 1822. Sacc. Cub. & Manc. Syll. 5: 19. d. 28 May 1887.

Lloyd, Volvæ 7. d. 1898 and Rev. Myc. 21: 93. McIlwaine & Macadam, Am. Fung. 23. d. 1900. July 1899.

Agaricus asper, Fr.

S. Syn. Am. Bor. 145 no. 10. 18 Curtis, M. A., Bot. N. Car. 83. 1834.

Cooke, Handbook 10. d. 1871.

Johnson, Bull. Minn. Acad. 1: 209. 1877 and Rept. Minn. Surv. 5: 67. 1877.

Bundy, Geol. Wis. 1873-79, 1: 396. 1883. Morg. Jour. Myc. 8: 30. d. March 1887.

Amanita aterrima, Raf.

Raf. Précis 49. d. 1814.

NOTE. It is impossible to recognize from the original descriptions either this species or *Amanita azurea*, Raf. It may be said, however, that neither of them appears to be an *Amanita* in the modern sense.

Amanita aurantiaca, S. See Amanita cæsarea, (Scop.) P.

Amanita azurea, Raf. Raf. Précis 49. d. 1814.

Amanita baccata. Fr.

See Amanitopsis baccata, (Fr.) Sacc.

Amanita badia, P.

See Amanitopsis vaginata, (Bull.) Roze.

Amanita bulbosa, P.

NOTE. It is difficult to say with certainty to what species of later writers the Amanita bulbosa of Persoon is to be referred but as far as we can ascertain it is considered to be the same as Amanita Mappa, (Batsch.) Fr. The Agaricus bulbosus of Bulliard as represented by his plates no. 2 and 577 is in part Amanita phalloides and in part Amanita Mappa.

In Lloyd, Volvæ 21. 1898 'Amanita bulbosa', Rav. is said to be the same as Amanita Ravenelii, B. & C. but we have no note as to where an

Amanita bulbosa, Rav. was ever printed.

See also the references given under Amanita phalloides to Amanita bulbosa, Auct. Amer. and note under Amanita solitaria, (Bull.) Fr.

Amanita cessarea, (Scop.) P.
S. Syn. Car. 79 (53) no. 546. 1822.
Hitchcock, Cat. Pl. Amherst 59. 1829.
Hitchcock, Cat. Pl. Mass. 644. 1833. 2 ed. 646 (126). 1835.
Sacc. Cub. & Manc. Syll. 5: 8. d. 28 May 1887.
Banning in Pk. Rept. N.Y. Mus. 44: 178 (66). Dec. 1891.
*Shear, N. Y. Fungi 1. 1893.
Taylor, Rept. U. S. Agr. 1892: 284. d. pl. 1. 1893.
Atk. & Schrenk, Jour. Mitch. Soc. 9: 98 (4). April 1893.
Taylor, Food Products 2: 21. 1893.
Pk. Country Gent. 59: 566 (42) f. 2 Aug. 1894.
Pk. Rept. N. Y. Mus. 47: 135 (9). Nov. 1894.
Kellerm. & Werner, Geol. Ohio 72: 300. Jan. 1895.
Underw. Bull. Ala. Exp. Sta. 73: 341. d. f. 2. Oct. 1896.
Webster, Am. Kitchen Mag. 6: 215. Feb. 1897 and Taylor, Hdbk. Mushrooms 2: 24. 1897.
Pk. Rept. N. Y. Mus. 48: 253 (155). pl. 15. March 1897.
Atk. Bull. Cornell Univ. 3: 24. 25 June 1897.
Underw. & Earle, Bull. Ala. Exp. Sta. 80: 253. 28 June 1897.
Williams, Asa Gray Bull. 6: 83. f. 134. Oct. 1898.
[Underw.] N. Y. Myc. Club 16. 1898.
Lloyd, Volvæ 1, 3. d. 13. d. 1898 and Rev. Myc. 21: 91. July 1899.
Farl. Yearb. U. S. Agr. 1897: 458. 1898. [Bull. 15.]
Henn. in Engler & Prantl, Pflanzenfam. 1**: 275. d. 1898.
Williams, Asa Gray Bull 7: 78. Aug. 1899.
Child, Jour. Hamilton Assoc. 15: 105. 1899.
Underw. Moulds 120. 1899.
Underw. Moulds 120. 1899.

Atk. Mushrooms 54, 70. d. pl. 18, f. 72. pl. 19, f. 2. 20 Oct. 1900. Williams, Asa Gray Bull. 8: 103. Oct. 1900. Hyams, Bull. N. Car. Exp. Sta. 177: 30. Dec. 1900. Atk. in Bailey's Cycl. Am. Hort. 1044. 1900. McIlvaine & Macadam, Am. Fung. 12. d. 1900. Perry, Agricultural Student 6: 179. May 1900 and Ohio Univ. Bull. IV. 30: 8. May 1900.

Trel. Rept. Mo. Hort. Soc. 48: 236 (13). 1900. Earle in Mohr, Contr. U. S. Nat. Herb. 6: 228. 31 July 1901. Conant, Bull. Boston Myc. Club 19: 5 Feb. 1903. MacKay, Tr. N. Scot. Inst. 11: 124. Aug. 1904. Agaricus cæsareus, Scop.

S. Syn. Am. Bor. 145 no. 3. 1834.
Rav. Charleston Med. Jour. & Rev. 6: 190. March 1851.
B. & C. Ann. Nat. Hist. Ill. 4: 284 (1). d. Oct. 1859. Curtis, M. A., Bot. N. Car. 83. 1867.
Curtis, M. A., Bot. N. Car. 83. 1867.
Curtis, M. A., Jour. Roy. Hort. Soc. Il. 2: 72, 74. 1870. Pk. Rept. N. Y. Mus. 28: 68. d. 1872. Cke. & B. Fungi 88. 1875.
Frost in Cat. Pl. Amherst 62. 1875.
*Rav. Fung. Am. 406. 1878.
Morg. Jour. Cin. Soc. 6: 57. d. April 1883. Pk. Rept. N. Y. Mus. 38: 41. d. Oct. 1883. Rav. S. Car. Resources 354. 1883. Porcher in Wood's Hdbk. Med. Sci. 8: 275. pl. 12, f. 3 & 5. 1886. Morg. Jour. Myc. 8: 26. d. March 1887. Cobb, List Pl. Amherst 31. 1887. Ell. in Cat. Pl. N. J. 468. 1889. Eby, Fungi of Lancaster Co. 7. 1894.
Taylor, Hdbk. Mushrooms 5: 5. d. pl. 14, f. 1-4. 1898. Amanita aurantiaca, S. nom. nud. S. Syn. Car. 79 (53) no. 547. 1822. Lloyd, Volvæ 21. 1898. Agaricus prætorius, Fr. p.p.

NOTE. Under this name in the citation below reference is made to an unpublished description by Schweinitz. Agaricus pratorius, Fr. however, is an Amanitopsis and therefore the Agaricus pratorius of Fries's Epicrisis does not belong here. As far as the reference to Schweinitz is concerned it is probable but not certain that it relates to the Amanita aurantiaca of S. Syn. Car. 547.

Fr. Epicr. 11. 1836-38.

Amanita calyptrata, Pk.
Pk. Bull. Torr. Bot. Club 27: 14. d. 24 Jan. 1900.
McIlvaine & Macadam, Am. Fung. 26. d. 1900.
Sweetser, Bull. Pacific Univ. 14: 12. f. c4. May 1901.
Sacc. & Syd. Syll. 16: 1. d. I Feb. 1902.

Amanita calyptrata, Pk., var. **albescens**, Pk. Pk. Rept. N. Y. Mus. **53**: 840. d. pl. A, f. 1-5. 19 March 1901.

Amanita candida, Pk.
Pk. Bull. Torr. Bot. Club 24: 137. d. 30 March 1897.
Underw. & Earle, Bull. Ala. Exp. Sta. 80: 253. d. 28 June 1897.
Lindau & Syd. Hedw. 87: Beibl. 7: 1. 9 April 1898.
Lloyd, Volvæ 6. d. 14. d. 1898 and Rev. Myc. 21: 93. July 1899.
Sacc. & Syd. Syll. 14: 63. d. 20 Aug. 1899.
Williams, Asa Gray Bull. 7: 79. Aug. 1899.

Williams, Asa Gray Bull. 8: 103. Oct. 1900. McIlvaine & Macadam, Am. Fung. 20. d. 1900. Earle in Mohr, Contr. U. S. Nat. Herb. 6: 228. 31 July 1901. Amanita Ceciliæ, B. & Br. See Amanitopsis strangulata, (Fr.) Roze. Amanita chlorinosma, Pk. Pk. in Austin, Bull. Torr. Bot. Club **6**: 278. d. Dec. 1878. Underw. & Earle, Bull. Ala. Exp. Sta. 80: 254. 28 June 1897. Lloyd, Volvæ 7. d. 15. d. 1898 and Rev. Myc. **21**: 93. July 1899. Williams, Asa Gray Bull. **7**: 79. Aug. 1899. Williams, Asa Gray Bull. **8**: 103. Oct. 1900. McIlvaine & Macadam, Am. Fung. 25. d. pl. 8, f. 1. 1900. Earle in Mohr, Contr. U. S. Nat. Herb. 6: 228. 31 July 1901. Agaricus chiorinosmus, Pk. Pk. in Austin, Bull. Torr. Bot. Club 6: 278. d. Dec. 1878. Austin, Bull. Torr. Bot. Club 6: 298. March 1879. Pk. Bot. Gaz. 4: 137. d. March 1879. Ell. in Cat. Pl. N. J. 468. 1889. Tricholoma chlorinosmum, Sacc. Syll. Sacc. Cub. & Manc. Syll. 5: 101. d. 28 May 1887. Amanita circinata, Schum. See Amanita rubescens, P., var. circinata, P. Amanita citrina, S. Syn. Car. 544. See Amanita phalloides, Fr. Amanita cothurnata, Atk. Atk. Mushrooms 66. d. pl. 17, f. 68, f. 69, 70. 20 Oct. 1900 and Rhodora 8: 40. 1 Feb. 1901. **Amanita crenulata,** Pk. Pk. Bull. Torr. Bot. Club 27: 15. d. 24 Jan. 1900. McIlvaine & Macadam, Am. Fung. 27. d. 1900. Sacc. & Syd. Syll. 16: 2. d. 1 Feb. 1902. White, Bull. Torr. Bot. Club 29: 562. 26 Sept. 1902. Conant, Bull. Boston Myc. Club 19: 5 Feb. 1903. **Amanita daucipes,** B. & Mont. See Amanitopsis daucipes, (B. & Mont.) Sacc. Syll. Amanita excelsa, Fr. Sacc. Cub. & Manc. Syll. 5: 14. d. 28 May 1887. Lloyd, Volvæ 6. d. 13. 1898 and Rev. Myc. 21: 92. McIlvaine & Macadam, Am. Fung. 17. d. 1900. Agaricus excelsus, Fr. July 1899. S. Syn. Am. Bor. 145 no. 7. 1834. Rav. Charleston Med. Jour. & Rev. 6: 190. March 1851. Andrews, Proc. Boston Soc. 5: 322. April 1856. Curtis, M. A., Bot. N. Car. 83. 1867. 1871. Cooke, Handbook 8. d. Frost in Cat. Pl. Amherst 62. 1875. Johnson, Bull. Minn. Acad. 1: 209. 1877 and Rept. Minn. Surv. 5: 1877. Hark. & Moore, Cat. Pac. Fung. 2. Feb. 1880. Morg. Jour. Myc. 8: 28. d. March 1887. Cobb, List Pl. Amherst 31. 1887. Bennett, Cat. Pl. R. I. 76. 1888. Eby, Fungi of Lancaster Co. 7. 1894. Amanita farinosa, S. See *Amanitopsis farinosa*, (S.) Atk.

Amanita flavoconia, Atk.

NOTE. It is possible that some of the earlier notices given under Amanita Frostiana, Pk. may refer to this species. Atk. Jour. Myc. 8: 110. d. 14 Oct. 1902. Hay, Bull. Nat. Hist. Soc. N. B. 5: 114. 1903. Pk. Rept. N. Y. Mus. 564: 21. d. May 1903. [Bull. 67.] Sacc. Syll. 17: 1. d. 25 May 1905. Amanita flavorubens, Mont Mont. Syll. Crypt. 96. d. 1856. Sacc. Cub. & Manc. Syll. 5: 17. d. 28 May 1887. Kellerm. & Werner, Geol. Ohio 72: 300. Jan. 1895. Millsp. & Nutt. Publ. Field Columb. Mus. Bot. 1: 157. Jan. 189. Henn. in Engler & Prantl, Pflanzenfam. 1 ***: 275. 1898. Lloyd, Volvæ 7. d. 15. d. 1898 and Rev. Myc. 21: 93. July 1899. Agaricus flavorubens, B. & Mont. Jan. 1890. Mont. Syll. Crypt. 96. d. 1856. Amanita flavorubescens. Atk. Atk. Jour. Myc. 8: 111. d. 14 Oct. 1902. Sacc. Syll. 17: 1. d. 25 May 1905. Amanita floccocephala, Atk. Atk. Mushrooms 62. d. f. 63. 20 Oct. 1900 and Rhodora 3: 40. 1 Feb. 1901. White, Bull. Torr. Bot. Club 29: 562. 26 Sept. 1902, Amanita formosa, Gonn. & Rabh. See Amanita muscaria, (L.) P., var. formosa, P. **Amanita Frostiana.** Pk. NOTE. See note under Amanita flavoconia, Atk. Pk. Rept. N. Y. Mus. 83: 18, 44. d. Oct. 1883. Sacc. Cub. & Manc. Syll. 5: 14. d. 28 May 1887. Underw. & Earle, Bull. Ala. Exp. Sta. 80: 254. 28 June 1897. Williams, Asa Gray Bull. 6: 83. Oct. 1808. Henn. in Engler & Prantl, Pflanzenfam. 11 **: 275. 1808. Henn. In Engier & Franti, Filanzentam. 1¹7; 275. 1898. Lloyd, Volvæ 5. d. 13. d. 1898 and Rev. Myc. 21: 92. July 1899. Taylor, Hdbk. Mushrooms 5: 10. 1898. Pk. Bull. N. Y. Mus. 6: 191. July 1899. Williams, Asa Gray Bull. 7: 78. Aug. 1899. Underw. Moulds 120. 1899. Atk. Mushrooms 54. d. 20 Oct. 1900. Williams, Asa Gray Bull. 8: 103. Oct. 1900. McIlvaine & Macadam Am Fung. 16. d. 16. f. 5. 1000. and An McIlvaine & Macadam, Am. Fung. 16. d. pl. 6, f. 5. 1900 and Am. Kitchen Mag. 14: 122. Dec. 1900. Atk. in Bailey's Cycl. Am. Hort. 1044. d. 1900. Earle in Mohr, Contr. U. S. Nat. Herb. 6: 229. 31 July 1901. Brown & Fernekes, Bull. Wis. Nat. Hist. Soc. 11. 2: 46. Jan. 1902. Ricker, Univ. of Maine Studies 3: 55. 30 April 1902. White, Bull. Torr. Bot. Club 29: 562. 26 Sept. 1902. Longyear, Rept. Mich. Acad. 8: 55. 1902. Conant, Bull. Boston Myc. Club 19: 5 Feb. 1903. Hay, Bull. N. H. Soc. N. B. 5: 114. 1903. 26 Sept. 1902. Longyear, Rept. Mich. Acad. 4: 115. Agaricus affinis, Frost, nom. nud. Frost in Cat. Pl. Amherst 62. 1875. Cobb, List Pl. Amherst 31. 1887. Amanita affinis, Frost, nom. nud. Frost in Cat. Pl. Amherst 62. 1875. Lloyd, Volvæ 21. 1898.

Agaricus muscarius, var. **minor,** Pk. Pk. Rept. N. Y. Mus. 28: 69. d. 1872. Bundy, Geol. Wis. 1873-79, 1: 396. 18

Amanita muscaria, var. minor, Pk. Pk. Rept. N. Y. Mus. 28: 69. d. 1872. Lloyd, Volvæ 21. 1898.

Agaricus Frostianus, Pk. Pk. Rept. N. Y. Mus. 33: 18, 44. d. Oc Morg. Jour. Myc. 3: 28. d. March 1887. Amanita Frostiana, Pk., var. pallidipes, Pk. Pk. Rept. N. Y. Mus. 58: 855. d. 19 March 1901. Sacc. & Syd. Syll. 16; 1110. 1 Feb. 1902. Sacc. Syll. 17: 2. d. 25 May 1905. Amanita hyperborea, Karst. See *Amanitopsis hyperborea*, Karst. Amanita incarnata, P. See Volvaria bombycina, (Schæff.) Fr. Amanita lenticularis, Fr. See Lepiota lenticularis, (Lasch) Gillet. Amanita livida, P. See Amanitopsis vaginata, (Bull.) Roze, var. livida, (P.) Pk. Amanita magnivelaris, Pk. Pk. Rept. N. Y. Mus. 50: 96. d. 28 March 1898. Lloyd, Volvæ 4. d. 13. d. 1898 and Rev. Myc. 21: 92. July 1899. Sacc. & Syd. Syll. 14: 64. d. 20 Aug. 1899. McIlvaine & Macadam, Am. Fung. 10, d. 1900. Amanita Mappa, (Batsch) Fr. Lloyd, Volvæ 4. d. 13. 1898 and Rev. Myc. 21: 92. Williams, Asa Gray Bull. 8: 104. Oct. 1900. McIlvaine & Macadam, Am. Fung. 10. d. 1900. White, Bull. Torr. Bot. Club 29: 562. 26 Sept. 1902. Hay, Bull. Nat. Hist. Soc. N. B. 5: 114. 1903. Schaffner, Ohio Nat. 4: 17. Nov. 1903. Agaricus Mappa, Batsch. Curtis, M. A., Bot. N. Car. 83. 1867. Pk. Rept. N. Y. Mus. 22: 76. 1869. Frost in Cat. Pl. Amherst 62. 1875. Johnson, Bull. Minn. Acad. 1: 209. 1877 and Rept. Minn. Surv. 5: 67. 1877.
Palmer, Mushrooms pl. 10, f. 4. 1885.
Morg. Jour. Myc. 8: 27. d. March 1887.
Cobb, List Pl. Amherst 31. 1887.
Eby, Fungi of Lancaster Co. 7. 1894. Taylor, Hdbk. Mushrooms 5: 11. d. pl. 15, f. 9. 1898. Amanita monticulosa, B. & C manita monticulosa, B. & C.
B. & C. Ann. Nat. Hist. II. 12: 418 (2). d. Dec. 1853.
Sacc. Cub. & Manc. Syll. 5: 18. d. 28 May 1887.
Lloyd, Volvæ 7. d. 14. d. 1898 and Rev. Myc. 21: 93.
Henn. in Engler & Prantl, Pflanzenfam. 11**: 275. 1898.
Williams, Asa Gray Bull. 8: 103. Oct. 1900.
McIlvaine & Macadam, Am. Fung. 25. d. 1900.
Ricker, Univ. of Maine Studies 3: 55. 30 April 1902.
Agaricus monticulist 11. 42: 428 (6). d. Dec. 1876. July 1899. B. & C. Ann. Nat. Hist. II. 12: 418 (2). d. Dec. 1853. Curtis, M. A., Bot. N. Car. 83. 1867. Morg. Jour. Myc. 3: 30. d. March 1887.

```
Amanita multisquamosa, Pk.
Pk. Rept. N. Y. Mus. 58: 840. d. pl. B, f. 1-7. 19 March 1901.
Sacc. & Syd. Syll. 16: 1110. 1 Feb. 1902.
Sacc. & Syd. Syll. 16: 1110. I Feb. 1902.
Sacc. Syll. 17: 2. d. 25 May 1905.

Amanita muscaria, (L.) P.
Grev. Scot. Crypt. Fl. 1: pl. 54. 1823.
Porcher, Tr. Am. Med. Assoc. 2: 854. 1849.
Sacc. Cub. & Manc. Syll. 5: 13. d. 28 May 1887.
Banning in Pk. Rept. N. Y. Mus. 44: 177 (65). Dec. 1891.
Rostr. Meddelelser om Groenl. 8: 596. 1891.
Millsp. Bull. W. Va. Exp. Sta. 24: 502. June 1892.
Atk. & Schrenk, Jour. Mitch. Soc. 9: 98 (4). April 1893.

*Shear, N. Y. Fungi 101. 1893.
Taylor, Rept. U. S. Agr. 1892: 284. d. *pl. 2. 1893.
Pk. Country Gent. 59: 566 (43). 2 Aug. 1894.
Underw. Proc. Ind. Acad. 1898: 61. Aug. 1894.
Kellerm. & Werner, Geol. Ohio 72: 300. Jan. 1895.
Graves, Asa Gray Bull. 8: 44. I Oct. 1895.
Gibson, Mushrooms 287. pl. 37. 1895.
Pound, Clements and others, Bot. Surv. Nebr. 4: 43. 20 Jan. 1896.
Millsp. & Nutt. Publ. Field Columb. Mus. Bot. 1: 156. Jan. 1896.
Underw. Bull. Ala. Exp. Sta. 73: 344. f. 3. Oct. 1896.
Bates, Tr. Mass. Hort. Soc. 1896: 173. d. 1896.
Underw. Bull. Ala. Exp. Sta. 73: 344. f. 3. Oct. 1896.
Bates, Tr. Mass. Hort. Soc. 1896: 173. d. 1896.
Underw. & Earle, Bull. Ala. Exp. Sta. 80: 254. 28 June 1897.
Coville, Circ. U. S. Agr. 13: 15. f. 14-20. I Dec. 1897. [2 ed. f. 18-24.]
Farl. Gard. & Forest 10: 469. I Dec. 1897. [2 ed. f. 18-24.]
Farl. Gard. & Forest 10: 469. I Dec. 1897.
Chesnut, Yearb. U. S. Agr. 13: 15. f. 14-20. I Dec. 1897. [2 ed. f. 18-24.]
                   Sacc. Syll. 17: 2. d. 25 May 1905.
                 Chesnut, Yearb. U. S. Agr. 1896: 144. 1897.
Taylor, Hdbk. Mushrooms 3: 2. pl. E, f. 2. 1897.
Williams, Asa Gray Bull. 6: 82. pl. 1, f. 3. Oct. 1898.
Chesnut, Bull. U. S. Agr. Div. Bot. 20: 12. f. 1. 1898 and Far Bull. U. S. Agr. 86: 4. f. 1. 1898.
Farl. Yearb. U. S. Agr. 1897: 457. d. pl. 22. 1898. [Bull. 15. Henn. in Engler & Prantl, Pflanzenfam. 11**: 275. d. 1898.
Lloyd, Volvæ 5. d. 13. 1898 and Rev. Myc. 21: 92. July 1899.
Taylor, Hdbk. Mushrooms 5: 6. 1898.
Halsted, Bull. N. J. Exp. Sta. 135: 12. f. 6. 8 Feb. 1899.
Pk. Bull. N. Y. Mus. 6: 191. July 1899.
Williams, Asa Gray Bull. 7: 78. Aug. 1899.
Chesnut, Rept. Bureau of Animal Industry 15: 393. f. 38. 1899.
Child, Jour. Hamilton Assoc. 15: 105. 1899.
                                                                                                                                                                                                                                                                                                                                                                            1808 and Farmer's
                                                                                                                                                                                                                                                                                                                                                                                                                        [Bull. 15.]
                                                                                                                                                                                                                                                                                                                                                                                                                    July 1800.
                   Child, Jour. Hamilton Assoc. 15: 105. 1899.
Herbst, Fungal Fl. Lehigh Valley 23. d. pl. 18
Jelliffe, Flora of Long Island 42. 1899.
Longyear, Rept. Mich. Agr. 1898: 92. 1899.
Underw. Moulds 119. 1899.
                   Onderw. Moulds 119. 1899.

Atk. Mushrooms 52. d. pl. 12, f. 52. pl. 13, f. 53, 54. 249. 20 Oct. 1900. 295, 297. April 1902. [2 ed.]

Williams, Asa Gray Bull. 8: 103. Oct. 1900.

Atk. in Bailey's Cycl. Am. Hort. 1044. d. 1900.

McIlvaine & Macadam, Am. Fung. 14. d. pl. 6, f. 4. pl. 9. 623. 1900.

Perry, Agricultural Student 6: 179. May 1900 and Ohio Univ. Bull. IV. 30: 8. May 1900.

Trel. Rept. Mo. Hort. Soc. 48: 236 (13). 1900.

Henderson, Bull. Idaho Eyn. Sta. 27: 52. pl. 12. March 1901.
                    Henderson, Bull. Idaho Exp. Sta. 27: 53. pl. 12. March 1901.
Carter, Am. Jour. Physiol. 5: 158, 168. 1 April 1901.
Sweetser, Bull. Pacific Univ. 14: 12. May 1901.
Earle in Mohr, Contr. U. S. Nat. Herb. 6: 229. 31 July 1901.
```

```
Hay, Bull. Nat. Hist. Soc. N. B. 4: 342. 1901 and 5: 119. 1903.
    Hay, Bull. Nat. Hist. Soc. N. B. 4: 342. 1901 and 5: 119. 1903. Ricker, Univ. of Maine Studies 3: 55. 30 April 1902. White, Bull. Torr. Bot. Club. 29: 562. 26 Sept. 1902. Chesnut, Contr. U. S. Nat. Herb. 7: 302. f. 67. 1902. Conant, Bull. Boston Myc. Club 19: 5 Feb. 1903. Woodworth, Birds & Nature 14: 95. pl. 592. Sept. 1903. Schaffner, Ohio Nat. 4: 17. Nov. 1903. Sept. 1903. Schaffner, Ohio Nat. 4: 17. Nov. 1903. [2 ed.] Kellerm. Myc. Bull. 2: 53. f. 51, 52. 26 March 1904. Longyear, Rept. Mich. Acad. 4: 115. 1904. MacKay, Tr. N. Scot. Inst. 11: 124. Aug. 1904. Agaricus muscarius, L. S. Syn. Am. Bor. 145 no. 4. 1834.
     S. Syn. Am. Bor. 145 no. 4.
                                                                          1834.
     Rav. Charleston Med. Jour. & Rev. 6: 190.
                                                                                                                  March 1851.
    Andrews, Proc. Boston Soc. 5: 322. April 1856. Sprague, Proc. Boston Soc. 6: 316. 1859. Curtis, M. A., Bot. N. Car. 83. 1867. Cooke, Handbook 8. pl. 2, f. 1. d. 1871. Winder, Mushrooms of Canada 20. 1871.
    Pk. Rept. N. Y. Mus. 28: 68. d. 1872.
Pk. Rept. N. Y. Mus. 24: 102. 1872.
Frost in Cat. Pl. Amherst 62. 1875.
Farl. Bull. Bussey Inst. 1: 436. March
Pk. Tr. Albany Inst. 8: 163. 1876.
Johnson, Bull. Minn. Acad. 1: 209. 18
                                                                                   March 1876.
                                                                                             1877 and Rept. Minn. Surv. 5:
                          1877.
    Fowler, Rept. Agr. N. B. 1878: Append. B: 63. 1879. Banning, Bot. Gaz. 5: 6. d. Jan. 1880. Somers, Tr. N. Scot. Inst. 5: 189. 1882. Morg. Jour. Cin. Soc. 6: 58. d. April 1883. Pk. Rept. N. Y. Mus. 33: 43. d. 44. Oct. 1883.
    PK. Rept. No. 1. Mus. 30. 43. 44. Cet. 1003.

Rav. S. Car. Resources 354. 1883.

Bessey, Bull. lowa Agr. Coll. 1884: 146. Jan. 1885.

Palmer, Mushrooms pl. 10, f. 1. 1885.

Morg. Jour. Myc. 8: 28. d. March 1887.

Calkins, Jour. Myc. 8: 58. May 1887.

Auth. 8. Haliv. Bull. Minn. Surv. 8: 26. 1 Oct. 1887.
     Arth. & Holw. Bull. Minn. Surv. 3: 26. 1 Oct. 1887.
     Cobb, List Pl. Amherst 31. 1887.
    Bennett, Cat. Pl. R. I. 76. 1888.
Ell. in Cat. Pl. N. J. 468. 1889.
Taylor, Rept. U. S. Agr. 1890: 373 (7). pl. 2, f. 8. 1890 [reprint
               1893].
     McIlvaine, Therapeutic Gaz. 17: 296 (2). 15 May 1893.
    Sturgis, Rept. Conn. Agr. 1895: 76, 77 (6). pl. 1, f. 1. Taylor, Hdbk. Mushrooms 5: 9. d. pl. 15, f. 1-7. 1898. Fowler, Proc. Miramichi Nat. Hist. 2: 28. 1901.
                                                                                                                                             Jan. 1896.
Amanita muscaria, (L.) P., var. alba, Pk. Pk. Rept. N. Y. Mus. 46: 133 (53). d. Dec. 1893.
 *Shear, N. Y. Fungi 3. 1893.
Millsp. & Nutt. Publ. Field Columb. Mus. Bot. 1: 457. d. Jan. 1896.
                                                          1893
          Agaricus muscarius, L., var. albus, Pk.
     Pk. Rept. N. Y. Mus. 33: 44. d.
                                                                                      Oct. 1883.
Amanita muscaria, (L.) P., var. coccinea, Beardslee.
Beardslee, Amanitas S. Appalach. 8. d. pl. 3. Sept. 1902.
Amanita muscaria, (L.) P., var. formosa, P.
    Pk. Bull. N. Y. Mus. 6: 191. July 1899.
McIlvaine & Macadam, Am. Fung. 14. d. 1900.
```

White, Bull. Torr. Bot. Club 29: 562. 26 Sept. 1902. Pk. Rept. N. Y. Mus. 55: 961. d. Nov. 1902. [Bull. 54.] Hay, Bull. Nat. Hist. Soc. N. B. 5: 114. 1903. Pk. Rept. N. Y. Mus. 57: 22. d. July 1904. [Bull. 75.] Agaricus muscarius, L., var. formosus, Fr. Pk. Rept. N. Y. Mus. 33: 44. d. Oct. 1883. Macbr. Bull. Univ. lowa 1: 35. d. Nov. 1888. Amanita formosa, Gonn. & Rabh. Lloyd, Volvæ 21. 1898. Amanita muscaria, var. major, Pk. See Amanita strobiliformis, (Vitt.) Fr. Amanita muscaria, var. minor, Pk. See Amanita Frostiana, Pk. Amanita muscaria, (L.) P., var. Puella, P. S. Syn. Car. 79 (53) no. 548. 1822. Atk. Mushrooms 55. 20 Oct. 1900. Amanita muscaria, (L.) P., var. regalis, Fr. McIlvaine & Macadam, Am. Fung. 114. d. Agaricus muscarius, var. regalis, Fr. Pk. Rept. N. Y. Mus. 33: 44. Oct. 1883. Amanita muscaria, var. umbrina, (P.) Sacc. Syll. McIlvaine & Macadam, Am. Fung. 14. d. Agaricus muscarius, var. umbrinus, Pk. Pk. Rept. N. Y. Mus. 33: 44. d. Oct. 1883. Amanita nitida, Fr. Pk. Rept. N. Y. Mus. **43**: 62 (16). Nov. 1890. Banning in Pk. Rept. N. Y. Mus. **44**: 177 (65). Dec. 1891. Lloyd, Volvæ 7. d. 1898 and Rev. Myc. **21**: 93. July 1899. McIlvaine & Macadam, Am. Fung. 24. d. 1900. Agaricus nitidus, Fr. Banning, Bot. Gaz. 5: 6. d. Jan. 1880. Hark. & Moore, Cat. Pac. Fung. 2. Feb. 1880. Morg. Jour. Myc. 3: 30. d. March 1887. Amanita nivalis, Grev. See Amanitopsis vaginata (Bull.) Roze, var. alba, Sacc. Syll. Amanita nivalis, Pk. See Amanitopsis albocreata, Atk. Amanita onusta, Howe. Howe Bull. Torr. Bot. Club **5**: 42 d. Oct. 1874. Sacc. Syll. **9**: 1. d. 15 Sept. 1891. Lloyd, Volvæ 9, 16. d. 21. 1898. Pk. Rept. N. Y. Mus. **53**: 839. d. 19 March 1901. Agaricus onustus, Howe. Howe, Bull. Torr. Bot. Club 5: 42. d. Oct. 1874. Pk. Rept. N. Y. Mus. 83: 49. Oct. 1883. Morg. Jour. Myc. 8: 32. d. March 1887.

Amanita pantherina, (D C.) Fr.
Sacc. Cub. & Manc. Syll. 5: 14. d. 28 May 1887.
Pk. Bull. N. Y. Mus. 12: 25. Jan. 1888.
Fairman, Proc. Rochester Acad. 2: 154. Feb. 1893.
Atk. & Schrenk, Jour. Mitch. Soc. 9: 08 (4). April 1893.
Underw. Proc. Ind. Acad. 1893: 61. Aug. 1894.
Kellerm. & Werner, Geol. Ohio 72: 300. Jan. 1895.
Atk. Bull. Cornell Univ. 3: 24. 25 June 1897.
Williams, Asa Gray Bull. 6: 83. pl. 1, f. 2. Oct. 1898.

```
Lloyd, Volvæ 4. d. 13. 1898 and Rev. Myc. 21: 92. July 1899. Williams, Asa Gray Bull. 7: 78. Aug. 1899. Herbst, Fungal Fl. Lehigh Valley 28. d. 1899. Atk. Mushrooms 69, 249. 20 Oct. 1900. 295. April 1902. [2 ed. Williams, Asa Gray Bull. 8: 103. Oct. 1900. McLivaina 8: Macadam Am Fungal 17. d. 1000.
                                                                                                             April 1902. [2 ed.]
   Williams, Asa Gray Buil. 6. 103. Oct. 1900.

McIlvaine & Macadam, Am. Fung. 17. d. 1900.

Sweetser, Bull. Pacific Univ. 14: 12. May 1901.

Earle in Mohr, Contr. U. S. Nat. Herb. 6: 229. 31 July 1901.

Amanita umbrina, P.

Muhl. Cat. Pl. Am. Sept. 1 ed. 104. 1813. 2 ed. 107. 1818.
   Lloyd, Volvæ 21. 1898.
Henn. in Engler & Prantl, Pflanzenfam. 1<sup>1**</sup>: 275. d. 1898.
Perry, Agricultural Student 6: 179. May 1900 and Ohio Univ. Bull.
1V. 30: 8. May 1900.
    Schaffner, Ohio Nat. 4: 18.
                                                                      Nov. 1903.
         Agaricus pantherinus, D.C.
   S. Syn. Am. Bor. 145 no. 5. 1834.

Lea, Cat. Pl. Cin. 48. 1849.

Curtis, M. A., Bot. N. Car. 83. 1867.

Cke. Handbook 9. d. 1871.

Johnson, Bull. Minn. Acad. 1: 209. 1877 and Rept. Minn. Surv. 5:
   67. 1877.

James, Jour. Cin. Soc. 2: 63 (22). April 18 Hark. & Moore, Cat. Pac. Fung. 2. Feb. 18 Bundy, Geol. Wis. 1873-79, 1: 396. 1883. Morg. Jour. Cin. Soc. 6: 58. d. April 1883. Morg. Jour. Myc. 8: 28. d. March 1887.
                                                                                     April 1879.
                                                                                     Feb. 1880.
    Macbr. Bull. Univ. lowa 1: 182.
                                                                                June 1800.
Amanita pellucidula, Banning.
    Banning in Pk. Rept. N. Y. Mus. 44: 178 (66). d. Dec. 1891.
Amanita phalloides, Fr.
              NOTE. By some writers Amanita verna is considered to be distinct from
         A. phalloides but by others a variety of that species. It is not certain that all
         the references to A. verna given below relate to the European form and
         they are here placed under A. phalloides as they should be consulted in con-
         nection with that species.
    Sacc. Cub. & Manc. Syll. 5: 9. d. 28 May 1887.
Banning in Pk. Rept. N. Y. Mus. 44: 177 (65). Dec. 1891.
Fairman, Proc. Rochester Acad. 2: 154. Feb. 1893.
 Atk. & Schrenk, Jour. Mitch. Soc. 9: 98 (4). April 1893.

*Shear, N. Y. Fungi 2. 1893.

Underw. Proc. Ind. Acad. 1898: 61. Aug. 1894.

Pk. Rept. N. Y. Mus. 47: 135 (9), 137 (11). Nov. 1894.

McClatchie in Reid's Hist. Pasadena 619. 1895.
    McClatchie, Proc. S. Cal. Acad. 1: 385. 5 June 1897.

Atk. Bull. Cornell Univ. 8: 24. 25 June 1897.

Underw. & Earle, Bull. Ala, Exp. Sta. 80: 255. 28 June 1897.

Atk. Bull. Cornell Exp. Sta. 138: 358-362. (24-28) d. f. 106-109.
               1897.
    Covillé, Circ. U. S. Agr. Div. Bot. 13: 20. f. 21. 1 Dec. 1897.
    21. f. 25-27.]
Chesnut, Yearb. U. S. Agr. 1896: 144. d. f. 28. 1897.
Jones, H. L., Oberlin College Lab. Bull. 9: 4. 15 June 1898.
Williams, Asa Gray Bull. 6: 81. pl. 1, f. 1. Oct. 1898.
Chesnut, Bull. U. S. Agr. Div. Bot. 20: 14. f. 2. 1898.
```

Chesnut, Farmers' Bull. U. S. Agr. 86: 6. f. 2. 1898.
Farl. Yearb. U. S. Agr. 1897: 458. d. pl. 23. 1898. [Bull. 15.]
Henn. in Engler & Prantl, Pflanzenfam. 11**: 275. d. f. 125 B. 1898.
Lloyd, Volvæ 3. d. f. 3. 13. 1898 and Rev. Myc. 21: 92. July 1899.
Halsted, Bull. Torr. Bot. Club 26: 16. 16 Jan. 1899.
Williams, Asa Gray Bull. 7: 17. Feb. 1899.
Halsted, Bull. N. J. Exp. Sta. 135: 13. f. 7. 8 Feb. 1890.
Pk. Bull. N. Y. Mus. 6: 191. July 1899.
Sterling, Toadstools. Aug. 1899.
Williams, Asa Gray Bull. 7: 78. Aug. 1899.
Child, Jour. Hamilton Assoc. 15: 105. 1899.
Herbst, Fungal Fl. Lehigh Valley 27. d. 1899.
Underw. Moulds 110, 119, 235. pl. 8, f. 1, 2. 1899. Herbst, Fungal Fl. Lehigh Valley 27. d. 1899.
Underw. Moulds 110, 119, 235. pl. 8, f. 1, 2. 1899.
Chesnut, Plant World 8: 8. Jan. 1900.
Atk. Mushrooms 3, 14, 55. d. f. 55. pl. 14, f. 56. f. 57, 58. 249, 251.
20 Oct. 1900. 295, 297. April 1902. [2 ed.]
Williams, Asa Gray Bull. 8: 100. 103. Oct. 1900.
Atk. in Bailey's Cycl. Am. Hort. 1044. d. f. 1443. 1900.
McIlvaine & Macadam, Am. Fung. 7. d. pl. 6, f. 2, 3. 629. 1900.
Trel. Rept. Mo. Hort. Soc. 48: 224 (1) f. 236 (13). 1900.
Henderson, Bull. Idaho Exp. Sta. 27: 30. f. March 1901.
Carter. Am. Jour. Physiol. 5: 163. 171. 173. 1 April 1001. Carter, Am. Jour. Physiol. 5: 163, 171, 173. I April 1901.
Earle in Mohr, Contr. U. S. Nat. Herb. 6: 229. 31 July 1901.
Garman, Bull. Ky. Exp. Sta. 96: f. 5. Nov. 1901.
Williamson, Proc. Ind. Acad. 1900: 163. 1901.
Brown & Fernekes, Bull. Wis. Nat. Hist. Soc. II. 2: 46. Jan. 1902. Ricker, Univ. of Maine Studies 3: 55. 30 April 1902. White, Bull. Torr. Bot. Club 29: 562. 26 Sept. 1902. Conant, Bull. Boston Myc. Club 19: 5 Feb. 1903. Conant, Bull. Boston Myc. Club 19: 5 Feb. 1903. Schaffner, Ohio Nat. 4: 17. Nov. 1903. Gibson, Mushrooms 73. f. 1903. [2 ed.] Hay, Bull. Nat. Hist. Soc. N. B. 5: 111, 114. 1903. Kellerm. Myc. Bull. 2: 56. f. 53. 26 March 1904. Trel. Rept. Mo. Bot. Gard. 15: 84. 30 April 1904. Longyear, Rept. Mich. Acad. 4: 115. 1904. MacKay, Tr. N. Scot. Inst. 11: 124. Aug. 1904. Amanita bulbosa, Auct. Amer. S. Syn. Car. 79 (53) no. 543. 1822.
McIlvaine, Therapeutic Gaz. 17: 297 (4). 15 May 1893. Lloyd, Volvæ 21. 1898. Carter, Am. Jour. Physiol. 5: 161, 170, 172, 174. 1 April 1901. Agaricus phalloides, Fr. S. Syn. Am. Bor. 145 no. 1. S. Syn. Am. Bolt. 143 no. 1. 1034.

Sprague, Proc. Boston Soc. 6: 316. 1859.

Curtis, M. A., Bot. N. Car. 83. 1867.

Cke. Handbook 7. d. 1871.

Winder, Mushrooms of Canada 20. 1871. Pk. Rept. N. Y. Mus. 23: 69. 1872. Frost in Cat. Pl. Amherst 62. 1875. Johnson, Bull. Minn. Acad. 1: 209. 1877 and Rept. Minn. Surv. 5: 67. 1877.
Hark. & Moore, Cat. Pac. Fung. 2. Feb. 1880.
Pk. Rept. N. Y. Mus. 83: 42. d. Oct. 1883.
Bundy, Geol. Wis. 1873-79, 1: 396. 1883.
Pk. in Day's Cat., Bull. Buf. Soc. 4: 174 (110). 1883.
Palmer, Mushrooms pl. 10, f. 2, 3. 1885.
Morg. Jour. Myc. 8: 27. d. March 1887.
Cobb, List Pl. Amherst 31. 1887.

Macbr. Bull. Univ. lowa 1: 36. d. Nov. 1888. Bennett, Cat. Pl. R. I. 76. 1888. Somers, Tr. N. Scot. Inst. 7: 464. Eby, Fungi of Lancaster Co. 7. 1894. Sturgis, Rept. Conn. Agr. 1895: 76, 77 (6). Jan. 1806. Taylor, Hdbk. Mushrooms 5: 10. d. pl. 15, f. 8. 1898. Amanita citrina, S. Syn. Car. 544. Muhl. Cat. Pl. Am. Sept. 1 ed. 104. S. Syn. Car. 79 (53) no. 544. 1822. Lloyd, Volvæ 21. 1898. 1813. 2 ed. 107. 1818. Amanita viridis, var. fuliginea, S. Syn. Car. 545. S. Syn. Car. 79 (53) no. 545. 1822. Lloyd, Volvæ 21. 1898. Agaricus vernus, Auct. Amer.
Curtis, M. A., Bot. N. Car. 83. 1867.
Winder, Mushrooms of Canada 20. 1871.
Pk. Rept. N. Y. Mus. 28: 69. d. 1872.
Frost in Cat. Pl. Amherst 62. 1875. Johnson, Bull. Minn. Acad. 1: 209. 1877 and Rept. Minn. Surv. 5: Jonnson, Bull. Minn. Acad. 1: 209. 1877 and Rept. Minn. Surv. 5: 67. 1877.

Hark. & Moore, Cat. Pac. Fung. 2. Feb. 1880.

Morg. Jour. Cin. Soc. 6: 57. d. April 1883.

Bundy, Geol. Wis. 1873-79, 1: 396. 1883.

Palmer, Mushrooms pl. 9. d. 1885.

Cobb, List Pl. Amherst 31. 1887.

Macbr. Bull. Univ. Iowa 1: 36. Nov. 1888.

Ell. in Cat. Pl. N. J. 468. 1889.

Somers, Tr. N. Scot. Inst. 7: 464. d. 1890.

Taylor, Rept. U. S. Agr. 1890: 372 (7). pl. 2, f. 6. 1890. [reprint. 1802.] Eby, Fungi of Lancaster Co. 7. 1894. Taylor, Hdbk. Mushrooms 5: 11. d. pl. 16, f. 1-4. 1898.

Amanita verna, Auct. Amer.

Banning in Pk. Rept. N. Y. Mus. 44: 177 (65). Dec. 1891.

Atk. & Schrenk, Jour. Mitch. Soc. 9: 98 (4). April 1893.

McIlvaine, Therapeutic Gaz. 17: 297 (4). 15 May 1893.

Pk. Country Gent. 59: 582 (48). d. 9 Aug. 1894.

Kellerm. & Werner, Geol. Ohio 72: 300. Jan. 1895.

Graves, Asa Gray Bull. 8: 44. 1 Oct. 1895.

Millsp. & Nutt. Publ. Field Columb. Mus. Bot. 1: 156. Jan. 1896.

Bates, Tr. Mass. Hort. Soc. 1896: 172, 173. d. 1896.

Pk. Rept. N. Y. Mus. 48: 313 (215). pl. 41, f. 4-7. March 1897.

Taylor, Hdbk. Mushrooms 4: 15. 1897.

Halsted, Bull. N. J. Exp. Sta. 135: 14. 8 Feb. 1899.

Jelliffe, Flora of Long Island 42. 1899.

Longyear, Rept. Mich. Bd. Agr. 1898: 92. 1899.

Underw. Moulds 119. 1899.

Atk. Mushrooms 60. d. f. 59-61. 20 Oct. 1900. Taylor, Hdbk. Mushrooms 5: 11. d. pl. 16, f. 1-4. 1898. Underw. Moulds 119. 1899.

Atk. Mushrooms 60. d. f. 59-61. 20 Oct. 1900.

Atk. in Bailey's Cycl. Am. Hort. 1044. d. 1900.

McIlvaine & Macadam, Am. Fung. 9. d. 627. 1900.

Perry, Agricultural Student 6: 179. May 1900 and Ohio Univ. Bull. 1V. 30: 8. May 1900.

? Carter, Am. Jour. Physiol. 5: 161, 172, 174. 1 April 1901.

Brown & Fernekes, Bull. Wis. Nat. Hist. Soc. II. 2: 46. Jan. 1902.

White, Bull. Torr. Bot. Club. 29: 562. 26 Sept. 1902.

Schaffner, Ohio Nat. 4: 18. Nov. 1903.

Gibson, Mushrooms 44, 49. pl. 3. 1903. [2 ed.]

Hay, Bull. Nat. Hist. Soc. N. B. 5: 114. 1903.

Longyear, Rept. Mich. Acad. 4: 115. 1904. MacKay, Tr. N. Scot. Inst. 11: 123. Aug. 1904. Amanita phalloides, var. verna, Auct. Amer. Williams, Asa Gray Bull. 7: 78. Aug. 1899.

Amanita phalloides, S. Am. Bor. 1 excl. var. bulbosa. See *Amanita phalloides*. Fr.

Amanita phalloides, var. bulbosus, S. Am. Bor. 1. See Amanita Mappa, (Batsch) Fr.

Amanita phalloides, Fr., var. striatula, Pk. Pk. Rept. N. Y. Mus. 55: 961. d. Nov. 1902. [Bull. 10: no. 54.] Sacc. Syll. 17: 2. d. 25 May 1905.

Amanita polypyramis, B. & C. See Amanita solitaria, (Bull. Fr.

Amanita prairieola, Pk.

Pk. Bull. Torr. Bot. Club 24: 138. d. 30 March 1897.

Lindau & Syd. Hedw. 37: Beibl. 7: 1. 9 April 1898.

Lloyd, Volvæ 7, 15. d. 1898 and Rev. Myc. 21: 93. July 1899.

Smyth, Tr. Kans. Acad. 16: 164. July 1899.

McIlvaine & Macadam, Am. Fung. 24. d. 1900.

Amanita praticola, Sacc. & Syd.

Sacc. & Syd. Syll. 14: 63. d. 20 Aug. 1899.

Amanita praticola, Sacc. & Syd. See Amanita prairiicola, Pk.

Amanita pubescens, S.
See Amanitopsis pubescens, (S.) Sacc.

Amanita pusilla, Lloyd. See Amanitopsis pusilla, Pk.

Amanita pusilla, P. See *Volvaria pusilla*, (P.) Fr.

Amanita pustulata, Schrt. See Amanita rubescens, P.

Amanita radicata, Pk.
Pk. Bull. Torr. Bot. Club 27: 609. d. 29 Dec. 1900.
Shear, Plant World 4: 18. Jan. 1901.
Sacc. & Syd. Syll. 16: 2. d. 1 Feb. 1902.

Amanita Ravenelii, B. & C.

NOTE. There is an Agaricus (Galera) Ravenelii, B. & C. which is not this species and which occurs only as a catalogue name in Curtis, M. A., Bot. N. Car. 89. 1867. It is probably Galera lateritia, Fr. or nearly related to it.

B. & C. Ann. Nat. Hist. III. 4: 284 (1). d. Oct. 1859.
Sacc. Cub. & Manc. Syll. 5: 15. d. 28 May 1887.
Sacc. Syll. 9: 2. 15 Sept. 1891.
Atk. Bull. Cornell Univ. 3: 24. 25 June 1897.
Henn. in Engler & Prantl, Pflanzenfam. 11**: 275. 1898.
Lloyd, Volvæ 6, 14. d. 1898 and Rev. Myc. 21: 93. July 1899.
McIlvaine & Macadam, Am. Fung. 18. d. 1900.
Earle in Mohr, Contr. U. S. Nat. Herb. 6: 229. 31 July 1901.

Agaricus Ravenelii, B. & C.
B. & C. Ann. Nat. Hist. III. 4: 284 (1). d. Oct. 1859.
Morg. Jour. Myc. 8: 27. d. March 1887.

Amanita recutita, Fr.
Atk. & Schrenk, Jour. Mitch. Soc. 9: 98 (4). April 1893.
Lloyd, Volvæ 3. d. 13. d. 1898 and Rev Myc. 21: 92. July 1899.

Williams, Asa Gray Bull. 8: 104. Oct. 1900. McIlvaine & Macadam, Am. Fung. 12. d. 1900. Agaricus recutitus, Fr. Curtis, M. A., Bot. N. Car. 83. 1867. Morg. Jour. Myc. 8: 27. d. March 1887. Amanita rubescens, P. S. Syn. Car. 79 (53) no. 550. 1822. Sacc. Cub. & Manc. Syll. **5**: 16. *d*. 28 May 1887. Banning in Pk. Rept. N. Y. Mus. 44: 177 (65). Dec. 1891. Taylor, Food Products 2: 21. 1893.
Pk. Country Gent. 59: 566 (43). d. f. 2 Aug. 1894.
Kellerm. & Werner, Geol. Ohio 72: 300. Jan. 1895.
Pk. Rept. N. Y. Mus. 48: 255 (157). pl. 16, f. March 1897.
Underw. & Earle, Bull. Ala. Exp. Sta. 80: 255. 28 June 1897.
Williams, Asa Gray Bull. 6: 84. f. 136. Oct. 1898.
Farl. Yearb. U. S. Agr. 1897: 458, 461, 1898. [Bull. 15.]
Lloyd, Volvæ 7. d. 15. 1898 and Rev. Myc. 21: 93. July 1899.
[Underw.] N. Y. Myc. Club 16. 1898.
Pk Bull. N. Y. Mus. 6: 192. July 1899.
Williams, Asa Gray Bull. 7: 79. Aug. 1899.
Herbst, Fungal Fl. Lehigh Valley 30. d. 1899.
Jelliffe, Flora of Long Island 42. 1899.
Longuage Rept. Mich. Bd. Agr. 1898: 92. 1899. Taylor, Food Products 2: 21. 1893. Longyear, Rept. Mich. Bd. Agr. 1898: 92. 1899. Underw. Moulds 120. 1899. Webster, Rhodora 2: 193. 8 Sept. 1900. Atk. Mushrooms 71. d. f. 73. pl. 19, f. 1. pl. 20, f. 74. 20 Oct. 1900. Williams, Asa Gray Bull. 8: 103. Oct. 1900. Hyams, Bull. N. Car. Exp. Sta. 177: 31. Dec. 1900. Hydris, Bull. N. Cat. Exp. Sta. 177: 31. Dec. 1900.

Atk. in Bailey's Cycl. Am. Hort. 1044. 1900.

McIlvaine & Macadam, Am. Fung. 21. d. pl. 8, f. 2. pl. 12, f. 4. 1900.

Pk. Rept. N. Y. Mus. 53: 855. 19 March 1901.

Earle in Mohr, Contr. U. S. Nat. Merb. 6: 229. 31 July 1901.

White, Bull. Torr. Bot. Club 29: 562. 26 Sept. 1902. Conant, Bull. Boston Myc. Club 19: 5 Feb. 1903. Kellerm. Myc. Bull. 2: 84. f. 75. 5 Sept. 1904. Longyear, Rept. Mich. Acad. 4: 115. 1904. Agaricus rubescens, Fr. Agaricus runescens, Fr.

S. Syn. Am. Bor. 145 no. 8. 1834.
Lea, Cat. Pl. Cin. 48. 1849.
Curtis, M. A., Bot. N. Car. 83. 1867.
Cke. Handbook 9. d. 1871.
Pk. Rept. N. Y. Mus. 24: 59. 1872.
Parker, Proc. Poughk. Soc. 1: 84. 1 Nov. 1875.
Frost in Cat. Pl. Amherst 62. 1875.
Lames Jour. Cin. Soc. 2: 63 (22). April 1870. Frost in Cat. Pl. Amherst 62. 1875.

James, Jour. Cin. Soc. 2: 63 (22). April 1879.

Banning, Bot. Gaz. 5: 6. d. Jan. 1880.

Banning, Bot. Gaz. 5: 23. Feb. 1880.

Morg. Jour. Cin. Soc. 6: 59. d. April 1883.

Pk. Rept. N. Y. Mus. 38: 44. d. Oct. 1883.

Morg. Jour. Myc. 8: 29. d. March 1887.

Cobb, List Pl. Amherst 31. 1887.

Bennett, Cat. Pl. R. 1. 76. 1888.

Ell. in Cat. Pl. N. J. 468. 1889.

Taylor, Hdbk. Mushrooms 5: 7. d. pl. 14, f. 5-9. 1898.

Amanita pustulata, (Schæff.) Schrt.

Henn. in Engler & Prantl. Pflanzenfam. 11**: 274. d. f. Henn. in Engler & Prantl, Pflanzenfam. 11**: 274. d. f. 125A. 1898. Perry, Agricultural Student 6: 179. May 1900 and Ohio Univ. Bull. IV. 30: 8. May 1900. Amanita rubescens, P., var. circinata, P. Amanita circinata, Schum. Taylor, Food Products 2: 21. 1893. Amanita russuloides, Pk. Pk. Bull. Buf. Soc. 1: 41. d. July 1873.
Pk. Rept. N. Y. Mus. 25: 72. d. Sept. 1873.
Sacc. Cub. & Manc. Syll. 5: 13. d. 28 May 1887.
Henn. in Engler & Prantl, Pflanzenfam. 11**: 275. 1808. Hoyd, Volvæ 5, d. 14, d. 1898 and Rev. Myc. 21: 92. July 1899. Williams, Asa Gray Bull. 7: 79. Aug. 1899. Williams, Asa Gray Bull. 8: 103. Oct. 1900. McIlvaine & Macadam, Am. Fung. 18. d. 1900. Agaricus russuloides, Pk. Pk. Bull. Buf. Soc. 1: 41. d. July 1873.
Pk. Rept. N. Y. Mus. 25: 72. d. Sept. 1873.
Pk. Rept. N. Y. Mus. 83: 43. d. Oct. 1883.
Morg. Jour. Myc. 8: 28. d. March 1887. Amanita soleata, Howe. See Amanitopsis volvata, (Pk.) Sacc. Amanita solitaria, (Bull.) Fr. NOTE. The Agaricus bulbosus, Schæff., listed by Muhlenberg, 1799 is referred by Streinz to Amanita solitaria, (Bull.) Fr. The American references to Amanita solitaria and Amanita strobiliformis are very much confused and in fact the distinctions between these two species as given by European authors are far from clear. It seems to us that it may be assumed that some of the references here given under both these species are open to question. See note under Amanita bulbosa, P. Is not Clitocybe solitaria, Jelliffe, Fl. L. I. 42. 1899 a misprint for Amanita solitaria? Banning in Pk. Rept. N. Y. Mus. 44: 177 (65). Dec. 189 Atk. & Schrenk, Jour. Mitch. Soc. 9: 98 (4). April 1893. Dec. 1801. Atk. Bull. Cornell Univ. 3: 24. 25 June 1897.
Underw. & Earle, Bull. Ala. Exp. Sta. 80: 255. 28 June 1897.
Lloyd, Volvæ 6. d. 14. d. 1898 and Rev. Myc. 21: 93. July 1899.
Williams, Asa Gray Bull. 7: 79. Aug. 1899.
Herbst, Fungal Fl. Lehigh Valley 29. d. 1899. Atk. Mushrooms 72. d. pl. 21, f. 75, pl. 22, f. 76. 20 Oct. 1900. Williams, Asa Gray Bull. 8: 103. Oct. 1900. Atk. in Bailey's Cycl. Am. Hort. 1044. 1900. McIlvaine & Macadam, Am. Hort. 1044. 1900. McIlvaine & Macadam, Am. Fung. 19. d. 1900. Earle in Mohr, Contr. U. S. Nat. Herb. 6: 229. 3 Conant, Bull. Boston Myc. Club 19: 5 Feb. 1903. Agaricus solitarius, Bull. Banning. Bot Can E. 31 July 1901. Banning, Bot. Gaz. 5: 7. d. Jan. 1880.
Pk. Rept. N. Y. Mus. 83: 18, 45. d. Oct. 1883.
Morg. Jour. Myc. 8: 20. d. March 1887.
Agaricus bulbosus, Schæff. Agaricus bulbosus, Schail.

Muhl. Tr. Am. Phil. Soc. 4: 239. 1799.

Agaricus polypyramis, B. & C.

B. & C. Ann. Nat. Hist. II. 12: 417 (1). d. Dec. 1853.

Curtis, M. A., Bot. N. Car. 83. 1867.

Morg. Bot. Gaz. 8: 156. d. Jan. 1883.

Amanita polypyramis, B. & C.

B. & C. Ann. Nat. Hist. II. 12: 447 (1). d. Dec. 1853. B. & C. Ann. Nat. Hist. II. 12: 417 (1). d. Dec. 1853. Sacc. Cub. & Manc. Syll. 5: 18. d. 28 May 1887. Millsp. & Nutt. Publ. Field Columb. Mus. Bot. 1: 157. d. Jan. 1896.

Henn. in Engler & Prantl, Pflanzenfam. 11**: 275. 1898.

Lloyd, Volvæ 6, 14. d. 1898 and Rev. Myc. 21: 93. July 1899. Atk. Mushrooms 74. 20 Oct. 1900. Amanita spadicea, P. See *Amanitopsis vaginata*, (Bull.) Roze, var. *livida*, (P.) Pk. Amanita spissa, Fr. Marita Spissa, 11.

Banning in Pk. Rept. N. Y. Mus. 44: 177 (65). d. Dec. 1891.

Lloyd, Volvæ 7. d. 15. 1898 and Rev. Myc. 21: 93. July 1899.

McIlvaine & Macadam, Am. Fung. 22. d. 1900.

MacKay, Tr. N. Scot. Inst. 11: 124. Aug. 1904.

Agaricus spissus, Fr. Somers, Tr. N. Scot. Inst. 5: 247. 1882. Amanita spreta, Pk.
Pk. Rept. N. Y. Mus. 88: 42. d. Oct. 1883.
Pk. Rept. N. Y. Mus. 82: 24. d. 1886.
Sacc. Cub. & Manc. Syll. 5: 12. d. 28 May 1887.
Atk. Bull. Cornell Univ. 8: 24. 25 June 1897.
Underw. & Earle, Bull. Ala. Exp. Sta. 80: 255. 28 June 18 Lloyd, Volvæ 3. d. 13. d. 1898 and Rev. Myc. 21: 92.
Henn. in Engler & Prantl, Pflanzenfam. 11**: 276. 1898.
Williams, Asa Gray Bull. 7: 78. Aug. 1899.
Herbst, Fungal Fl. Lehigh Valley 26. d. 1899.
Atk. Mushrooms 60. d. f. 21. 29 Oct. 1000. 28 June 1807. July 1800. Atk. Mushrooms 60. d. f. 71. 20 Oct. 1900.

McIlvaine & Macadam, Am. Fung. 11. d. pl. 6, f. 1. 1900.

Earle in Mohr, Contr. U. S. Nat. Herb. 6: 229. 31 July 1901.

Ricker, Univ. of Maine Studies 3: 55. 30 April 1902.

White, Bull. Torr. Bot. Club 29: 562. 26 Sept. 1902. Agaricus spretus, Pk. Pk. Rept. N. Y. Mus. **83**: 42. d. Oct. 1883. Pk. Rept. N. Y. Mus. **82**: 24. d. 1886. Morg. Jour. Myc. **8**: 26. d. March 1887. Amanita strangulata, Fr. See Amanitopsis stranguiata, (Fr.) Roze. Amanita strobiliformis, (Vitt.) Fr.
Banning in Pk. Rept. N. Y. Mus. 44: 177 (65). Dec. 1891.
Taylor, Food Products 2: 21. 1893.
Pk. Country Gent. 59: 566 (44). 2 Aug. 1894.
Underw. & Earle, Bull. Ala. Exp. Sta. 80: 255. 28 June 1897.
Williams, Asa Gray Bull. 6: 83. f. 135. Oct. 1898.
Lloyd, Volvæ 6. d. 14. 1898 and Rev. Myc. 21: 93. July 1899.
Williams, Asa Gray Bull. 7: 87. d. pl. 6. Oct. 1899.
[Williams.] Asa Gray Bull. 7: 87. d. pl. 6. Oct. 1899.
Herbst, Fungal Fl. Lehigh Valley 29. d. 1899.
Williams. Asa Grav Bull. 8: 104. Oct. 1900. Williams, Asa Gray Bull. 8: 104. Oct. 1900. Atk. in Bailey's Cycl. Am. Hort. 1044. McIlvaine & Macadam, Am. Fung. 19. d. pl. 8, f. 3. 1900. Earle in Mohr, Contr. U. S. Nat. Herb. 6: 229. 31 July 1901. Conant, Bull. Boston Myc. Club 19: 5 Feb. 1903. Kellerm. Ohio Myc. Bull. 1: 26. f. 32. 31 July 1903. MacKay, Tr. N. Scot. Inst. 11: 124. Aug 1904. Agaricus strobiliformis, Vitt. Curtis, M. A., Bot. N. Car. 83. 1867. Frost, Proc. Boston Soc. 12: 77. 1867. Frost in Cat. Pl. Amherst 62. 1875. 186g. Frost in Cat. Pl. Amherst 62. 1875. Farl. Bull. Bussey Inst. 1: 436. March 1876. Morg. Fl. Miami Valley 67. 1878. Banning, Bot. Gaz. 5: 5. d. Jan. 1880. Hark. & Moore, Cat. Pac. Fung. 2. Feb. 1880.

Pk. Rept. N. Y. Mus. **88**: 18, 46. d. Oct. 1883. Morg. Jour. Myc. **8**: 29. d. March 1887. Cobb, List Pl. Amherst 31. 1887. Taylor, Hdbk. Mushrooms 5: 8. d. pl. 142. Hyams, Bull. N. Car. Exp. Sta. 177: 30. Agaricus muscarius, var. major, Pk. Pk. Rept. N. Y. Mus. 28: 69. d. 1872. Dec. 1900. Amanita muscaria, var. major, Pk. Pk. Rept. N. Y. Mus. 28: 69. d. 1872. Lloyd, Volvæ 21. 1898.

Amanita submaculata, Pk.

Pk. Bull. Torr. Bot. Club 27: 609. d. 29 Dec. 1900. Shear, Plant World, 4: 18. Jan. 1901. Sacc. & Syd. Syll. 16: 1. d. 1 Feb. 1902.

Amanita umbrina, P. See Amanita pantherina, (DC.) Fr.

Amanita vaginata, Lam.

See Amanitopsis vaginatus, (Bull.) Roze. Amanita velatipes, Atk.

Atkinson, Mushrooms 61, 63. d. pl. 15, f. 64. f. 65, 66. pl. 16, f. 67. 20 Oct. 1900 and Rhodora 8: 40. 1 Feb. 1901.

Amanita velosa, Lloyd. See Amanitopsis velosa, Pk.

Amanita verna, Auct. Amer. See Amanita phalloides, Fr.

Amanita virescens, P.

NOTE. Schweinitz states that his Amanita virescens, var. alba, S. Syn. Car. 551 is the same as Agaricus virescens, Fr. S. M. 1: 19, which is Amanita virescens, P. The species is considered doubtful by Fries and is said to differ from Amanita rubescens, P. only in color and in the presence of polyedral warts.

Lloyd, Volvæ 21. 1898. Agaricus virescens, Fr. S. Syn. Am. Bor. 145 no. 9. 1834. Amanita virescens, var. alba, S. Syn. Car. 551. S. Syn. Car. 79 (53) no. 551. 1822.

Amanita virgata, S. See Volvaria volvacea, (Bull.) Fr.

Amanita viridis, var. fuliginea, S. Syn. Car. 545. See Amanita phalloides, Fr.

Amanita virosa, Fr. Underw. Proc. Ind. Acad. 1893: 61. Aug. 1894. Hugh. 1706. Ind. Acad. 1893. 01. Aug. 1894. Kellerm. & Werner, Geol. Ohio 72: 300. Jan. 1895. Underw. & Earle, Bull. Ala. Exp. Sta. 80: 255. 28 June 1897. Lloyd, Volvæ 4. d. 13. 1898 and Rev. Myc. 21: 92. July 1899. Williams, Asa Gray Bull. 7: 78. Aug. 1899. Atk. Mushrooms 61. d. f. 62. 20 Oct. 1900. Williams, Asa Gray Bull. 8: 104. Oct. 1900. McIlvaine & Macadam, Am. Fung. 6. d. 1900. Atk. in Bailey's Cycl. Am. Hort. 1044. 1900. Earle in Mohr, Contr. U. S. Nat. Herb. 6: 229. 31 July 1901. Schaffner, Ohio Nat. 4: 18. Nov. 1903. Hay, Bull. Nat. Hist. Soc. N. B. 5: 114. MacKay, Tr. N. Scot. Inst. 11: 124. Aug. 1904.

```
Agaricus virosus, Fr.
   Agarkus virusus, FT.
Lea, Cat Pl. Cin. 48. 1840.
Sprague, Proc. Boston Soc. 6: 316. 1859.
Curtis, M. A., Bot. N. Car. 83. 1867.
James, Jour Cin. Soc. 2: 63 (22). April 1879.
Hark. & Moore, Cat. Pac. Fung. 2. Feb. 1880.
    Morg. Jour. Cin. Soc. 6: 60. d. April 1883.
   Morg. Jour. Myc. 8: 26. d. March 1887.
Macbr. Bull. Iowa Univ. 1: 182. d. 1890.
Amanita volvata, Pk.
        See Amanitopsis volvata, (Pk.) Sacc.
Amanitopsis adnata. (W. G. Smith) Sacc.
   McIlvaine & Macadam, Am. Fung. 30. d. 1900. Agaricus adnatus, W. G. Smith.
    Johnson, Bull. Minn. Acad. 1: 209.
                                                                       1877 and Rept. Minn. Surv. 5:
   67. 1877.
Hark. & Moore, Cat. Pac. Fung. 2. Feb. 1880.
Somers, Tr. N. Scot. Inst. 5: 189. 1882.
Bundy, Geol. Wis. 1873-79, 1: 396. 1883.
Morg. Jour. Myc. 8: 31. d. March 1887.

Amanita adnata, Smith, W. G.
    Lloyd, Volvæ 9. d. 16. 1898 and Rev. Myc. 21: 94. July 1899. Herbst, Fungal Fl. Lehigh Valley 32. d. 1899.
    MacKay, Tr. N. Scot. Inst. 11: 123.
                                                                          Aug. 1004.
Amanitopsis agglutinata, (B. & C.) Sacc.
Sacc. Cub. & Manc. Syll. 5: 23. d. 28 May 1887.
    Atk. Bull. Cornell Univ. 8: 24. 25 June 1897.
Henn. in Engler & Prantl, Pflanzenfam. 11**: 273. 1898.
    McIlvaine & Macadam, Am. Fung. 32. d. 1900.
Earle in Mohr, Confr. U. S. Nat. Herb. 6: 228. 31 July 1901.
        Agaricus agglutinatus, B. & C.
    B. & C. Hook. Jour. Bot. 1: 97 (1). d. 1849. [Decades 201.]
B. & C. Am. Jour. Sci. II. 8: 401. Nov. 1849.
    Curtis, M. A., Bot. N. Car. 83. 1867.

Morg. Jour. Myc. 8; 31. d. March 1887.

Amanita agglutinata, B. & C.

B. & C. Hook. Jour. Bot. 1: 97 (1). d. 1849. [Decades 201.]

Lloyd, Volvæ 9, 15. d. 1898 and Rev. Myc. 21: 94. July 1898.
Amanitopsis albocreata, Atk.
    Atk. Jour. Myc. 8: 111. d. 14 Oct. 1902. Sacc. Syll. 17: 2. d. 25 May 1905.
        Agaricus nivalis, Pk. non Grev.
    Pk. Rept. N. Y. Mus. 88: 48. d. Oct. 1883.
Morg. Jour. Myc. 8: 32. d. March 1887.
Amanita nivalis, Pk.
    Pk. Rept. N. Y. Mus. 88: 48. d. Oct. 1883.
    Fairman, Proc. Rochester Acad. 2: 154. Feb. 1893.
    Lloyd, Volvæ 9, 16. d. 1898 and Rev. Myc. 21: 94. July 18 Beardslee, Amanitas S. Appalach. 6. d. Sept. 1902.

Amanitopsis nivalis, Sacc. Syll. p. p. non Grev. Sacc. Cub. & Manc. Syll. 5: 22. May 28, 1887.

Atk. Bull. Cornell Univ. 8: 24. 25 June 1897.

Earle in Mohr, Contr. U. S. Nat. Herb. 6: 228. 31 July 1901.
                                                                                                          July 1899.
Amanitopsis baccata, (Fr.) Sacc.

Amanita baccata, Fr.
     Beardslee, Amanitas S. Appalach. 2. d. pl. 1. Sept. 1902.
```

Amanitopsis Cubensis, (B. & C.) Sacc. Syll. Sacc. Cub. & Manc. Syll. 5: 25. d. 28 May 1887. West Indies. Agaricus Cubensis, B. & C. B. & C. Jour. Linn. Soc. 10: 282. d. 1869. Amanitopsis daucipes, (B. & Mont.) Sacc. Syll. Sacc. Cub. & Manc. Syll. 5: 26. d. 28 May 1887. Henn. in Engler & Prantl, Pflanzenfam. 11**: 273. Agaricus daucipes, B. & Mont. Mont. Syll. Crypt. 96. d. 1856. Amanita daucipes, B. & Mont. Mont. Syll. Crypt. 96. d. 1856. Lloyd, Volvæ 7. 14. d. 1898 and Rev. Myc. 21; 93. July 1899. Williams, Asa Gray Bull. 7: 79. Aug. 1899. McIlvaine & Macadam, Am. Fung. 25. d. 1900. Amanitopsis farinosa, (S.) Atk. Atk. Mushrooms 76. d. f. 78. 20 Oct. 1900.

McIlvaine & Macadam, Am. Fung. 31. d. 1900.

Earle in Mohr, Contr. U. S. Nat. Herb. 6: 228. 31 July 1901.

Atk. in Coker, Veg. Bahama 246. 1905.

Amanita farinosa, S. No. Car. 79 (53) no. 553. d. 1822.
Lloyd, Volvæ 9, 16. d. 1898 and Rev. Myc. 21: 94. July 1899.
Williams, Asa Gray Bull. 7: 79. Aug. 1899.
Herbst, Fungal Fl. Lehigh Valley 31. d. 1899.
Williams, Asa Gray Bull. 8: 104. Oct. 1900.
Beardslee, Amanitas S. Appalach. 4. d. Sept. 1902. Agaricus farinosus, S. Agaricus iarinosus, 5.
S. Syn. Am. Bor. 145 no. 6. 1834.
Fr. Epicr. 11. 1836–38.
Curtis, M. A., Bot. N. Car. 83. 1867.
Pk. Rept. N.Y. Mus. 23: 70. d. 1872.
Pk. Rept. N.Y. Mus. 33: 49. d. Oct. 1883.
Morg. Jour. Myc. 8: 32. d. March 1887.
Ell. in Cat. Pl. N. J. 468. 1889. Amanita hyperborea, Karst.

Amanita hyperborea, Karst. Rostr. Meddelelser om Groenl. 8: 528. Rostr. Meddelelser om Groenl. 8: 596. 1891. Amanitopsis lenticularis, (Lasch) Massee. See *Lepiota lenticularis*, (Lasch) Gillet. Amanitopsis nivalis, (Grev.) Sacc. p. p. See Amanitopsis vaginata, (Bull.) Roze var. alba, Sacc. Amanitopsis nivalis, Sacc. Syll. p. p. See *Amanitopsis albocreata*, Atk. Amanitopsis pareivolvata, Pk. Pk. Bull. Torr. Bot. Club 27: 610. d. 29 Dec. 1900. Sacc. & Syd. Syll. 16: 2. d. I Feb. 1902. Amanitopsis plumbea, Schrt. See Amanitopsis vaginata, (Bull.) Roze. Amanitopsis pubescens, (S.) Sacc. Sacc. Cub. & Manc. Syll. 5: 25. d. 28 May 1887. Henn. in Engler & Prantl, Pflanzenfam. 11**: 273. 1808. McIlvaine & Macadam, Am. Fung. 32. d. 1900. Amanita pubescens, S. S. Syn. Car. 79 (53) no. 554. d. 1822.

```
Lloyd, Volvæ 9, 16. d. 1898 and Rev. Myc. 21: 94. July 1899. Beardslee, Amanitas S. Appalach. 6. Sept. 1902.
             Agaricus pubescens, S.
        S. Syn. Am. Bor. 145. no. 11. 1834.
       Fr. Epicr. 12. 1836-38.
Curtis, M. A., Bot. N. Car. 83. 1867.
Morg. Jour. Myc. 8: 33. d. March 1887.
 Amanitopsis pusilla, Pk. Pk. Rept. N. Y. Mus. 50: 96. d. 28 March 1898. Sacc. & Syd. Syll. 14: 64. d. 20 Aug. 1899.
       McIlvaine & Macadam, Am. Fung. 32 d. 1900.
             Amanita pusilla, Lloyd.
       Lloyd, Volvæ 9, 16. d.
                                                                   1808 and Rev. Myc. 21: 94. July 1809.
Amanitopsis strangulata, (Fr.) Roze.

Underw. & Earle, Bull. Ala. Exp. Sta. 80: 255. 28 June 1897.

Pk. Rept. N. Y. Mus. 511: 300. d. pl. 50, f. 1-10. 11 Feb. 1899 and Rev. Myc. 22: 51. April 1900.

Pk. Mem. N. Y. Mus. 8: 134. d. pl. 44, f. 1-10. Nov. 1900.

McIlvaine & Macadam, Am. Fung. 30. d. pl. 10, f. 4. 1900.

Earle in Mohr, Contr. U. S. Nat. Herb. 6: 228. 31 July 1901.

Brown & Fernekes, Bull. Wis. Nat. Hist. Soc. II. 2: 46. Jan. 1902.
      Conant, Bull. Boston Myc. Club 19: 5 Feb. 1903.
Pk. Rept. N. Y. Mus. 564: 35. May 1903. [Bull. 67.]
Agaricus strangulatus, Fr.
Hark. & Moore, Cat. Pac. Fung. 2. Feb. 1880.
Pk. Rept. N. Y. Mus. 38: 48. d. Oct. 1883.
Morg. Jour. Myc. 8: 32. d. March 1887.
Ell. in Cat. Pl. N. 1468. 1889.
            Amanita strangulata, Fr.
      Lloyd, Volvæ 9, 16. 1898 and Rev. Myc. 21: 94. July 1899. Williams, Asa Gray Bull. 7: 79. Aug. 1899. Beardslee, Amanitas S. Appalach. 6. d. pl. 2. Sept. 1902.
      Agaricus Ceciliæ, B. & Br.
Pk. Rept. N. Y. Mus. 28: 70. d. 1872.
Frost in Cat. Pl. Amherst 62. 1875.
      Johnson, Bull. Minn. Acad. 1: 208.
                                                                                                       1877 and Rept. Minn. Surv. 5:
      67. 1877.
Bundy, Geol. Wis. 1873-79, 1: 396. 1883.
Cobb, List Pl. Amherst 31. 1887.

Amanita Cecilia, B. & Br.
       Webster, Am. Kitchen Mag. 6: 215. Feb. 1897.
       Lloyd, Volvæ 21.
                                                      1898.
Amanitopsis vaginata, (Bull.) Roze.
Sacc. Cub. & Manc. Syll. 5: 21. d. 28 May 1887.
Banning in Pk. Rept. N. Y. Mus. 44: 178 (66). Dec. 1891.
Atk. & Schrenk, Jour. Mitch. Soc. 9: 98 (4). April 1893.
Pk. Country Gent. 59: 566 (44). f. 2 Aug. 1894.
Kellerm. & Werner, Geol. Ohio 72: 300. Jan. 1895.
Pk. Rept. N. Y. Mus. 48: 257 (159). pl. 17, f. 1-4. March 1897.
Atk. Bull. Cornell Univ. 8: 24. 25 June 1897.
Underw. & Earle, Bull. Ala. Exp. Sta. 80: 255. 28 June 1897.
Taylor, Hdbk. Mushrooms 5: 9. d. 1898.
[Underw.] N. Y. Myc. Club 16. 1898.
Pk. Bull. N. Y. Mus. 6: 192. July 1899.
Longyear, Rept. Mich. Bd. Agr. 1898: 92. 1899.
      Longyear, Rept. Mich. Bd. Agr. 1898: 92. 1899.
Underw. Moulds 120. 1899.
      McIlvaine & Macadam, Am. Fung. 28. d. pl. 10, f. 1, 2. 1900.
```

```
Atk. Mushrooms 74. d. pl. 23, f. 77. 20 Oct. 1900.

Sweetser, Bull. Pacific Univ. 14: 12. May 1901.

Earle in Mohr, Contr. U. S. Nat. Herb. 6: 228. 31 July 1901.

Brown & Fernekes, Bull. Wis. Nat. Hist. Soc. II. 2: 46. Jan. 1902.

Webster, Rhodora 4: 78. 4 April 1902.

White, Bull. Torr. Bot. Club 29: 562. 26 Sept. 1902.

Conant, Bull. Boston Myc. Club 19: 5 Feb. 1903.

Longyear Rept Mich Acad 4: 115 1904.
    Longyear, Rept. Mich. Acad. 4; 115. 1904.
Kellerm. Myc. Bull. 2: 80. f. 79. 20 Nov. 1904.
Pseudofarinaceus speciosior. Batt.
     Pound, Clement and others, Bot. Surv. Nebr. 4: 43. 20 Jan. 1896.
     Agaricus vaginatus, Bull.
S. Syn. Am. Bor. 145 no. 2.
                                                                                              1834.
      Lea, Cat. Pl. Cin. 48. 1849.
    Rav. Charleston Med. Jour. & Rev. 6: 190. March 1851.
Sprague, Proc. Boston Soc. 6: 316. 1859.
B. Jour. Linn. Soc. 5: 86. 1861 and Arctic Manual 2: 526. 1875.
Curtis, M. A., Bot. N. Car. 83. 1867.
    Cke. Handbook 5. d. 1871.

Pk. Rept. N. Y. Mus. 28: 69. d. 1872.

Bon. Zweite Nordpolarfahrt 2: 90. 1874 and Arctic Manual 2: 585.
                  1875.
    Frost in Cat. Pl. Amherst 62. 1875.
Smith, W. G., Tr. Bot. Soc. Edinb. 9: 465 (37). 1868 and Arctic Manual 2: 283. 1875.
Farl. Bull. Bussey Inst. 1: 436. March 1876.
Johnson, Bull. Minn. Acad. 1: 208. 1877 and Rept. Minn. Surv. 5:
      67. 1877.
Morg. Fl. Miami Valley 67. 1878.
Cke. Grev. 7: 43. Dec. 1878.
Cke. Grev. 7: 43. Dec. 1878.

*Rav. Fung. Am. 397. 1879.

James, Jour. Cin. Soc. 2: 63 (22). April 1879.

Banning, Bot. Gaz. 5: 6. d. 9. Jan. 1880.

Hark. & Moore, Cat. Pac. Fung. 2. Feb. 1880.

Somers, Tr. N. Scot. Inst. 5: 189. 1882.

Morg. Jour. Cin. Soc. 6: 59. d. April 1883.

Pk. Rept. N. Y. Mus. 38: 47. d. Oct. 1883.

Bundy, Geol. Wis. 1873-79, 1: 396. 1883.

Pk. in Day's Cat., Bull. Buf. Soc. 4: 174 (110). 1883.

Bessey, Bull. lowa Agr. Coll. 1884: 146. Jan. 1885.

Cobb, List Pl. Amherst 31. 1887.

Morg. Jour. Myc. 8: 31. d. March 1887.

Macbr. Bull. Univ. lowa 1: 36. d. Nov. 1888.

Ell. in Cat. Pl. N. J. 468. 1889.

Agaricus plumbeus, Schæff.
      Agaricus plumbeus, Schæff.
Muhl. Tr. Am. Phil. Soc. 4: 239.
Agaricus badius, Schæff.
      Muhl. Tr. Am. Phil. Soc. 4: 239.
            Amanita vaginata, Lam.
 Lam. Encyc. 1: 109. d. 1783.*

Rostr. Meddelelser om Groenl. 8: 528. 1888.

Rostr. Meddelelser om Groenl. 8: 596. 1891.

*Shear, N. Y. Fungi 4. 1893.
     Taylor, Food Products 2: 21. 1893.

Webster, Am. Kitchen Mag. 6: 215. Feb. 1897.

Lloyd, Volvæ 8. d. f. 7. 15. 1898 and Rev. Myc. 21: 93. July 1899.

Williams, Asa Gray Bull. 7: 79. Aug. 1899.
      Herbst, Fungal Fl. Lehigh Valley 31. d. 1899.
```

```
Williams, Asa Gray Bull. 8: 104. Oct. 1900.
    Lloyd, Myc. Notes 61. May 1901.
Beardslee, Amanitas S. Appalach. 2. d. Sept. 1902.
MacKay, Tr. N. Scot. Inst. 11: 123. Aug. 1904.

Amanita badla, P.
    Lloyd, Volvæ 21. 1808.

Amanitopsis plumbea, Schrt.

Henn. in Engler & Prantl, Pflanzenfam. 11**: 273. d.
                                                                                                                  1808.
    Perry, Agricultural Student 6: 179, May 1900 and Ohio Univ. Bull. IV. 30: 8. May 1900.
Amanitopsis vaginata, (Bull.) Roze, var. alba, Sacc. Syll. Pk. Country Gent. 59: 567 (45). d. 2 Aug. 1894. Pk. Rept. N. Y. Mus. 48: 258 (160). d. March 1897.
     Taylor, Hdbk. Mushrooms 5: 9. d. 1898. Agaricus nivalis, Grev.
     Morg. Jour. Myc. 8: 32. d. March 1887.
         Amanita nivalis, Grev.
    Lloyd, Volvæ 9, 16. d. 1898.

Amanitopsis nivalis, (Grev.) Sacc. p. p.

Sacc. Cub. & Manc. Syll. 5: 22. d. 28 May 1887.
Amanitopsis vaginata, (Bull.) Roze, var. erassivolvata, Pk. Pk. in White, Bull. Torr. Bot. Club 29: 562. d. 26 Sept. 1902. Sacc. Syll. 17: 3. d. 25 May 1905.
Amanitopsis vaginata, (Bull.) Roze, var. fulva, (Schæff.) Sacc. Syll. Pk. Country Gent. 59: 567 (45). d. 2 Aug. 1894. Pk. Rept. N. Y. Mus. 48: 258 (160). d. March 1897. Taylor, Hdbk. Mushrooms 5: 9. d. 1898. McIlvaine & Macadam, Am. Fung. 29. d. 1900. Hay, Bull. Nat. Hist. Soc. N. B. 4: 342. 1901. and 5: 119. 1903. Brown & Fernekes, Bull. Wis. Nat. Hist. Soc. II. 2: 46. Jan. 1902. White, Bull. Torr. Bot. Club 29: 562. 26 Sept. 1902.
         Agaricus fuivus, Schæff.
     Muhl. Tr. Am. Phil. Soc. 4: 239. 1799.
Amanitopsis vaginata, (Bull.) Roze, var. livida, (P.) Pk. Pk. Country Gent. 59: 567 (45). d. 2 Aug. 1894. Pk. Rept. N. Y. Mus. 48: 258 (160). d. pl. 17, f. 5-9. March 1897.
     Taylor, Hdbk. Mushrooms 5: 9. d. 1898.
Hay, Bull. Nat. Hist. Soc. N. B. 4: 342. 1901 and 5: 119. 1903.
         Ámanita iivida, P
    Muhl. Cat. Pl. Am. Sept. 1 ed. 104. 1813. 2 ed. 107. 1818. Torrey, Cat. Pl. N. Y. 88. 1819. S. Syn. Car. 78 (52) no. 538. 1822. Hitchcock, Cat. Pl. Amherst 59. 1829. Hitchcock, Cat. Pl. Mass. 644. 1833. 2 ed. 646 (126). 1835. Lloyd, Volvæ 21. 1898.
         Amanita spadicea, P.
     Muhl. Cat. Pl. Am. Sept. 1 ed. 104. 1813. 2 ed. 107. 1818.
     S. Syn. Car. 78 (52) no. 539. 1822.
     Lloyd, Volvæ 21. 1898.
 Amanitopsis velosa, Pk.
             NOTE. The above name originally given by Peck in 1895 was changed by
         Saccardo and Sydow, apparently on etymological grounds to Amanitopsis
         villosa.
     Pk. Bull. Torr. Bot. Club 22: 485. d. 30 Dec. 1895. McClatchie in Reid's Hist. Pasadena 619. 1895. McClatchie, Proc. S. Cal. Acad. 1: 385. 5 June 1897. McIlvaine & Macadam, Am. Fung. 29. d. 1900.
```

Amanita velosa, Lloyd. Williams, Asa Gray Bull. 8: 103. Oct. 1900. Amanitopsis villosa, Sacc. Syll. Sacc. Hedw. 85. Rep. 7: I. 25 Feb. 1896. Sacc. & Syd. Syll. 14: 64. d. 20 Aug. 1899. Amanitopsis villosa, Sacc. Syll. See Amanitopsis velosa, Pk. Amanitopsis volvata, (Pk.) Sacc.
Sacc. Cub. & Manc. Syll. 5: 23. d. 28 May 1887.
Banning in Pk. Rept. N. Y. Mus. 44: 178 (66). Dec. 1891.
Atk. & Schrenk, Jour. Mitch. Soc. 9: 98 (4). April 1893.
Kellerm. & Werner, Geol. Ohio 72: 301. Jan. 1895.
Underw. & Earle, Bull. Ala. Exp. Sta. 80: 255. 28 June 1897.
Henn. in Engler & Prantl, Pflanzenfam. 11**: 273. 1898.
McIlvaine & Macadam. Am. Eung. 21. d. 1009. McIlvaine & Macadam, Am. Fung. 31. d. 1900. Atk. Mushrooms 76. 20 Oct. 1900.

Earle in Mohr, Contr. U. S. Nat. Herb. 6: 228. 31 July 1901.

White, Bull. Torr. Bot. Club. 29: 563. 26 Sept. 1902.

Conant, Bull. Boston Myc. Club 19: 5 Feb. 1903.

Pk. Rept. N. Y. Mus. 564: 35. d. May 1903. [Bull. 67.] Agaricus volvatus, Pk. Pk. Rept. N. Y. Mus. 24: 59. d. Frost in Cat. Pl. Amherst 62. 1875. Morg. Jour. Cin. Soc. 6: 201. April 1887.

Morg. Jour. Cin. Soc. 6: 59. d. April 1883.

Pk. Rept. N. Y. Mus. 88: 47. d. Oct. 1883.

Morg. Jour. Myc. 8: 31. d. March 1887. Cobb, List Pl. Amherst 31. 1887. *Amanita volvata,* Pk. Pk. Rept. N. Y. Mus. 24: 59. d. 1872. Lloyd, Volvæ 9. d. 15. d. 1898 and Rev. Myc. 21: 94. July 1899. Williams, Asa Gray Bull. 7: 79. Aug. 1899. Herbst, Fungal Fl. Lehigh Valley 30. d. 1899. Williams, Asa Gray Bull. 8: 104. Oct. 1900. Agaricus soleatus, Howe. Howe, Bull. Torr. Bot. Club 5: 42. d. Oct. 1874. Pk. Rept. N. Y. Mus. 88: 49. Oct. 1883. Amanita soleata, Howe. Howe, Bull. Torr. Bot. Club 5: 42. d. Oct. 1874. Lloyd, Volvæ 9, 15. d. 21. 1898. Amanitopsis volvata, (Pk.) Sacc., var. elongatus, Pk. Pk. Rept. N. Y. Mus. **58**: 856. d. pl. A, f. 6-10. 19 March 1901. Sacc. & Syd. Syll. **16**: 1110. 1 Feb. 1902. Sacc. Syll. **17**: 3. d. 25 May 1905. Amaurochæte atra, (A. & S.) Rostf.

NOTE. This name we have adopted rather than A. fuliginosa since it is accepted by nearly all writers and is based upon Lycogala atrum, A. & S. of which the description and figure are clearly characteristic whereas those of Licea fuliginosa, Sowerby are vague and uncertain. See also Dermodium.

Cke. Ann. N. Y. Lyceum 11: 398. June 1877. Pk. Rept. N. Y. Mus. 80: 50. Sept. 1878. Pk. Rept. N. Y. Mus. 81: 56. 1879. Berl. in Sacc. Syll. 7: 401. d. 15 March, 1888.

Schrt. in Engler & Prantl, Pflanzenfam. 11; 25. d. June 1889.

Ell. in Cat. Pl. N. J. 598. 1889. Massee, Mon. Myx. 89. d. Dec. 1892. Lister, Mycetozoa 134. d. pl. 511. 1894. Harvey, Bull. Torr. Bot. Club 28: 310. 20 Aug. 1896. Ricker, Univ. of Maine Studies 3: 15. 30 April 1902. Lycogala atrum, A. & S. S. Syn. Car. 61 (35) no. 351. 1822. Reticularia atra, Fr. Curtis, M. A., Bot. N. Car. 111. 1867. Cke. Handbook 379. d. 1871. Johnson, Bull. Minn. Acad. 1: 289. 1877 and Rept. Minn. Surv. 5: 82. 1877. Morg. Jour. Cin. Soc. 15: 138 (12). d. March 1893. Kellerm. & Werner, Geol. Ohio 72: 400. Jan. 1895. Underw. & Earle, Bull. Ala. Exp. Sta. 80: 135. 28 June 1897. Earle in Mohr, Contr. U. S. Nat. Herb. 6: 141. 31 July 1901. Reticularia Strongylium, S. Am. Bor. S. Syn. Am. Bor. 262 no. 2374. 1834. Rostf. Mycetozoa 242. 1875. Cke. Ann. N. Y. Lyceum 11: 402. June 1877. Amaurochæte fuliginosa, (Sow.) Macbr. Macbr. Slime-moulds 109. d. pl. 5, f. 8, 8a. Aug. 1899. Amaurochæte fuliginosa, (Sow.) Macbr. See Amaurochæte atra, (A. & S.) Rostf. Amaurochæte minor, Sacc. & Ell. Sacc. Mich. 2: 566. Dec. 1882. Berl. in Sacc. Syll. 7: 401. d. 15 March 1888. Lister, Mycetozoa 135. d. 1894. Amerosporium Caricum, (Lib.) Sacc. *Ell. & Ev. N. A. F. 2575. Feb. 1891. Tracy & Earle, Bull. Miss. Exp. Sta. 34: 112. May 1895. Amerosporium cinctum, Ell. & Ev. Ell. & Ev. Proc. Phil. Acad. 1895: 435. d. Nov. 1895. McClatchie in Reid's Hist. Pasadena 616. 1895. Sacc. Hedw. **35**: Rep. 7: xliv. 25 Feb. 1896. Sacc. & Syd. Syll. **14**: 1001. d. 20 Aug. 1899. Amerosporium Dolichi, Ell. & Ev. See Amerosporium œconomicum, Ell. & Tracy. Amerosporium Equiseti, (Pk.) Sacc. Sacc. Syll. 8: 682. d. 15 Dec. 1884. Excipula Equiseti, Pk. Pk. Rept. N. Y. Mus. 26: 77. d. April 1874. Pk. in Day's Cat., Bull. Buf. Soc. 4: 202 (138). 1883. Amerosporium Geranii, Cke. & Hark. Cke. & Hark. Grev. 18: 112. d. June 1885. Hark. Bull. Cal. Acad. 1: 269 (14). 19 Nov. 1885. Berl. & Vogl. in Sacc. Syll. Add. 1-4: 359. d. 31 Dec. 1886. Sacc. Syll. 10: 436. d. 30 June 1892. Amerosporium ilicinum, Ell. & Ev. Langlois, Cat. Pl. La. 27. 1887. Ell. & Halsted, Jour. Myc. 4: 9. Jan. 1888. Ell. & Ev. Jour. Myc 4: 50. d. June 1888. Sacc. Syll. 10: 437. d. 30 June 1892. Ell. & Ev. N. Am. Phyllostictas 40. Dec. 1900.

```
Amerosporium ineurvum, (Cke.) Sacc. Sacc. Syll. 8: 681. d. 15 Dec. 1884. 
Excipula incurva, Cke.
   Cke. Grev. 5; 151. d. June 1877.
Ell. in Cat. Pl. N. J. 589. 1889.
Amerosporium leucotrichum, (Pk.) Sacc.
   Sacc. Syll. 8: 682. d. 15 Dec. 1884.

Excipula leucotricha, Pk.

Pk. Rept. N. Y. Mus. 29: 49. d. 1878.
Amerosporium macrochæta, Ell. & Ev.
   Langlois, Cat. Pl. La. 27. 1887.
Ell. & Ev. Jour. Myc. 4: 50. d. June
Sacc. Syll. 10: 438. d. 30 June 1892.
                                                           June 1888.
Amerosporium microsporum, (C. & E.) Sacc.
   Sacc. Syll. 8: 681. d. 15 Dec. 1884. 
Excipula microspora, C. & E.
   C. & E. Grev. 6: 4. d. pl. 95, f. 18. Sept. 1877.
Ell. in Cat. Pl. N. J. 589. 1889.
Amerosporium œconomieum, Ell. & Tracy.
       NOTE. The names Amerosporium acconomicum and A. Dolichi are founded on material of the same host, locality, and collector and J. B. Ellis
       states in a letter that they are synonyms.
   Ell. & Ev. Jour. Myc. 4: 102. d. Oct. 1888.
 Sacc. Syll. 10: 437. d. 30 June 1892.

Tracy & Earle, Bull. Miss. Exp. Sta. 34: 112. d. May 1895.

Tracy & Earle, Bull. Miss. Exp. Sta. 38: 148. May 1896.

Atk. Bull. Cornell Univ. 8: 33. 25 June 1897.

Underw. & Earle, Bull. Ala. Exp. Sta. 80: 175. 28 June 1897.

Earle in Mohr, Contr. U. S. Nat. Herb. 6: 261. 31 July 1901.
       Amerosporium Dolichi, Ell. & Ev.
 *Ell. & Ev. N. A. F. 2574. 1891.
Amerosporium punetiforme, (B.) Sacc. Sacc. Syll. 8: 681. d. 15 Dec. 1884.
       Excipula punctiformis, B.
   B. Grev. 2: 97 (78) no. 453. d. Jan. 1874.
Amerosporium sabalinum, Ell. & Ev.
   Langlois, Cat. Pl. La. 27. 1887.
Ell. & Ev. Jour. Myc. 4: 50. d. June 1888.
   Sacc. Syll. 10: 437. d. 30 June 1892.
Amerosporium subelausum, Ell. & Kellerm.
Ell. & Kell. Jour. Myc. 5: 143. d. Sept. 1889.
Sacc. Syll. 10: 437. d. 30 June 1892.
   Lindau in Engler & Prantl, Pflanzenfam. 11**: 395. Jan. 1900.
Amorphomyces, Thax.
   Thax. Proc. Am. Acad. 28: 158. d. 20 June 1893 and Jour. Roy. Micr. Soc. 1894: 96. d. Feb. 1894 and Bot. Centralbl. Beiheft.
          4: 111. d. 1894.
   Thax. Proc. Am. Acad. 29: 106. 11 Jan. 1894.
Thax. Mem. Am. Acad. 12: 295. d. pl. 5, f. 17-29. Dec. 1896.
Lindau in Engler & Prantl, Pflanzenfam. 11: 501. d. April 1897.
Sacc. & Syd. Syll. 14: 728. 20 Aug. 1899.
Amorphomyces Falagriæ, Thax.
   Thax. Proc. Am. Acad. 28: 158. d. 20 June 1893.
   Thax. Proc. Am. Acad. 29: 106. 11 Jan. 1894.
   Sacc. Syll. 11: 449. July 1895.
```

Thax. Mem. Am. Acad. 12: 296. d. pl. 5, f. 17-29. Dec. 1896. Lindau in Engler & Prantl, Pflanzemfam. 11: 501. f. 291 C. April 1897. Sacc. & Syd. Syll. 14: 728. d. 20 Aug. 1899. Ricker, Univ. of Maine Studies 3: 41. 30 April 1902.

Amorphomyces Floridanus, Thax. See Dioicomyces Floridanus, Thax.

Ampelomyces quisqualis, Ces.

NOTE. The name Ampelomyces quisqualis, Ces. given in Klotzsch Herb. Viv. Myc. 1669. 1852 and also in Bot. Zeit. 10; 301. 23 April 1852 certainly antedates Cicinnobolus, Ehrb. which did not appear until the following year (Bot. Zeit. 11: 16. 7 Jan. 1853) and then in a very vague

The true structure and position of the genus Cicinnobolus were first given by De Bary in Beitr. Morph. und Phys. der Pilze 3: 53-75. pl. 11, 12. 1870 where he called the species Cicinnobolus Cesatii. In our opinion the name Cicinnobolus Cesatii, D By. is the name which should be preferred to any other but we do not agree with De Bary in referring the genus to Ehrenberg but consider that he is himself the real author of the genus.

Griffiths, Bull. Torr. Bot. Club. 26: 184, 186. d. pl. 358. 12 April 1800. Underw. Moulds 232. pl. 5, f. 3. 1899.

Nelson, Rept. Wyo. Exp. Sta. 10: (29). 1900.

*Griffiths, West Am. Fung. 132, 133, 133^a. 22 March 1902.

Cicinnobolus Cesatil, DBy.

Hark. Bull. Cal. Acad. 1: 258 (3). 19 Nov. 1885. Burrill & Earle, Bull. Ill. Lab. 2: 390, 391. f. 2. July 1887. Halsted, Bull. Iowa Agr. Coll. 1888: 110. April 1888.

Halsted, Bull. Iowa Agr. Coll. 1888: 110. April 1888.

Pammel, Jour. Myc. 4: 38. d. May 1888.

Scribner, Rept. U. S. Agr. 1887: 375, 378, 395. pl. 11, f. 2. 1888.

Kellerm. & Swingle, Rept. Kans. Exp. Sta. 1: 312. d, Feb. 1889.

Gall. Rept. U. S. Agr. 1888: 355. d. pl. 7, f. 6. 1889.

Anderson, Jour. Myc. 5: 84. June 1889.

*Seymour & Earle, E. F. 145. 1 Sept. 1892.

Underw. Proc. Ind. Acad. 1898: 43. Aug. 1894.

*Ell. & Ev. Fung. Columb. 960. April 1896.

*Ell. & Ev. N. A. F. 3445. 10 Dec. 1896.

Stevens, F. L., Rept. Ohio Acad. 4: 21. 1896.

Pammel & Carver, Proc. lowa Acad. 3: 146. 1896.

Atk. Bull. Cornell Univ. 3: 29. 25 June 1897.

Underw. & Earle, Bull. Ala. Exp. Sta. 80: 163. 28 June 1897.

Stevens, F. L., Rept. Ohio Acad. 5: 64. 1897.

Orton, Rept. Vt. Exp. Sta. 11: 205. Sept. 1898 and Contr. Bot. Vt. 2: 7. Sept. 1898.

Brannon, Proc. Ind. Acad. 1898: 293. Dec. 1899.

2: 7. Sept. 1096.
Brannon, Proc. Ind. Acad. 1898: 293. Dec. 1899.
Orton, Rept. Vt. Exp. Sta. 12: 172. Dec. 1899 and Contr. Bot. Vt. 7: 172. Dec. 1899.
Patterson, Bull. U. S. Agr. Pl. Industry 8: 23. 3 Feb. 1902.
*Barthol. Ell. & Ev. Fung. Columb. 1815. 28 Dec. 1903.

Amphiphytum, S.

NOTE. Where this genus was described and whether it is a North American genus we are unable to ascertain. It is referred to in the citations given below and also in Reichenbach, Conspect. Reg. Veg. 1828 as a doubtful genus but we have been unable to trace the name in Schweinitz, the author designated by Endlicher and Corda.

Endl. Gen. Pl. 35. 1840. Cda. Icon. 5: 44. 1842.

Amphisphærella aperta, Cke. See Rosellinia aperta, (S.) Sacc.

Amphisphærella Diderma, Cke. See Roseilinia Diderma, (S.) Sacc.

Amphisphæria acicola, Sacc. See Neopeckia Coulteri, (Pk.) Sacc.

Amphisphæria æthiops, (B. & C.) Sacc. Sacc. Syll. 1: 722. d. 13 June 1882. Cke. Grev. 16: 89. March 1888. Ell. & Ev. Pyren. 204. d. May 1892. Sphæria æthiops, B. & C. Curtis, M. A., Bot. N. Car. 146. 1867. B. Grev. 4: 143 (181) no. 918. d. June 1876.

Amphisphæria albomaeulans, (S.) Cke. Cke. Grev. 16: 89, 91. d. March 1888. Sacc. Syll. 9: 747. d. 15 Sept. 1891. Ell. & Ev. Pyren. 204. d. May 1892. Sphæria albomaculans, S. S. Syn. Am. Bor. 215 no. 1592. 1834. Sacc. Syll. 2: 413. d. 13 June 1883.

Amphisphæria aperta, Cke. See Rosellinia aperta, (S.) Sacc.

Amphisphæria apiosporioides, Rehm. Rehm, Hedw. **89**: 323. *d. f.* 7. 28 Dec. 1900. Sacc. & Syd. Syll. **16**: 504. *d.* 1 Feb. 1902.

Amphisphæria applanata, (Fr.) Ces. & De Not. Farl. Appalachia 8: 247. Jan. 1884. Ell. & Ev. Pyren. 206. d. May 1892. Harvey, Bull. Torr. Bot. Club 28: 53. 29 Feb. 1896. Ricker, Univ. of Maine Studies 3: 32. 30 April 1902. Sphæria applanata, Fr. p. p. S. Syn. Am. Bor. 214 no. 1574. 1834.

Amphisphæria applanata, (Fr.) Ces. & De Not., var. Alaskæ, Sacc. Sacc. Syll. 17: 685. d. 25 May 1905.

Amphisphæria applanata, Sacc. in Alaska Exp.

Sacc., Pk. & Trel., Harriman Alaska Exp. 5: 30. d. 5 April 1904.

Amphisphæria aquatica, (Ell. & Ev.) Berl. & Vogl.
Berl. & Vogl. in Sacc. Syll. Add. 1-4: 125. d. 31 Dec. 1886.
Cke. Grev. 16: 89. March 1888.
Sacc. Syll. 9: 744. d. 15 Sept. 1891.
Ell. & Ev. Pyren. 205. d. May 1892.
Sphæria aquatica, Ell. & Ev.
Ell. & Ev. Torr. Bull. 11: 42. d. April 1884.
Didymosphæria aquatica, Ell. & Ev.
Ell. in Cat. Pl. N. J. 523. 1889.

Amphisphæria aspera, Ell. & Ev. Ell. & Ev. Bull. Torr. Bot. Club **27**: 52. d. 17 Feb. 1900. Sacc. & Syd. Syll. **16**: 505. d. 1 Feb. 1902.

Amphisphæria aterrima, Pat.
Pat. in Duss Champ. Guad. & Martinique 71. d. 1903, West Indies.
Sacc. Syll. 17: 684. d. 25 May 1905.

Amphisphæria atrograna, (C. & E.) Sacc. Sacc. Syll. 1: 722. d. 13 June 1882. Ell. in Cat. Pl. N. J. 518. 1889. Ell. & Ev. Pyren. 201. d. May 1892. Sphæria atrograna, C. & E. C. & E. Grev. 8: 15. d. Sept. 1879. Melanomma atrogranum, Cke. Cke. Grev. 16: 52. Dec. 1887. Amphisphæria bisphærica, (C. & E.) Sacc. Sacc. Syll. 1; 721. d. 13 June 1882. Cke. Grev. 16: 89. March 1888. Ell. in Cat. Pl. N. J. 518. 1889. Ell. & Ev. Pyren. 201. d. May 1892. *Ell. & Ev. Fung. Columb. 1318. Ma Sphæria bisphærica, C. & E. C. & E. Grev. 7: 41 . & E. Grev. 7: 41. d. Dec. 1878. l. N. A. F. 1339. 1885. *Ell. N. A. F. 1339. Amphisphæria botulispora, (Cke.) Sacc. Sacc. Syll. 1: 719. d. 13 June 1882. Ell. & Ev. Pyren. 203. d. May 1892. Sphæria botulispora, Cke. C. & E. Grev. 6: 96. pl. 100, f. 31. Cke. Ann. N. Y. Acad. 1: 186. d. Cke. Jour. Linn. Soc. 17: 143. d. Xylosphæria botulispora, Cke. March 1878. May 1878. 1880. Cke. Grev. 17: 86. June 1880. Amphisphæria caryophaga, Cke. See *Trematosphæria caryophaga*, (S.) Sacc.

Amphisphæria conferta, (S.) Sacc.

NOTE. The Spharia conferta of Schweinitz, Syn. Car. 187 was said by Schweinitz to be the same as the Spharia confertula, S. Am. Bor. 1508. The Spharia conferta of S. Am. Bor. 1477 according to Ellis and to our own examination of an original specimen is immature Spharella maculiformis, (P.) Awd.

With regard to Spharia conferta, S. Syn. Car. 187, the spores are said by Cooke, Grev. 15: 81. d. March 1887 to be two-parted and on this authority it forms the basis of Amphispharia conferta, (S.) Sacc. Starbaeck, 1894, found no spores in Schweinitzian specimens but noted a marked resemblance externally to Spharia euomphala, B. & C. Ellis in Proc. Phil. Acad. 1895: 25 (6). 21 Feb. 1895 gives details of spores of Spharia confertula from Pennsylvania and expresses a doubt whether it is the same as the North Carolina specimens of that name.

We have examined a specimen of S. confertula (S. conferta, S Syn. Car.) from Carolina and the external resemblance to S. euomphala is marked, as stated by Starbaeck but the spores do not agree either with those described by Cooke or with those described by Ellis. Two kinds of spores were seen; one dark-colored, elliptic, $8-9~\mu$, by 2.8 μ , filling the perithecium but no asci were seen and in one case slender, clavate asci $84~\mu$ long by $7~\mu$ broad with hyaline acicular spores $14-16~\mu$ by 2.8 μ , 6- to 8-guttulate but not clearly septate.

From the above it will be seen that it is hopeless to expect to be able to recognize what Schweinitz understood by S. conferta and S. confertula. We have given below the synonomy based on Cooke's notes on the spores but we do not believe that the species is an Amphisphæria nor that any one at the present day can say to what genus it belongs. It should be placed permanently under species ignotæ.

Sacc. Syll. 9: 747. d. 15 Sept. 1891. Ell. & Ev. Pyren. 206. d. May 1892. Sphæria conferta, S. Syn. Car. 187. S. Syn. Car. 45 (19) no. 187. d. 1822. S. Syli. Cal. 45 (19) 100, 16), a. 1622. Fr. S. M. 2: 444. d. 1823. Spreng. in L. Syst. Veg. 16 ed. 41: 388. d. 1827. Sacc. Syll. 2: 401. d. 13 June 1883. Ell. & Ev. Pyren. 745. May 1892. Starb. Bot. Notiser 1893: 28. 15 Feb. 1893. Starb. Bihang till K. Sv. Vet. Akad. Handl. 193: no. 2: 25. 1894. Sphæria confertula, S. S. Syn. Am. Bor. 211 no. 1508. 1834. Curtis, M. A., Bot. N. Car. 144. 1867 Byssosphæria (Amphisphæria) conterta, Cke. Cke. Grev. 15: 81. d. March 1887. Cke. Grev. 15: 123. June 1887. Trematosphæria confertula, Ell. Ell. Procs Phil. Acad. 1895: 25 (6). d. 21 Feb. 1895. Sacc. Hedw. **35**: Rep. 7: xxix. d. 25 Feb. 1896. Sacc. & Syd. Syll. **14**: 576. d. 20 Aug. 1899. Amphisphæria confertissima, Ell. & Ev. Ell. & Ev. Proc. Phil. Acad. 1895: 418. d. No. Sacc. Hedw. 85: Rep. 7: xxviii. 25 Feb. 1896. Sacc. & Syd. Syll. 14: 557. d. 20 Aug. 1899. Amphisphæria conica, (Lév.) Ces. & De Not. Langlois, Cat. Pl. La. 27. 1887. Amphisphæria decorticata, (Cke & Hark.) Berl. & Vogl. Berl. & Vogl. in Sacc. Syll. Add. 1-4: 124. d. 31 Dec. 1886. Sacc. Syll. 9: 742. d. 15 Sept. 1891. Ell. & Ev. Pyren. 202. d. May 1892. Sphæria decorticata, Cke. & Hark. Cke. & Hark. Grev. 13: 19. d. Sept. 1884. Hark. Bull. Cal. Acad. 1: 175. 7 March 1885. Melanomma decorticatum, Cke. Cke. Grev. 16: 52. Dec. 1887. Amphisphæria deerrata, Cke. See Rosellinia deerrata, (C. & E.) Sacc. Amphisphæria deformis, Ell. & Langlois. Eil. & Ev. Jour. Myc. 4: 123. d. Dec. 1888. Sacc. Syll. 9: 744. d. 15 Sept. 1891. Ell. & Ev. Pyren. 202. d. May 1892. Sacc. Syll. 11: 316. d. July 1895. Amphisphæria Despreauxii, Cke. See **Rosellinia Despreauxii**, (Mont.) Sacc. Amphisphæria Diderma, Cke. See Rosellinia Diderma, (S.) Sacc. Amphisphæria diffusa, Sacc. See Neopeckia diffusa, (S.) Starb. Amphisphæria dothideospora, Cke. & Hark. Cke. & Hark. Grev. 14: 9. d. Sept. 1885. Hark. Bull. Cal. Acad. 1: 271 (16). 19 Nov. 1885. Berl. & Vogl. in Sacc. Syll. Add. 1-4: 125. d. 31 Dec. 1886. *Ell. & Ev. N. A. F. 1662. 1886. *Wint. Fung. Eur. 3553. 1886. Sacc. Syll. 9: 746. d. 15 Sept. 1891. Ell. & Ev. Pyren. 202. d. May 1892.

Melanomma dothideasporum, Cke.

Cke. Grev. 16: 53. Dec. 1887.

Amphisphæria Eckfeldtii, Cke. See Melanopsamma Eckfeldtii, (Ell.) Ell. & Ev.

Amphisphæria fallax, De Not.

Ell. & Ev. Proc. Phil. Acad. 1893: 120. 28 Feb. 1803.

Amphisphæria granulosa, Ell. & Ev. Ell. & Ev. Jour Myc. 10: 169. d. 24 June 1904. Sacc. Syll. 17: 685. d. 25 May 1905.

Amphisphæria Hypoxylon, Ell. & Ev.

NOTE. This belongs to the genus Otthia. See Otthia Hypoxylon, the name which is here given to retain the original specific name rather than Otthia hypoxyloides to which it was changed by Ellis and Everhart, Pyren. 249. May 1892.

Amphisphæria incrustans, Ell. & Ev.

Webber, Rept. Nebr. Agr. **1889**: 193 (53). 1890. Ell. & Ev. Pyren. 201. d. May 1892. Sacc. Syll. **11**: 316. d. July 1895.

Amphisphæria inspersa, Cke.

See **Leptosphæria inspersa,** (S.) Sacc.

Amphisphæria Juniperi, Tracy & Earle.
Tracy & Earle in Greene, Pl. Baker. 1: 30. d. 22 Feb. 1901.
Sacc. & Syd. Syll. 16: 1134. 1 Feb. 1902.
Sacc. Syll. 17: 684. d. 25 May 1905.

Amphisphæria Langloisii, Ell. & Ev. Ell. & Ev. Pyren. 205. d. May 1892. Sacc. Syll. 11: 315. d. July 1895.

Amphisphæria megalospora, (Mont.) Sacc.

Sacc. Syll. 1: 724. d. 13 June 1882. Sphæria megalospora, Mont.

B. & C. Jour. Linn. Soc. 10: 388. 1869.

West Indies.

Amphisphæria melantera, Ell. & Ev.

Ell. & Ev. Bull. Torr. Bot. Club 24: 278. d. 29 June 1897.

*Ell. & Ev. N. A. F. 3521. 24 Jan. 1898. Lindau & Syd. Hedw. **37**: Beibl. 7: xxvii. 9 April 1898. Ell. & Ev. Bull. Torr. Bot. Club **25**: 513. d. 10 Sept. 18 10 Sept. 1898.

Sacc. & Syd. Syll. 14: 556. d. 20 Aug. 1899.

Amphisphæria melasperma, (Cke.) Sacc.

Sacc. Syll. 1: 725. d. 13 June 1882. Ell. & Ev. Pyren. 203. d. May 1892. Psilosphæria melasperma, Cke.

Cke. Grev. 8: 118. d. March 1880. Melanomma melaspermum, Cke.

Cke. Grev. 16: 52. Dec. 1887.

Amphisphæria mobilis, (S.) Ell.

NOTE. The Sphæria mobilis of the Schweinitz herbarium according to Ellis is an Amphispharia and not the Spharia mobilis of Fr. S. M. 2: 461 or of Tode which is a Nectria. All American references belong to the Amphisphæria. It should be called to mind that in several instances the name has been misspelled nobilis.

Ell. & Ev. Proc. Phil. Acad. 1895: 26 (7) d. April 1895. Sacc. Hedw. **35**: Rep. 7: xxviii. d. 25 Feb. 1896. Sacc. & Syd. Syll. **14**: 557. d. 20 Aug. 1899.

Sphæria mobilis, S. non Tode. S. Syn. Car. 45 (19) no. 198. 1822. Fr. S. M. 2: 461. d. 1823. S. Syn. Am. Bor. 214 no. 1569. 1834 Curtis, M. A., Bot. N. Car. 145. 18 Nectria mobilis, Auct. Amer. Sacc. Syll. 2: 510. 13 June 1883. Ell. & Ev. Pyrén. 110. d. May 1802. Amphisphæria mycophila, Cke. See **Rosellinia mycophila,** (Fr.) Sacc. Amphisphæria nuda, Ell. & Ev. Ell. & Ev. Erythea 2: 18. d. 9 Feb. 1894. *Ell. & Ev. N. A. F. 3011. April 1894. Sacc. Syll. 11: 315. d. July 1895. *Ell. & Ev. Fung. Columb. 1036. 22 Dec. 1896. Amphisphæria obtusissima, Cke. See Rosellinia obtusissima, (B. & C.) Sacc. Amphisphæria Oronoensis, (Ell. & Ev.) Sacc. Sacc. Syll. 9: 746. d. 15 Sept. 1891.

Ell. & Ev. Pyren. 203. d. May 1892.

Harvey, Bull. Torr. Bot. Club 23: 53. 29 Feb. 1896.

Ricker, Univ. of Maine Studies 3: 32. 30 April 1902.

Sphæria Oronoensis, Ell. & Ev. Ell. & Ev. Jour. Myc. 3: 117. d. Oct. 1887. Amphisphæria Papilla, (S.) Sacc. *Ell. & Ev. N. A. F. 3012. April 1880.

Ell. Proc. Phil. Acad. 1895: 23 (4). d.

Ell. Proc. Phil. Acad. 1895: 23 (4). d. April 1895. Sacc. Hedw. **35**: Rep. 7: xxviii. 25 Feb. 1896. Sacc. & Syd. Syll. **14**: 557. d. 20 Aug. 1899. Sphæria Papilla, S. S. Syn. Car. 42 (16) no. 159. d. 1822. Fr. S. M. 2: 462. d. 1823. S. Syn. Am. Bor. 214 no. 1572. 1834. Sprague, Proc. Boston Soc. **6:** 320. 185 Curtis, M. A., Bot. N. Car. 145. 1867. Pk. Rept. N. Y. Mus. **22:** 99. 1869. . Grev. 4: 144 (182). d. June 1876. Melanopsamma Papilia, Sacc. B. Grev. 4: 144 (182). d. Sacc. Syll. 1: 580. d. 13 June 1882. Ell. & Ev. Pyren. 178. d. May 1892. Amphisphæria papillata, (Schum.) De Not. Ell. & Ev. Pyren. 206. d. May 1892. Sphæria papillata, Schum. Fr. S. M. 2: 461. d. 1823.* S. Syn. Am. Bor. 214 no. 1570. 1834. Amphisphæria peniophora, Cke. See Melanomma callicarpum, (Sacc.) Berl. Amphisphæria phileura, (C. & P.) Sacc. Sacc. Syll. 1: 725. d. 13 June 1882. Cke. Grev. 16: 89. March 1888. Ell. & Ev. Pyren. 203. d. May 1892. Sphæria phileura, C. & P. C. & P. in C. & E. Grev. 5: 55. d. pl. 81, f. 6. Dec. 1876.

Amphisphæria pilosella, Ell. & Ev. Ell. & Ev. Proc. Phil. Acad. **1895**: 418. d. Nov. 1895. Sacc. Hedw. **35**: Rep. 7: xxviii. 25 Feb. 1896. Sacc. & Syd. Syll. **14**: 557. d. 20 Aug. 1899. Amphisphæria pinicola, Rehm.
*Ell. & Ev. N. A. F. 3113. Nov. 1894.
Millsp. & Nutt. Publ. Field Columb. Mus. Bot. 1: 141. Jan. 1896. Amphisphæria Platani, Ell. & Ev. Ell. & Ev. Pyren. 205. d. May 1892. Sacc. Syll. 11: 315. d. July 1895. Amphisphæria Populi, Tracy & Earle. Tracy & Earle in Greene, Pl. Baker. 1: 30. d. 22 Feb. 1901. Sacc. & Syd. Syll. 16: 1134. 1 Feb. 1902. Sacc. Syll. 17: 685. d. 25 May 1905. Amphisphæria prinicola, Cke. See Rosellinia prinicola, (B. & C.) Sacc. Amphisphæria pseudo-umbrina, Sacc. Pound, Bot. Surv. Nebr. 3: 7. 18 June 1894. Amphisphæria putaminum, Cke. See **Caryospora putaminum**, (S.) Sacc. Amphisphæria quercetis, Cke. & Massee. Cke. Grev. 16: 89, 92. d. March 1888. Sacc. Syll. 9: 742. d. 15 Sept. 1891. Ell. & Ev. Pyren. 205. d. May 1892. Amphisphæria salebrosa, (C. & P.) Sacc. Sacc. Syll. 1: 726. d. 13 June 1882. Ell. & Ev. Pyren. 202. d. May 1892. **Sphæria salebrosa**, C. & P. Pk. Rept. N. Y. Mus. **29**: 61. d. Melanomma salebrosum, Cke. Cke. Grev. 16: 52. Dec. 1887. Amphisphæria separans, Ell. & Ev. Ell. & Ev. Bull. Torr. Bot. Club **24**: 130. d. 30 March 1897. Lindau & Syd. Hedw. **37**: Beibl. 7: xxvii. 9 April 1898. Smyth, Tr. Kans. Acad. **16**: 164. July 1899. Sacc. & Syd. Syll. **14**: 555. d. 20 Aug. 1899. Earle, Bull. Ala. Exp. Sta. 107: 323. April 1900. Amphisphæria subiculosa, Ell. & Ev. See Neopeckia diffusa, (L.) Starb., var. Rhodomphalos, (B.) n. n. Amphisphæria thujina, (Pk.) Sacc. Sacc. Syll. 1: 726. d. 13 June 1882. Cke. Grev. 16: 89. March 1888. Ell. & Ev. Pyren. 204. d. May 1892. Sphæria thujina, Pk. Pk. Rept. N. Y. Mus. 27: 110. d. 1875. Amphisphæria tumulata, (Cke.) Sacc. Sacc. Syll. 1: 727. d. 13 June 1882. Ell. & Ev. Pyren. 204. d. May 1892. Sphæria tumulata, Cke.
Cke. Grev. 7: 4. d. Sept. 1878.
Hark. & Moore, Cat. Pac. Fung. 44.
Xylosphæria tumulata, Cke.

Cke. Grev. 17: 86. June 1880.

Amphisphæria umbrina, (Fr.) De Not. *Ell. & Ev. N. A. F. 2922. Oct. 1893. Jelliffe, Flora of Long Island 30. 1899.

Amphisphæria Wellingtoniæ, (Cke. & Hark.) Berl. & Vogl. Berl. & Vogl. in Sacc. Syll. Add. 1-4: 124. d. 31 Dec. 1886. Sacc. Syll. 9: 743. d. 15 Sept. 1891. Ell. & Ev. Pyren. 206. d. May 1892. Sphæria Wellingtoniæ, Cke. & Hark.

Sphæria Wellingtoniæ, Cke. & Hark. Cke. & Hark. Grev. 18: 19. d. Sept. 1884. Hark. Bull. Cal. Acad. 1: 174. 7 March 1885. Xylosphæria Wellingtoniæ, Cke.

Cke. Grev. 17: 86. June 1889.

Amphitrichum albocoronatum, O. Kuntze. See Ceratostomella albocoronata, (Ell.) Sacc.

Amphitrichum Araliæ, Spreng. See Meliola Araliæ, (Spreng.) Mont.

Amphitrichum brevirostre, O. Kuntze. See Ceratostomella brevirostre, (Duf.) Sacc.

Amphitrichum capillare, O. Kuntze. See Ceratostomella capillare, (Ell.) Sacc.

Amphitrichum eirrhosum, O. Kuntze. See Ceratostomella cirrhosa, (P.) Sacc.

Amphitrichum echinellum, O. Kuntze. See Ceratostomella echinella, Ell. & Ev.

Amphitriehum hystricinum, O. Kuntze. See Ceratostomella hystricina, (Cke.) Sacc.

Amphitrichum investitum, O. Kuntze. See Ceratostomelia investita, (S.) Starb.

Amphitrichum Mali, O. Kuntze. See Ceratostomella Mali, Ell. & Ev.

Amphitrichum microsporum, O. Kuntze. See Ceratostomella microspora, Ell. & Ev.

Amphitrichum nigrum, (Tode) O. Kuntze. See Ceratostomella rostrata, (Fr.) Sacc.

Amphitrichum nyssicola, O. Kuntze. See Ceratostomella nyssicola, (B. & C.) Sacc.

Amphitrichum Saechari, Spreng. See Meliola amphitricha, Fr.

Amphitrichum strictum, O. Kuntze. See Ceratostomella stricta, (P.) Sacc.

Androsaceus aciculæformis, Duss. See Marasmius aciculæformis, B. & C.

Androsaceus atrorubens, Duss. See Marasmius atrorubens, B.

Androsaceus Bulliardi, Duss. See Marasmius Bulliardi, Quel.

Androsaceus castaneus, Duss. See Marasmius castaneus, Mont.

Androsaceus corrugatus, Pat. See *Marasmius corrugatus*, (Pat.) Sacc. & Syd.

Androsaceus dispar, Duss. See Collybia dispar, (Mont.) Sacc.

Androsaceus ferrugineus, Duss. See Marasmius ferrugineus, B.

```
Androsaceus glaucopus, Pat.
      See Marasmius glaucopus, (Pat.) n. n.
Androsaceus hæmatocephalus, Pat.
      See Marasmius hæmatocephalus, (Mont.) Fr.
Androsaceus Myricæ, Pat.
      See Marasmius Myricæ, (Pat.) Sacc. & Svd.
Anellaria fimiputris, (Bull.) Karst.
Sacc. Cub. & Manc. Syll. 5: 1126. d. 28 May 1887.
Kellerm. & Werner, Geol. Ohio 72: 317. Jan. 1895.
Henn. in Engler & Prantl, Pflanzenfam. 11**: 234. d.
                                                                                 1808.
     Agaricus fimiputris, Bull.
  Lea, Cat. Pl. Cin. 53. 1849.
Andrews, Proc. Boston Soc. 5: 322. April 1856.
Frost, Proc. Boston Soc. 12: 77. 1869.
   Cke. Handbook 156. d. 1871.
   Frost in Cat. Pl. Amherst 66.
   Johnson, Bull. Minn. Acad. 1: 239. 1877 and Rept. Minn. Surv. 5:
               1877
  James, Jour. Cin. Soc. 2: 64 (23). April 1879. Hark. & Moore, Cat. Pac. Fung. 8. Feb. 1880. Morg. Jour. Cin. Soc. 6: 116. 4. July 1883.
   Cobb, List Pl. Amherst 33.
      Panæolus fimiputris, Fr.
   Underw. Proc. Ind. Acad. 1893: 62. Aug. 1894.
Anellaria separata, (L.) Karst.
   McIlvaine & Macadam, Am. Fung. 388. d. pl. 109. 1900. Agaricus separatus, L.
   Curtis, M. A., Bot. N. Car. 91. 1867.
Winder, Mushrooms of Canada 20. 1871.
   Johnson, Bull. Minn. Acad. 1: 239. ar
Somers, Tr. N. Scot. Inst. 5: 249. 1882.
                                                          and Rept. Minn. Surv. 5: 72.
     Agaricus semiovatus, Sow.
   S. Syn. Car. 85 (59) no. 711. 1822.
S. Syn. Am. Bor. 151 no. 249. 1834.
Andrews, Proc. Boston Soc. 5: 322. April 1856.
  Panæolus separatus, Fr.
Banning in Pk. Rept. N. Y. Mus. 44: 187 (75). Dec. 1891.
Herbst, Fungal Fl. Lehigh Valley 76. d. 1899.
Angelina Fr.
   Fr. Summa 358. d. 1849.
Duby, Mem. Soc. Phys. et Hist. Nat. 16: 51 (39). d. 1862.
   Durand, Jour. Myc. 8: 108, 109. d. 14 Oct. 1902.
Angelina Leprieurii, Mont.
See Triblidiella Leprieurii, (Mont.) Sacc.
Angelina maura, Ell.
      See Hysteropatella Prostii, (Duby) Rehm.
Angelina nigrocinnabarina, B. & C.
      See Triblidiella nigrocinnabarina, (S.) Durand.
Angelina rufescens, (S.) Duby.

Duby, Mem. Soc. Phys. et Hist. Nat. 16: 51 (39). d. 1862.

Cke. Bull. Buf. Soc. 8: 35. Nov. 1875.
 *Thm. Myc. Univ. 72. 1875.
 *Ell. N. A. F. 466.
                              1880.
 *Rehm, Ascomyceten 361. 1877.
Rehm, Ascomyceten 89. d. 1881.
Sacc. Syll. 2: 740. d. 13 June 1883.
```

```
Pk. in Day's Cat., Bull. Buf. Soc. 4: 222 (158). 1883. Wint. & Demet. Hedw. 24: 198 (22). Oct. 1885. Ell. in Cat. Pl. N. J. 542. 1889. Ell. & Ev. Pyren. 686. d. May 1892. Harvey, Bull. Torr. Bot. Club 28: 57. 29 Feb. 1896. Linday in Englar & Prantil 1982.
     Lindau in Engler & Prantl, Pflanzenfam. 11: 268. May 1806.
    Underw. & Earle, Bull. Ala. Exp. Sta. 80: 196. 28 June 1897. Earle in Mohr, Contr. U. S. Nat. Herb. 6: 162. 31 July 1901. Ricker, Univ. of Maine Studies 3: 40. 30 April 1902. Durand, Jour. Myc. 8: 100. d. 14 Oct. 1902.
          Hysterium rufescens, S.
    S. Syn. Car. 50 (24) no. 252. d. 1822.

Grev. Scot. Crypt. Fl. 1: pl. 60. 1823.

Fr. S. M. 2: 583. d. 1823.

Spreng. in L. Syst. Veg. 16 ed. 41: 413. d. 1827.

Fr. El. 2: 141. 1828.

Hitchcock, Cat. Pl. Amherst 61. 1829.
    HICHCOCK, Cat. Pl. Amnerst 01. 1020.

S. Syn. Am. Bor. 244 no. 2081. 1834.

Hitchcock, Cat. Pl. Mass. 646. 1833. 2 ed. 647 (127).

De Not. Prime Linee Isterini 51 (47). d. 1847.

Fr. Nova Acta R. Soc. Sci. Upsal. III. 1: 122. 1851.

Sprague, Proc. Boston Soc. 5: 331. 1856.

Duby, Mem. Soc. Phys. et Hist. Nat. 16: 51 (39). d.

Billings, Am. Nat. 5: 630. d. pl. 11, f. w. Oct. 1871.

Frost in Cat. Pl. Amherst 92. 1875.

Rehm, Hedw. 25: 196 (42). Oct. 1886.

Cobb. List Pl. Amherst 48. 1887.
                                                                                       1833. 2 ed. 647 (127). 1835.
     Rehm, Hedw. 25: 196 (42). Oct Cobb, List Pl. Amherst 45. 1887.
          Ascobolus conglomeratus, S.
     Fr. El. 2: 16. 1828.
     S. Syn. Am. Bor. 178 no. 960. d. 1834.
     Sprague, Proc. Boston Soc. 5: 330. 1856.
 *Rav. Fung. Car. 5: 44. 1860.
Curtis, M. A., Bot. N. Car. 135. 186
Pk. Rept. N. Y. Mus. 22: 95. 1869.
B. Grev. 4: 6 (144). d. Sept. 1875.
Frost in Cat. Pl. Amherst 91. 1875.
Cobb, List. Pl. Amherst 47. 1887.

Angelina conglomerata, Fr.

Fr. Summa 228. 1840.
                                                                                            1867.
     Fr. Summa 358. 1849.
Fr. Nova Acta R. Soc. Sci. Upsal. III. 1: 121. d. 1851.
Boud. Ann. Sci. Nat. V. 10: 213. d. 1869.
      Morg. Jour. Myc. 8: 182. 20 Dec. 1902.
Angioridium sinuosum, Grev.
           See Physarum sinuosum, (Bull.) Fr.
Angioridium valvatum, B.
See Physarum bogoriense, Racib.
           See Physarum pallidum, (B. & C.) Lister.
```

Anixia.

Note. The genus Anixia was originally defined by Fries. If the modern genus is to be credited to Fries it can be only to Fries in Hoffmann, Icones Anal. 3: 70. 1863 as is done by Lindau in Engler & Prantl, Pflanzenfam. 11: 333. Jan. 1897. Since the genus as at present understood is based on Didymium parietinum, Schrader, it may be questioned whether it would not be better to retain the genus Anixia for the ill-defined species first proposed by Fries and, following Rostafinski, to raise to generic rank the subgenus Myogala of Fries in Summa Veg. Scand. 448. 1846 which included only the original Didymium parietinum of Schrader but one could

not follow Rostafinski in substituting for Schrader's name that of bicolor taken

from the later Licea bicolor of Persoon.

Of the two North American species referred to Anixia, A. interrupta can not belong to the genus in the modern sense, judging by the description of Schweinitz. We have seen no specimen however. Of the second species we know but a single published record although it has been collected several times in this country. It is the same as Anixia parietina, (Schrad.) Lindau.

The spelling of Myogala has been changed to Mycogala in certain references, whether on etymological grounds or not we do not know; but the Mycogala parietinum of Sacc. Syll. 3: 185. d. 15 Dec. 1884 placed in Fungi Imperfecti can not be as stated by him the Myogala bicolor of Rostafinski, Mycetozoa 301. 1875 since Rostafinski included the A. truncigena of Hoffmann, which is ascosporic.

Anixia interrupta, S.

S. Syn. Am. Bor. 264 no. 2395. d. 1834. Sacc. Syll. 1: 36. d. 13 June 1882.

Anixia parietina, (Schrad.) Lindau.

Lycogala parietinum, Fr.

Sprague, Proc. Boston Soc. 5: 328. 1856. Berl. in Sacc. Syll. 7: 386. d. 15 March 1888.

Annularia Fenzlii, Schulz.

Agaricus Fenzlii, Schulz.

Morg. Bot. Gaz. 8: 156. Jan. 1883.

Annularia lævis, (Krombh.) Fr.

Pound & Clements, Bot. Surv. Nebr. 5: 25. 30 March 1901. Agaricus lævis, Krombh. Morg. Bot. Gaz. 8: 156. Jan. 1883.

Annularia mammillata, Longyear.

Longyear, Rept. Mich. Acad. **8**: 59. d. f. 4. 1902. Longyear, Rept. Mich. Acad. **4**: 115. d. 1904.

Anonymos Caroliniensis, Walt.

Note. Following his peculiar custom this author has used the name Anonymos for species in various groups which are uncertain. The plant here referred to is apparently one of the Gasteromycetes but it can not be determined with certainty.

Walt. Fl. Car. 263. d. 1788.

Antennaria, Lk.

See Antennularia, Reichenbach.

Antennaria arctica, Sacc.

See Antennularia arctica, (Rostr.) n. n.

Antennaria elæophila, Mont. See Antennularia elæophila, (Mont.) n. n.

Antennaria Guava, Cke. See Antennularia Guava, (Cke.) n. n.

Antennaria pinophila, Nees

See Antennularia pinophila, (Nees) n. n.

Antennaria rectangularis, Sacc

See Antennularia rectangularis, (Sacc.) n. n.

Antennaria Robinsonii, B. & Mont. See Antennuiaria Robinsonii, (B. & Mont.) Wildeman.

Antennaria semiovata, B. & Br.

See Antennuiaria semiovata, (B. & Br.) n. n.

Antennariella, sp. indet. Henn. Hedw. Beibl. 41: (102). d. 23 June 1902.

Cent. Amer.

Antennatula arctica, Rostr.

See Antennularia arctica, (Rostr.) n. n.

Antennularia, Reichenbach.

NOTE. Unless one adopts the principle that the same name may be applied to genera both of fungi and of phænogams — a principle in favor of which something might be said — the genus Antennaria of Fangi can not stand since Antennaria, Lk. 1809 is antedated by Antennaria, Gærtner 1791, a genus of Compositæ.

Reichenbach in 1828 substituted for Antennaria, Lk. the name Antennularia which he afterwards changed to Antennataria, there being an earlier genus of animals of the former name. According to modern views the change was not required and therefore the oldest name for the heterogeneous collection of species classed by mycologists under Antennaria is Antennularia rather than the more recent Antennina, Fr., Antennula, Strauss and Anten-

natula, Strauss.

The species of Antennaria are placed by some writers, as Rostrup, in Hyphomyceteæ and by others, as Saccardo and Lindau, in Perisporiaceæ, although of the thirteen species recognized by Lindau only one is known to have asci. As it is, the genus is merely a temporary resting place for a number of imperfect forms and for the sake of uniformity in generic nomenclature and to avoid the use of a name better known in phænogams than in fungi we have adopted the name Antennularia.

Antennularia arctica, (Rostr.) n. n.

Antennatula arctica, Rostr.

Rostr. Meddelelser om Groenl. 8: 577. d. 1888 and Bot. Centralbl. **86:** 7. *d*. 1888. Rostr. Meddelelser om Groenl. **8:** 629.

Rostr. Meddelelser om Groenl. 18: 72 (30). 1894.

Antennaria arctica, Sacc.

Sacc. Syll. 9: 442. d. 15 Sept. 1891.

Antennularia elæophila, (Mont.) n. n. Antennaria elæophila, Mont.

Halsted, Bull. Iowa Agr. Coll. 1888: 118. April 1888.

Antennularia Guava, (Cke.) n. n.

NOTE. This species was described without special locality in a paper on California fungi. The material is apparently the same as that cited by Harkness and Moore, 1880, where the locality given is Hawaii not California. Whether the species really occurs in the United States is not certain. The spelling given by Harkness and Moore is Guava and the spelling Guava is probably a printer's error.

Antennaria Guava, Cke.

Vize, Grev. 5: 110. d. March 1877.

Hark. & Moore, Cat. Pac. Fung. 31. Feb. 1880.

Sacc. Syll. 1: 81. d. 13 June 1882.

Hawaii.

Antennularia pinophila, (Nees) n. n.

Note. This name was changed to pithyophila by Fries and Saccardo places the species in the genus Hormiscium.

Antennaria pinophila, Nees.

Lea, Cat. Pl. Cin. 77. d. 1849 and Jour. Cin. Soc. 5: 217 (21), d, Dec. 1882.

James, Jour. Cin. Soc. 2: 68 (27). April 1879.

Kellerm. & Werner, Geol. Ohio 72: 353. Jan. 1895.

Antennularia rectangularis, (Sacc.) n. n.

Antennaria rectangularis, Sacc. [1904 Sacc., Pk. & Trel., Harriman Alaska Exp. 5: 34. d. pl. 3, f. 9. Sacc. Syll. 17: 559. d. 25 May 1905.

Antennularia Robinsonii, (B. & Mont,) Wildeman. Bomm. & Rous. in Durand & Pittier, Bull. Soc. Bot. Belg. 351: 158. Cent. Amer. Antennaria Robinsonii, B. & Mont. Cockerell, Bull. Torr. Bot. Club 20; 206. 15 July 1803. West Indies. Antennularia semiovata, (B. & Br.) n. n. Antennaria semiovata, B. & Br. B. Grev. 4: 161 (199). June 1876. Underw. & Earle, Bull. Ala. Exp. Sta. 80: 182. 28 June 1897. Earle in Mohr, Contr. U. S. Nat. Herb. 6: 168. 31 July 1901. Antennularia? tenuis, Earle.
Earle, Bull. N. Y. Bot. Gard. 8: 302. d. 30 June 1904. West Indies. **Anthina ceranoides.** Lk. NOTE. The following is the only reference we have. The species is assigned by Schweinitz to Link but we do not know where it was published. S. Syn. Am. Bor. 305. no. 3073. 1834. **Anthina flammea,** Fr. Eby, Fungi of Lancaster Co. 10. 1894. Anthina plumosa, Fr. See Pterula plumosa, (S.) Fr. Anthostoma Aceris, Cke. See Valsaria Aceris, (C. & E.) Sacc. Anthostoma adustum, (C. & P.) Sacc. Ell. & Ev. Pyren. 580. d. May 1892.

Diatrype adusta, C. & P. Pk. Rept. N. Y. Mus. 29: 58. d. Cke. Grev. 14: 17. Sept. 1885. Fuckella adusta, Cke. Cke. Grev. 12: 52. Dec. 1883. Anthostoma amplisporum, (Cke.) Berl. & Vogl.
Berl. & Vogl. in Sacc. Syll. Add. 1-4: 46. d. 31 Dec. 1886.
Sacc. Syll. 9: 522. d. 15 Sept. 1891. Ell. & Ev. Pyren. 583. d. May 1892. Fuckelia amplispora, Cke. Cke. Grev. 12: 51. d. Dec. 1883. Anthostoma amygdalinum, (Cke.) Sacc. Sacc. Syll. 1: 308. d. 13 June 1882. Ell. & Ev. Pyren. 580. d. May 1892. Lindau in Engler & Prantl, Pflanzenfam. 11: 456. Feb. 1897. Melanconis amygdalina, Cke. C. & E. Grev. 5: 55. d. pl. 81, f. 4. Dec. 1876. Cke. Proc. Phil. Acad. 1877: 127. d. 22 May 1877. *Fuckelia amygdalina*, Cke. Cke. Grev. 12: 52. Dec. 1883.

Anthostoma atrofuscum, Berl. & Vogl. See Roseilinia atrofusca, (B. & C.) Starb. Anthostoma atropunctatum, (S.) Sacc.

NOTE. Although we retain this species in the genus Anthostoma its generic position seems to us to be uncertain. It does not seem to us to be a Hypoxylon and it is very doubtful whether it is an Anthostoma. In some respects it resembles Nummularia.

Sacc. Syll. 1: 295. d. 13 June 1882. Rehm, Hedw. 21: 133. d. Sept. 1882.

Cke. Grev. 11: 132. June 1883. Wint. Fung. Eur. 3159. 1884.
Wint. & Demet. Hedw. 24: 191 (15). Oct. 1885.
Kellerm. & Werner, Geol. Ohio 72: 354. Jan. 1895.
Underw. & Earle, Bull. Ala. Exp. Sta. 80: 186. 28 June 1897.
Earle in Mohr, Contr. U. S. Nat. Herb. 6: 177. 31 July 1901. *Rehm, Ascomyceten 1596. May 1905. Sphæria atropunctata, S. S. Syn. Car. 31 (5) no. 44. d. 1822. Fr. S. M. 2: 351. d. 1823. Spr. in L. Syst. Veg. 16 ed. 41: 388. d. 1827. S. Syn. Am. Bor. 194 no. 1232. 1834. Lea, Cat. Pl. Cin. 74. 1849. *Rav. Fung. Car. 1: 62. 1852. Curr. Tr. Linn. Soc. 22: 269. pl. 46, f. 70. 1859. Curr. Tr. Linn. Soc. 25: 243. 1866. Sphæria tephromelas, Spreng. Herb. Fr. S. M. 2: 351. 1823.

Diatrype atropunctata, M. A. Curtis. Curtis, M. A., Bot. N. Car. 140. 1867. Featherman, Bot. Surv. La. 1871: 159. Pk. Rept. N. Y. Mus. 25: 101. Sept. 18 Sept. 1873. Cke. Ann. N. Y. Acad. 1: 185. M. Cke. Grev. 6: 144. June 1878.

*Rav. Fung. Am. 90. 1878. May 1878. James, Jour. Cin. Soc. 2: 68 (27). April 1879. Cke. Grev. 8: 118. March 1880. Pk. in Day's Cat., Bull. Buf. Soc. 4: 229 (165). 1883. Hypoxylon atropunctatum, Frost's Cat. Frost in Cat. Pl. Amherst 94. 1875. Frost in Cat. Pl. Amherst 94. 1875.

*Ell. N. A. F. 576. 1881.

Cke. Grev. 11: 132. d. 138. June 1883.

Sacc. Syll. 2: Add. p. xxiv. 13 June 1883.

Eke. Grev. 13: 15. Sept. 1884.

Cragin, Bull. Wash. Lab. 1: 71. Jan. 188

Calkins, Jour. Myc. 2: 127. Nov. 1886.

Cobb, List Pl. Amherst 45. 1887.

Langlois Cat. Pl. La. 20. 1887. Jan. 1885. Cobb, List PI. Amnerst 45. 1007.
Langlois, Cat. Pl. La. 30. 1887.
Ell. & Ev. Jour. Myc. 4: 89. d. Sept. 1888.
Ell. in Cat. Pl. N. J. 538. 1880.
Sacc. Syll. 9: 564. 15 Sept. 1891.
Ell. & Ev. Pyren. 650. d. May 1892.
Underw. Proc. Ind. Acad. 1893: 41. Aug. 1894.
Kellerm. & Werner, Geol. Ohio 72: 355. Jan. 1895.
*Ell. & Ev. Fung. Columb. 1135. July 1897.
Pahm Ann Myc. 2: 176. d. 15 April 1004. Rehm, Ann. Myc. 2: 176. d. 15 April 1904. Anthostoma cercidicolum, (B. & C.) Sacc. Sacc. Syll. 1: 306. d. 13 June 1882. Ell. & Ev. Pyren. 582. d. May 1892. Diatrype cercidicola, B. & C. Pk. Rept. N. Y. Mus. 25: 101. d. Cke. Grev. 14: 16. Sept. 1885. Sept. 1873. Hypoxylon suborbiculare, Pk. Pk. Rept. N. Y. Mus. 80: 63. d. Sept. 1878. Sacc. Syll. 1: 356. d. 13 June 1882. Pk. in Day's Cat., Bull. Buf. Soc. 4: 227 (163). 1883.

Ell. & Ev. Jour. Myc. 4: 67. d. July 1888. Ell. & Ev. Pyren. 638. d. May 1892. Fuckelia cercidicola, Cke. Cke. Grev. 12: 52. Dec. 1883.

Anthostoma Closterium, B. & C. See Anthostomella Closterium, (B. & C.) Sacc.

Anthostoma discincolum, (S.) Sacc.

Note. There is no reason to suppose that this species founded on Spharia discincola, S. is really an Anthostoma but whether it is the same as Spharia discreta, S. is open to doubt. On the strength of Schweinitzian material examined by Currey and Cooke, S. discincola and S. discreta are the same and in that case the former name has priority. Cooke, however, retains both names whence it might be inferred that he had doubts as to whether the material examined by him was really the S. discincola of Schweinitz Syn. Car. Tulasne places the S. discincola of Herb. Mus. Paris received from Schweinitz in Nummularia discreta but believes that it is not the true S. discincola of S. Syn. Car.

We are obliged therefore to consider the S. discincola, S. as a doubtful species which on the authority of Schweinitz and Fries is distinct from S. discreta but whose exact characters can not be ascertained at the present time. It is here referred to Nummularia discreta as a doubtful synonym since the commonly accepted name discreta should not be superseded by the very uncertain discincola published earlier.

Anthostoma dryophilum, (Curr.) Sacc.

Ell. & Ev. Pyren. 581. d. May 1892. Pk. Rept. N. Y. Mus. 55: 957. Nov. 1902. [Bull. 10: no. 54.] *Diatrype dryophila*, Curr.

Cke. Ann. N. Y. Acad. 1: 185. May 1878.

Anthostoma dryophilum, (Curr.) Sacc. var. minor, (Cke.) Rehm. Rehm, Hedw. 21: 134. Sept. 1882.

Ell. & Ev. Pyren. 581. d. May 1892.

Diatrype dryophila, Curr., var. minor, Cke. C. & E. Grev. 5: 32. d. pl. 75, f. 13. Sept. 1876.

*Ell. N. A. F. 87. 1878. Anthostoma Ellisii, Sacc.

See Anthostoma microsporum, Karst.

Anthostoma Ellisii, Sacc., var. exudans, Pk.

See Anthostoma microsporum, Karst., var. exudans, (Pk.) n. n.

Anthostoma exutans, Sacc.

See Nummularia exutans, Cke.

Anthostoma flavo-viride, Ell. & Holw.

Arth. & Holw. Bull. Minn. Surv. 3: 32. d. 1 Oct. 1887. Sacc. Syll. 9: 515. d. 15 Sept. 1891. Ell. & Ev. Pyren. 578. d. May 1892.

Lindau in Engler & Prantl, Pflanzenfam. 11: 456. Feb. 1897.

Anthostoma formosum, Ell. & Ev.

Ell. & Ev. Proc. Phil. Acad. 1894: 344. d. 30 Nov. 1894.

Sacc. Syll. 11: 283. d. July 1895. Smyth, Tr. Kans. Acad. 15: 68. March 1898.

Rehm, Ann. Myc. 2: 176. d. 15 April 1904.

Anthostoma gastrinum, (Fr.) Sacc. Sacc. Syll. 1: 303. d. 13 June 1882. *Ell. & Ev. N. A. F. 2513. Feb. 1891. Sacc. Syll. 9: 523. 15 Sept. 1891. Ell. & Ev. Pyren. 579. d. May 1892.

*Ell. & Ev. Fung. Columb. 124. 1893.

Lindau in Engler & Prantl, Pflanzenfam. 11: 456. Feb. 1897. Sphæria irregularis, Sow. S. Syn. Am. Bor: 196 no. 1259. 1834. Sphæria gastrina, Fr. S. Syn. Am. Bor. 199 no. 1311. 1834. Diatrype gastrina, Rav. Fung. Car. *Rav. Fung. Car. 5: 58. 1860. Melogramma gastrinum, Tul. Cke. Handbook 803. d. 1871. B. Grev. 4: 97 (167). March 1876. Valsa gastrina, M. A. Curtis. Curtis, M. A., Bot. N. Car. 141. 1867. Fuckelia gastrina, Cke. Cke. Grev. 18: 108. June 1885. Anthostoma? glgasporum, (Cke. & Hark.) Berl. & Vogl. Berl. & Vogl. in Sacc. Syll. Add. 1-4: 47. d. 31 Dec. 1886. Sacc. Syll. 9: 520. d. 15 Sept. 1891. Ell. & Ev. Pyren. 578. d. May 1892. **Sphæria gigaspora**, Cke. & Hark. Cke. & Hark. Grev. **18**: 18. d. Sept. 1884. Hark. Bull. Cal. Acad. **1**: 174. 7 March 1885. Xylosphæria gigaspora, Cke. Cke. Grev. 17: 85. June 1889. Anthostoma grandineum, (B. & Rav.) Sacc. Sacc. Syll. 1: 299. d. 13 June 1882. Ell. & Ev. Pyren. 577. d. May 1892. *Ell. & Ev. Fung. Columb. 324. 1894. *Rav. Fung. Car. 4: 40. 1855.
B. Grev. 4: 95 (165) no. 851b. d. March 1876. *Ell. N. A. F. 494. 1880. Ell. in Cat. Pl. N. J. 535. Fuckelia grandinea, Cke. Cke. Grev. 12; 53. Dec. 1883. Camarops grandinea, Cke. June 1885. Cke. Grev. 13: 108. Anthostoma hiascens, (Fr.) Nits. Ell. & Ev. Pyren. 742. d. May 1802. Sphæria hiascens, Fr. S. Syn. Am. Bor. 216 no. 1623. 1834. Anthostoma hypophlæum, Sacc. See Nummularia hypophlæa, (B. & Rav.) Cke. Anthostoma insidens, (S.) Berl. See *Hypoxylon insidens*, (S.) Ell. & Ev. Anthostoma melanotes, (B. & Br.) Sacc.

Farl. & Seymour, H. I. 123. Sept. 1890. Ell. & Ev. Pyren. 577. d. May 1892.

Sphæria melanotes, B. & Br. C. & E. Grev. 4: 179. June 1876.

Anthostoma microscium, Ell. & Ev. Ell. & Ev. Proc. Phil. Acad. 1894: 344. d. 30 Nov. 1894. Sacc. Syll. 11: 283. d. July 1895. Millsp. & Nutt. Publ. Field Columb. Mus. Bot. 1: 135. d. Jan. 1896.

· Anthostoma microplacum, Sacc.

See Nummularia microplaca, (B. & C.) Cke.

Anthostoma microsporum, Karst.

*Karst. Fung. Fenn. 860. d. 1869.
Pk. Rept. N. Y. Mus. 43: 80 (34). Oct. 1890.
Ell. & Ev. Pyren. 582. d. May 1892.
Harvey, Bull. Torr. Bot. Club 23: 56. 29 Feb. 1896.
Ricker, Univ. of Maine Studies 3: 32. 30 April 1902.

Diatrype microspora, Ell.

Ell. Bull. Torr. Bot. Club 8: 74. d. July 1881. Cke. Grev. 14: 16. Sept. 1885.

Anthostoma Ellisii, Sacc.

Sacc. Syll. 1: 308. d. 13 June 1882.

Ricker, Univ. of Maine Studies 3: 32. 30 April 1902.

Fuckelia Ellisii, Cke.

Cke. Grev. 12: 52. Dec. 1883.

Anthostoma microsporum, Karst., var. exudans, (Pk.) n. n.

NOTE. In Peck's Report, 188, the name for this species was originally printed Valsa exudans but in copies of the Report sent out later the name was corrected to Anthostoma Ellisii, Sacc., var. exudans.

Valsa exudans, Pk.

Pk. Rept. N. Y. Mus. 40: 67. d. May 1888.

Anthostoma Ellisii, Sacc., var. exudans, Pk. Pk. Rept. N. Y. Mus. 40: 67. d. May 1888.

Sacc. Syll. 9: 521. d. 15 Sept. 1891.

Anthostoma mortuosum, (Ell.) Sacc. Sacc. Syll. 2: Add. p. xiii. d. 13 June 1883. Hark. Bull. Cal. Acad. 1: 165. 7 March 1885. Sacc. Syll. 9: 519. d. 15 Sept. 1891.

Sphærla mortuosa, Ell.

Ell. Bull. Torr. Bot. Club 9: 73. d. June 1882.

*EII. N. A. F. 897. 1882. Xylosphæria mortuosa, Cke.

Cke. Grev. 17: 86. June 1889.

Anthostoma Ontariense, Ell. Ell. & Ev. Proc. Phil. Acad. 1890: 228. d. 1890. Sacc. Syll. 9: 521. d. 15 Sept. 1891.

Ell. & Ev. Pyren. 581. d. pl. 34, f. 13-16. May 1892. Pk. Rept. N. Y. Mus. 46: 116 (36). Dec. 1893. *Shear, N. Y. Fungi 347. March 1896. Lindau in Engler & Prantl, Pflanzenfam. 11: 456. f. 275 C, D. Feb. 1897.

Anthostoma Oreodaphnes, Cke.

See Anthostomella Oreodaphnes, (Cke. & Hark.) Berl, & Vogl.

Anthostoma ostiolatum, Cke.

See Anthostomella ostiolata, Ell. & Ev.

Anthostoma phæospermum, (Ell.) Sacc. Sacc. Syll. 2: Add. p. xiv. d. 13 June 1883. Sacc. Syll. 9: 520. d. 15 Sept. 1891. Ell. & Ev. Pyren. 581. d. May 1892. Diatrype phæosperma, Ell. *Ell. & Ev. N. A. F. 1557. 1886 Fuckella phæosperma, Cke. Cke. Grev. 12: 52. Dec. 1883. Anthostoma pholidigena, Cke. See Anthostomella pholidigena, Ell. Anthostoma picaceum, (C. & E.) Cke. NOTE. The Spharia vexata, C. & E. of N. A. F. 183 is referred by Ellis in index to N. A. F. to Spharia picacea, C. & E. and again in North American Pyrenomycetes 578 to Anthostoma picaceum. The specimen no. 183 in our copy of N. A. F. however has hyaline, allanboid spores and belongs rather to Spharia vexata, C. & E. than to Spharia picacea, C. & E. Cke. Grev. 17: 90. June 1889. Ell. & Ev. Pyren. 578. d. May 1892. Sphæria picacea, C. & E. C. & E. Grev. 7: 9. d. Sept. 1878. Anthostomella picacea, Sacc. Sacc. Syll. 1: 293. d. 13 June 1882. Ell. in Cat. Pl. N. J. 527. Xylosphæria picacea, Cke. Cke. Grev. 17: 86. June 1889. Anthostoma polynesia, (B. & C.) Sacc. Sacc. Syll. 1: 298. d. 13 June 1882. Ell. & Ev. Pyren. 579. d. May 1892. Diatrype polynesia, B. & C. Curtis, M. A., Bot. N. Car. 141. 1867. Sphæria polynesia, B. & C. B. Grev. 4: 146 (184) no. 931. d. Xylosphæria polynesia, Cke. June 1876. Cke. Grev. 17: 85. Jan. 1889. Anthostoma pulviniceps, Pk. Pk. in Ell. & Ev. Pyren. 578. d. May 1892. Sacc. Syll. 11: 283. d. July 1895. Anthostoma rumpens, Sacc. See Nummuiaria rumpens, Cke. Anthostoma saprophilum, Ell. & Ev. Martin, Jour. Myc. 8: 43. d. April 1887. Sacc. Syll. 9: 518. d. 15 Sept. 1891. Ell. & Ev. Pyren. 583. d. May 1892. Xylosphæria saprophila, Cke. Cke. Grev. 17: 86. June 1889. Anthostoma stomaticum, (Cke.) Berl. & Vogl.
Berl. & Vogl. in Sacc. Syll. Add. 1-4: 47. d. 31 Dec. 1886.
Sacc. Syll. 9: 516. d. 15 Sept. 1891.

Botryosphæria stomatica, Cke. Cke. Grev. 13: 102. d. 108. June 1885. Ell. & Ev. Pyren. 548. d. May 1892.

Sphæria stomatica, S. in Herb. B.

Berl. & Vogl. in Sacc. Syll. Add. 1-4: 47. 31 Dec. 1886.

```
Anthostoma sustentum, (Plowr.) Sacc.
    Sacc. Syll. 1: 300. d. 13 June 1882.

Ell. & Ev. Pyren. 579. d. May 1892.

Sphæria sustenta, Plowr.

Cke. Grev. 7: 73. d. Dec. 1878.

Plowr. Grev. 8: 73. Dec. 1879.

Hark. & Moore, Cat. Pac. Fung. 44. Feb. 1880.
         Xylosphæriá sustenta, Cke.
    Cke. Grev. 17: 85. June 1889.
Anthostoma tuberculosum, (S.) Ell. & Ev. Ell. & Ev. Pyren. 582. d. May 1892. Sphæria tuberculosa, S.
    S. Syn. Car. 43 (17) no. 164. d. 1822.
Fr. S. M. 2: 477. d. 1823.
S. Syn. Am. Bor. 216 no. 1624. 1834.
Curtis, M. A., Bot. N. Car. 148. 1867
Sacc. Syll. 2: 419. d. 13 June 1883.
Xylosphafa: tuberculosa, Cke.
                                                                     1867.
    Cke. Grev. 17: 85. June 1889.
Anthostoma turgidum, (P.) Nits.
Pk. Rept. N. Y. Mus. 42: 130 (34). Dec. 1889.
Ell. & Ev. Pyren. 580. d. May 1892.
Rehm, Hedw. Beibl. 34: (165). 19 Oct. 1895.
    Sphæria turgida, P.
Fr. S. M. 2: 400. d. 1823.
S. Syn. Am. Bor. 202 no. 1359. 1834.
        Valsa turgida, Fr.
    Curtis, M. A., Bot. N. Car. 142. 1867.
    Cke. Handbook 836. d. 1871.
Cke. Proc. Phil. Acad. 1877: 122. d. 22 May 1877.
Anthostomella abdita, (B. & C.) Sacc.
    Sacc. Syll. 1: 200. d. 13 June 1882. Sphæria abdita, B. & C.
    B. & C. Jour. Linn. Soc. 10: 388. d. 1869.
                                                                                                                    West Indies.
Anthostomella alboeineta, Ell. & Ev. Ell. & Ev. Proc. Phil. Acad. 1895: 424. d. Nov. 1895. Sacc. Hedw. 85: Rep. 7: xxvi. 25 Feb. 1896. Sacc. & Syd. Syll. 14: 502. d. 20 Aug. 1899.
Anthostomella Baptisiæ, (Cke.) Sacc. Sacc. Syll. 1: 285. d. 13 June 1882. Cke. Grev. 18: 28. Dec. 1889. Ell. & Ev. Pyren. 420. d. May 1892. Sphæria Baptisiæ, Cke.
    Cke. Grev. 6: 145. d. June 1878.
 *Rav. Fung. Am. 200. 1878.
Anthostomella brachystoma, Ell. & Ev.
    Ell. & Ev. Bull. Wash. Lab. 1: 5. d. Sept. 1884.
Berl. & Vogl. in Sacc. Syll. Add. 1-4: 45. d. 31 Dec. 1886.
    Ell. & Ev. Pyren. 419. d. May 1892.
Lindau in Engler & Prantl, Pflanzenfam. 11: 452. Feb. 1897.

Xylosphæria brachystoma, Cke.
    Cke. Grev. 17: 86.
                                              June 1880.
Anthostomella Caeti, Sacc.
See Vermicularia Caeti, (S.) Starb.
```

```
Anthostomella Closterium, (B. & C.) Sacc.
    Sacc. Syll. 1: 287. d. 13 June 1882.
Sacc. Syll. 2: Add. p. xiii. d. 13 June 1883.
Sacc. Syll. 9: 512. d. 15 Sept. 1891.
Ell. & Ev. Pyren. 422. d. May 1892.
Lindau in Engler & Prantl, Pflanzenfam. 11: 452. Feb. 1897.

Sphæria Closterium, B. & C.
    Curtis, M. A., Bot. N. Car. 147. 1867.
B. Grev. 4: 147 (185) no. 933. d. June 1876.
Pk. Rept. N. Y. Mus. 80: 66. Sept. 1878.
Anthostoma Closterium, B. & C.
    Cke. Grev. 17: 90. June 1889.
Anthostomella Coffeæ, Delacroix
    Delacroix, Bull. Soc. Myc. Fr. 20: 145. d. pl. 9, f. B1 pe, 2, 3.
                                                                                                            20 July
                                                                                                            Mexico.
    Sacc. Syll. 17: 594. d. 25 May 1905.
Anthostomella confusa, Sacc.
    Sacc. Syll. 1: 287. d. 13 June 1882.
    Cke. Grev. 18: 28. Dec. 1889.
    Ell. & Ev. Pyren. 421. d. May 1802. Sphæria appendiculosa, B. & C.
    B. Grev. 4: 153 (191) no. 967. d. June 1876
Cke. Ann. N. Y. Acad. 1: 187. May 1878.
                                                             June 1876.
Anthostomella cornicola, Ell. & Ev.
    Ell. & Ev. Erythea 1: 198. d. 2 Oct. 1893.
    Sacc. Syll. 11: 283. d. July 1895.
Anthostomella eliminata, (B. & C.) Sacc.
    Sacc. Syll. 1: 281. d. 13 June 1882. 
Gke. Grev. 18: 28. Dec. 1889.
   Ell. & Ev. Pyren. 418. d. May 1892.
Underw. & Earle, Bull. Ala. Exp. Sta. 80: 186. d. 28 June 1897.
Earle in Mohr. Contr. U. S. Nat. Herb. 6: 177. 31 July 1901.
Sphæria eliminata, B. & C.
    B. Grev. 4: 148 (186) no. 943. d. June 1876.
Anthostomella eructans, Ell. & Ev.
   Fairman, Proc. Rochester Acad. 1: 49. d. pl. 4, f. 7. and 8. Aug. 1890. Sacc. Syll. 9: 505. d. 15 Sept. 1801. Ell. & Ev. Pyren. 420. d. May 1892.
Anthostomella hypsophila, Ell. & Ev. Ell. & Ev. Proc. Phil. Acad. 1894: 338. d. 30 Nov. 1894. Sacc. Syll. 11: 282. d. July 1895.
Anthostomella leucobasis, (Ell. & Martin) Sacc.
   Sacc. Syll. 2: Add. p. xii. d. 13 June 1883.
Cke. Grev. 18: 28. Dec. 1889.
Sacc. Syll. 9: 509. d. 15 Sept. 1891.
Eil. & Ev. Pyren. 418. d. May 1892.
*Ell. & Ev. Fung. Columb. 722. 24 Ap
Sphæria leucobasis, Ell. & Martin.
                                                        24 April 1895.
 Ell. & Martin, Am. Nat. 16: 809. d. Oct. 1882.
*Ell. N. A. F. 1199. 1884.
Ell. & Martin, Jour. Myc. 1: 99. d. Aug. 1885 and Hedw. 25: 42.
          Oct. 1886.
   Calkins, Jour. Myc. 3: 58. May 1887.
Anthostomella limitata, Sacc.
Pk. Rept. N. Y. Mus. 42: 130 (34). Dec. 1889.
```

Anthostomella Ludoviciana, Ell. & Langlois. Ell. & Ev. Proc. Phil. Acad. 1890: 228. d. 18 Sacc. Syll. 9: 509. d. 15 Sept. 1891. Ell. & Ev. Pyren. 419. d. May 1892. Anthostomella Magnoliæ, Ell. & Ev. Ell. & Ev. Jour. Myc. 4: 122. d. Dec. 1888. Sacc. Syll. 9: 511. d. 15 Sept. 1891. Ell. & Ev. Pyren. 418. d. pl. 31, f. 1-3. May 1892. Anthostomella mammoides, Ell. & Ev. Ell. & Ev. Proc. Phil. Acad. 1898: 139. d. 28 Feb. 1893. Sacc. Syll. 11: 282. d. July 1895. Ell. & Ev. Bull. Torr. Bot. Club 27: 63. d. 17 Feb. 1900. Anthostomella melanosticta, Ell. & Ev Ell. & Ev. Jour. Myc. 8: 44. d. April 1887. Langlois, Cat. Pl. La. 27. 1887. Sacc. Syll. 9: 510. d. 15 Sept. 1891. Ell. & Ev. Pyren. 418. d. May 1892. Linday is Engles 8: Part 1992. Lindau in Engler & Prantl, Pflanzenfam. 11: 452. Feb. 1897. Anthostomella minor, Ell. & Ev. Ell. & Ev. Jour. Myc. 8: 43. d. April 1887. Calkins, Jour. Myc. 3: 70. June 1887. *Ell. & Ev. N. A. F. 1965. March 1888. Sacc. Syll. 9: 510. d. 15 Sept. 1891. Ell. & Ev. Pyren. 417. d. May 1892. Anthostomella nigro-annulata, (B. & C.) Sacc. Sacc. Syll. 1: 279. d. 13 June 1882. Cke. Grev. 18: 28. Dec. 1889. Ell. & Ev. Pyren. 417. d. May 1892. Sphæria nigro-annulata, B. & C. *Rav. Fung. Car. 5: 73. 1860. Curtis, M. A., Bot. N. Car. 148: 1867. B. & C. Jour. Linn. Soc. 10: 388. d. 1 *Ell. & Ev. N. A. F. 1672. 1886. Calkins, Jour. Myc. 8: 58. May 1887. Langlois, Cat. Pl. La. 34. 1887. Anthostomella nigroteeta, (B. & Rav.) Sacc. Sacc. Syll. 1: 284. d. 13 June 1882. Cke. Grev. 18: 28. Dec. 1889. Ell. & Ev. Pyren. 421. d. May 1892. Sphæria nigrotecta, B. & Rav. B. Grev. 4: 155 (193) no. 972. d. June 1876. Anthostomella Oreodaphnes, (Cke. & Hark.) Berl. & Vogl. Berl. & Vogl. in Sacc. Syll. Add. 1-4: 44. d. 31 Dec. 1886. Sacc. Syll. 9: 508. d. 15 Sept. 1891. Hark. Bull. Cal. Acad. 1: 174. 7 M. Anthostoma Oreodaphnes, Cke. Cke. Grev. 17: 90. June 1889. Anthostomella ostiolata, Ell. & Ev. Ell. & Ev. Bull. Torr. Bot. Club 11: 42. d. April 1884. Berl. & Vogl. in Sacc. Syll. Add. 1-4: 45. d. 31 Dec. 1886. Ell. in Cat. Pl. N. J. 527. 1889. Sacc. Syll. 9: 508. d. 15 Sept. 1891.

```
Ell. & Ev. Pyren. 420. d. May 1892.
Lindau in Engler & Prantl, Pflanzenfam. 11: 452. Feb. 1897.
      Anthostoma ostiolatum, Cke.
   Cke. Grev. 17: 90. June 1889.
Anthostomella palmacea, (Cke.) Sacc.
   Sacc. Syll. 1: 291. d. 13 June 1882.
      Sphæria palmacea, Cke.
   Cke. in Vize, Grev. 7: 12. d. Sept. 1878.
  Hark. & Moore, Cat. Pac. Fung. 44. Feb. 1880. 

Didymosphærella palmacea, Cke. 

Cke. Grev. 18: 29. Dec. 1889.
      Didymosphæriá palmacea, Ell. & Ev.
   Ell. & Ev. Pyren. 329. d. May 1892.
Anthostomella perfidiosa, (De Not.) Sacc.
   Hark. Bull. Cal. Acad. 2: 445. 16 June 1887.
Anthostomella phæosticta, (B.) Sacc.
  Sacc. Syll. 1: 279. d. 13 June 1882.*
Sphæria phæosticta, B.
   Curtis, M. A., Bot. N. Car. 145. 1867.
Anthostomella pholidigena, Ell.

*Ell. & Ev. N. A. F. 1664. 1886.

Berl. & Vogl. in Sacc. Syll. Add. 1-4: 44. d. 31 Dec. 1886.

Sacc. Syll. 9: 506. d. 15 Sept. 1891.

Ell. & Ev. Pyren. 420. d. May 1892.

Sphæria pholidigena, Ell.
   Ell. Bull. Torr. Bot. Club 10: 54. d. May 1883.
     Anthostoma pholidigena, Cke.
   Cke. Grev. 17: 90.
                                June 1880.
Anthostomella picacea, Sacc.
     See Anthostoma picaceum, (C. & E.) Cke.
Anthostomella rostrospora, (Gerard) Sacc.
  Sacc. Syll. 1: 287. d. 13 June 1882.
Cke. Grev. 18: 28. Dec. 1889.
Ell. & Ev. Pyren. 421. d. May 1892.
     Sphæria rostrospora, Gerard.
   Gerard, Bull. Torr. Bot. Club. 5: 26. d. June 1874 and Hedw. 13:
        111. d. July 1874.
Anthostomella sabalensioides, (Ell. & Martin) Sacc.
  Sacc. Syll. 2: Add. p. xiii. d. 13 June 1883.
Cke. Grev. 18: 28. Dec. 1889.
  CRC. Grev. 18: 20. Dec. 1889.
Sacc. Syll. 9: 512. d. 15 Sept. 1891.
Ell. & Ev. Pyren. 421. d. May 1892.
Sphæria sabalensloides, Ell. & Martin.
Ell. & Martin, Am. Nat. 16: 810. d. Oct. 1882.
  Ell. & Martin, Jour. Myc. 1:99. d. Aug. 1885 and Hedw. 25: 42. d.
         Oct. 1886.
 *Ell. & Ev. N. A. F. 1964. March 1888.
Anthostomella sepelibilis, (B. & C.) Sacc.
   Sacc. Syll. 1: 281. d. 13 June 1882.
  Cke. Grev. 18: 28. Dec. 1889.
Ell. in Cat. Pl. N. J. 527. 1889.
Ell. & Ev. Pyren. 417. d. May
Sphæria sepelibilis, B. & C.
                                        May 1892.
   B. Grev. 4: 146 (184) no. 928. d. C. & E. Grev. 5: 94. March 18
                                                 June 1876.
                                  March 1877.
 *Ell. N. A. F. 1200. 1884.
```

Anthostomella smilaeinina, (Pk.) Sacc.

Sacc. Syll. 1: 281. d. 13 June 1882. Cke. Grev. 18: 28. Dec. 1889. Ell. & Ev. Pyren. 419. d. M. Sphæria smilacinina, Pk. May 1892.

Pk. Rept. N. Y. Mus. 29: 62. d.

Anthostomella Sphærotheca, Earle.

Earle, Bull. Torr. Bot. Club **25**: 360. *d*. 15 July 1898. Earle in Mohr, Contr. U. S. Nat. Herb. **6**: 177. 31 July 1901. Sacc. & Syd. Syll. **16**: 440. *d*. 1 Feb. 1902.

Anthostomella suberumpens, Ell. & Ev.

Ell. & Ev. Proc. Phil. Acad. **1894**: 338. d. 30 Nov. 1894. Sacc. Syll. **11**: 282. d. July 1895. Lindau in Engler & Prantl. Pflanzenfam. **1**¹: 452. Feb. 1897. Smyth, Tr. Kans. Acad. **15**: 67. March 1898.

Anthostomella thyridioides, Ell. & Ev.

Ell. & Ev. Jour. Myc. 9: 167. d. 29 Oct. 1903. Sacc. Syll. 17: 595. d. 25 May 1905.

Anthraeoidea, Bref.

See Cintractia, Cornu.

Anthraeoidea Carieis, Bref. See Cintractia Caricis, (P.) Magn.

Anthracoidea subinclusa, Bref.

See Cintractia subinclusa, (Koern.) Magn.

Anthracophyllum Nigrita, (Lév.) Kalchb.

Note. The genus Anthracophyllum is by some recent writers kept distinct from Xerotus but it is considered by Patouillard, Essai Tax. 146. 1900, to be merely a subgenus of Xerotus. If kept distinct it is not easy to state what are the generic characters. Hennings in Engler and Prantl, Pflanzenfam. 11 **: 222. 1898 makes a distinction on the spores which in Anthracophyllum are said to be black and in Xerotus colorless; but according to Patouillard the spores in both cases are colorless.

Although we have never seen living material, in all the herbarium material which we have seen of Xerotus Nigrita, the type of Anthracophyllum, the spores were certainly not black nor even opaque. The generic distinction founded on the relative position of the stipe and pileus hardly seems to be of importance in this case as there are so many transitional stages. seems to us better then to retain the name Xerotus Nigrita, Lév., q. v.

Anthurus borealis, Burt.

The differences between the genera Anthurus and Lysurus are certainly slight and the variety Klitzingii, Henn. of Anthurus borealis is by him placed in the genus Lysurus in Hedw. Beibl. 41: (173). Oct. 1902.

Burt, Mem. Boston Soc. 8: 487-505. d. pl. 49, f. 1-14. pl. 50, f. 15-18,

20-23. Oct. 1894.
Sacc. Syll. 11: 155. d. July 1895.
Burt, Bot. Gaz. 22: 284. 20 Oct. 1896.
Burt, Bot. Gaz. 22: 390. d. 23 Nov. 1896.
Pk. Rept. N. Y. Mus. 49: 35 (21). 5 Nov. 1897.
Pk. Rept. N. Y. Mus. 50: 132. 28 March 1898.
Fischer, E., in Engler & Prantl, Pflanzenfam. 11**: 288. d. f. 136 A-D.
Sept. 1808.

Sept. 1898. Griffiths, Bull. Torr. Bot. Club 26: 628. f. 22 Dec. 1899.

Underw. Moulds 133. 1899.

Fischer, E., Neue Denkschr. Schweiz. Ges. 36³: 41. d. 1000.

Beardslee, Rept. Ohio Acad. 9: 19. 1901. Grout, Torreya 2: 49. 12 April 1902. Henn. Hedw. Beibl. 41: (169), (171)-(173). f 1-8. 18 Oct. 1902. Lloyd, Myc. Notes 183, 188. f. 74, 75. June 1904. Lysurus borealis, Henn. Sacc. Syll. 17: 214. 25 May 1905. Aphanomyces lævis, DBy.
DBy. in Pringsh. Jahrb. Wis. Bot. 2: pl. 20, f. 17, 18. 1860.*
Humphrey, Tr. Am. Phil. Soc. 17: 128. d. pl. 20, f. 105-107. 1893. Aphanomyces seaber, DBy.
DBy. in Pringsh. Jahrb. Wis. Bot. 2: pl. 20, f. 14-16. 1860.* Humphrey, Tr. Am. Phil. Soc. 17: 130. d. pl. 20, f. 108-111. 1893. Apiospora apiospora, Underw. & Earle. See Apiospora Montagnei, Sacc. **Apiospora Montagnei**, Sacc.. Sacc. Syll. 1: 539. d. 13 June 1882. Cke. Grev. 18: 13. Sept. 1889. Ell. & Ev. Pyren. 311. d. May 1892. Sphæria apiospora, Dur. & Mont. Curtis, M. A., Bot. N. Car. 147. 1867. B. Grev. 4: 144 (182). June 1876. *Rav. Fung. Am. 679. 1882. Nav. Fung. Am. 679. 1882.

Detonina apiospora, O. Kuntze.

Kuntze, O., Rev. Gen. Pl. 2: 851. 1891.

Apiosporium Montagnei, Tracy & Earle.

Tracy & Earle, Bull. Miss. Exp. Sta. 38: 140. May 1896.

Apiospora apiospora, Underw. & Earle.

Underw. & Earle, Bull. Ala. Exp. Sta. 80: 186. 28 June 1897.

Earle in Mohr, Contr. U. S. Nat. Herb. 6; 174. 31 July 1901. **Apiospora Polypori,** Ell. & Ev. Ell. & Ev. Pyren. 311. d. May 1892. Sacc. Syll. 11: 301. d. July 1895. Lindau in Engler & Prantl, Pflanzenfam. 11: 430. Feb. 1897. Apiospora Rosenvingei, Rostr. Rostr. Meddelelser om Groenl. 3: 616. d. 1801. Sacc. Syll. 11: 301. d. July 1895. Apiosporium elongatum, Underw. & Earle. See Capnodium elongatum, B. & Desm. Apiosporium? erysiphoides, Sacc. & Ell. Sacc. Mich. 2: 566. d. 1 Dec. 1882. Sacc. Syll. 2: 815. d. 13 June 1883. *Ell. N. A. F. 1232. 1884. Ell. in Cat. Pl. N. J. 509. 1889. Sacc. Syll. 9: 375. d. 15 Sept. 1891. Ell. & Ev. Pyren. pl. 8, f. 6. May 1892. Detonina erysiphoides, O. Kuntze. Kuntze, O., Rev. Gen. Pl. 2: 851. 1891. Apiosporium maximum, (S.) n. n. **Stilbospora maxima**, S. S. Syn. Car. 75 (49) no. 506. d. 1822. Lk., L. Sp. Pl. ed. Willd. 62: 93. d. 1825. Spreng. in L. Syst. Veg. 16 ed. 41: 569. d. Aplosporium stilbosporeum, Fr. 1827. Fr. S. M. 8: 256. d. 1832. Curtis, M. A., Bot. N. Car. 115. Sacc. Syll. 1: 33. d. 13 June 1882.

Exosporium maximum, S.

S. Syn. Am. Bor. 306 no. 3083. 1834.

Apiosporium Montagnei, Tracy & Earle.

See Apiospora Montagnei, (Dur. & Mont.) Sacc.

Apiosporium salieinum. (P.) Kze.

NOTE. Brick, 1900 states that this is Capnodium salicinum, Mont. See also Apiosporium salicinum, (P.) Kze. in Lindau, Engler & Prantl, Pflanzenfam. 11: 338. Jan. 1897.

S. Syn. Am. Bor. 265 no. 2402. 1834. Brick, 3 Beih. Jahrb. Hamb. Wiss. Austalt. 17: 230 (15). 1000.

Apiosporium, sp. indet.

Earle, Muhlenbergia 1: 10. July 1901. Wes Earle in Mohr, Contr. U. S. Nat. Herb. 6: 168. 31 July 1901. West Indies.

Apodachlya, Pringsh.

Thax. Bot. Gaz. 21: 325. d. 17 June 1896 and Rev. Myc. 28: 97. July 1901.

Apodachlya brachynema, (Hildebr.) Pringsh.

Thax. Bot. Gaz. 21: 325. 17 June 1896 and Rev. Myc. 28: 97. July 1901.

Apodaehlya? completa, Humphrey

Humphrey, Tr. Am. Phil. Soc. 17: 137. d. pl. 20, f. 119-121. May 1893.

Schrt. in Engler & Prantl, Pflanzenfam. 11: 102. d. July 1803.

Sacc. Syll. 11: 245. July 1895.

Apodachlya pirifera, Zopf.

Thax. Bot. Gaz. 21: 325. 17 June 1896.

Aponectria inaurata, (B. & Br.) Sacc.

Sacc. Syll. 2: 516. d. 13 June 1883. Millsp. & Nutt. Publ. Field Columb. Mus. Bot. 1: 144. d. Jan. 1896.

Nectria inaurata, B. & Br.

Pk. Rept. N. Y. Mus. 24: 98. 1872. Pk. in Day's Cat., Bull. Buf. Soc. 4: 226 (162). 1883. Cke. Grev. 12: 106. June 1884.

Aporia obscura, Duby. See Schizothyrium obscurum, (Duby) Sacc.

Aposphæria, B. emend. Sacc.

NOTE. We have kept here the Aposphæria of Berkeley emend. Sacc. as distinct from Coniothyrium, using the latter as limited by Saccardo, not The spores in Aposphæria are hyaline and in Coniothyrium dark as the two genera are distinguished by Saccardo, who has been followed by most recent writers.

Aposphæria aeuta, B.

NOTE. In Cooke's Handbook of British Fungi 426 Aposphæria acuta, B. is given as occurring in the United States and on page 901 it is said to be the pycnidial stage of Metaspharia coniformis, (Fckl.) Sacc.

See Phoma acuta, (B.) Sacc.

Aposphæria allantella, Pk

See Phoma aliantella, Pk.

Aposphæria alpigena, Ell. & Ev. Ell. & Ev. Proc. Phil. Acad. 1894: 358. d. 30 Nov. 1894. *Ell. & Ev. N. A. F. 3159. Nov. 1894. Sacc. Syll. 11: 407. d. July 1895. Allescher, Rabh. Krypt.-Fl. 16: 395. 1899.

Coniothyrium alpigenum, O. Kuntze. Kuntze, O., Rev. Gen. Pl. 32: 459. 1898.

Aposphæria Amaranti, Ell. & Barthol.

Ell. & Barthol. Erythea 4: 4. d. 2 Jan. 1896. Sacc. & Lindau, Hedw. 86: Rep. 7: xl. 30 April 1897. Smyth, Tr. Kans. Acad. 15: 70. March 1898.

Sacc. & Syd. Syll. 14: 893. d. 20 Aug. 1899.

Aposphæria aranea, Pk. Pk. Rept. N. Y. Mus. 42: 126 (30). d. Dec. 1889.

Sacc. Syll. 10: 200. d. 30 June 1802. Jelliffe, Flora of Long Island 33. 1800. Coniothyrium araneum, O. Kuntze.

Kuntze, O., Rev. Gen. Pl. 82: 459.

Aposphæria clypeata, (C. & E.) Sacc.

Sacc. Syll. 8: 170. d. 15 Dec. 1884.

Ricker, Univ. of Maine Studies 3: 25. 30 April 1002.

Phoma clypeata, C. & E.

C. & E. Grev. 5: 33. d. pl. 75, f. 10. Sept. 1876. Ell. in Cat. Pl. N. J. 579. 1889. Conlothyrium clypeatum, O. Kuntze.

Kuntze, O., Rev. Gen. Pl. 32: 459. 1898.

Aposphæria collabens, (B. & C.) Sacc.

Sacc. Syll. 8: 176. d. 15 Dec. 1884.

Jones, H. L., Oberlin College Lab. Bull. 9: 5. 15 June 1898.

Sphæropsis collabens, B. & C.

Sprague, Proc. Boston Soc. 6: 319. 1859. B. Grev. 8: 2 (67) no. 419. d. Sept. 1874. Frost in Cat. Pl. Amherst 80. 1875.

Cobb, List Pl. Amherst 38. 1887. Bennett, Cat. Pl. R. 1. 86. 1888. Coniothyrium collabens, O. Kuntze.

Kuntze, O., Rev. Gen. Pl. 82; 459. 1898.

Aposphæria complanata, B.

NOTE. In the Handbook of British Fungi 426 Cooke states that Aposphæria complanata, B. occurs in the United States and on page 903 he states that it is the pycnidial stage of Metasphæria complanata, (Tode) Sacc.

See **Phoma complanata**, (Tode) Desm.

Aposphæria condensata, Ell. & Ev.

Ell. & Ev. Bull. Torr. Bot. Club 24: 463. d. 30 Oct. 1897. Lindau & Syd. Hedw. 87: Beibl. 7: xliii. 9 April 1898.

Sacc. & Syd. Syll. 14: 803. d. 20 Aug. 1800.

Aposphæria conica, Sacc. sec. Pk.

Pk. Rept. N. Y. Mus. 40: 60. May 1888.

Aposphæria cornuta, Cke.

Ell. in Cat. Pl. N. J. 579. 1880.

Aposphæria elevata, (Pk.) Berl. & Vogl. Berl. & Vogl. in Sacc. Syll. Add. 1-4: 315. d. 31 Dec. 1886. Sacc. Syll. 10: 209. d. 30 June 1892.

Phoma elevata, Pk.

Pk. Rept. N. Y. Mus. 38: 95. d.

Coniothyrium elevatum, O. Kuntze. Kuntze, O., Rev. Gen. Pl. 32; 459. 1898.

Aposphæria fibricola, (B.) Şacc. *Sacc. Syll. 8: 176. d. 15 Dec. 1884.

*Ell. & Ev. N. A. F. 2573. 1891.

Allescher, Rabh. Krypt.-Fl. 16: 386. d. 388. d. 1899.

*Phoma fibricola, B. Ell. in Cat. Pl. N. J. 578. 1889.

Coniothyrium fibricolum, O. Kuntze.

Kuntze, O., Rev. Gen. Pl. 3°: 459. 1898. Aposphæria fibriseda, (C. & E.) Sacc. Phoma fibriseda, (C. & E.) 84c.

Phoma fibriseda, C. & E.

C. & E. Grev. 6: 2. d. Sept. 1877.

Ell. in Cat. Pl. N. J. 579. 1889.

Coniothyrium fibrisedum, O. Kuntze. Kuntze, O., Rev. Gen. Pl. 32: 450. Aposphæria? hemisphærica, (A. & S.) Sacc. Ricker, Univ. of Maine Studies 3: 25. 30 April 1902. Sphæria hemisphærica, A. & S. S. Syn. Car. 47 (21) no. 230. 1822. Sphæronema hemisphæricum, Fr. S. Syn. Am. Bor. 247 no. 2140. 1834. Curtis, M. A., Bot. N. Car. 115. 1867. Aposphæria herbicola, Ell. & Ev. Ell. & Ev. Erythea 2: 24. d. 9 Feb. 1894. Sacc. Syll. 11: 497. d. July 1895. Coniothyrium herbicola, O. Kuntze. Kuntze, O., Rev. Gen. Pl. 32: 459. 1898. **Aposphæria hysterella,** Sacc. Sacc. Syll. 8: 170. d. 15 Dec. 1884.
Allescher, Rabh. Krypt.-Fl. 16: 391. 1899.
Ricker, Univ. of Maine Studies 3: 25. 30 April 1902.
Sphæronema subtile, B. & C. Russell, J. L., Proc. Essex Inst. 1: 194 (7). 1856. Sprague, Proc. Boston Soc. 6: 319. 1859. B. Grev. 2: 178 (63) no. 407. d. June 1874. Coniothyrium hysterellum, O. Kuntze. Kuntze, O., Rev. Gen. Pl. 32: 459. 1898. Aposphæria Kansensis, Ell. & Ev. Ell. & Ev. Erythea 2: 24. d. 9 Feb. 1894. Sacc. Syll. 11: 497. d. July 1895. Allescher, Rabh. Krypt.-Fl. 16: 392. 1899. Coniothyrium Kansense, O. Kuntze. Kuntze; O., Rev. Gen. Pl. 32: 459. 1898. Aposphæria librincola, (Cke. & Hark.) Sacc. Sacc. Syll. 8: 173. d. 15 Dec. 1884. **Phoma librincola**, Cke. & Hark.

Cke. & Hark. Grev. 9: 82. d. March 1881.

*Ell. N. A. F. 731. 1882.

Cke. & Hark. Bull. Cal. Acad. 1: 14. Feb. 1884. Coniothyrium librincola, O. Kuntze. Kuntze, O., Rev. Gen. Pl. 32: 459. 1898. Aposphæria macrosperma, (Cke. & Hark.) Sacc. Sacc. Syll. 8: 174. d. 15 Dec. 1884.

```
Sphæropsis macrosperma, Cke. & Hark.
   Cke. & Hark. Grev. 12: 93. d. June 1884.
Hark. Bull. Cal. Acad. 1: 170. 7 March 1885.
       Coniothyrium macrospermum, O. Kuntze.
    Kuntze, O., Rev. Gen. Pl. 82: 459. 1898.
Aposphæria minutula, (Pk.) Sacc.
    Sacc. Syll. 8: 176. d. 15 Dec. 1884.
      Coniothyrium minutulum, Pk.
   Pk. Bot. Gaz. 5: 33. d. March 1880. Conlothyrium minutulum, O. Kuntze
    Kuntze, O., Rev. Gen. Pl. 82: 459. 1898.
Aposphæria nucicola, Ell. & Ev. Ell. & Ev. Bull. Torr. Bot. Club. 24: 287. d. 29 June 1897. Lindau & Syd. Hedw. 87: Beibl. 7: xliii. 9 April 1898.
   Sacc. & Syd. Syll. 14: 804. d. 20 Aug. 1800.
Aposphæria Ohiensis, Ell. & Ev.
   Sacc. Hedw. 35: Rep. 7: xli. 25 Feb. 1896.
Sacc. Hedw. 35: Rep. 7: xli. 25 Feb. 1896.
Sacc. & Syd. Syll. 14: 894. d. 20 Aug. 1899.

Coniothyrium Ohiense, O. Kuntze.
Kuntze, O., Rev. Gen. Pl. 3<sup>2</sup>: 459. 1898.
Aposphæria Oxybaphi, Ell. & Ev.
   Ell. & Ev. Erythea 2: 24. d. 9 Feb. 1894.
Sacc. Syll. 11: 498. d. July 1895.
      Coniothyrium Oxybaphi, O. Kuntze.
   Kuntze, O., Rev. Gen. Pl. 32: 459. 1898.
Aposphæria Petersii, (B. & C.) Sacc.
    Sacc. Syll. 8: 176. d. 15 Dec. 1884.
   Underw. & Earle, Bull. Ala. Exp. Sta. 80: 163. d. 28 June 1897.
      Phoma Petersil, B. & C.
   B. Grev. 2: 81 (58) no. 377. d. Dec. Coniothyrium Petersii, O. Kuntze.
   Kuntze, O., Rev. Gen. Pl. 82: 459.
Aposphæria pezizoides, Ell. & Ev. Ell. & Ev. Proc. Phil. Acad. 1894: 358. d. 30 Nov. 1894.
 *Ell. & Ev. N. A. F. 3158. Nov. 1894.
*Ell. & Ev. Fung. Columb. 570. 1894.
   Sacc. Syll. 11: 497. d. July 1895.

Millsp. & Nutt. Publ. Field Columb. Mus. Bot. 1: 108. d. Jan. 1896.

Allescher, Rabh. Krypt.-Fl. 16: 382, 388. 1899.

Conlothyrium pezizoides, O. Kuntze.
   Kuntze, O., Rev. Gen. Pl. 82: 450.
Aposphæria Rhododendri, (S.) Sacc.
Sacc. Syll. 8: 171. d. 15 Dec. 1884.
Jacz. Nouv. Mem. Soc. Imp. Nat. Mosc. 15: 355. d. 1898.
      Sphæronema Rhododendri, S.
   S. Syn. Am. Bor. 247. no. 2141. d. 1834. Coniothyrium Rhododendri, O. Kuntze.
   Kuntze, O., Rev. Gen. Pl. 32: 450. 1808.
Aposphæria subtilis, (Fr.) Sacc.
   Sacc. Syll. 8: 171. d. 15 Dec. 1884.*

Sphæronema subtile, Fr.
Pk. Rept. N. Y. Mus. 24: 85. 1872.
Pk. in Day's Cat., Bull. Buf. Soc. 4: 198 (134). 1883.
      Coniothyrium subsubtile, O. Kuntze
   Kuntze, O., Rev. Gen. Pl. 32: 460, 1808,
```

Aposphæria turmalis, Ell. & Ev. Ell. & Ev. Jour. Myc. 8: 63. d. 30 June 1902. Aposphæria, sp. indet. Stevens, F. L., Rept. Ohio Acad. 5: 63. 1897. Sturgis, Rept. Conn. Exp. Sta. 24: 288. 1901. Appendicularia, Pk. See Stigmatomyces, Karst. Appendicularia entomophila, Pk. See Stigmatomyces entomophila, (Pk.) Thax. **Appendiculina**, Berl. See Stigmatomyces, Karst. Appendiculina entomophila, Berl. See Stigmatomyces entomophila, (Pk.) Thax. Apyrenium lignatile, Fr. Johnson, Bull. Minn. Acad. 1: 283. 1877 and Rept. Minn. Surv. 5: 81. 1877. Somers, Tr. N. Scot. Inst. 7: 465. 1890. MacKay, Tr. N. Scot. Inst. 11: 139. Aug. 1904. Arachnion, S. NOTE. Brongniart in Essai d'une Classification Nat. des Champ. places Acinophora of Rafinesque as a synonym of Arachnion, in which he has been followed by some later writers. Brongniart remarks however that it is impossible to tell from the description what Acinophora really is, an opinion in which we quite concur. S. Syn. Car. 59 (33). d. 1822 Fr. S. M. 2: 303. d. 1823. Fr. S. O. V. 1: 131. d. 1825. 1822. Spreng. in L. Syst. Veg. 16. ed. 41: 378. d. 1827. Nees & Henry, Syst. 1: 68. d. 1837. Endl. Gen. Pl. 29. 1840. Cda. Icon. 5: 25. d. 1842. Fr. Summa 1: 443. d. 1849. Tul. Fungi Hypogæi 181. 1851.

De Toni in Sacc. Syll. 7: 150. d. 15 March 1888.

Fischer, E., in Engler & Prantl, Pflanzenfam. 11**: 339. d. Dec. 1899. White, Bull. Torr. Bot. Club 29: 252. 26 May 1902. Lloyd, Myc. Notes 141. March 1903. ?Acinophora, Raf. Raf. Med. Repos. 2 hex. 5: 355. 1808. Raf. Précis 51. d. 1814. Endl. Gen. Pl. 29. d. 1840. Cda. Icon. 5: 44. 1842. Arachnion album, S. S. Syn. Car. 59 (33) no. 334. d. 1822. Fr. S. M. 2: 303. d. 1823. Spr. in L. Syst. Veg. 16 ed. 4¹: 519. d. 1827. S. Syn. Am. Bor. 253 no. 2221. 1834. Fr. Nova Acta. R. Soc. Sci. Upsal. III. 1: 134. 1851. *Rav. Fung. Car. 4: 75. 1855.

Curtis, M. A., Bot. N. Car. 111. 1867.

Cke. Grev. 6: 133. June 1878.

*Rav. Fung. Am. 15. 1878.

*Ell. N. A. F. 941. 1883.

Cragin, Bull. Wash. Lab. 1: 41. Jan. 1885. De Toni in Sacc. Syll. 7: 151. d. 15 March 1888.

```
Ell. in Cat. Pl. N. J. 499. 1889.
Webber, Tr. St. Louis Acad. 6: 18. 12 March 1892 and Contr. Bot.
   Dept. Univ. Nebr. 3: 18. 14 June 1892.

Atk. Bull. Cornell Univ. 8: 22. 25 June 1897.

Fischer, E., in Engler & Prantl, Pflanzenfam. 1<sup>1**</sup>: 339. Dec. 1899.

Earle in Mohr, Contr. U. S. Nat. Herb. 6: 234. 31 July 1901.
   Lloyd, Gen. Gast. 11. pl. 5, f. 28. Jan. 1902.
Lloyd, Myc. Notes 142. d. pl. 16. March 1903.
Arachnion? aurantiacum, (Raf.) De Toni.
   De Toni in Sacc. Syll. 7: 151. d. 15 March 1888.
Fischer, E., in Engler & Prantl, Pflanzenfam. 11**: 339. Dec. 1899.

Acinophora aurantiaca, Raf.
    Raf. Med. Repos. II. 5: 355. 1808.
    Raf. Précis 51. d. 1814.
Arachniotus trachyspermus, Shear.
    Shear, Science II. 16: 138. d. 25 July 1902.
Araehnopeziza aurata, Rehm non Fckl.
       See Arachnopeziza rhaphidospora, (Ell.) Rehm.
Arachnopeziza Aurelia, (P.) Fckl.
   Lindau in Engler & Pranti, Pflanzenfam. 11: 200. d. f. 157/B-E. Dec.
   Fairman, Proc. Rochester Acad. 8: 218. d. March 1900. Durand, Bull. Torr. Bot. Club 27: 484. d. 29 Sept. 1900.
       Peziza Aurelia, P.
 *Rav. Fung. Car. 5: 41. 1860.
Curtis, M. A., Bot. N. Car. 133. 1867.
   Curtis, M. A., Bot. N. Car. 133. 1007.

Cke. Handbook 692. d. 1871.

Cke. Bull. Buf. Soc. 2: 293. March 1875.

B. Grev. 8: 156 (134). June 1875.

Frost in Cat. Pl. Amherst 90. 1875.

C. & E. Grev. 5: 33. Sept. 1876.

C. & E. Grev. 6: 7. Sept. 1877.

Fell. N. A. F. 59. 1878.
 *Ell. N. A. F. 59. 1878.

Pk. Rept. N. Y. Mus. 84: 51. Oct. 1883.

Cragin, Bull. Wash. Lab. 1: 70. Jan. 1885.

Cobb, List Pl. Amherst 47. 1887.

Ell. in Cat. Pl. N. J. 547. 1889.

Millsp. Bull. W. Va. Exp. Sta. 24: 512. June 1892.

Relamidium Aurella. De Not.
       Belonidium Aurelia, De Not.
   Sacc. Syll. 8: 499. d. 20 Dec. 1889.
Bessey, Contr. Bot. Dept. Univ. Nebr. 3: 48. 14 June 1892.
Millsp. & Nutt. Publ. Field Columb. Mus. Bot. 1: 152. Jan. 1896.
    Underw. & Earle, Bull. Ala. Exp. Sta. 80: 200. 28 June 1897.
Arachnopeziza rhaphidospora, (Ell.) Rehm.
          NOTE. A specimen under this name distributed by Ellis in N. A. F. 842
       was referred by Rehm in 1893 to Arachnopeziza aurata, Fckl. but in 1904
       he cites it under the name here accepted.
       The species cited by Massee in Grev. 22: 101. June 1894 as Periza rhaphidospora, B. & C. Fung. Cub. no. 683 is not the same as the present
       species. It is described in Fung. Cub. under the name Peziza (Daryscypha),
```

Rehm, Ann. Myc. 2: 352. d. 31 July 1904. **Peziza rhaphidospora**, Ell. Ell. Bull. Torr. Bot. Club 6: 107. d. Sept. 1876. *Ell. N. A. F. 842. 1882.

raphidofera, B. & C. See Erinella rhaphidophora, (B. & C.) Sacc.

Ell. in Cat. Pl. N. J. 547. 1889. Massee, Grev. 22: 101. d. June 1894. Erinella rhaphidospora, Sacc. Sacc. Syll. 8: 509. d. 20 Dec. 1889.

Arachnopeziza aurata, Rehm non Fckl. Rehm, Rabh. Krypt.-Fl. 18: 601, 1803.

Araiospora, Thax.
Thax. Bot. Gaz. 21: 326. d. 17 June 1896 and Rev. Myc. 28: 95.

July 1901. Sacc. & Lindau, Hedw. 86: Rep. 7: xvii. d. 30 April 1897.

Sacc. & Syd. Syll. 14: 454. d. 20 Aug. 1899. Lindau in Engler & Prantl, Pflanzenfam. 11**: 529. d. Feb. 1900.

Araiospora pulchra, Thax.

Thax. Bot. Gaz. 21: 328. d. pl. 23, f. 20-25. 17 June 1896. and Rev. Myc. 28: 96. pl. 217, f. 15, 22, 23. July 1901.
Sacc. & Lindau, Hedw. 86: Rep. 7: xvii. 30 April 1897.
Sacc. & Syd. Syll. 14: 455. d. 20 Aug. 1899.
Lindau in Engler & Prantl, Pflanzenfam. 11**: 529. Feb. 1900.

King, Science II. 15: 456. 21 March 1902. King, Proc. Boston Soc. 81: 211. pl. 11-15. Nov. 1903 and Bot. Gaz. 87: 72. 20 Jan. 1904.

Areyodes, O. F. Cook. Cook, O. F., Science II. **15**: 651. 25 April 1902.

Arcyodes incarnata, (A. & S.) O. F. Cook.

NOTE. In the reference given below the name Arcyodes is proposed to replace Lachnobolus as understood by Lister. Whether the type species which is based on the old Licea incarnata, A. & S. referred to Lachnobolus circinans, Fr. by Lister is found in North America is a point on which opinions differ. The species quoted from Iowa under Lachnobolus circinans, Lister is by Macbride considered to be a different species peculiar to America which he calls Lachnobolus occidentalis, Macbr. See Lachnobolus, sp.

Cook, O. F., Science II. 15: 651. 25 April 1902.

Areyria adnata, (Batsch) Rostf. See Arcyria incarnata, P.

Arcyria albida, P.

See Arcyria cinerea, (Bull.) P.

Arcyria albida, var. globosa, Lister. See *Lachnobolus globosus*, (S.) Rostf.

Areyria albida, var. pomiformis, Lister. See Arcyria pomiformis, (Leers) Rostf.

Areyria aurantiaca, Raunkiær. See **Arcyria ferruginea**, Sauter.

Areyria bieolor, B. & C. See Arcyria digitata, S.

Arcyria cinerea, (Bull.) P.

NOTE. See also Arcyria digitata, (S.) Rostf.

Muhl. Cat. Pl. Am. Sept. 1 ed. 104. 1813. 2 ed. 107. 1818. S. Syn. Car. 64 (38) no. 397. 1822. S. Syn. Am. Bor. 259 no. 2336. 1834. S. Syli. Alli. Bolt. 23, 1849.
Lea, Cat. Pl. Cin. 69. 1849.
Sprague, Proc. Boston Soc. 5: 328. 1856.
Curtis, M. A., Bot. N. Car. 113. 1867.
B. & C. Jour. Linn. Soc. 10: 349. 1869. 1856. Pk. Rept. N. Y. Mus. 22: 89. 1869.

Cke. Handbook 401. d. 1871. B. Grev. 2: 67 (56). Nov. 1873. Rostf. Mycetozoa 272. d. 1875. Frost in Cat. Pl. Amherst 79. 1875. Frost in Cat. Pl. Amherst 79. 1875.
Farl. Bull. Bussey Inst. 1: 431. March 1876.
C. & E. Grev. 6: 82. March 1878.
Cke. Ann. N. Y. Acad. 1: 180. d. May 1878.
James, Jour. Cin. Soc. 2: 66 (25). April 1879.
Pk. Rept. N. Y. Mus. 31: 57. 1870.
Pk. in Day's Cat., Bull. Buf. Soc. 4: 196 (132). 1883.
*Ell. N. A. F. 1115. 1884.
Wint. & Demet. Hedw. 24: 200 (24). Oct. 1885.
Arth. & Holw. Bull. Minn. Surv. 3: 39. 1 Oct. 1887.
Langlois, Cat. Pl. La. 27. 1887.
Berl. in Sacc. Syll. 7: 427. d. 15 March 1888.
Schrt. in Engler & Prantl, Pflanzenfam. 11: 22. d. Jun Berl. in Sacc. Syll. 7: 427. d. 15 March 1888.
Schrt. in Engler & Prantl, Pflanzenfam. 11: 22. d. June 1889.
Ell. in Cat. Pl. N. J. 600. 1889.
Webber, Rept. Nebr. Agr. 1889: 182 (42). 1890.
Macbr. Bull. Univ. lowa 2: 123. d. pl. 2, f. 3, 3*. June 1892.
Massee, Mon. Myx. 151. d. pl. 5, f. 137-139. pl. 10, f. 248, 249.
1892 and Bull. Torr. Bot. Club 20: 77. 15 Feb. 1893.
Morg. Jour. Cin. Soc. 16: 20 (26). d. June 1893.
Macbr. Bull. Univ. lowa 2: 379. Nov. 1893.
Underw. Proc. Ind. Acad. 1893: 30. Aug. 1894.
Kellerm. & Werner, Geol. Ohio 72: 401. Jan. 1895.
Millsp. & Nutt. Publ. Field Columb. Mus. Bot. 1: 86. Jan. 1896.
Harvey, Bull. Torr. Bot. Club 23: 313. 20 Aug. 1806. Dec. Jan. 1806. Harvey, Bull. Torr. Bot. Club 28: 313. 20 Aug. 1896. Macbr. & Smith, C. L., Bull. Univ. Iowa 4: 73. Dec. 1896. Macbr. & Silime-moulds 196. d. pl. 2, f. 3, 3^a. Aug. 1899. Herbst, Fungal Fl. Lehigh Valley 215. d. 1899. Jelliffe, Flora of Long Island 1. 1899. Longyear, Rept. Mich. Agr. 1898: 95. 1899. Thomas, Proc. Ind. Acad. 1900: 123. 1901. Ricker, Univ. of Maine Studies 3: 16. 30 April 1902. Mutchler, Proc. Ind. Acad. 1902: 118. 1903. Macbr. in Sacc., Pk. & Trel., Harriman Alaska Exp. 5: 21. 5 April Sumstine, Torreya 4: 36. 12 March 1904. Farl. in Coker, Veg. Bahama 243. 1905. Schaffner, Tr. Kans. Acad. 19: 204. 1905. Arcyria aibida, P. Olive, Proc. Ind. Acad. 1897: 149. Whitney, Rhodora 1: 128. 1 July 1899. Mutchler, Proc. Ind. Acad. 1901: 292. 1902. Mutchler, Proc. Ind. Acad. 1902: 119. 1903. Arcyria albida, Lister p. p Lister, Mycetozoa 186. d. Arcyria stricta, Rostf.
Rostf. Mycetozoa Suppl. 36. 1876.
Cke. Ann. N. Y. Lyceum 11: 406. June 1877.
Bessey, Bull. Iowa Agr. Coll. 1884: 134. Jan. 1885. Arcyria Cookei, Massee. Morg. Jour. Cin. Soc. 16: 21 (27). d. pl. 1, f. 16. June 1893. Kellerm. & Werner, Geol. Ohio 72: 401. Jan. 1895. Ciathrodes Cookel, Sheldon. Sheldon, Minn. Bot. Studies 9: 467. 20 Nov. 1895. Ciathrodes recutitum, Sheldon Sheldon, Minn. Bot. Studies 9: 468. 20 Nov. 1805.

Arcyria cinerea, Massee p. p. See Arcyria pomiformis, (Leers) Rostf.

Arcyria clavata, Massee. See *Hemitrichia clavata*, (P.) Rostf.

Arcyria Cookei, Massee. See Arcyria cinerea. (Bull.) P.

Arcyria denudata, Macbr. See *Arcyria punicea*, P.

Areyria digitata, (S.) Rostf.

NOTE. This may probably be considered only a clustered variety of A. cinerea, (Bull.) P. An examination of the specimens of Arcyria pallida, B. & C. and Arcyria bicolor, B. & C. in Herb. Curtis shows that both are the same as Arcyria digitata, S.

Pk. Rept. N. Y. Mus. 23: 53. 1872. Rostf. Mycetozoa 274. d. 1875. Cke. Ann. N. Y. Lyceum 11: 406. June 187. Berl. in Sacc. Syll. 7: 428. d. 15 March 1888. June 1877. Schrt. in Engler & Prantl, Pflanzenfam. 11: 22. d. June 1880. Massee, Mon. Myx. 153. d. Dec. 1892.

Morg. Jour. Cin. Soc. 16: 21 (27). d. June 1893.

Macbr. Bull. Univ. lowa 2: 379. Nov. 1893.

Kellerm. & Werner, Geol. Ohio 72: 401. Jan. 1895.

Macbr. & Smith, C. L. Bull. Univ. lowa 4: 73. Dec. 1896. Macbr. Slime-moulds 197. d. Aug. 1899.
Longyear, Rept. Mich. Agr. 1898: 95. 1899
Thomas, Proc. Ind. Acad. 1900: 123. 1901.
Mutchler, Proc. Ind. Acad. 1901: 292. 1902. 1902. Duss, Champ. Guad. & Martinique 85. 1903. Mutchler, Proc. Ind. Acad. 1902: 119. 1903. Sumstine, Torreya 4: 36. 12 March 1904. Stemonitis digitata, S. S. Syn. Am. Bor. 260 no. 2350. d. 1834. Arcyria pallida, B. & C. Curtis, M. A., Bot. N. Car. 113. B. Grev. 2: 67 (56) no. 365. d. Nov. 1873. Rostf. Mycetozoa 280. 1875. Arcyria bicolor, B. & C. B. & C. Jour. Linn. Soc. 10: 349. d. 1869. Rostf. Mycetozoa 280. 1875. ostr. mycetozoa Arcyria albida, Lister p. p. otar Mycetozoa 186. d. 1894 Lister, Mycetozoa 186. d. 1804. Clathrodes digitatum, Sheldon. Sheldon, Minn. Bot. Studies 9: 467. 20 Nov. 1895. **Arcyria ferruginea,** Sauter. Massee, Mon. Myx. 144. d. pl. 10, f. 250-253. Dec. 1892. Lister, Mycetozoa 184. d. pl. 66 B. 1894. Harvey, Bull. Torr. Bot. Club 28: 313. 20 Aug. 1896. Harvey, Bull. Torr. Bot. Club 24: 70. 28 Feb. 1897. Underw. & Earle, Bull. Ala. Exp. Sta. 80: 133. 28 June 1897. Whitney, Rhodora 1: 128. 1 July 1899.

Macbr. Slime-moulds 194. d. Aug. 1899.

Lister, Jour. Bot. 87: 463. Nov. 1899.

Earle in Mohr. Contr. U. S. Nat. Herb. 6: 139. 31 July 1901.

Thomas, Proc. Ind. Acad. 1900: 123.

Ricker, Univ. of Maine Studies 3: 16. 30 April 1902.

Mutchler, Proc. Ind. Acad. 1901: 292. Mutchler, Proc. Ind. Acad. 1902: 118. Arcyria macrospora, Pk. 1002. Pk. Rept. N. Y. Mus. 84: 43. d. Oct. 1883. Durand, Bot. Gaz. 19: 89. d. pl. 9, f. 1, 3. pl. 10, f. 9. 16 March 1894. Sturgis, Tr. Conn. Acad. 10: 488, 489. 5 May 1900 and Bot. Centralbl. 86: 115. 17 April 1901.

P Arcyria aurantiaca, Raunkiær. Harvey, Bull. Torr. Bot. Club 28: 313. 20 Aug. 1896. Harvey, Bull. Torr. Bot. Club 24: 70. 28 Feb. 1897. Clathrodes ferrugineum, Sheldon. Sheldon, Minn. Bot. Studies 9: 466. 20 Nov. 1895. Clathrodes aurantiacum, Sheldon. Sheldon, Minn. Bot. Studies 9: 467. 20 Nov. 1895. Arcyria flava, P. See Arcyria nutans, (Bull.) Grev.

Arcyria globosa, S. See **Lachnobolus globosus**, (S.) Rostf.

Arcyria incarnata, P.

NOTE. See note under Arcyria minor, S.

S. Syn. Car. 64 (38) no. 398. 1822. S. Syn. Am. Bor. 259 no. 2337. 1834. Sprague, Proc. Boston Soc. **5**: 328. 1856. Curtis, M. A., Bot. N. Car. 113. 1867. Curtis, M. A., Bot. N. Car. 113. 1867.
Cke. Handbook 401. d. f. 136. 1871.
Pk. Rept. N. Y. Mus. 25: 84. Sept. 1873.
Rostf. Mycetozoa 275. d. 1875.
Cke. Ann. N. Y. Lyceum 11: 406. June 1877.
Pk. Rept. N. Y. Mus. 31: 57. 1870.
Pk. in Day's Cat., Bull. Buf. Soc. 4: 196 (132). 1883.
Farl. Appalachia 8: 238. Jan. 1884.
Wint. & Demet. Hedw. 24: 200 (24). Oct. 1885.
Massee, Mon. Myx. 145. d. Dec. 1892.
Cockerell, Bull. Torr. Bot. Club 20: 296. 15 July 1893.
Lister. Mycetozoa 180. d. bl. 68 R. 1804. Lister, Mycetozoa 189. d. pl. 68 B. 1894. Macbr. Procr Iowa Acad. 5: 27. 1898. Whitney, Rhodora 1: 128. I July 1899. Macbr. Slime-moulds 193. d. Aug. 1899. MacDr. Slime-moulds 193. d. Aug. 1899.
Thomas, Proc. Ind. Acad. 1900: 123. 1901.
White, Bull. Torr. Bot. Club 29: 551. 26 Sept. 1902.
Mutchler, Proc. Ind. Acad. 1901: 292. 1902.
Mutchler, Proc. Ind. Acad. 1902: 118. 1903.
Sumstine, Torreya 4: 36. 12 March 1904.
Schaffner, Tr. Kans. Acad. 19: 204. 1905.
Machr. Proc. Lova Acad. 19: 204. Macbr. Proc. Iowa Acad. 12: 35. 1905. Macbr. Proc. Iowa Acad. 12: 35. 1905.

Arcyrla adnata, (Batsch) Rostf.
Rostf. Mycetozoa Suppl. 36. 1876.
Berl. in Sacc. Syll. 7: 428. d. 15 March 1888.
Schrt. in Engler & Prantl, Pflanzenfam. 11: 22. d. June 1889.
Ell. in Cat. Pl. N. J. 600. 1889.
Bessey, Contr. Bot. Dept. Univ. Nebr. 3: 45. 14 June 1892.
Macbr. Bull. Univ. Iowa 2: 124. d. June 1892.
Morg. Jour. Cin. Soc. 16: 19 (25). d. June 1893.
Kellerm. & Werner, Geol. Ohio 72: 401. Jan. 1895.
Harvey, Bull. Torr. Bot. Club 28: 313. 20 Aug. 1896.
Ricker, Univ. of Maine Studies 3: 16. 30 April 1902.

Clathrodes adnatum, Sheldon. Sheldon, Minn. Bot. Studies 9: 466. 20 Nov. 1805. Arcyria incarnata, P. var. nodulosa, Macbr. Macbr. Slime-moulds 194. d. pl. 3, f. 8. Aug. 1899. Mutchler, Proc. Ind. Acad. 1902: 118. 1903. Sumstine, Torreya 4: 36. 12 March 1904. Arcyria irregularis, Racib.?

Harvey, Bull. Torr. Bot. Club 26: 323. 17 June 1899.
Ricker, Univ. of Maine Studies 3: 16. 30 April 1902. Clathrodes irregulare, Sheldon. Sheldon, Minn. Bot. Studies 9: 466. 20 Nov. 1805. Areyria leiocarpa, Massee. See *Hemitrichia leiocarpa*, (Cke.) Lister. Arcyria leiocarpoides, (Speg.) Massee. NOTE. This species, founded on Cornuvia leiocarpoides, Speg. is said by Lister to be a form of Hemitrichia clavata, (P.) Rostf. Trinidad. Massee, Kew Bull. 138: 135. June 1898. Arcyria leucocephala, Hoffm. See Craterium leucocephalum, (P.) Ditm. Arcyria lutea, S. See Arcyria pomiformis, (Leers) Rostf. Arcyria macrospora, Pk. See *Arcyria ferruginea*, Sauter. Arcyria magna, Rex.
Rex, Proc. Phil. Acad. 1898: 364. d. March 1894. Macbr. Slime-moulds 190. d. Aug. 1899.
Mutchler, Proc. Ind. Acad. 1902: 119. 1903.
Sumstine, Torreya 4: 36. 12 March 1904.
Arcyria Oerstedtil, Lister p. p. Lister, Mycetozoa 190. d. 1894. Arcyria magna, Rex, var. rosea, Rex. Rex, Proc. Phil. Acad. 1898: 365. d. March 1894. Arcyria minor, S. NOTE. Schweinitz remarks that this is closely related to Arcyria incarnata, P. in which opinion he has been followed by some recent writers. It can hardly be regarded as a distinct species. S. Syn. Am. Bor. 259 no. 2341. d. 1834. Rostf. Mycetozoa 280. 1875 Kostr. Mycetozoa 280. 1875. Cke. Ann. N. Y. Lyceum 11: 407. June 1877. Morg. Jour. Cin. Soc. 16: 19 (25). d. pl. 1, f. 17. June Kellerm. & Werner, Geol. Ohio 73: 401. Jan. 1895. Underw. Proc. Ind. Acad. 1894: 147. Oct. 1895. Harvey, Bull. Torr. Bot. Club 28: 313. 20 Aug. 1896. Harvey, Bull. Torr. Bot. Club 26: 323. 17 June 1899. June 1803. Arcyria nutans, (Bull.) Grev.
Sprague, Proc. Boston Soc. 6: 318. 1859.
Curtis, M. A., Bot. N. Car. 113. 1867.
B. & C. Jour. Linn. Soc. 10: 349. 1869. Cke. Handbook 401. d. 1871.

Pk. Rept. N. Y. Mus. 26: 76. April 1874.

Frost in Cat. Pl. Amherst 79. 1875.

Farl. Bull. Bussey Inst. 1: 431. March 1876.

```
Cke. Ann. N. Y. Lyceum 11: 407. June 1877.

Johnson, Bull. Minn. Acad. 1: 292. 1877 and Rept. Minn. Surv. 5:
     Johnson, Bull. Minn. Acad. 1; 292. 1877 and Rept. Minn. Sur
84. 1877.
Phil. Grev. 7: 21. Sept. 1878.
Pk. Rept. N. Y. Mus. 81: 57. 1879.
Hark. & Moore, Cat. Pac. Fung. 20. Feb. 1880.
Farl. Appalachia 8: 238. Jan. 1884.
Bessey, Bull. lowa Agr. Coll. 1884: 134. Jan. 1885.
Arth. & Holw. Bull. Minn. Surv. 3: 39. 1 Oct. 1887.
Langlois, Cat. Pl. La. 27. 1887.
Berl. in Sacc. Syll. 7: 429. d. 15 March 1888.
Schrt. in Engler & Prantl, Pflanzenfam. 11: 22. d. f. 17, D-F.
     Ell. in Cat. Pl. N. J. 601. 1889.

Bessey, Contr. Bot. Dept. Univ. Nebr. 3: 45. 14 June 1892.

Macbr. Bull. Univ. lowa 2: 125. d. pl. 2, f. 6, 6a, 6b. June 1892.

Massee, Mon. Myx. 150. d. pl. 5, f. 140, 141. Dec. 1892.

Morg. Jour. Cin. Soc. 16: 20 (26). d. June 1893.

Kellerm. & Werner, Geol. Ohio 72: 401. Jan. 1895.

Millsp. & Nutt. Publ. Field Columb. Mus. Bot. 1: 86. Jan. 1896.
 Harvey, Bull. Torr. Bot. Club 28: 313. 20 Aug. 1896.
Harvey & Knight, Bull. Torr. Bot. Club 24: 342. 29 July 1897.
*Ell. & Ev. N. A. F. 3598. 24 Jan. 1898.
Macbr. Proc. lowa Acad. 5: 27. 1898.
      Macbr. Slime-moulds 191. d. pl. 11, f. 6, 6a, 6b. Aug. 1899. Fairman, Proc. Rochester Acad. 8: 212. March 1900.
      Ricker, Univ. of Maine Studies 3: 16. 30 April 1902. White, Bull. Torr. Bot. Club 29: 551. 26 Sept. 1902. Mutchler, Proc. Ind. Acad. 1901: 202. 1902.
                                                                                                                               26 Sept. 1002.
       Duss, Champ. Guad. & Martinique 85.
                                                                                                                                  1003.
       Mutchler, Proc. Ind. Acad. 1902: 119.
      Sumstine, Torreya 4: 36. 12 March 1904.
Macbr. Proc. lowa Acad. 12: 35. 1905.
Arcyria flava, P.
      S. Syn. Car. 63 (37) no. 395. 1822. Grev. Scot. Crypt. Fl. 6: pl. 309.
      S. Syn. Am. Bor. 259 no. 2335. 1834.
Lister, Mycetozoa 190. d. pl. 69 A. 1894.
Olive, Proc. Ind. Acad. 1897: 149. 1898.
Whitney, Rhodora 1: 128. 1 July 1899.
Mutchler, Proc. Ind. Acad. 1901: 292. 1902.
       Mutchler, Proc. Ind. Acad. 1902: 118. 1903.
      Clathrodes nutans, Sheldon.
Sheldon, Minn. Bot. Studies 9: 467. 20 Nov. 1895.
Arcyrla Oerstedtil, Farl. in Coker.
       Farl. in Coker, Veg. Bahama 243. 1905.
Arcyria ochroleuca, (Trent.) Fr. See Arcyria pomiformis, (Leers) Rostf.
Areyria Oerstedtii, Rostf.
Arth. & Holw. Bull. Minn. Surv. 3: 39. 1 Oct. 1887.
Macbr. Bull. Univ. lowa 2: 125. d. June 1892.
Lister, Mycetozoa 190. d. pl. 69 B. 1894. p. p.
Harvey, Bull. Torr. Bot. Club 28: 313. 20 Aug. 1896.
Macbr. Slime-moulds 191. d. Aug. 1899.
Thomas Proc. Ind. Acad. 1900: 123. 1901.
Ricker, Univ. of Maine Studies 3: 16. 30 April 1902.
Mutchler, Proc. Ind. Acad. 1902: 119. 1903.
Sumstine, Torreya 4: 36. 12 March 1904.
                                                                                                                                    20 Aug. 1896.
```

Arcyria Oerstedtii, Lister p. p. See Arcyria magna, Rex.

Arcyria Oerstedtii, Farl. in Coker. See Arcyria nutans, (Bull.) Grev.

Arcyria pallida, B. & C. See Arcyria digitata, (S.) Rostf.

Arcyria pomiformis, (Leers) Rostf. Rostf. Mycetozoa 271. d. 1875.
Cke. Ann. N. Y. Lyceum 11: 406. June 1877
C. & E. Grev. 6: 82. March 1878.
Pk. Rept. N. Y. Mus. 81: 42, 57. 1879.
Calkins, Jour. Myc. 8: 7. Jan. 1887.
Langlois, Cat. Pl. La. 27. 1887.
Berl. in Sacc. Syll. 7: 427. d. 15 March 1888.
Ell. in Cat. Pl. N. J. 600. 1889. June 1877. Webber, Rept. Nebr. Agr. 1889: 182 (42). 1800. *Ell & Ev. N. A. F. 3497. 10 Dec. 1896.

*Harvey, Bull. Torr. Bot. Club 24: 70. 28 Feb. 1897.

Macbr. Proc. lowa Acad. 5: 27. 1898.

Macbr. Slime-moulds 197. d. Aug. 1899.

Ricker, Univ. of Maine Studies 3: 16. 30 April 1902.

Mutchler, Proc. Ind. Acad. 1902: 119. 1903.

Arcyria umbring. Schum. Arcyria umbrina, Schum. Curtis, M. A., Bot. N. Car. 113. 1867. Cke. Handbook 401. d. 1871.

B. Grev. 2: 67 (56). Nov. 1873.

Phil. Grev. 5: 115. March 1877.

Hark. & Moore, Cat. Pac. Fung. 20. Feb. 1880. Johnson, Bull. Minn. Acad. 1: 362. 1880. Arcyria lutea, S. S. Syn. Car. 63 (37). d. no. 396. 1822. Spreng. in L. Syst. Veg. 16 ed. 41: 530. d. S. Syn. Am. Bor. 259 no. 2339. Arcyria ochroleuca, (Trent.) Fr. Fr. S. M. 8: 181. 1832. Curtis, M. A., Bot. N. Car. 113. 1867. Cke. Handbook 401. d. 1871. Arcyria cinerea, Massee p. p. Massee, Mon. Myx. 152. Dec. 1892. Clathrodes umbrinum, Sheldon. Sheldon, Minn. Bot. Studies 9: 466. 20 Nov. 1805. Arcyria albida, var. pomiformis, Lister. Lister, Mycetozoa 186. d. 1894.

Areyria punicea, P.

Muhl. Cat. Pl. Am. Sept. 1 ed. 104. 1813. 2 ed. 107. 1818.

S. Syn. Car. 64 (38) no. 399. i822.
Grev. Scot. Crypt. Fl. 8: pl. 130. 1825.
Hitchcock, Cat. Pl. Amherst 59. 1829.
Hitchcock, Cat. Pl. Mass. 644. 1833. 2 ed. 646 (126). 1835.
S. Syn. Am. Bor. 259 no. 2338. 1834.
Lea, Cat. Pl. Cin. 69. 1849.
Klotzsch, Linnæa 25: 364. 1852 and Heller, Muhlenbergia 1: 18. 9
Aug. 1901.

*Rav. Fung. Car. 2: 80. 1853.
Watt, Can. Nat. & Geol. II. 2: 391. Oct. 1865.

Curtis, M. A., Bot. N. Car. 113. 1867. Cke. Handbook 400. d. 1871. Pk. Rept. N. Y. Mus. 24: 84. 1872. Frost in Cat. Pl. Amherst 79. 1875. Rostf. Mycetozoa 268. d. 1875. Farl. Bull. Bussey Inst. 1: 431. March 1876. Phil. Grev. 5: 115. March 1877. Cke. Ann. N. Y. Lyceum 11: 406. June 1877. James, Jour. Cin. Soc. 2: 66 (25). April 1879. Pk. Rept. N. Y. Mus. 81: 57. 1879. Hark. & Moore, Cat. Pac. Fung. 20. Feb. 1880. Johnson, Bull. Minn. Acad. 1: 362. 1880. Bundy, Geol. Wis. 1873-79. 1: 400. 1883. Pk. in Day's Cat., Buill. Buf. Soc. 4: 196 (132). 1883. Pk. in Day's Cat., Buill. Buf. Soc. 4: 196 (132). 1883. Pk. in Day's Cat., Buill. Buf. Soc. 4: 196 (132). 1883. Pk. in Day's Cat., Buill. Minn. Surv. 3: 39. 1 Oct. 1885. Calkins, Jour. Myc. 8: 59. May 1887. Arth. & Holw. Bull. Minn. Surv. 3: 39. 1 Oct. 1887. Langlois, Cat. Pl. La. 27. 1887. Berl. in Sacc. Syll. 7: 426. d. 15 March 1888. Bennett, Cat. Pl. R. I. 85. 1888. Schrt. in Engler & Prantl, Pflanzenfam. 11: 22. d. June 1892. Massee, Mon. Myx. 142. d. bl. 10, f. 242-244. Dec. 1802. Massee, Mon. Myx. 142. d. bl. 10, f. 242-244. Dec. 1802. Atk. & Schrenk, Jour. Mitch. Soc. 9: 106 (12). April 1893. Morg. Jour. Cin. Soc. 16: 19 (25). d. June 1803. Underw. Proc. Ind. Acad. 1893: 30. Aug. 1894. Lister, Mycetozoa 188. d. pl. 68 A, f. a, b. 1894. Kellerm. & Werner, Geol. Ohio 73: 401. Jan. 1895. Millsp. & Nutt. Publ. Field Columb. Mus. Bot. 1: 86. Jan. 189* *Shear, N. Y. Fungi 400. March 1806. Harvey, Bull. Torr. Bot. Club 28: 312. 20 Aug. 1896. Macbr. & Smith, C. L., Bull. Univ. lowa 4: 73. Dec. 1896. Underw. & Earle, Bull. Ala. Exp. Sta. 80: 133. 28 June 1897. Olive, Proc. Ind. Acad. 1897: 1491. 1898. Harvey, Bull. Torr. Bot. Club 26: 324. 17 June 1899. Pk. Bull. N. Y. Mus. 6: 234. July 1899. Whitney, Rhodora 1: 128. 1 July 1899. Ungrear, Rept. Mich. Agr. 1898: 95. 1899. Earle in Mohr. Contr. U. S. Nat. Herb. 6: 139. 31 July 1901. Ricker, Univ. of Maine Stu Cke. Handbook 400. d. 1871. Pk. Rept. N. Y. Mus. 24: 84. 1872 Frost in Cat. Pl. Amherst 79. 1875. Duss, Champ. Guad. & Martinique 85. 1903. Mutchler, Proc. Ind. Acad. 1902: 118. Farl. in Coker, Veg. Bahama 243. 1905. 1903. Arcyria vernicosa, Rostf. Rostf. Mycetozoa Suppl. 36. 1876. Clathrodes denudatum, Sheldon. Sheldon, Minn. Bot. Studies 9: 466. 20 Nov. 1895. Arcyria denudata, Macbr. Macbr. Slime-moulds 195. d. pl. 2, f. 5, 5a. Aug. 1899. Fairman, Proc. Rochester Acad. 8: 212. March 1990.

Macbr. Rhodora 2: 79, 81. pl. 16, f. 6, 6a. 14 April 1900. Sumstine, Torreya 4: 36. 12 March 1904. Macbr. in Sacc. Pk. & Trel. Harriman Alaska Exp. 5: 21. 5 April 1904. Schaffner, Tr. Kans. Acad. 19: 204. 1905.

Areyria rubiformis, Massee. See note under *Hemitrichla rubiformis*, (P.) Lister.

Arcyria Serpula, Massee. See Hemitrichia Serpula, (Scop.) Rostf.

Areyria stipata, Lister. See Hemitrichia stipata, (S.) Macbr.

Arcyria stricta, Rostf. See Arcyria cinerea, (Bull.) P.

Arcyria umbrina, Schum. See Arcyria pomiformis, (Leers) Rostf.

Arcyria vernicosa, Rostf. See Arcyria punicea, P.

Arcyria versicolor, Phil. See Arcyria vitellina, Phil., var. versicolor, (Phil.) n. n.

Arcyria vitellina, Phil.
Phil. Grev. 5: 115, d. pl. 88, f. 7. March 1877.
Hark. & Moore, Cat. Pac. Fung. 20. Feb. 1880.
Berl. in Sacc. Syll. 7: 432. d. 15 March 1888.
Macbr. Slime-moulds 192. d. Aug. 1899.
Macbr. Bull. Iowa 2: 124. d. pl. 2, f. 4, 48. June 1892.
Mutchler, Proc. Ind. Acad. 1902: 119. 1903.
Ciathrodes vitellinum, Sheldon.
Sheldon, Minn. Bot. Studies 9: 467. 20 Nov. 4895.

Arcyria vitellina, Phil., var. versicolor, (Phil.) n. n.

Arcyria versicolor, Phil.

Cke. Ann. N. Y. Lyceum 11: 407. June 1877. Hark. & Moore, Cat. Pac. Fung. 20. Feb. 1880. Berl. in Sacc. Syll. 7: 432. d. 15 March 1888. Massee, Mon. Myx. 149. d. Dec. 1892. Lister, Mycetozoa 185. d. pl. 67 A. 1894.

Arcyria, sp. indet.
Massee, Journ. Bot. 80: 164. June 1892.

West Indies.

Aregma, Fr.

Note. The genus Aregma was described by Fries in his Observationes 1: 225. 1815. The genus Phragmidium was described by Link in Ges. Nat. Freunde Mag. 7: 30. The date of this volume is given as 1816 on the titlepage of the volume and this date has generally been accepted as correct. Fries however in Systema Mycologicum 3: 495. 1832 makes the statement that Aregma and Phragmidium were published in the same year from which one might infer that that part of volume 7 including Link's paper was issued earlier than 1816. The volume is in four parts of which part one including Phragmidium has the title "Erstes Quartal, Jan., Feb., März, 1813." It may therefore be the case that it is to an earlier edition of the Erstes Quartal issued in advance of the volume to which Fries refers. In the Summa, 507. 1849 Fries adopted the name Phragmidium including his Aregma. We have referred our species of Aregma to Phragmidium, that name being accepted by most writers.

Aregma disciflora, Arth.

NOTE. This name, founded on Ascophora discissora, Tode Fung. Meckl. 1; 16. d. pl. 3, f. 26, 27. 1790 has been employed by Arthur in Indiana Plant Rusts, 1899 and 1904 to designate Phragmidium subcorticium, (Schrank) Wint.

The description and figures of Tode are wholly inadequate for the recogni-

tion of any one species and include forms on both Rubus and Rosa.

Tode's species is a composite considered by Streinz to be a synonym of *Phragmidium incrassatum*, Lk. a parasite of *Rubus* and by Arthur to designate one of the species parasitic on *Rosa* so that evidently it should not replace any of the more accurate names of modern usage.

Aregma Fragariæ, Arth. See *Phragmidium Fragariæ*, (D.C.) Wint.

Aregma mucronatum, Fr. See *Phragmidium subcorticium*, (Schrank) Wint.

Aregma mucronatum, Auct. Amer. p. p. See *Phragmidium Rosæ-alpinæ*, (D.C.) Wint.

Aregma mucronatum, Auct. Amer. p. p. See *Phragmidium Rubi*, (P.) Wint.

Aregma obtusatum, Fr. See *Phragmidium Fragariæ*, (DC.) Wint.

Aregma speciosum, Fr. See *Phragmidium speciosum*, Fr.

Aregma triarticulatum, B. & C. See *Phragmidium Fragariæ*, (D.C.) Wint. See *Phragmidium Potentillæ*, (P.) Wint. See *Phragmidium Potentillæ-Canadensis*, Diet.

Argynna, Morg.

Morg. Jour. Cin. Soc. 18: 41. d. Dec. 1895.
Sacc. Hedw. 85: Rep. 7: xxiv. d. 25 Feb. 1896.
Lindau in Engler & Prantl, Pflanzenfam. 11: 338. d. Jan. 1897.
Sacc. & Syd. Syll. 14: 470. d. 20 Aug. 1899.

Argynna polyædron, (S.) Morg.

NOTE. The Spharia Curtisii, B. in Herb. Curtis 2174 which is stated by Cooke in Grev. 18: 60. March 1890 to be Spharia caryophaga, S. is not that species but Argynna polyadron, (S.) Morg.

It should be noticed that on page 144 of Curtis's Catalogue is a Nectria

Curtisii, B. which is Calonectria Curtisii, (B.) Sacc.

Morg. Jour. Cin. Soc. 18: 41. d. Dec. 1895.
Sacc. Hedw. 35: Rep. 7: xxiv. 25 Feb. 1896.
Lindau in Engler & Prantl, Pflanzenfam. 11: 338. Jan. 1897.
Sacc. & Syd. Syll. 14: 470. d. 20 Aug. 1899.

Physarum polyædron, S.
S. Syn. Am. Bor. 257 no. 2300. d. 1834.
Rostf. Mycetozoa 116. 1875.
Cke. Ann. N. Y. Lyceum 11: 387. June 1877.
Berl. in Sacc. Syll. 7: 352. d. 15 March 1888.
Massee, Mon. Myx. 316. d. Dec. 1892.
Lister, Mycetozoa 62. d. 1894.

Sphæria Curtisii, B. in Herb. Curtis.
Curtis, M. A., Bot. N. Car. 145. 1867.
Cke. Grev. 20: 84. March 1892.

Armillaria, Fr.
Pk. Rept. N. Y. Mus. 48: 86 (40). d. Oct. 1890.
Pk. Rept. N. Y. Mus. 48: 262 (164). d. March 1897. Armillaria appendiculata, Pk. Pk. Bull. Torr. Bot. Club 24: 140. d. 30 March 1897. Underw. & Earle, Bull. Ala. Exp. Sta. 80: 255. d. 28 June 1807. Lindau & Syd. Hedw. 87: Beibl. 7: 1. 9 April 1898. Sacc. & Syd. Syll. 14: 70. d. 20 Aug. 1899. McIlvaine & Macadam, Am. Fung. 54. d. 1900. Earle in Mohr, Contr. U. S. Nat. Herb. 6: 227. 31 July 1901. Armillaria aurantia, (Schæff.) Fr. Atk. Mushrooms 84. d. f. 86. 20 Oct. 1900. Hay, Bull. Nat. Hist. Soc. N. B. 5: 114. 1903. **Ágaricus aurantius,** Schæff. S. Syn. Am. Bor. 146 no. 30. 1834. Agaricus Peckii. Howe. Howe, Bull. Torr. Bot. Club 6: 66. d. Dec. 1875. Tricholoma Peckii, Howe. Howe, Bull. Torr. Bot. Club 6: 66. d. Dec. 1875. Pk. Rept. N. Y. Mus. 41: 82. d. 1888. Pk. Rept. N. Y. Mus. 44: 155 (43). d. Dec. 1891. Pk. Bull. Torr. Bot. Club 26: 253. 15 May 1899. Dec. 1891. Atk. Mushrooms 86. 20 Oct. 1900. Pk. Rept. N. Y. Mus. 55: 962. d. Nov. 1902. [Bull. 10: no. 54.] Longyear, Rept. Mich. Acad. 4: 120. 1904. Mastoleucomyces Aurantius, O. Kuntze. Kuntze, O., Rev. Gen. Pl. 2: 861. Armillaria bulbigera, (A. & S.) Fr.
Pk. Rept. N. Y. Mus. 48: 91 (45). Oct. 1890.
Atk. Bull. Cornell Univ. 8: 24. 25 June 1897.
Earle in Mohr, Contr. U. S. Nat. Herb. 6: 227. 31 July 1901.
Selby, Rept. Ohio Acad. 10: 78. 1902. Agaricus bulbiger, A. & S. S. Syn. Car. 80 (54) no. 568. 1822. S. Syn. Am. Bor. 145 no. 18. 1834. Curtis, M. A., Bot. N. Car. 84. 1867. Mastoleucomyces bulbiger, O. Kuntze. Kuntze, O., Rev. Gen. Pl. 2: 861. 1891. Armillaria cheimonophila.

N.B. On page 116 the name cheimonophylla was erroneously written by me cheimonophila. A. B. S.

Armillaria cheimonophylla, B. & C.

NOTE. This species which has no annulus as shown by an examination of original specimens is not a true *Armillaria*. It is placed by Patouillard (1887) in *Mucidula*, a genus based by him on *Armillaria mucida*, (Schrad.) Fr., a species reported in the United States but not common, which differs from *A. cheimonophylla*, B. & C. in having an annulus although agreeing with it in some other respects.

Sacc. Cub. & Manc. Syll. 5: 86. d. 28 May 1887.
 Henn. in Engler & Prantl, Pflanzenfam. 11**: 270. 1898.
 Agaricus cheimonophyllus, B. & C.
 B. & C. Jour. Linn. Soc.. 10: 284. d, 1869.

B. & C. Jour. Linn. Soc. 10: 284. d, 1869. Mastoleucomyces cheimonophyllus, O. Kuntze. Kuntze, O., Rev. Gen. Pl. 2: 861. 1891. West Indies.

Muciduia cheimonophylia, Pat. Pat. Bull. Soc. Myc. Fr. 15: 192. d. 31 July Duss, Champ. Guad. & Martinique 48. 1903. 31 July 1800. Armillaria eonstrieta, Fr.
Sacc. Cub. & Manc. Syll. 5: 77. d. 28 May 188
Pk. Rept. N. Y. Mus. 48: 91 (45). Oct. 1890. 28 May 1887.* Agaricus constrictus, Fr. Fr. S. M. 1: 28. d. 1821.* Hark. & Moore, Cat. Pac. Fung. 2. Feb. 1880. Mastoleucomyces constrictus, O. Kuntze. Kuntze, O., Rev. Gen. Pl. 2: 861. 1891. Armillaria imperialis, Fr. Hay, Bull. Nat. Hist. Soc. N. B. 5: 115. 1903. Mastoleucomyces imperialis, O. Kuntze. Kuntze, O., Rev. Gen. Pl. 2: 861. 1891. Armillaria luteovirens, (A. & S.) Fr. Agaricus luteovirens, A. & S. S. Syn. Car. 82 (56) no. 622. 1822. S. Syn. Am. Bor. 146 no. 31. 1834. Curtis, M. A., Bot. N. Car. 84. 1867. Mastoleucomyces luteovirens, O. Kuntze. Kuntze, O., Rev. Gen. Pl. 2: 861. 1891.

Armillaria macrospora, Pk.
Pk. Bull. Torr. Bot. Club 27: 610. d. 29 Dec. 1900.
Sacc. & Syd. Syll. 16: 19. d. 1 Feb. 1902.

Armillaria megalopoda, Bres. Hay, Bull. Nat. Hist. Soc. N. B. 5: 115. Mastoleucomyces megalopodus, O. Kuntze. Kuntze, O., Rev. Gen. Pl. 2: 861. 1891.

Armillaria mellea, (Vahl) Fr.

NOTE. The sclerotioid condition of this species is the Rhizomorpha subcorticalis of older mycologists and we have for convenience inserted here the North American references to that Rhizomorpha but without intending to imply that in all cases cited the Rhizomorpha belongs beyond doubt to Armil-

A difficulty in the synonymy arises from the fact that while Armillaria mellea normally has an annulus, specimens are occasionally found belonging

undoubtedly to this species but in which the annulus is wanting.

There are other cases of forms referred to Clitocybe by some writers in consequence of the absence of an annulus, although in other respects certainly closely related to Armillaria mellea. Whether such forms are to be regarded as distinct species or merely as forms of Armillaria mellea is a matter of individual judgment. Peck in Rept. N. Y. Mus. 46: 134 (54). Dec. 1893 proposed the name Armillaria mellea, var. exannulata to include such forms. Later in Rept. N. Y. Mus. 511: 284, 302. 11 Feb. 1899 he expresses the opinion that Clitocybe monadelpha, Morg. is distinct. We have here brought together all the references to Clitocybe monadelpha and Clitocybe aquatica since they need to be consulted in connection with Armillaria mellea.

It should be remarked that this species was placed by Karsten (1879) in the genus Armillariella characterized by an annulus and decurrent gills as distinguished from forms like Armillaria robusta, (A. & S.) Fr. in which the gills are not decurrent.

Sacc. Cub. & Manc. Syll. **5**: 80. d. 28 May 1887. Pound, Bull. Nebr. Exp. Sta. 1: 360 (90). 18 Dec. 1889. Pk. Rept. N. Y. Mus. 48: 88 (42). d. 91 (45). Oct. 1890.

```
Taylor, Rept. U. S. Agr. 1890: 367 (6). pl. 1, f. 4. 1890. [Reprint
Banning in Pk. Rept. N. Y. Mus. 44: 179 (67). Dec. 1891.

Webber, Tr. St. Louis Acad. 6: 18. 12 March 1892 and Contr. Bot.

Dept. Univ. Nebr. 3: 18. 14 June 1892.

*Briosi & Cav. Füng. Piante Colt. 166. d. f. April 1892.

Fairman, Proc. Rochester Acad. 2: 155. Feb. 1893.

Ath. & Schenk, Jour. Mitch. Sc. 9: 0 (7). April 1802.
Fairman, Proc. Rochester Acad. 2: 155. Feb. 1893.
Atk. & Schrenk, Jour. Mitch. Soc. 9: 99 (5). April 1893.
Pk. Rept. N. Y. Mus. 46: 133 (53). Dec. 1893.
*Shear, N. Y. Fungi 102. 1893.
Taylor, Food Products 2: 21. 1893.
Pk. Country Gent. 59: 582 (48). f. 9 Aug. 1894.
Underw. Proc. Ind. Acad. 1893: 61. Aug. 1894.
Pk. Rept. N. Y. Mus. 47: 172 (46). 20 Nov. 1894.
Kellerm. & Werner, Geol. Ohio 72: 302. Jan. 1895.
*Ell. & Ev. N. A. F. 3201. 24 April 1895.
McClatchie in Reid's Hist. Pasadena 619. 1895.
Bates. Tr. Mass. Hort. Soc. 1896: 185. d. 1806.
        McClatchie in Reid's Flist. Pasadena of 19. 1895.

Bates, Tr. Mass. Hort. Soc. 1896: 185. d. 1896.

Webster, Am. Kitchen Mag. 6: 216. Feb. 1897.

Pk. Rept. N. Y. Mus. 48: 262 (164). d. pl. 20. March 1897.

Atk. Bull. Cornell Univ. 8: 24. 25 June 1897.

McClatchie, Proc. S. Cal. Acad. 1: 385. 5 June 1897.

Underw. & Earle, Bull. Ala. Exp. Sta. 80: 256. 28 June 1897.

Taylor Hable, Muchrooms 2: 24. 5. 5. 1888.
 Underw. & Earle, Bull. Ala. Exp. Sta. 80: 256. 28 June 1897.
Taylor, Hdbk. Mushrooms 3: 2. pl. E, f. 1. 1897.
*Ell. & Ev. N. A. F. 3501. 24 Jan. 1898.
Williams, Asa Gray Bull. 6: 106. Dec. 1898.
Henn. in Engler & Prantl, Pflanzenfam. 11**: 270. d. f. 123 B. 1898.
[Underw.] N. Y. Myc. Club 16. 1898.
Pk. Bull. N. Y. Mus. 6: 193. July 1899.
Shear, Asa Gray Bull. 7: 93. Oct. 1899.
Herbst, Fungal Fl. Lehigh Valley 36. d. pl. 1899.
Jelliffe, Flora of Long Island 42. 1899.
Longyear, Rept. Mich. Agr. 1898: 02. 1800.
         Underw. Moulds 121. 1899.
Underw. Moulds 121. 1899.
Webster, Rhodora 2: 32. 7 Feb. 1900.
Perry, Agricultural Student 6: 179. May 1900 and Ohio Univ. Bull.
IV. 30: 7. May 1900.
         Atk. Mushrooms, 11. pl. 2, f. 11. 83. d. pl. 27, f. 85. 20 Oct. 1900. Hyams, Bull. N. Car. Exp. Sta. 177: 31. d. Dec. 1900. Atk. in Bailey's Cycl. Am. Hort. 1045. 1900.
        Atk. in Bailey's Cycl. Am. Hort. 1045. 1900.

McIlvaine & Macadam, Am. Fung. 55. d. pl. 16, f. 1. 1900.

Wilcox, Bull. Okla. Exp. Sta. 49: 6. pl. 4, f. 5. pl. 9, f. 18. Feb. 1901.

Sweetzer, Bull. Pacific Univ. 14: 12. May 1901.

Earle in Mohr. Contr. U. S. Nat. Herb. 6: 227. 31 July 1901.

Jelliffe & Underw. Proc. Nat. Sci. Assoc. Staten Isl. 8: no. 10. 14 Dec.
       1901.
Sturgis, Rept. Conn. Exp. Sta. 24: 272. 1901.
Brown & Fernekes, Bull. Wis. Nat. Hist. Soc. II. 2: 46. Jan. 1902.
Murrill, Torreya 2: 25. 21 Feb 1902.
Webster, Rhodora 4: 77. 4 April 1902.
Ricker, Univ. of Maine Studies 3: 55. 30 April 1902.
Ferguson, Bull. U. S. Agr. Pl. Industry 16: 15. 14 June 1902.
White, Bull. Torr. Bot. Club 29: 562. 26 Sept. 1902.
Conant, Bull. Boston Myc. Club 19: 5 Feb. 1903.
Walker, Rept. Arkansas Exp. Sta. 1902: 30. Feb. 1903.
Hay, Bull. Nat. Hist. Soc. N. B. 5: 114. 1903.
Longyear, Special Bull. Mich. Exp. Sta. 25: 45. March 1904.
Longyear, Rept. Mich. Acad. 4: 115. 1904.
```

MacKay, Tr. N. Scot. Inst. 11: 124. Aug. 1904. Agaricus melleus, Vahl. Muhl. Tr. Am. Phil. Soc. 4: 240. 1799. Muhl. Tr. Am. Phil. Soc. 4: 240. 1799. Grev. Scot. Crypt. Fl. 6: pl. 332. 1828. S. Syn. Am. Bor. 145 no. 20. 1834. Lea, Cat. Pl. Cin. 49. 1849. *Rav. Fung. Car. 2: 1. 1853. Sprague, Proc. Boston Soc. 6: 316. 1859. Curtis, M. A., Bot. N. Car. 84. 1867. Pk. Rept. N. Y. Mus. 22: 76. 1869. Curtis, M. A., Jour. Roy. Hort. Soc. Il. 2: 73. 1870. Cke. Handbook 19. pl. 2, f. 3. f. 36. d. 1871. Pk. Rept. N. Y. Mus. 28: 73. d. 1872. Pk. Rept. N. Y. Mus. 24: 102. 1872. Pk. Rept. N. Y. Mus. 24: 102. 1872. Parker. Proc. Poughk. Soc. 1: 84. 1 Nov. 1875. Parker, Proc. Poughk. Soc. 1: 84. I Nov. 1875. Frost in Cat. Pl. Amherst 62. 1875. Farl. Bull. Bussey Inst. 1: 436. March 1876. Pk. Tr. Albany Inst. 8: 164. 1876. Johnson, Bull. Minn. Acad. 1: 212. 1877 and 1877 and Rept. Minn. Surv. 5: 67. 1877.

Morg. Fl. Miami Valley 67. 1878.

James, Jour. Cin. Soc. 2: 63 (22). April 1879.

Fowler, Rept. Agr. N. B. 1878: Append. B: 63.

Hark. & Moore, Cat. Pac. Fung. 2. Feb. 1880. *Rav. Fung. Am. 407. 1881.

Morg. Jour. Cin. Soc. 6: 64. d. April 1883.

Pk. Rept. N. Y. Mus. 83: 36. Oct. 1883.

Bundy, Geol. Wis. 1873-70, 1: 396. 1883.

Pk. in Day's Cat., Bull. Buf. Soc. 4: 175 (111). 1883. rk. in Day's Cat., Bull. Buf. Soc. 4: 175 (111). 1883. Rav. S. Cat. Resources 354. 1883. Porcher in Wood's Hdbk. Med. Sci. 8: 274. pl. 12, f. 7. 1886. Pk. Rept. N. Y. Mus. 89: 57. Sept. 1887. Cobb, List. Pl. Amherst 31. 1887. Dudley, P. H., Bull. U. S. Agr. Forestry 1: 44, 50. 1887. Langlois, Cat. Pl. La. 27. 1887. Somers, Tr. N. Scot. Inst. 6: 286. 1887. Scribner Rot Gaz 18: 18 129. 1887. Langiois, Cat. Pl. La. 27. 1887.
Somers, Tr. N. Scot. Inst. 6: 286. 1887.
Scribner, Bot. Gaz. 18: 15. Jan. 1888.
Macbr. Bull. Univ. lowa 1: 38. d. Nov. 1888.
Bennett, Cat. Pl. R. l. 76. 1888.
Pk. Rept. N. Y. Mus. 41: 91, 92. 1888.
Ell. in Cat. Pl. N. J. 469. 1889.
Scribner, Orchard & Garden 12: 12. d. f. 1485, 1622. Jan. 1890.
Pammel, Proc. Soc. Prom. Agr. Sci. 1890: 91. 1890.
Mayer, Waldungen von Nordamer. 211, 434. 1890.
Scribner, Fung. Dis. 65. f. 1485, 1622. 1890.
Scribner, Fung. Dis. 65. f. 1485, 1622. 1890.
Scribner, Fung. Dis. 65. f. 1485, 1622. 1892.
Taylor, Rept. U. S. Agr. Veg. Pathol. 2: 158. 1892.
Taylor, Rept. U. S. Agr. 1891: 412 (12). d. pl. 2. 1892. [Reprint 1893.]
McCarthy, Bull. N. Car. Exp. Sta. 92: 116, 122. f. 65. 22 Aug. 1893.
Eby, Fungi of Lancaster Co. 7. 1894.
Starnes, Bull. Ga. Exp. Sta. 28: 282. Sept. 1895.
Anderson, Bot. Gaz. 22: 235. 23 Sept. 1896.
Graves, Asa Gray Bull. 5: 28. March 1897.
Gall. & Woods, Yearb. U. S. Agr. 1896: 249. 1897.
Taylor, Hdbk. Mushrooms 2: 13. d. pl. 6. 1897.
Tubeuf-Smith, Diseases of Plants 455. f. 285-288. 1897.
Schrenk, Bull. U. S. Agr. Veg. Pathol. 25: 50. 1900.
Trel. Rept. Mo. Hort. Soc. 48: 234 (11). 1900.
Wilcox, Bot. Gaz. 82: 226. 24 Sept. 1901.

Schrenk, Pacific Rural Press 61: 324. 1901. Schrenk, Yearb. U. S. Agr. 1900: 200. 1901. Piper & Fletcher, Bull. Wash. Exp. Sta. 59: 3. f. 1-4. Agaricus polymyces, P.
Muhl. Cat. Pl. Am. Sept. 1 ed. 104. 1813. 2 ed. 107. 1818.
S. Syn. Car. 80 (54) no. 566. 1822. Mastoleucomyce's melleus, O. Kuntze. Kuntze, O., Rev. Gen. Pl. 2: 861. Rhizomorpha subcorticalis, P. Muhl. Cat. Pl. Am. Sept. 1 ed. 106. 1813. 2 ed. 108. 1818. S. Syn. Car. 131 (105) no. 1369. 1822. Hitchcock, Cat. Pl. Amherst 63. 1829. Hitchcock, Cat. Pl. Mass. 647. 1833. 2 ed. 648 (128). 1835 1833. 2 ed. 648 (128). 1835. *Rav. Fung. Car. 8: 47. 1855. Curtis, M. A., Bot. N. Car. 139. 1 Pk. Rept. N. Y. Mus. 24: 97. 187 Frost in Cat. Pl. Amherst 93. 1875 1867. 1872. Lesquereux, Rev. Myc. 8: 74. July 1881. *Ell. N. A. F. 833. 1882. Cobb, List Pl. Amherst 45. 1887. Webber, Rept. Nebr. Agr. **1889**: 216 (76). 1890. *Ell. & Ev. N. A. F. 3100. April 1894. *Ell. & Ev. Fung. Columb. 400. 1894. **Armillaria mellea,** (Vaĥl) Fr., var. **albida,** Pk. Pk. Rept. N. Y. Mus. **46**: 134 (54). d. Dec. 1893. Pk. Country Gent. **59**: 583 (50). 9 Aug. 1894. McIlvaine & Macadam, Am. Fung. 56. d. 1900. Armillaria mellea, (Vahl) Fr., var. bulbosa, Pk. Pk. Rept. N. Y. Mus. 46: 133 (53). d. Dec. 1893.
Pk. Country Gent. 59: 583 (50). 9 Aug. 1894.
McIlvaine & Macadam, Am. Fung. 56. d. 1900.
Hyams, Bull. N. Car. Exp. Sta. 177: 32. Dec. 1900.
Piper & Fletcher, Bull. Wash. Exp. Sta. 59: 13. d. f. 5. Armillaria mellea, (Vahl) Fr., var. flava, Gillet. Pk. Rept. N. Y. Mus. 46: 134 (54). Dec. 1893. Pk. Country Gent. **59**: 583 (50). 9 Aug. 1894. McIlvaine & Macadam, Am. Fung. 56. d. 1900. Hyams, Bull. N. Car. Exp. Sta. 177: 32. Dec. 1900. Armillaria mellea, (Vahl) Fr., var. glabra, Gillet. Pk. Rept. N. Y. Mus. 46: 134 (54). Dec. 1893. Pk. Country Gent. 59: 583 (50). 9 Aug. 1894. McIlvaine & Macadam, Am. Fung. 56. d. 1900. Hyams, Bull. N. Car. Exp. Sta. 177: 32. Dec. 1900. Armillaria mellea, (Vahl) Fr., var. nigripes, Pk. nom. nud. McClatchie in Reid's Hist. Pasadena 619. 1895. Armillaria mellea, (Vahl) Fr., var. obscura, Gillet. Pk. Rept. N. Y. Mus. 46: 134 (54). Dec. 1893. Pk. Country Gent. **59**: 583 (50). 9 Aug. 1894. McIlvaine & Macadam, Am. Fung. 56. d. 1900. Hyams, Bull. N. Car. Exp. Sta. 177: 32. Dec. 1900. Armillaria mellea, (Vahl) Fr., var. radicata, Pk. Pk. Rept. N. Y. Mus. 44: 150 (38). Dec. 1891. Pk. Rept. N. Y. Mus. 46: 134 (54). Dec. 1893. Pk. Country Gent. 59: 583 (50). 9 Aug. 1894. McIlvaine & Macadam, Am. Fung. 56. d. 1900.

```
Armillaria mellea, (Vahl) Fr., var. exannulata, Pk.
      Pk. Rept. N. Y. Mus. 46: 134 (54). d. Dec. 1893.
     Pk. Rept. N. 1. Mus. 40: 134 (54). a. Dec. 1093.

Pk. Country Gent. 59: 583 (50). 9 Aug. 1894.

McIlvaine & Macadam, Am. Fung. 56. d. pl. 16, f. 2. 1900.

Hyams, Bull. N. Car. Exp. Sta. 177: 32. Dec. 1900.

Wilcox, Bull. Okla. Exp. Sta. 49: 17. d. 18. pl. 4, f. 4. Feb. 1901.

Clitocybe sociales, Fr.
      McIlvaine & Macadam, Am. Fung. 89. d. 1900. 
Clitocybe gymnopodia, Auct.
     Langlois, Proc. La. Soc. Naturalists 1897-9: 56. d. 1900.
     Agaricus monadelphus, Morg.
Morg. Jour. Cin. Soc. 6: 69. d. pl. 4. April 1883.
Cragin, Bull. Wash. Lab. 1: 19. Sept. 1884.
     Perry, Agricultural Student 6: 179. May 1900 and Ohio Univ. Bull. IV. 30: 7. May 1900. Clitocybe monadelpha, Morg.
    Ciltocybe monadelpha, Morg.

Morg. Jour. Cin. Soc. 6: 69. d. pl. 4. April 1883.

Sacc. Cub. & Manc. Syll. 5: 164. d. 28 May 1887.

Kellerm. & Werner, Geol. Ohio 72: 303. Jan. 1895.

Pk. Rept. N. Y. Mus. 511: 284, 302. d. pl. 51, f. 1-5. II Feb. 1899.

Lloyd, Myc. Notes 17. d. April 1899.

Herbst, Fungal Fl. Lehigh Valley 44. d. 1899.

McIlvaine & Macadam, Am. Fung. 89. d. pl. 27. 1900.

Pk. Mem. N. Y. Mus. 8: 140. d. pl. 46, f. 7-12. Nov. 1900.

Hyams, Bull. N. Car. Exp. Sta. 177: 38. Dec. 1900.

Wilcox, Bull. Okla. Exp. Sta. 49: 17. d. pl. 6, 9, f. 17. Feb. 1901.

Earle in Mohr, Contr. U. S. Nat. Herb. 6: 226. 31 July 1901.

Williamson, Proc. Ind. Acad. 1900: 164. 1901.

Earle, Torreya 8: 60. 18 April 1903.

Ciltocybe aquatica, Banning.

Banning in Pk. Rept. N. Y. Mus. 44: 180 (68). d. Dec. 1891.
     Banning in Pk. Rept. N. Y. Mus. 44: 180 (68). d. Dec. 1891.
     Sacc. Syll. 11: 14. d. July 1805.
Armillaria melleorubens, B. & C. B. & C. Jour. Linn. Soc. 10: 283. d. Sacc. Cub. & Manc. Syll. 5: 81. d. 2
                                                                                        28 May 1887.
    Agaricus melleorubens, B. & C.
B. & C. Jour. Linn. Soc. 10: 283. d. 1869.

Mastoleucomyces melleorubens, O. Kuntze.
                                                                                                                                        West Indies.
     Kuntze, O., Rev. Gen. Pl. 2: 861. 1891.
Armillaria mueida (Schrad.) Fr.
Sacc. Cub. & Manc. Syll. 5: 85. d. 28 May 1887.
Pk. Rept. N. Y. Mus. 48: 90 (44). Oct. 1890.
Banning in Pk. Rept. N. Y. Mus. 44: 187 (75).
                                                                                                                     Dec. 1891.
     McIlvaine & Macadam, Am. Fung. 58. d. 1900. Agaricus mucidus, Schrad.
    S. Syn. Car. 80 (54) no. 562. 1822.
S. Syn. Am. Bor. 145 no. 19. 1834.
Curtis, M. A., Bot. N. Car. 84. 180
     Cke. Handbook 20. d. 1871.
    Mastoleucomyces mucidus, O. Kuntze.
Kuntze, O., Rev. Gen. Pl. 2: 861. 1891.
Armiliaria nardosmia, Ell.
         NOTE. The Agaricus rhagadiosus recorded by Peck, Rept. N. Y. Mus. 33: 18. Oct. 1883 is stated by him in Rept. 43: 87(41). Oct. 1890 to be
         the same as Armillaria nardosmia, Ell. Whether the latter should be con-
         sidered distinct from the true Armillaria rhagadiosa, Fr. he thinks doubtful.
          Jelliffe states in a letter that his record of Clitocybe rhagadiosa is based upon
```

the above citation of Peck. A. B. S.

Eil. Bull. Torr. Bot. Club **6**: 75. d. Feb. 1876. Sacc. Cub. & Manc. Syll. **5**: 86. d. 28 May 1887. Pk. Rept. N. Y. Mus. **48**: 87 (41). d. 91 (45). Oct. 1890. Henn. in Engler & Prantl, Pflanzenfam. **1**^{1**}: 270. 1898. Herbst, Fungal Fl. Lehigh Valley 37. d. 1899. McIlyaine & Macadam, Am. Fung. 57. d. 1900. *Shear, Ell. & Ev. Fung. Columb. 1401. May 1901. Agaricus nardosmius, Ell. Ell. Bull. Torr. Bot. Club 6: Ell. in Cat. Pl. N. J. 469. 18 75. d. Feb. 1876. 1889. Agaricus rhagadiosus, Pk. an Fr.? Pk. Rept. N. Y. Mus. 33: 18. Oct. 1883. ?Armillaria rhagadiosa. Pk. Rept. N. Y. Mus. 43: 88 (42). Oct. 1890. Clitocybe rhagadiosus, Jelliffe. Jelliffe, Flora of Long Island 42. 1899 Mastoleucomyces nardosmius, O. Kuntze. Kuntze, O., Rev. Gen. Pl. 2: 861. 1891. Armillaria ponderosa. Pk. Pk. Bull. Buf. Soc. 1: 42. d. July 1873.
Pk. Rept. N. Y. Mus. 26: 50. d. April 1874.
Sacc. Cub. & Manc. Syll. 5: 78. d. 28 May 1887.
Pk. Rept. N. Y: Mus. 43: 87 (41) d. 91 (45). Oct. 1890
Henn. in Engler & Prantl, Pflanzenfam. 1 **: 270. 1894 McIlvaine & Macadam, Am. Fung. 54. d. 1900. Hay, Bull. Nat. Hist. Soc. N. B. 5: 115. 1903. Agaricus ponderosus, Pk.
Pk. Bull. Buf. Soc. 1: 42. d. July 1873.
Pk. Rept. N. Y. Mus. 26: 50. d. April 1874. Frost in Cat. Pl. Amherst 62. 1875 Pk. Rept. N. Y. Mus. 29: 66. 187**8**. Cobb, List Pl. Amherst 31. 18
Agaricus magnivelaris, Pk.
Pk. Rept. N. Y. Mus. 29: 66. 1887. Mastoleucomyces ponderosus, O. Kuntze. Kuntze, O., Rev. Gen. Pl. 2: 861. Armillaria ramentacea, (Bull.) Fr.
Sacc. Cub. & Manc. Syll. 5: 76. d. 28 May 18
Pk. Rept. N. Y. Mus. 48: 91 (45). Oct. 1890. 28 May 1887. Agaricus ramentaceus, Bull. Frost in Cat. Pl. Amherst 62. 1875. Cobb, List Pl. Amherst 31. 1887. Mastoleucomyces ramentaceus, O. Kuntze. Kuntze, O., Rev. Gen. Pl. 2; 860. 1891. **Armillaria rhagadiosa**, Fr. See Armillaria nardosmia, Ell. · Armillaria robusta, (A. & S.) Fr. Pk. Rept. N. Y. Mus. **48**: 91 (45). Oct. 1890. McIlvaine & Macadam, Am. Fung. 52. d. 1900. Conant, Bull. Boston Myc. Club 19: 5 Feb. 1903. Hay, Bull. Nat. Hist. Soc. N. B. **5**: 115. 1903. Agaricus robustus, A. & S. S. Syn. Car. 80 (54) no. 561. 1822. S. Syn. Am. Bor. 145 no. 17. 1834. Curtis, M. A., Bot. N. Car. 84. 1867. Mastoleucomyces robustus, O. Kuntze. Kuntze, O., Rev. Gen. Pl. 2: 861. 1891,

Pk. Bull. Torr. Bot. Club **27**: 611. d. 29 Dec. 1900. Sacc. & Syd. Syll. **16**: 20. d. 1 Feb. 1902.

Armillaria solidipes, Pk.

Armillaria umbilicata, (Pat.) Sacc. & Syd. Sacc. & Syd. Syll. 16: 19. d. 1 Feb. 1902. Armillariella umbilicata, Pat. Pat. Bull. Soc. Myc. Fr. 15: 191. d. 31 July 1899. West Indies. Duss, Champ. Guad. & Martinique 52. 1903. Armillaria viscidipes, Pk.
Pk. Rept. N. Y. Mus. 44: 128 (16). d. pl. 2, f. 1-3.
Pk. Rept. N. Y. Mus. 46: 134 (54). Dec. 1893.
Sacc. Syll. 11: 7. d. July 1895
McIlvaine & Macadam, Am. Fung. 53. d, 1900. Dec. 1801. Armillariella mellea, Karst. See Armillaria mellea, (Vahl) Fr. Armillariella umbilicata, Pat. See Armillaria umbilicata, (Pat.) Sacc. & Syd. Arrhenia tenella, Fr. NOTE. The genus Arrhenia is differently limited by different writers. The species given below is placed by Quélet in Dictyolus. Otto Kuntze substitutes Auriscalpium, S. F. Gray for Arrhenia, Fr. but Auriscalpium, S. F. Gray is based on Hydnum Auriscalpium, L. which is an entirely different plant from Arrhenia Auriscalpium, Fr., the type of Arrhenia. Sacc. Cub. & Manc. Syll. 5: 400. d. 28 May 1887.* Cantharellus tenellus, Fr. S. Syn. Am. Bor. 153 no. 297. 1834. Auriscalpium tenellum, O. Kuntze. Kuntze, O., Rev. Gen. Pl. 82: 446. 1898. Arrhytidia, B. & C. Note. The genus Arrhytidia is placed by Patouillard, Essai Tax. 30. 1900 in Guepiniopsis, Pat. In regard to Arrhytidia flava given below an examination of the original specimen shows that although it belongs to the Dacryomycetinea it does not seem to be a genuine Guepiniopsis. Whether Arrhytidia can be regarded as a good genus can not be satisfactorily determined until its development is better known. B. & C. Hook. Jour. Bot. 1; 235 (106). d. 1849. B. & C. Am. Jour. Sci. II. 10: 187. d. Sept. 1850. Fr. Nova Acta R. Soc. Sci. Upsal. III. 1: 114. 1851. Sacc. Cub. & Manc. Syll. 6: 804. d. 1 Aug. 1888. Arrhytidia flava, B. & C. B. & C. Hook. Jour. Bot. 1: 235 (106). d. 1849. [Decades no. 224.] B. & C. Hook. Jour. Bot. 1: 235 (106). d. 1849. [Decades n B. & C. Am. Jour. Sci. II. 10: 187. d. Sept. 1850. Curtis, M. A., Bot. N. Car. 101. 1867. B. Grev. 1: 70 (18). d. Nov. 1872. Sacc. Cub. & Manc. Syll. 6: 805. d. 1 Aug. 1888. Underw. & Earle, Bull. Ala. Exp. Sta. 80: 222. 28 June 1897. Henn. in Engler & Prantl, Pflanzenfam. 11**: 102. 1808. Earle in Mohr, Contr. U. S. Nat. Herb. 6: 196. 31 July 1901. Arrhytidia fulva, B. & C. Curtis, M. A., Bot. N. Car. 101. 1867.
B. Grev. 1: 70 (18) no. 171. d. Nov. 1872.
Sacc. Cub. & Manc. Syll. 6: 805. d. 1 Aug. 1888.
Underw. & Earle, Bull. Ala. Exp. Sta. 80: 222. 28 June 1897.
Henn. in Engler & Prantl, Pflanzenfam. 11**: 102. 1898.
Earle in Mohr, Contr. U. S. Nat. Herb. 6: 196. 31 July 1901.

Arthrinium caricicolum, Kze.

S. Syn. Am. Bor. 278 no. 2612. 1834. Cke. Bull. Buf. Soc. 8: 201. July 1877.

Arthrinium curvatum, Kze.

See Camptoum curvatum, (Kze.) Lk.

Arthrinium sporophlœum, Kze. Sporophiœum gramineum, Lk.

S. Svn. Am. Bor. 278 no. 2615. 1834. Cke. Bull. Buf. Soc. 8: 201. July 1877.

Arthonia confluens, Auct. Amer. p. p.

The genus Arthonia has usually been considered to belong to Note. lichens although some modern writers consider that at least part of the species should be regarded as fungi. In the two citations given below Peziza pruinata, S. is said to be Arthonia confluens, a statement difficult to understand since P. pruinata is properly considered to be a synonym of Solenia poria-formis, (P.) Fckl. and is not related in the least to Arthonia.

Furthermore from the citations below it is not possible to say which of the several species known at different times under the name Arthonia confluens is referred to. Apparently as used by lichenologists at the present day that name is a synonym of different species of Opegrapha and Graphis.

For North American species of Arthonia from a lichenological point of

view see Synopsis of the Genus Arthonia by Henry Willey, 1890.

Cke. Bull. Buf. Soc. 2: 293. March 1875. B. Grev. 8: 156 (134). June 1875.

Arthrobotrys, Cda. Pound & Clements, Minn. Bot. Studies 9: 664. d. 30 Nov. 1896.

Arthrobotrys oligospora, Fres.

See Arthrobotrys superba, Cda., var. oligospora, (Fres.) Coem.

Arthrobotrys rosea, Massee.
Patterson, Bull. U. S. Agr. Pl. Industry 8: 27. 3 Feb. 1902.

Arthrobotrys superba, Cda., var. oligospora, (Fres.) Coem.

Pound, Bot. Surv. Nebr. 3: 11. 18 June 1894.

Arthrobotrys oligospora, Fres.

Farl. Bull. Bussey Inst. 1: 439. March 1876.

Arthrobotryum, Ces.

NOTE. The genus Arthrobotryum, attributed by various mycologists to Cesati, was originally described, although rather vaguely, in Klotzsch Herb. Viv. Myc. no. 1821. 1854, under the generic name Arthrographium and the description was repeated in Bot. Zeit. 12: 186. 1854. In both places is quoted the figure in Hedwigia 1: pl. 4, f. 3 (error for f. 1) which is called Arthrobotryum stilboides without notes or description. As it is doubtful whether the generic characters as understood by Cesati could be recognized from the figure alone it might be questioned whether Arthrographium should not replace Arthrobotryum. Since the latter name has been constantly used by subsequent mycologists, not always perhaps in the same sense as used by Cesati, we have not thought it best to abandon the name.

Some of the North American species which have been by some writers included in Arthrobotryum do not appear to us to be congeneric with A. stil-

boides, especially those here referred to Arthrosporium.

Whether Didymobotryum, Sacc. Syll. 4: 626. d. 10 April 1886 should be considered distinct from Arthrobotryum is so far as North American species are concerned doubtful and we have placed the North American species of Didymobotryum under the present genus.

Pound & Clements, Minn. Bot. Studies 9: 728. d. 31 May 1897.

Arthrobotryum atrocephalum, (Ell.) Sacc.

Sacc. Syll. 4: 630. d. 10 April 1886. Stilbum atrocephalum, Ell.

Ell. Bull. Torr. Bot. Club **6**: 107. *d*. Sept. 1876. Ell. in Cat. Pl. N. J. 572. 1889.

Wettsteiniella atrocephala, O. Kuntze.

Kuntze, O., Rev. Gen. Pl. 2: 875.

Arthrobotryum compositum, Pound & Clements.

See Arthrosporium compositum, Ell.

Arthrobotryum didymum, (Cke.) Pound & Clements.

NOTE. We have not been able to examine an authentic specimen of this species but the spores are said to be 1-septate and for this reason it is placed by Saccardo in *Didymobotryum*. Since however *D. pubescens* is to be referred to Arthrobotryum we have preferred to place this species also in Arthrobotryum since, judging from the described species, the grounds on which Didymobotryum is separated from Arthrobotryum seem hardly adequate.

Pound & Clements, Minn. Bot. Studies 9: 728. 31 May 1897.

Stilbum didymum, Cke.

Cke. Grev. 7: 34. d. Sept. 1878.

Didymobotryum Cookei, Sacc.

Sacc. Syll. 4: 626. d. 10 April 1886. Lindau in Engler & Prantl, Pflanzenfam. 11**: 496. Feb. 1900.

Arthrobotryum fusisporium, A. L. Smith.

Smith, A. L., Jour. Linn. Soc. 85: 13. d. pl. 1, f. 13-15. 1 April 1901. West Indies.

Sacc. & Syd. Syll. 16: 1158. 1 Feb. 1902.

Arthrobotryum Melanoplaca, B. & C.

NOTE. This seems to be the conidia of a species of Meliola, possibly M. penicilliformis, Gaillard described on Psychotria from South America. See Gaillard, Le Genre Meliola 57. pl. 6, f. 2. 1892.

B. & C. Jour. Linn. Soc. 10: 360. d. 1869 Sacc. Syll. 4: 629. d. 10 April 1886. Wettsteiniella Melanoplaca, O. Kuntze.

West Indies.

Kuntze, O., Rev. Gen. Pl. 2: 875. 1891.

Arthrobotryum pubescens, (C. & E.) Pound & Clements.

NOTE. The spores of this species as figured in Grev. 6: pl. 96, f. 38 are two-celled but mature spores as shown in N. A. F. 2488 are four-celled and dark colored and the species belongs to Arthrobotryum rather than to Didymobotryum where it is placed by Saccardo.

Pound & Clements, Minn. Bot. Studies 9: 728. 31 May 1897. Graphium pubescens, C. & E.

C. & E. Grev. 6: 5. d. pl. 96, f. 38. Sept. 1877. Ell. in Cat. Pl. N. J. 573. 1889. *Ell. & Ev. N. A. F. 2488. 1890.

Didymobotryum pubescens, Sacc.

Sacc. Syll. 4: 627. d. 10 April 1886. Lindau in Engler & Prantl, Pflanzenfam. 11**: 496. Feb. 1900.

Arthrobotryum robustum, C. & E. C. & E. Grev. 7:7. d. Sept. 1878. Sacc. Syll. 4: 629. d. 10 April 1886. Ell. in Cat. Pl. N. J. 573. 1889. Wettsteiniella robusta, O. Kuntze.

Kuntze, O., Rev. Gen. Pl. 2: 875. 1891.

Arthromitus, Leidy.

Leidy, Proc. Phil. Acad. 4: 227. d. 9 Oct. 1849 and 5: 36. 30 April 1850.

Leidy, Smithsonian Contrib. 52: 33. d. 34. April 1853.

Arthromitus cristatus, Leidy.

Leidy, Proc. Phil. Acad. 4: 227 d. 9 Oct. 1849.

Leidy, Smithsonian Contrib. 52: 34. d. pl. 2, f. 1. pl. 5, f. 3d, 14-15. pl. 6, f. 5^c. pl. 8, f. 1^f, 2^d, 3, 4, 5. April 1853. **Arthromitus nitidus,** Leidy.

Leidy, Proc. Phil. Acad. 5: 35. d. 30 April 1850.

Arthromitus nitidus, Leidy

See *Arthromitus cristatus*, Leidy.

Arthrosporium compositum, Ell.

*Ell. N. A. F. 415. 1880. Ell. Bull. Torr. Bot. Club 8: 64. d. June 1881.

Sacc. Syll. 4: 598. a. 10 April 1886. Ell. in Cat. Pl. N. J. 573. 1889. Morg. Bot. Gaz. 15: 85. April 1890.

*Barthol., Ell. & Ev. Fung. Columb. 1711. Feb. 1903. Arthrobotryum compositum, Pound & Clements.

Pound & Clements, Minn. Bot. Studies 9: 728. 31 May 1897.

Artocreas Micheneri, B. & C.

See Aleurodiscus Micheneri, (B. & C.) Massee.

Artotrogus, Mont.

NOTE. We here refer the species of Artotrogus to Pythium, Pringsh. for the reason that by any other course we should increase bibliographical difficulties already very great. The original Artotrogus of Montagne in B. Jour. Hort. Soc. London 1: 33. pl. 4, f. 27-29. 1846 and Gard. Chron. 1845: 640. 20 Sept. 1845 was very vaguely described and even with the more detailed information given by DeBary who examined Montagne's material one is not able to say with certainty what the type species, Artotrogus hydnosporus, Mont. really was.

Otto Kuntze in Rev. Gen. Pl. 3²: 443. 1898 refers to Artotrogus, Fr. S. O. V. 497. 1825. Fries was not the author of the genus. The citation in Kuntze is an error and should have been Fries, Summa Veg. Scand. 497. 1849 in which place Fries refers to Montagne as the author of the genus adding a second species now known to be the conidial form of Nyctalis lycoperdoides, (Bull.) Schrt.

Pythium as defined by Pringsheim is a genus whose characters are sufficiently well recognized at the present day and the genus is adopted by nearly all modern writers. The intricacies of the synonymy of the genus Pythium as used by writers previous to Pringsheim are so great that it would be a fruitless labor to attempt to straighten them out and it seems to be the part of wisdom to retain the Pythium of Pringsheim which has been in general use since 1858.

Artotrogus DeBaryanus, Atk. See Pythium DeBaryanum, Hesse.

Artotrogus intermedius, Atk. See Pythium intermedium, D By.

Artotrogus, sp. indet. See *Pythium*, sp. indet.

Aschersonia. Mont.

NOTE. For note on the validity of the genus Aschersonia see Hennings,

Henn. Festschrift Ascherson 71, 72. 1904.

Underwoodina, O. Kuntze. Kuntze, O., Rev. Gen. Pl. 32: 538. 1898. Aschersonia Aleyrodis, Webber.
Webber, Proc. Fla. Hort. Soc. 9: 73. 1896?
Webber, Bull. U. S. Agr. V. P. P. 13: 20, 21. d. pl. 2, f. 8. pl. 3, f. 10-16. pl. 4, f. 17-23. 17 June 1897.
Lindau & Syd. Hedw. 87: Beibl. 7: xlix. 9 April 1898. Lindau & Syd. 11edw. 81. Belli. 7: XIIX. 9 April 18 Sacc. & Syd. Syll. 14: 991. d. 20 Aug. 1899. Lindau in Engler & Prantl, Pflanzenfam. 11**: 385. Hume, Bull. Fla. Exp. Sta. 53: 164. March 1900. Gossard, Bull. Fla. Exp. Sta. 67: 622. June 1903. Henn. Festschrift Ascherson 69. 1904. Aschersonia Tahitensis, Webber non Mont. Cockerell, Jour. Inst. Jamaica 1: 262. April 1893. Webber, Jour. Myc. 7: 364. Nov. 1894. Swingle & Webber, Bull. U. S. Agr. V. P. P. 8: 27. pl. 7, f. 2. Aschersonia basicystis, B. & C. NOTE. The original specimens which we have examined although young show that this is really an Aschersonia and can not be placed in the genus B. & C. Jour. Linn. Soc. **10**: 352. *d*. 1869. Sacc. Syll. **8**: 619. *d*. 15 Dec. 1884. Sacc. Syll. **10**: 717. 30 June 1892. Henn. Festschrift Ascherson 68. 1904. West Indies. Bizzozeriella basicystis, O. Kuntze. Kuntze, O., Rev. Gen. Pl. 32: 538. 1898. Aschersonia carpinicola, Ell. & Dearn. See Discella discoidea, C. & P. Aschersonia Cubensis, B. & C. B. & C. Jour. Linn. Soc. 10: 351. d. Sacc. Syll. 3: 620. d. 15 Dec. 1884. West Indies. Henn. Festschrift Ascherson 68. 1904. Aschersonia marginata, Ell. & Ev. Ell. & Ev. Bull. Torr. Bot. Club 22: 436. d. Sacc. Hedw. 85: Rep. 7: xliv. 25 Feb. 1896. Sacc. & Syd. Syll. 14: 989. d. 20 Aug. 1899. 31 Oct. 1895. Hawaii. West Indies. Henn. Festschrift Ascherson 68, 69. 1904. Aschersonia oxyspora, B. NOTE. This name was originally written Aschersonia oxystoma, B. Hook. Jour. Bot. 6: 205 (1). d. 1854. [Decades 463] but for some reason unknown to us Berkeley and subsequent writers have written A. oxyspora. Duss, Champ. Guad. & Martinique 89. 1903. West Indies. Aschersonia paraphysata, Sacc. Henn. Festschrift Ascherson 68. 1904. West Indies. Aschersonia Pittieri, Henn. Henn. Hedw. Beibl. 41: (104). d. 23 June 1902. Cent. Amer. Henn. Festschrift Ascherson 69. 1904. West Indies. Aschersonia rufa, (B. & Br.) Sacc. *Smith, C. L., Cent. Amer. Fungi 46. Cent. Amer. Aschersonia Tahitensis, Webber non Mont.

See Aschersonia Aleyrodis, Webber.

```
Aschersonia turbinata, B. B. Ann. Nat. Hist. II. 9: 199. d. March 1852.
  D. Allii. Ivat. Filst. II. 9: 199. d. March 1852.
Sacc. Syll. 8: 619. d. 15 Dec. 1884.
*Ell. & Ev. N. A. F. 2172. Feb. 1889.
Cockerell, Bull. Torr. Bot. Club 20: 296. 15 July 1893.
Webber, Bull. U. S. Agr. V. P. P. 13: 31. d. pl. 4, f. 24, 25. pl. 5, f. 26.
17 June 1897.
Duss, Champ. Guad. & Martinique 89.
Hann Festschrift Ascharon 68
     Henn. Festschrift Ascherson 68. 1004.
 Aschersonia viridans, (B. & C.) Pat.
Pat. Bull. Soc. Myc. Fr. 7: 48 (9). d. 1891.
Henn. Festschrift Ascherson 68. 1904.
        Hypocrea viridans, B. & C.
    B. & C. Jour. Linn. Soc. 10: 376. d. 1869. Sacc. Syll. 2: 532. d. 13 June 1883. Clintoniella viridans, Sacc. & Syd.
                                                                                                          -West Indies.
    Sacc. & Syd. Syll. 16: 588. I Feb. 1902.
 Aschersonia, sp. indet.
Webber, Proc. Fla. Hort. Soc. 8: 49. 1895.
Millsp. & Nutt. Publ. Field Columb. Mus. Bot. 1: 120. d. Jan. 1896.
Massee, Textbk. Pl. Diseases 102. 1899.
 Ascobolus ærugineus, Fr.
Hark. & Moore, Cat. Pac. Fung. 38. Feb. 1880.
Aseobolus atrofuseus, Phil. & Plowr.
Hark. & Moore, Cat. Pac. Fung. 38. Feb. 1880.
Lindau in Engler & Prantl, Pflanzenfam. 11: 193. Dec. 1894.
Pound & Clements, Bot. Surv. Nebr. 5: 22. 30 March 1901.
Durand, Bull. Torr. Bot. Club 29: 458. d. 25 July 1902 and Rev.
    Myc. 24: (12). Oct. 1902.

Pk. Rept. N. Y. Mus. 564: 31. May 1903. [Bull. 67.]

Seaver, Bull. Univ. Iowa 54: 240 (13), 283 (56). d. pl. 15, f. 1. Nov.
    1904.
Seaver, Proc. Iowa Acad. 12: 114. July 1905.
Phæopeziza Nuttallii, Ell. & Ev.
  *Ell. & Ev. N. A. F. 2908. Oct. 1893.
Ascobolus brunneus, Cke.
    Cke. Grev. 5: 153. June 1877.
    Underw. & Earle, Bull. Ala. Exp. Sta. 80: 200. 28 June 1897. Earle in Mohr, Contr. U. S. Nat. Herb. 6: 157. 31 July 1901. Morg. Jour. Myc. 8: 182. 20 Dec. 1902.
   Seaver, Proc. Iowa Acad. 12: 115. July 1905.
Ascobolus carbonarius, Karst.
Millsp. & Nutt. Publ. Field Columb. Mus. Bot. 1: 152. Jan. 1896.
Ascobolus carneus, P.
        See Ascophanus carneus, (P.) Bond.
Ascobolus ciliatus, Schm.
        See Lasiobolus equinus, (Muell.) Karst.
Ascobolus conglomeratus, S.
        See Angelina rutescens, (S.) Duby.
Ascobolus crenulatus, Karst.
   Pk. Rept. N. Y. Mus. 80: 62. Sept Sacc. Syll. 8: 515. d. 20 Dec. 1889.
                                                            Sept. 1878.
Ascobolus Cubensis, B. & C. B. & C. Jour. Linn. Soc. 10: 370. d. 1869.
                                                                                                           West Indies.
   Sacc. Syll. 8: 516. d. 20 Dec. 1889.
```

Ascobolus furfuraceus. P. See Ascobolus stercorarius, (Bull.) Rehm. **As**cobolus glaber, P. S. Syn. Car. 124 (98) no. 1269. 1822. S. Syn. Am. Bor. 178 no. 958. 1834. S. Syn. Am. Bot. 178 no. 950. 1034. Curtis, M. A., Bot. N. Car. 135. 1867. Cke. Handbook 728. d. 1871. Cke. Bull. Buf. Soc. 2: 300. March 1875. *Ell. & Ev. N. A. F. 2333. 1890. Rehm, Rabh. Krypt. Fl. 13: 1122. d. May 1895. Seaver, Bull. Univ. lowa 54: 280 (53). d. pl. 16, f. 2. Nov. 1904. Seaver, Proc. Iowa Acad. 12: 114. July 1905. Ascobolus immersus, P. S. Syn. Am. Bor. 178 no. 959. 1834. Cke. Bull. Buf. Soc. 2: 300. March 1875. Hark. & Moore, Cat. Pac. Fung. 38. Feb. 1880. Seaver, Bull. Univ. Iowa 54: 234 (7), 238 (11), 281 (54). d. pl. 16, f. 1. Nov. 1904. Seaver, Proc. Iowa Acad. 12: 114. July 1905. Ascobolus incanus, Phil. See Ascophanus incanus, (Phil.) Sacc. Ascobolus Kerverni, Crouan. See Saccobolus Kerverni, (Crouan) Boud. Ascobolus Leveillei, Boud., var. Americanus, C. & E. C. & E. Grev. 5: 52. d. pl. 80, f. 20. Dec. 1876. Ell. in Cat. Pl. N. J. 554. 1889. Rehm, Rabh. Krypt.-Fl. 18: 1124. d. May 1895. Ascobolus major, B. & C.
Curtis, M. A., Bot. N. Car. 135. 1867.
B. Grev. 4: 6 (144) no. 772. d. Sept. 1875.
Cke. Bull. Buf. Soc. 3: 23. Sept. 1875. Sacc. Syll. 8: 519. d. 20 Dec. 1889. Ascobolus papillatus, Wallr. See Lasiobolus equinus, (Muell.) Karst. Ascobolus pilosus, Fr. See Lasiobolus equinus, (Muell.) Karst. Ascobolus polysporus, Karst. See Rhyparobius polysporus, (Karst.) Sacc. Ascobolus purpurascens, (P.) Calkins. Note. This may possibly be Humaria purpurascens, (P.) Quél. Calkins, Jour. Myc. 2: 106. Sept. 1886. Ascobolus raripilus, Phil. See Lasiobolus raripilus, (Phil.) Sacc. Ascobolus stercorarius, (Bull.) Rehm.
Rehm, Rabh. Krypt.-Fl. 1³: 1126. d. May 1895.
Pound & Clements, Bot. Surv. Nebr. 5: 22. 30 March 1901. *Ascobolus furfuraceus*, P. S. Syn. Car. 124 (98) no. 1270. 1 Grev. Scot. Crypt. Fl. 6: pl. 307. 1822. S. Syn. Am. Bor. 178 no. 957. 1834. Curtis, M. A., Bot. N. Car. 135. 1867. Cke. Handbook 727. d. f. 338. 1871. Cke. Bull. Buf. Soc. 2: 300. March 1875.

B. Grev. 4: 6 (144). Sept. 1875. Frost in Cat. Pl. Amherst 91. 18 Parl. Bull. Bussey Inst. 1: 438.
Phil. Grev. 5: 36. Sept. 1876.
Cke. Grev. 7: 47. Dec. 1878.
Pk. Rept. N. Y. Mus. 29: 56. March 1876. 1878. *Rav. Fung. Am. 3/2. 1879. Hark. & Moore, Cat. Pac. Fung. 38. Feb. 1880. B. Jour. Linn. Soc. 17: 16. 1880. Rehm, Asc. Lojk. 31. d. 1882. *Rav. Fung. Am. 632. 1882. Pk. in Day's Cat., Bull. Buf. Soc. 4: 222 (158). 1883. R. II Day's Cat., Bull. Bull. Soc. 4: 222 (158). 1883. Bessey, Bull. Iowa Agr. Coll. 1884: 142. Jan. 1885. Cobb, List Pl. Amherst 47. 1887. Langlois, Cat. Pl. La. 27. 1887. Bennett, Cat. Pl. R. I. 92. 1888. Sennett, Cat. Pl. R. 1. 92. 1888.

Sacc. Syll. 8: 516. d. 20 Dec. 1889.

Ell. in Cat. Pl. N. J. 554. 1889.

Millsp. & Nutt. Publ. Field Columb. Mus. Bot. 1: 152. Jan. 1896.

Harper, Jahrb. Wiss. Bot. 29: 678. pl. 12, f. 41-46. 1896.

McClatchie, Proc. S. Cal. Acad. 1: 364. 5 June 1897.

Harper, Ann. Bot. 18: 515. Dec. 1899.

March 1998. Fairman, Proc. Rochester Acad. 8: 218. March 1900. Durand, Bull. Torr. Bot. Club 27: 481. 29 Sept. 1900. Morg. Jour. Myc. 8: 182. d. 20 Dec. 1902. Seaver, Bull. Univ. Iowa 54: 233 (6), 282 (55). d. pl. 15, f. 2. Nov. 1904. Rostr. Meddelelser om Groenl. 80: 120. 1904. Seaver, Proc. Iowa Acad. 12: 114. July 1905. Ascobolus stereorarius, (Bull.) Rehm, var. retispora, Clements. Pound & Clements, Bot. Surv. Nebr. 5: 9. d. 30 March 1901. Sacc. & Syd. Syll. 16: 1149. 1 Feb. 1902. Ascobolus Trifolii, Biv See Pseudopeziza Trifolii, (Biv.) Fckl. Ascobolus vicinus, Cke. See Ascophanus vicinus. Boud. **Ascobolus vinosus**, B. *Ell. & Ev. N. A. F. 2620. 1891. Rehm, Rabh. Krypt. Fl. 18: 1123. d. May 1895. Ascobolus viridis, Curr.

Pk. Rept. N. Y. Mus. 80: 62. Sept. 1878.

Sacc. Syll. 8: 519. d. 20 Dec. 1889. Seaver, Proc. lowa Acad. 12: 114. July 1905. Ascochyta, Lib. Tassi, Bull. Lab. Bot. Siena **5**: 40. pl. 1, f. 1902. **Ascochyta achlycola,** Ell. & Ev. Ell. & Ev. Proc. Phil. Acad. 1894: 364. d. 30 Nov. 1894. Sacc. Syll. 11: 522. d. July 1895. Ascochyta Alismatis, Ell. & Ev. See Ascochyta Alismatis, (Oud.) Trail. Ascochyta Alismatis, (Oud.) Trail. *Ell. & Ev. N. A. F. 2380. 1890.

Davis, J. J., Tr. Wis. Acad. 14: 94. Sept. 1903.

Ascochyta Alismatis, Ell. & Ev.

Ell. & Ev. Jour. Myc. 5: 148. d. Sept. 1889.

Sacc. Syll. 10: 307. d. 30 June 1892.

Ascochyta ampelina, Sacc.

Trel. Tr. Wis. Acad. 6: 121 (17). Nov. 1884.

Ascochyta Asclepiadis, Ell. & Ev. Ell. & Ev. Proc. Phil. Acad. 1894: 364. d. 30 Nov. 1894. *Ell. & Ev. N. A. F. 3265. 24 April 1895. Sacc. Syll. 11: 524. d. July 1895. Ascochyta Atriplicis. Lasch See Septoria Atriplicis, (Westd.) Fckl. See also Phyllosticta Atriplicis, Desm. Ascochyta baccæ, Rostr. Rostr. Meddelelser om Groenl. 8: 625. d. 1891. Sacc. Syll. 11: 524. d. July 1895. Ascochyta Carthagenensis, Sacc. Sacc. Mich. 2: 144. d. April 1880. Sacc. Syll. 8: 395. d. 15 Dec. 1884. Ascochyta Cassandræ, Pk.
Pk. Rept. N. Y. Mus. 88: 94. d. 1885.
Berl. & Vogl. in Sacc. Syll. Add. 1-4: 329. d. 31 Dec. 1886.
Sacc. Syll. 10: 295. d. 30 June 1892.
Rostr. Meddelelser om Groenl. 18: 69 (27). d. 1894. Rostr. Meddelelser om Groenl. 18: 482. Davis, J. J., Tr. Wis. Acad. 11: 171. Aug. 1897. Ascochyta Cephalanthi, Ell. & Ev. Sacc. Syll. **8:** 392. d. 15 Dec. 1884. Langlois, Cat. Pl. La. 27. 1887. Ascochyta clematidina, Thm. Millsp. & Nutt. Publ. Field Columb. Mus. Bot. 1: 116. Jan. 1896. Ascochyta colorata, Pk. See Ascochyta Fragariæ, Sacc. Ascochyta confusa, Ell. & Ev. Ell. & Ev. Jour. Myc. 10: 168. d. 24 June 1904. Ascochyta cornicola, Sacc. Ell. & Ev. Jour. Myc. 5: 148. d. Sept. 1889. Davis, J. J., Tr. Wis. Acad. 9: 166. 21 Aug. 1893. James, Jour. Cin. Soc. 18: 55. Dec. 1895. Ascochyta coronaria, Ell. & J. J. Davis.

Davis, J. J., Tr. Wis. Acad. 14: 94. d. Sept. 1903.

*Barthol., Ell. & Ev. Fung. Columb. 1807. 28 Dec. 1903. Ascochyta Dianthi, (A. & S.) Lib. Rostr. Meddelelser om Groenl. 18: 69 (27). d. 1894. Sphæria Dianthi, A. & S. S. Syn. Car. 47 (21) no. 222. 1822. S. Syn. Am. Bor. 226 no. 1817. 1834. Ascochyta Diapensiæ, Rostr.
Rostr. Meddelelser om Groenl. 18: 70 (28). d. 1894. Sacc. Syll. 11: 524. d. July 1895. Lindau in Engler & Prantl, Pflanzenfam. 11**: 367. Dec. 1899. Aseochyta Ellisii, Thm. See Guignardia Bidwellii, (Ell.) Viala & Ravaz. Ascochyta Fagopyri, Bres. NOTE. This species reported on leaves of Fagopyrum is said to be distinct from Ascochyta Fagopyri, Thm. & Boll. on stems which antedates it. Consequently the name given by Bresadola is changed in Sacc. & Syd. Syll. 14: 948. 20 Aug. 1899 to Ascochyta Bresadolæ, Sacc. & Syd. but Thuemen's species is referred to Diplodina Fagopyri, (Thm. & Boll.) Allescher in Rabh. Krypt.-Fl. 16: 643, 686.

Orton, Rept. Vt. Exp. Sta. 12: 171. Dec. 1899 and Contr. Bot. Vt. 7: 171. Dec. 1899.

Ascochyta Fragariæ, Sacc.

Scochyta Fragariæ, Sacc.
Scribner, Rept. U. S. Agr. 1887: 338. 1888.
Dudley, Bull. Cornell Exp. Sta. 14: 182, 183. f. 10. Dec. 1889.
Halsted, Rept. N. J. Exp. Sta. 1898: 329. 1894.
Tubeuf-Smith, Diseases of Plants 473. 1897.
Sturgis, Rept. Conn. Exp. Sta. 24: 288. 1901.
Clint. Rept. Conn. Exp. Sta. 27: 360. May 1904.

Ascochyta colorata, Pk.
Pk. Rept. N. Y. Mus. 38: 94. d. pl. 2, f. 9, 10. 1885.
Berl. & Vogl. in Sacc. Syll. Add. 1-4: 331. d. 31 Dec. 1886.
Kelsey, Jour. Myc. 5: 81. June 1889.
Comes, Critt. Agr. 1: 475. 1891.
Sacc. Syll. 10: 302. d. 30 June 1892.
Allescher in Rabh. Krypt.-Fl. 16: 644. d. 1900.

Ascochyta Fraseræ, Ell. & Ev.

See Diplodina Fraseræ, (Ell. & Ev.) Tracy & Earle.

Ascochyta Fremontiæ, Hark. Hark. Bull. Cal. Acad. **2**: 439. *d*. 16 June 1887. Sacc. Syll. **10**: 297. *d*. 30 June 1892.

Ascochyta graminicola, Sacc.

McClatchie in Reid's Hist. Pasadena 616. 1895.

McClatchie, Proc. S. Cal. Acad. 1: 374. 5 June 1897.

Ascochyta Hanseni. Ell & Ev.

*Ell. & Ev. Bull. Torr. Bot. Club 24: 464. d. 30 Oct. 1897.

*Ell. & Ev. N. A. F. 3553. 24 Jan. 1898.

Lindau & Syd. Hedw. 87: Beibl. 7: xlvi. 9 April 1898.

*Ell. & Ev. Fung. Columb. 1255. May 1898.

Sacc. & Syd. Syll. 14: 946. d. 20 Aug. 1899.

Ascochyta (?) infuscans, Ell. & Ev.

Ell. & Ev. Jour. Myc. 5: 148. d. Sept. 1889. Sacc. Syll. 10: 301. d. 30 June 1892.

Ascochyta Ledi, Rostr.

Rostr. Meddelelser om Groenl. 8: 570. d. 1888 and Bot. Centralbl.

36: 7. d. 1888.

Rostr. Meddelelser om Groenl. 8: 625. 1891. Sacc. Syll. 10: 295. d. 30 June 1892.

Ascochyta Leonuri, Ell. & Dearness.

Ell. & Dearness, Proc. Can. Inst. 1:92. d. Sept. 1897. Sacc. & Syd. Syll. 14:946. d. 20 Aug. 1899.

Aseochyta lethalis, Ell. & Barthol. *Barthol., Ell. & Ev. Fung. Columb. 1808. d. 28 Dec. 1903.

Ascochyta Lophanti, J. J. Davis.

Davis, J. J., Tr. Wis. Acad. 14: 95. d. Sept. 1903.

Ascochyta Lycopersici, Brun.
Stevens, F. L., Rept. Ohio Acad. 5: 63. 1897.
Smith, C. O., Jour. Myc. 10: 98, 99. d. f. 1-6. 31 May 1904.

Ascochyta Mali, Ell. & Ev.

Ell. & Ev. Bull. Torr. Bot. Club 27: 56. d. 17 Feb. 1900.

Sacc. & Syd. Syll. 16: 930. d. I Feb. 1902.

```
Ascochyta Menziesii, Ell. & Ev.
    McClatchie in Reid's Hist. Pasadena 616. 1895.
    McClatchie, Proc. S. Cal. Acad. 1: 374. 5 June 1897.
Ascochyta Oxybaphi, Trel.
Trel. Tr. Wis. Acad. 6: 121 (17). d. Nov. 1884 and Jour. Myc. 1:
   14. d. Jan. 1885.
Berl. & Vogl. in Sacc. Syll. Add. 1-4: 332. d. 31 Dec. 1886.
                     Jan. 1885.
   Sacc. Syll. 10: 306. d. 30 June 1892.
Ascochyta Oxytropidis, Schrt.
   Schrt. Ber. Schl. Ges. 1887: 283. d.
                                                                 1887 and Bot. Centralbl. 85:
          291. 1888.
   Sacc. Syll. 10: 304. d. 30 June 1892.
Ascochyta parasitica, Fautr.
   Clint. Rept. Conn. Exp. Sta. 27: 326. May 1904.
Ascochyta Paulowniæ, Sacc. & Brun.
   Patterson, Bull. U. S. Agr. Pl. Industry 8: 23. 3 Feb. 1902.
Ascochyta Petuniæ, Speg.
   Halsted, Gard. & Forest 5: 141. d. 23 March 1892.
Ascochyta Pisi, Lib.
   Boochyta Pisi, Lid.
Hark. Bull. Cal. Acad. 1: 160. 7 March 1885.
Hark. Bull. Cal. Acad. 1: 261 (6). 19 Nov. 1885.
Gall. Bull. U. S. Agr. Veg. Pathol. 11: 88. 1890.
Davis, J. J., Tr. Wis. Acad. 9: 166. 21 Aug. 1893.
Halsted, Rept. N. J. Exp. Sta. 1898: 358, 361. f. 31. 1894.
Tracy & Earle, Bull. Miss. Exp. Sta. 34: 109. d. May 1895.
Halsted, Rept. N. J. Exp. Sta. 1894: 351. 1895.
Halsted, Rull Penn. Dept. Agr. 28: 17. 1807.
  Halsted, Rept. N. J. Exp. Sta. 1894: 351. 1095. Halsted, Bull. Penn. Dept. Agr. 28: 17. 1897. Halsted, Rept. N. J. Exp. Sta. 1897: 323, 360. 18 Powell, Bull. Del. Exp. Sta. 41: 8. 1898. Selby, Bull. Ohio Exp. Sta. 121: 42. Sept. 1900. Allescher in Rabh. Krypt.-Fl. 16: 658. d. 1900. Sturgis, Rept. Conn. Exp. Sta. 28: 280. 1900. Sturgis, Rept. Conn. Exp. Sta. 24: 278. 1901. Clint. Rept. Conn. Exp. Sta. 27: 337. May 1904.
Ascochyta Primulæ, Trail.
   Halsted, Rept. N. J. Exp. Sta. 1894: 380. f. 61. 1895.
Ascochyta Quercus, Sacc. & Speg.
Trel. Tr. Wis. Acad. 6: 121 (17). Nov. 1884.
Ascochyta Quercuum, (Cke.) Sacc.
   Sacc. Syll. 8: 393. d. 15 Dec. 1884.
Allescher in Rabh. Krypt.-Fl. 16: 661. 1900.
   Sphærellopsis Quercuum, Cke.
Cke. Grev. 12: 23. d. Sept. 1883.
?Diplodina Quercuum, Tracy & Earle.
   Tracy & Earle, Bull. Torr. Bot. Club 26: 494. d. 22 Sept. 1899.
   Sacc. & Syd. Syll. 16: 940. d. I Feb. 1902.
Ascochyta Rhei, Ell. & Ev.
                    The name Phyllosticta Rhei has been twice used by Ellis and Ever-
      77. March 1891. The former was made the basis of Ascochyta Rhei, Ell. & Ev. 1803. An attempt has been made the
      hart, first in Jour. Myc. 5: 145. 1889 and again in Proc. Phil. Acad. 1891:
            1893. An attempt has been made to connect the name Phyllosticta
```

Ell. & Ev. Proc. Phil. Açad. 1893: 160, d, 28 Feb. 1893.

Halstediana with one of the descriptions and this has resulted in confusion. In Ell. & Ev. Fung. Columb. 1254. May 1898 both descriptions are referred to Ascochyta Rhei. A. B. S.

```
Sacc. Syll. 11: 525. d. July 1895.
Smyth, Tr. Kans. Acad. 15: 71. March 1898.
*Ell. & Ev. Fung. Columb. 1254. May 1898.
Orton, Rept. Vt. Exp. Sta. 12: 172. Dec. 1899. Contr. Bot. Vt. 7:
   172. Dec. 1899.
172. Dec. 1899.
Sacc. & Syd. Syll. 16: 935. I Feb. 1902.
Davis, J. J., Tr. Wis. Acad. 14: 95. Sept. 1903.
Allescher in Rabh. Krypt.-Fl. 17: 879. 1903.
Clint. Rept. Conn. Exp. Sta. 27: 355. May 1904.

Phyllosticta Rhel, Ell. & Ev.
    Ell. & Ev. Jour. Myc. 5: 145. d. Sept. 1889.
Ell. & Ev. Proc. Phil. Acad. 1891: 77. d. March 1891.
 Ell. & Ev. Proc. Phil. Acad. 1891: 77. a. a. Sacc. Syll. 10: 134. d. 30 June 1892.

Sacc. Syll. 10: 135. d. 30 June 1892.

*Seymour & Earle, E. F. 494. 15 Oct. 1897.

Allescher, Rabh. Krypt.-Fl. 16: 144. 1898.

Allescher, Rabh. Krypt.-Fl. 16: 348. 1899.

Ell. & Ev. N. Am. Phyllostictas 70. Dec. 1

Phyllosticta Halstediana, Allescher.

Allescher, Pabh. Krypt.-Fl. 16: 144. 1808.
                                                                                   Dec. 1000.
    Allescher, Rabh. Krypt. Fl. 16: 144. 1898.
Ascochyta Rhynchosiæ, (Thm.) Sacc.
    Sacc. Syll. 8: 398. d. 15 Dec. 1884. 
Depazea Rhynchosiæ, Thm.
 *Thm. Myc. Univ. 596. d. 1876.
Thm. Flora 60: 207. d. May 1877.
    Thm. Flora 61: 182 (6). d. 21 April 1878.
Ascochyta Rubi, Lasch.
    Farl. Appalachia 8: 249. Jan. 1884.
Ascochyta salicifoliæ, Trel.
See Septoria salicifoliæ, (Trel.) Ell. & Ev.
Ascochyta Silenes, Ell. & Ev. Ell. & Ev. Jour. Myc. 5: 148. d. Sept. 1889.
    Sacc. Syll. 10: 301. d. 30 June 1892.
Davis, J. J., Tr. Wis. Acad. 9: 166. 21 Aug. 1893.
Ascochyta Sisymbrii, Ell. & Kellerm.
    Ell. & Kellerm. Jour. Myc. 5: 142. d. Se Sacc. Syll. 10: 302. d. 30 June 1892. Tassi, Bull. Lab. Bot. Siena 5: 40. 1902.
                                                                                       Sept. 1889.
Aseochyta Smilacis, Ell. & Martin.
See Stagonospora Smilacis, (Ell. & Martin) Sacc.
Ascochyta Solidaginum, (S.) Starb.
```

NOTE. We have given below the synonymy of this species founded on Spharia Solidaginum, S. in accordance with the examination of Schweinitzian and other material made by Starbäck, 1894. But we should say that our own examination of Spharia Solidaginum, S. and Dothidea Solidaginis, S. from Herb. Schweinitz does not agree in several respects with the observations of Starbäck.

The fungus instead of forming spots in the leaves is, in many cases at least, a parasite on the common *Coleosporium* of *Solidago* recently designated as *Stichospora Solidaginis*, (S.) Diet.

Amongst the synonyms enumerated by Starbäck is Septoria Solidaginis, Thm. An examination of the authentic specimen of Thuemen in Myc. Univ. 1399. 1879 shows however a Darluca parasitic on Coleosporium. Whether it can be referred to Darluca Filum, (Biv.) Cast. is not beyond doubt but it certainly is closely related to that species and it must be admitted that Starbäck's figure suggests possibly a Darluca. The specimen of Septoria

Solidaginis, Cke. in Rav. Fung. Am. 784. 1882, shows no fungus which can be recognized. Specimens in other exsiccati resemble that in Mycotheca Universalis. In many cases there accompanies the pycnidial form a sclerotium form whose relation to the pycnidial form needs to be further studied. It seems to us therefore that the true character of Spharia Solidaginum, S. is not yet clearly settled but we are inclined to believe that it is a Darluca accompanying the common Coleosporium. If that is not the case it is doubtful whether it will ever be possible to determine from Schweinitzian specimens what Sphæria Solidaginum, S. really was. Starb. Bot. Notiser 1893: 31. 15 Feb. 1893. Starb. Bihang till K. Sv. Vet. Akad. Handl. 198: no. 2: 84. d. pl. 3, f. 62 a-d. 1894. **Sphæria Solidaginum,** S. S. Syn. Car. 47 (21) no. 225, d. 182 S. Syn. Am. Bor. 225 no. 1802. 1834 Curtis, M. A., Bot. N. Car. 150. 18 1822. B. Grev. 4: 154 (192). June 1876. Sacc. Syll. 2: 436. d. 13 June 1883. Starb. Bot. Notiser 1898: 31. 15 Feb. 1893. **Dothidea Solidaginis,** Fr. p. p. Fr. El. 2: 125. 1828.

Dothidea Solidaginis, S. Am. Bor. S. Syn. Am. Bor. 232 no. 1908. 1834. Watt, Can. Nat. & Geol. II. 2: 391. Oct. 1865. *Rav. Fung. Am. 97. 1878. Cke. Grev. 6: 145. June 1878. Cke. Grev. 13: 62. March 1885. Ell. & Ev. Proc. Phil. Acad. 1894: 345. d. 30 Nov. 1894. Kellerm. & Werner, Geol. Ohio 72: 360. Jan. 1895. Sphæria Solidaginis, S. Fr. El. 2: 125. 1828. S. Syn. Am. Bor. 315. 1834. *Rav. Fung. Car. 2: 60. 1853. Pk. Rept. N. Y. Mus. 24: 99. 1872. C. & E. Grev. 6: 16. Sept. 1877. Ell. & Ev. Pyren. 309. May 1 Septoria Solidaginis, Thm. May 1802. Thm. Flora 61: 180 (4). d. 21 April 1878. Sacc. Syll. 8: 546. d. 15 Dec. 1884. Martin, Jour. Myc. 8: 75. d. July 1887. Roum. Rev. Myc. 11: 133. I July 1889. Septoria Solidaginum, Thm. *Thm. Myc. Univ. 1399. 1879. ? Septoria Solidaginis, Cke. *Rav. Fung. Am. 784. 1882. Cke. Grev. 12: 25. d. Sept. 1883. Halsted, Bull. lowa Agr. Coll. 1888: 109. April 1888. Phyllachora Solidaginum, Sacc. Sacc. Syll. 2: 614. 13 June 1883. Ell. in Cat. Pl. N. J. 539. 1889. Ascochyta Spartinæ, Trel. Trel. Tr. Wis. Acad. 6: 121 (17). d. Nov. 1884 and Jour. Myc. 1:

Sacc. Syll. 10: 307. d. 30 June 1892.

Aseochyta teretiuscula, Sacc. & Roum.
Ell. & Ev. Jour. Myc. 4: 49, d. June 1888,

Berl. & Vogl. in Sacc. Syll. Add. 1-4; 332. d. 31 Dec. 1886.

14. d. Jan. 1885.

Ascochyta Thaspii, Ell. & Ev. Ell. & Ev. Jour. Myc. 5: 148. d. Sept. 1889. *Ell. & Ev. N. A. F. 2381. 1890. Sacc. Syll. 10: 305. d. 30 June 1892. Ascochyta Treleasei, Berl. & Vogl. Berl. & Vogl. in Sacc. Syll. Add. 1—4: 332. d. 31 Dec. 1886. Sacc. Syll. 10: 305. d. 30 June 1892. Davis, J. J., Tr. Wis. Acad. 9: 159. 21 Aug. 1893. Ascochyta, sp. Trel. Tr. Wis. Acad. 6: 121 (17). d. Nov. 1884. **Ascochyta veratrina, Ell. &** Ev. Ell. & Ev. Proc. Phil. Acad. 1894: 364. d. 30 Nov. 1894. Sacc. Syll. 11: 525. d. July 1895. Allescher in Rabh. Krypt.-Fl. 16: 667. Ascochyta Viciæ, Lib. *Barthol., Ell. & Ev. Fung. Columb. 1506. Dec. 1901. Ascochyta Viciæ, Trail. See Ascochyta vicicola, Sacc. Ascochyta vicicola, Sacc Ascochyta Viciæ, Trail. *Ell. & Ev. N. A. F. 3552. 24 Jan. 1808. Ascochyta Violæ, Sacc. & Speg. Trel. Tr. Wis. Acad. 6: 121 (17). Nov. 18: Halsted, Rept. N. J. Exp. Sta. 1891: 300. Nov. 1884. 1802. Halsted, Rept. N. J. Exp. Sta. 1897: 384. 1898. Ascochyta zeicola, Ell. & Ev. Ell. & Ev. Proc. Phil. Acad. **1895**: 433. d. Nov. 1895. Sacc. Hedw. **85**: Rep. 7: xliii. 25 Feb. 1896. Sacc. & Syd. Syll. **14**: 947. d. 20 Aug. 1899. Ascochyta, sp. indet.

Trel. Tr. Wis. Acad. 6: 121 (17). Nov. 1884.

Halsted, Gard. & Forest 5: 353. 27 July 1892.

Ell. & Ev. Proc. Phil. Acad. 1898: 455. 1893. Clint. Rept. Conn. Exp. Sta. 27: 310, 316, 322. May 1004. Ascocorticium, Bref. Earle, Bull. N. Y. Bot. Gard. 2: 331. 25 April 1902. Ascocorticium anomalum, (Ell. & Hark.) Schrt.
Schrt. in Engler & Prantl, Pflanzenfam. 1¹: 161. d. f. 137. Oct. 1894.
Earle, Bull. N. Y. Bot. Gard. 2: 331. 25 April 1902.

Ascomyces anomalus, Ell. & Hark. Ell. & Hark. Bull. Torr. Club 8: 26. March 1881. *Ell. N. A. F. 561. 1881. Exoascus anomalus, Sacc. Sacc. Syll. 8: 820. d. 20 Dec. 1889. Ascomyces aureus, Magn. See *Taphrina aurea*, (P.) Fr. Ascomyces aureus, Auct. Amer. p. p. See Taphrina Johansonii, Sadebeck. Ascomyces cærulescens, Mont. & Desm. See *Taphrina cærulescens*, (Mont. & Desm.) Tul. Ascomyces deformans, B. See Exoascus deformans, (B.) Fckl. Ascomyces deformans, Hark. non B.

See Exoascus Aescull, (Ell. & Ev.) Patterson.

Ascomyces deformans, var. Aesculi, Ell. & Ev. See Exoascus Aesculi, (Ell. & Ev.) Patterson.

Ascomyces deformans, var. purpurascens, Ell. & Ev. See Taphrina purpurascens, (Ell. & Ev.) Robinson.

Ascomyces extensus, Pk.

See Taphrina extensa, (Pk.) Sacc.

Ascomyces fulgens, Cke. & Hark.

NOTE. This is said by Harkness, 1885, to be an aphidian gall and not a

Cke. & Hark. Grev. **9:** 8. *d*. Sept. 1880. Cke. & Hark. Bull. Cal. Acad. **1:** 18. Feb. 1884

Hark. Bull. Cal. Acad. 1: 265 (10). 19 Nov. 1885.

Exoascus fulgens, Sacc.

Sacc. Syll. 8: 820. d. 20 Dec. 1889.

Patterson, Bull. Univ. Iowa 83: 119. 14 May 1895.

Ascomyces letifer, Pk.

See Taphrina letifer, (Pk.) Sacc.

Ascomyces Pruni, Hark.

See Exoascus communis, Sadebeck.

Ascomyces Quercus, Cke.

See Taphrina cærulescens, (Mont. & Desm.) Tul.

Ascomyces rubrobrunneus, Pk.

See Taphrina rubrobrunnea, (Pk.) Sacc.

Ascomyces Tosquinetii, Auct. Amer.

See Taphrina Alni-incanæ, (Kuehn) Magn.

Ascomycetella, Pk.

NOTE. The genus Ascomycetella, Pk. Bull. Torr. Bot. Club 8: 50. May 1881 is, as far as the type species is concerned, the same as Cookella, Sacc. Mich. 1: 407. 1878. The genus Ascomycetella is however retained by most mycologists and the author of the genus as given by Saccardo is Ellis. This is not strictly the case. The genus Ascomycetella in its restricted sense is based on A. Floridana, Ell. but this species was considered by Ellis to be congeneric with Ascomycetella, Pk. The distinction between Cookella and Ascomycetella was really first given by Saccardo in Syll. 8: 843, 846. 20 Dec. 1889 who separates them on the ground that in Cookella the spores are colored and in Ascomycetella they are subhyaline, a distinction upon which too much weight should not be placed. With regard to the limits of the genus see notes by Starback, Bih K. Sv. Vet. Akad. Handl. 25³: no. 1: 40, 41. 1899, Hennings, Engler's Bot. Jahrb. 28: 276. 22 May 1900 and Hedw. 40: 354. 30 Dec. 1901.

Ascomycetella, Sacc.

Ascosorus, Henn. & Ruhland. Henn. Engler's Bot. Jahrb. 28: 276. 22 May 1900.

Ascomycetella aurantiaca, Ell. & Martin. See Leptophyma aurantiacum, (Ell. & Martin) Sacc.

Ascomycetella filicina, Ell. & Ev.

Ell. & Ev. Jour. Inst. Jamaica 1: 247. d. April 1893.

Ascomycetella Floridana, Ell. & Martin.

Ell. & Martin, Am. Nat. 18: 1148. d. Nov. 1884.
*Ell. & Ev. N. A. F. 2069. 1888.
Sacc. Syll. 8: 847. d. 20 Dec. 1889.
Starb. Bih. K. Sv. Vet. Akad. Handl. 25³: no. 1: 41. 1899.

Henn. Engler's Bot. Jahrb. 28: 276. 22 May 1900.

Henn. Hedw. 40: 354. f. 2a-c. 30 Dec. 1901.

*Rehm, Ascomyceten 1499. 1903.
Ascosorus Floridanus, Henn. & Ruhland. Henn. Engler's Bot. Jahrb. 28: 276. d. 22 May 1900. Ascomycetella quercina, Pk. See Cookella quercina, (Pk.) Sacc. Ascomycetella sulphurea, Wint. Wint. Hedw. 24: 23. d. 1885.

Sacc. Syll. 8: 846. d. 20 Dec. 1889.

Lindau in Engler & Prantl, Pflanzenfam. 11: 243. Dec. 1894.

Starb. Bih. K. Sv. Vet. Akad. Handl. 25³: no. 1:41. d. 1899.* Mexico. Ascomycetella, sp. indet. Conidia. *Seymour & Earle, E. F. 182, 186, 190. 1 Sept. 1892. Ascophanus Aurora, (Cr.) Boud.
Pound, Clements and others, Bot. Surv. Nebr. 4: 42. 20 Jan. 1896. **Ascophanus carneus,** (P.) Boud. Sacc. Syll. 8: 534. d. 20 Dec. 1889. Lindau in Engler & Prantl, Pflanzenfam. 11: 190. d. Dec. 1894. Millsp. & Nutt. Publ. Field Columb. Mus. Bot. 1: 152. Jan. 1896. Arth. Proc. Ind. Acad. 1896: 216 (3). 1897. Seaver, Proc. lowa Acad. 12: 113. July 1905. Ascobolus carneus, P. Phil. Grev. 5: 117. March 1877. Cke. Grev. 6: 142. June 1878. Hark. & Moore, Cat. Pac. Fung. 38. Feb. 1880. *Ell. N. A. F. 853. 1882. Calkins, Jour. Myc. 2: 105. Sept. 1 *Ell. & Ev. N. A. F. 2620. Feb. 1891. Sept. 1886. Ascobolus carneus, Rav. Fung. Am. See Ascobolus testaceus, (Moug.) Phil. **Ascophanus carneus**, var. **difformis**, Pound & Clements. See Ascophanus difformis, (Nyl.) Boud. Ascophanus Cesatii, (Carest.) Sacc. Rostr. Meddelelser om Groenl. 18: 59 (17). Ascophanus cinerellus, (Karst.) Speg. Rostr. Meddelelser om Groenl. 18: 59 (17). Ascophanus cinereus, (Cr.) Boud. Seaver, Bull. Univ. lowa **5**4: 276 (49). d. pl. 14, f. 1. Nov. 1904. Seaver, Proc. lowa Acad. **12**: 113. July 1905. Ascophanus difformis, (Nyl.) Boud. Ascophanus carneus, var. difformis, Pound & Clements. Pound & Clements, Bot. Surv. Nebr. 5: 22. 30 March 1901. Ascophanus granuliformis, (Cr.) Boud. ?Millsp. & Nutt. Publ. Field Columb. Mus. Bot. 1: 152. Jan. 1896. Seaver, Proc. lowa Acad. 12: 113. July 1903. Ascophanus humosoides, Pk. Pk. Bull. N. Y. Mus. 1²: 22. d. Jan. 1888. Sacc. Syll. 8: 533. d. 20 Dec. 1889. Lindau in Engler & Prantl, Pflanzenfam. 1¹: 190. Dec. 1894. Peziza humosoides, Pk. Pk. Rept. N. Y. Mus. 32: 46. d. 1886. Ascophanus ineanus, (Phil.) Sacc. Sacc. Syll. 8: 529. d. 20 Dec. 1889. Ascobolus incanus, Phil. Phil. Grev. 5: 117. d. pl. 80, f. 10. March 1877. Hark. & Moore, Cat. Pac. Fung. 38. Feb. 1880.

Ascophanus isabellinus, Clements.
Pound & Clements, Bot. Surv. Nebr. 5: 9. d.
Sacc. & Syd. Syll. 16: 1149. I Feb. 1902. 30 March 1001.

Ascophanus lilacinus, Cke.

Cke. Bull. Buf. Soc. 3: 23. Sept. 1875.

Cke. Grev. 21: 74. d. March 1893.

Sacc. Syll. 11: 421. d. July 1895.

Ascophanus microsporus, (B. & Br.) Phil.

Rostr. Meddelelser om Groenl. 3: 610. d. 1891.

Seaver, Bull. Univ. lowa 54: 275 (48). d. pl. 13, f. 2. Nov. 1904. Seaver, Proc. lowa Acad. 12: 113. July 1905.

Ascophanus papillatus, Boud. See *Lasiobolus equinus*, (Muell.) Karst.

Ascophanus testaceus, (Moug.) Phil.

Phil. British Discomycetes 310. d. 1887.

Seaver, Bull. Univ. Iowa 54: 239 (12). 276 (49). d. pl. 13, f. 1. Nov.

1904 Seaver, Proc. Iowa Acad. 12: 113. July 1905.

Ascobolus carneus, Rav. Fung. Am.

*Rav. Fung. Am. 176. 1878.

Ascophanus tetraonalis, Pk.

Pk. Bull. N. Y. Mus. 12: 22. d. Jan. 1888.

Sacc. Syll. 8: 533. d. 20 Dec. 1889. Peziza tetraonalis, Pk.

Pk. Rept. N. Y. Mus. 32: 46. d. 1886.

Ascophanus vicinus, Boud.

Sacc. Syll. 8: 530. d. 20 Dec. 1889.
Ascobolus vicinus, Cke.

C. & E. Grev. 6: 8. Sept. 1877.

Ascophora chartarum, B. & C., nom. nud.

NOTE. As far as we know this name occurs only in M. A Curtis, Bot. N. Car. as cited below. The specimen in Herb. Curtis is a small *Rhizopus* with spores 7μ in diameter. The material is not sufficient to determine the exact species.

Curtis, M. A., Bot. N. Car. 153. 1867.

Ascophora disciflora, Tode. See Aregma disciflora, Arth.

Ascophora elegans, Cda. See Thamnidium elegans, Lk.

Ascophora fusca, B. & C.

NOTE. The specimen of this species in Herb. Curtis shows that it is **Rhiz**opus nigricans, Ehrb.

Ascophora Mucedo. Tode.

See Rhizopus nigricans, Ehrb.

Ascophora nucuum, Cda.

Note. The American specimens of this species belong to Rhizopus nigricans, Ehrb. under which A. Fischer includes also the European plant of this name.

Ascophora perennis, P.

We have not been able to examine a Schweinitzian specimen of this species.

S. Syn. Car. 125 (99) no. 1285. 1822.

Ascosorus, Henn. & Ruhland. See Ascomycetella. Sacc.

Ascosorus Floridanus, Henn. & Ruhland. See Ascomycetella Floridana, Ell.

Ascospora, Fr.

NOTE. The genus Ascospora has been understood in so many different senses by different authors that it is next to impossible to say to what genera

some of the species probably belong.

The genus was originally founded by Fries on Spharia Aegopodii, P. but this has since been shown to agree more nearly in structure with the species placed by Fries in the genus Stigmatea, Fr. Summa 421 than with the species placed under Ascospora, Fr. S. O. V. 112. 1825, Summa 425. It seems to us better to retain the genus Stigmatea as used by modern writers than to complicate the subject still further by reviving the genus Ascospora.

Ascospora aterrima, Lev. See Placosphæria aterrima. (Lev.) Sacc.

Ascospora Geranii, O. Kuntze. See Stigmatea Geranii, Fr.

Ascospora gregaria, O. Kuntze. See Stigmatea gregaria, Cke.

Ascospora Podophylli, M. A. Curtis. See Phyllosticta Podophylli, (M. A. Curtis) Wint.

Ascospora Polygoni, O. Kuntze. See Stigmatea Polygoni, (Fr.) n. n.

Ascospora Ranunculi, O. Kuntze. See Stigmatea Ranunculi, Fr.

Ascospora Robertiani, O. Kuntze. See Stigmatea Robertlani, Fr.

Ascospora sclerotidea, O. Kuntze. See Stigmatea scierotidea, Cke.

Ascospora seminata, O. Kuntze. See Stigmatea seminata, (B. & Rav.) Sacc.

Ascospora Sequoiæ, O. Kuntze. See Stigmatea Sequoiæ, (Cke. & Hark.) Sacc.

Ascospora submaculans, O. Kuntze. See Stigmatea submaculans, Mont.

Aspergillus.

NOTE. There are numerous references to species of Aspergillus scattered through medical and technical works which can not be included here where we have given those of interest to the systematic mycologist.

Aspergillus alutaceus, B. & C. Curtis, M. A., Bot. N. Car. 128. 1867.

B. Grev. 3: 108 (118) no. 655. d. March 1875. Sacc. Syll. 4: 60. d. 10 April 1886. Wehmer, Mem. Soc. Phys. et Hist. Nat. Genève 382: no. 4: 124. 1901.

Aspergillus aurantiacus, B. See Nematogonium aurantiacum, Desm.

Aspergillus aviarius. Pk. See Aspergillus fumigatus, Fres.

Aspergillus candidus, Lk.

NOTE. The synonymy of Aspergillus candidus, Lk. is very much confused. For notes on this subject see Wehmer, Mem. Soc. Phys. et Hist. Nat. Genève 33⁸: no. 4: 95, 98. 1901. It is of course impossible to say whether the references below belong to the Aspergillus candidus, Sacc. or not, still less whether they belong to the Monilia candida, P. on which Aspergillus candidus. Lk. is based.

S. Syn. Am. Bor. 282 no. 2673. 1834.

Mont. Pl. Cell. Cuba 305. d. 1841.

Andrews, Proc. Boston Soc. 5: 323. April 1856.

B. & C. Jour. Linn. Soc. 10: 362. 1869.

Hark. & Moore, Cat. Pac. Fung. 28. Feb. 1880.

Bundy, Geol. Wis. 1873-79, 1: 400. 1883.

Sacc. Syll. 4: 66. d. 10 April 1886.

Rostr. Meddelelser om Groenl. 3: 577. 1888. Webber, Rept. Nebr. Agr. 1889: 191 (51). 1890. Rostr. Meddelelser om Groenl. 3: 628. 1891.

Lindau, Rabh. Krypt.-Fl. 18: 149. d. 15 July 1904.

Aspergillus cimmerius, B. & C.

Note. Examination of original specimens shows that this is not an Aspergillus but a Periconia undistinguishable from the P. chlorocephala, Fres. in Rabh. Fung. Eur. 1661. 1873.

Frost, Proc. Boston Soc. 12: 80. 1869. B. Grev. 8: 108 (118) no. 656. d. March 1875.

Sacc. Syll. 4: 71. d. 10 April 1886.

Wehmer, Mem. Soc. Phys. et Hist. Nat. Genève 332: no. 4: 100. de

Aspergillus clavatus, Desm.

Sacc. Mich. 2: 577. Dec. 1882.

Sacc. Mich. 2: 577. Dec. 1882.
Sacc. Syll. 4: 67. d. 10 April 1886.
Ell. in Cat. Pl. N. J. 558. 1889.
Webber, Rept. Nebr. Agr. 1889: 192 (52). 1890.
Massee & Salmon, Ann. Bot. 16: 82. d. pl. 5, f. 104. March 1902.
Lindau, Rabh. Krypt.-Fl. 18: 130. d. 15 July 1904.
Rostr. Meddelelser om Groenl. 80: 121. 1904.

Aspergillus clavellus, Pk.

Pk. Rept. N. Y. Mus. **84**: 49. *d. pl.* 2, *f.* 1-5. Oct. 1883. Sacc. Syll. **4**: 67. *d.* 10 April 1886. Wehmer, Mem. Soc. Phys. et Hist. Nat. Genève **88**²: no. 4: 91. *d.* IQOI.

Aspergillus clavellus, Pk.

See Aspergillus clavatus, Desm.

Aspergillus Cookei, Sacc.

NOTE. This species, based on Aspergillus mucoroideus, Cke. non Cda. is Australian and is credited erroneously to North America.

Wehmer, Mem. Soc. Phys. et Hist. Nat. Genève 332: no. 4: 109. d. 1901.

Aspergillus crocatus, B. & C. See Chondromyces crocatus, B. & C.

Aspergillus eucurbitaceus, M. A. Curtis in Herb. Choanephora Cucurbitarum, (B. & Rav.) Thax.

Aspergillus Curtisii, B.

See Rhinotrichum Curtisii, B.

Aspergillus dubius, Cda. Hark. & Moore, Cat. Pac. Fung. 29. Feb. 1880. Aspergillus erythrocephalus, B. & C. B. & C. Jour. Linn. Soc. 10: 362. d. 1869. West Indi Sacc. Syll. 4: 68. d. 10 April 1886. Wehmer, Mem. Soc. Phys. et Hist. Nat. Genève 88²: 126. d. 1901. West Indies. Aspergillus fimetarius, Pk. Pk. Rept. N. Y. Mus. 42: 128 (32). d. Dec. 1889. Sacc. Syll. 10: 524. d. 30 June 1892. Wehmer, Mem. Soc. Phys. et Hist. Nat. Genève 88²: no. 4: 102. d. 1901. Aspergillus flavus, Lk.
Pk. Rept. N. Y. Mus. 81: 45. 1879.
Sacc. Syll. 4: 69. d. 10 April 1886.
Webber, Rept. Nebr. Agr. 1889: 192 (52). 1890.
*Ell. & Ev. N. A. F. 2870. March 1893.

Colored! Journals Lamica 1: 262. April 180. Cockerell, Jour. Inst. Jamaica 1: 262. April 1893.
Millsp. & Nutt. Publ. Field Columb. Mus. Bot. 1: 88. Ell. in Millsp. Publ. Field Columb. Mus. Bot. 1; 285. Dec. 1896. [Publ. 15.]

*Ell. & Ev. Fung. Columb. 1080. 22 Dec. 1896.

Clark, Bot. Gaz. 28: 291, 307-314. 30 Nov. 1899. 399. 10 Jan. 1900.

Duggar, Bot. Gaz. 81: 44. 21 Jan. 1901.

Smith, M. H., Bot. Gaz. 81: 126. 23 Feb. 1901.

*Barthol, Ell. & Ev. Fung. Columb. 1507. Dec. 1901. Clark, Bot. Gaz. 88: 31. 24 Jan. 1902. O'Brien, Bull. Torr. Bot. Club 29: 170. 24 March 1902. Ricker, Univ. of Maine Studies 3: 20. 30 April 1902. Lindau, Rabh. Krypt.-Fl. 18: 129. d. 15 July 1904. Aspergillus fuliginosus, Pk. Pk. Bull. Buf. Soc. 1: 69. d. July 1873. Pk. Rept. N. Y. Mus. 26: 79. d. April 1874. Frost in Cat. Pl. Amherst 86. 1875. Sacc. Syll. 4: 70. d. 10 April 1886. Cobb, List Pl. Amherst 40. 1887. Webber, Rept. Nebr. Agr. 1889: 192 (52). 1890. Ell. in Millsp. Publ. Field Columb. Mus. Bot. 1: 285. Dec. 1896. *Shear, Ell. & Ev. Fung. Columb. 1492. May 1901. Wehmer, Mem. Soc. Phys. et Hist. Nat. Genève 882: no. 4: 109. d. 1901. Aspergillus fumigatus, Fres. For notes on the ascosporic form of this species see Grijns, Centralbl. Bact. 2 Abt. 11; 330-332. f. 1-6. 31 Dec. 1903. We do not understand why the name fumigatus, Fres. (1863) is adopted by modern writers rather than nigrescens, Rob. a synonym dating from 1853. Chester, Rept. Del. Exp. Sta. 6: 129. d. f. 3, 4. 1894. Boston, Phila. Med. Jour. 7: 446. f. 1. 2 March 1901. Grijns, Centralbl. Bact. 2 Abt. 11: 330, 332. f. 1-6. 31 Dec. 1903. Aspergillus nigrescens, Robin. Leidy, Proc. Phil. Acad. 4, 12. 19 Jan. 1875. Aspergilius avlarius, Pk. Pk. Rept. N. Y. Mus. 44: 120 (8), 137 (25). d. pl. 4, f. 9-12. Dec. 1891. Sacc. Syll. 10: 524. d. 30 June 1892. Wehmer, Mem. Soc. Phys. et Hist. Nat. Genève 882: no. 4: 91. d. 1001.

Aspergillus glaucus, Lk. See Eurotium herbariorum, (Wigg.) Lk. Aspergillus glaucus, var. oblongisporus, Ell. & Ev. Millsp. & Nutt. Publ. Field Columb. Mus. Bot. 1: 88. d. Jan. 1806. Aspergillus griseus, Lk. 5. Syn. Am. Bor. 282 no. 2679. 1834. Webber, Rept. Nebr. Agr. 1889: 192 (52). 1890. Lindau, Rabh. Krypt.-Fl. 18: 135. d. 15 July 1904. Aspergillus herbariorum, E. Fischer. See Eurotium herbariorum, (Wigg.) Lk. Aspergillus laneus, S. Am. Bor. See Rhinotrichum Curtisii, B. Aspergillus maximus, Lk. See Sporodinia Aspergillus, (Scop.) Schrt. Aspergillus mollis, B. Hark. & Moore, Cat. Pac. Fung. 29. Feb. 1880. Aspergillus Mycobanche, Lk. This is referred by Streinz to Aspergillus glaucus, but it has apparently been ignored by modern writers. examined showed no Aspergillus of any kind. The Schweinitzian specimen S. Syn. Am. Bor. 282 no. 2674. 1834. Aspergillus niger, Van Tiegh. See Sterigmatocystis nigra, Van Tiegh. Aspergillus nigrescens, Robin. See Aspergillus fumigatus, Fres. Aspergillus nigricans, Cke. See Sterigmatocystis nigra, Van Tiegh. Aspergillus nigriceps, B. & C. nom. nud. Cke. Grev. 17: 21. Sept. 1888. Aspergillus niveus. NOTE. The material on which this determination was based is not in condition to warrant the record of this species as correct and it should be excluded from literature. Farl. Bull. Bussey Inst. 2: 251. Jan. 1878. Aspergillus oosporus, (Lk.) Wallr. Aspergillus ovalispermus, Lk. S. Syn. Am. Bor. 282 no. 2675. 1834. Thm. Fungi Pomicoli 41. d. 1879. Aspergillus Oryzæ, (Ahlburg) Cohn. NOTE. The ascosporic condition of this species is Eurotium Oryza, Ahl-Golden, Proc. Ind. Acad. **1898**: 189 (3). f. 1-12. Dec. 1899. Hiller, Proc. Ind. Acad. **1901**: 272. 1902. Lindau, Rabh. Krypt.-Fl. 18: 128. d. 30 June 1904. **Aspergillus ovalispermus,** Lk. See Aspergillus oosporus, (Lk.) Wallr. Aspergillus phæocephalus, Dur. & Mont. See Sterigmatocystis phæocephala, (Dur. & Mont.) Sacc.

1867.

Aspergillus pulvinatus, B. & C. nom. nud.

Curtis, M. A., Bot. N. Car. 129. *Ell. & Ev. N. A. F. 1648. 1886. Ell. in Cat. Pl. N. J. 558. 1889. Aspergillus purpureofuseus, S. S. Syn. Am. Bor. 282 no. 2680. d.

Sacc. Syll. 4: 68. d. 10 April 1886. Wehmer, Mem. Soc. Phys. et Hist. Nat. Genève 882: no. 4: 127. d. 1901. Aspergillus repens, (Cda.) Sacc. NOTE. It can not be told from the references given below whether the species intended is Aspergillus glaucus, var. repens, Cda. or Eurotium repens, DBy. Sacc. Mich. 2: 577. d. Dec. 1882. *Ell. N. A. F. 1236. 1884. Sacc. Syll. 4: 64. d. 10 April 1886. Webber, Rept. Nebr. Agr. 1889: 192 (52). 1890. Jelliffe, Druggists Circular 41: 95. f. a-d. April 189 Jelliffe, Bull. Torr. Bot. Club 24: 481. 30 Oct. 1897. April 1897. Dresbach, Ohio Nat. 2: 289. June 1902. Aspergillus ? roseus, Lk. S. Syn. Am. Bor. 282 no. 2677. 1834. Andrews, Proc. Boston Soc. 5: 323. April 1856. Curtis, M. A., Bot. N. Car. 128. 1867. Cke. Handbook 588. d. 1871. B. Grev. 8: 107 (117). March 1875. Frost in Cat. Pl. Amherst 86. 1875. Cobb, List Pl. Amherst 40. 1887. Aspergillus subgriseus, Pk. Pk. Bull. Torr. Bot. Club 22: 210. d. 15 May 1895. Sacc. Hedw. **85**: Rep. 7: xlvi. 25 Feb. 1896. Sacc. & Syd. Syll. **14**: 1046. d. 20 Aug. 1899. Wehmer, Mem. Soc. Phys. et Hist. Nat. Genève 882: no. 4: 140. d. 1901. Aspergiilus umbrinus, Patterson.
Patterson, Bull. Torr. Bot. Club 27: 284. d. 26 May 1900. Sacc. & Syd. Syll. 16: 1028. d. 1 Feb. 1902. Aspergillus virens, Lk. Johnson, Bull. Minn. Acad. 1: 340. 1878. Hark. & Moore, Cat. Pac. Fung. 29. Feb. 1880. Bundy, Geol. Wis. 1873-79, 1: 400. 1883. Webber, Rept. Nebr. Agr. 1889: 192 (52). 189 **Aspergillus**, sp. indet. Norton, Tr. St. Louis Acad. 7: 240. 9 Nov. 1896. **Asterella,** Sacc. NOTE. The genus Asterella, Sacc. does not seem to us to be really distinct from Asterina, Lev. and furthermore the fact that there is a prior genus of Hepatica of the same name would prevent the adoption of the name for a genus of Fungi. See Asterina, Lev. Asterella Bignoniæ, Sacc. See Asterina Bignoniæ, Ell. & Ev. **Asterella capnoides,** Sacc. See Asterina capnoides, Ell. Asterella carnea, Sacc. See Asterina carnea, Ell. & Martin. Asterella Chamænerii, Rostr. See Asterina Chamænerii, (Rostr.) Ell. & Ev.

Asterella elavuligera, Sacc. See Asterina clavuligera, Cke.

Asterella crustacea, Ell. & Ev. See Asterina crustacea, (Ell. & Ev.) n. n.

Asterella cuticulosa, Tracy & Earle. See Asterina cuticuiosa. Cke.

Asterella discoidea, Sacc. See Asterina discoidea, Ell. & Martin.

Asterella Erithalidis, Ell. & Ev. See Asterina Erithalidis, (Ell. & Ev.) n. n.

Asterella Gaultheriæ, Sacc. See Asterina Gaultheriæ, M. A. Curtis.

Asterella graminicola, Sacc. See Asterina graminicola, Ell. & Ev.

Asterella intricata, Sacc. See Asterina intricata, Ell. & Martin.

Asterella nuda, Sacc. See *Asterina nuda*, Pk.

Asterella oleina, Sacc. See Asterina oleina, Cke.

Asterella patelloides, Sacc. See Asterina patelloides, Ell. & Martin.

Asterella paupereula, Sacc. See Asterina paupercula, Ell. & Ev.

Asterella Pearsoni, Sacc. See Asterina Pearsoni, Ell. & Ev.

Asterella Plantaginis, Sacc. See Asterina Plantaginis, Ell.

Asterella Prosopidis, Ell. & Ev. See Asterina Prosopidis, (Ell. & Ev.) n. n.

Asterella pustulata, Sacc. See Asterina pustulata, Ell. & Martin.

Asterella reptans, Lindau. See Asterina reptans, B. & C.

Asterella stomatophora, Sacc. See Asterina stomatophora, Ell. & Martin.

Asterella subcyanea, Sacc. See Asterina subcyanea, Ell. & Martin.

Asteridium anomalum, (Cke. & Hark.) Lindau. Lindau in Engler & Prantl, Pflanzenfam. 11: 342. Jan. 1897. Asterina anomala, Cke. & Hark.

March 1881.

Cke. & Hark. Grev. 9: 87. d. March 188 Sacc. Syll. 1: 40. d. 13 June 1882. Cke. & Hark. Bull. Cal. Acad. 1: 20. Fe Martin, Jour. Myc. 1: 134. d. Nov. 185.

Dimerosporium anomalum, Ell. & Ev. Ell. & Ev. Pyren. 35. d. May 1892.

Asteridium bicolor, Ell. & Ev.

Ell. & Ev. Erythea 5: 5. d. 31 Jan. 1897. Lindau & Syd. Hedw. 87: Beibl. 7: xxii. 9 April 1898. Sacc. & Syd. Syll. 14: 700. d. 20 Aug. 1800.

Asteridium Celastri, Sacc. See Asterina Celastri, Ell. & Kellerm. Asteridium dothideoides, Ell. & Ev. Ell. & Ev. Bull. Torr. Bot. Club 22: 436. d. 31 Oct. 1895. Sacc. Hedw. 85: Rep. 7: xxiv. 25 Feb. 1896. Sacc. & Syd. Syll. 14: 700. d. 20 Aug. 1899. Asteridium Illicii, Tracy & Earle.

Tracy & Earle, Bull. Torr. Bot. Club 22: 176. d. 18 April 1895.

Tracy & Earle, Bull. Miss. Exp. Sta. 34: 100. d. May 1895.

Sacc. Hedw. 35: Rep. 7: xxiv. 25 Feb. 1896.

Sacc. & Lindau, Hedw. 36: Rep. 7: xix. 30 April 1897. Sacc. & Syd. Syll. 14: 699. d. 20 Aug. 1899. Asteridium lepidigenoides, (Ell. & Ev.) Sacc. Sacc. Syll. 9: 435. d. 15 Sept. 1891. Lindau in Engler & Prantl, Pflanzenfam. 11: 342. Jan. 1897. Asterina lepidigenoides, Ell. & Ev. Ell. & Ev. Jour. Myc. 4: 121. d. Dec. 1888. Ell. & Ev. Pyren. 40. d. May 1892. Asteridium lepidigenum, (Ell. & Martin) Sacc. Sacc. Syll. 9: 436. d. 15 Sept. 1891.

Asterina lepidigena, Ell. & Martin. Ell. & Martin, Am. Nat. 18: 1148. d. No Martin, Jour. Myc. 1: 136. d. Nov. 1885. Nov. 1884. *Ell. N. A. F. 1361. 1885. Berl. & Vogl. in Sacc. Syll. Add. 1-4: 8. d. 31 Dec. 1886. *Wint. Fung. Eur. 3440. 1886. Ell. & Ev. Pyren. 41. d. May 1892. Asteridium moniliforme, Ell. & Ev.
Ell. & Ev. in Millsp. Publ. Field Columb. Mus. Bot. 2: 16. March
1900. [Publ. 43.]
West Indies. Asteridium purpureum, (Ell. & Martin) Sacc.
Sacc. Syll. 9: 436. d. 15 Sept. 1891.

Asterina purpurea, Ell. & Martin.
Ell. & Martin, Jour. Myc. 2: 128. d. Nov. 1886.
Berl. & Vogl. in Sacc. Syll. Add. 1-4: 394. d. 31 Dec. 1886. Calkins, Jour. Myc. 8: 7. Jan. 1887. Ell. & Ev. Pyren. 43. d. May 1892. Asteridium Xerophylli, (Ell.) Sacc. Sacc. Syll. 9: 437. d. 15 Sept. 1891. Asterina Xerophylli, Ell. Ell. Am. Nat. 17: 319. d. March 1883. Sacc. Syll. 2: Add. p. iii. d. 13 June 1883. Martin, Jour. Myc. 1: 135. d. Nov. 1885. Ell. & Ev. Pyren. 39. d. May 1892. Asterina Agaves, Ell. & Ev. Ell. & Ev. Bull. Torr. Bot. Club 27: 571. d. 14 Nov. 1900. Mexico. Sacc. & Syd. Syll. 16: 649. d. 1 Feb. 1902. Asterina aliena, Ell. & Gall. Ell. & Ev. Pyren. 36. d. May 1892. Asterina anomala, Cke. & Hark See Asteridium anomalum, (Cke. & Hark.) Lindau. Asterina asterophora, Ell. & Martin, nom. nud. Calkins, Jour. Myc. 2: 42. April 1886. Calkins, Jour. Myc. 2: 127. Nov. 1886.

```
Asterina Bignoniæ, Ell. & Ev.
Ell. & Ev. Proc. Phil. Acad. 1890: 220. d. 29 July 1890.
   Ell. & Ev. Pyren. 43. d. May 1892.

Asterella Bignoniæ, Sacc.
   Sacc. Syll. 9: 393. d. 15 Sept. 1891.
Asterina bullata, B. & C.
   B. & C. Proc. Am. Acad. 4: 129. d. 14 Dec. 1858.
B. & C. Jour. Linn. Soc. 10: 374. d. 1869.
                                                                                                    Cent. Amer.
                                                                                                    West Indies.
   Sacc. Syll. 1: 45. d. 51. d. 13 June 1882.
Ell. & Ev. Pyren. 44. d. May 1892.
Asterina capnoides, Ell.
   Ell. Am. Nat. 17: 318. d. March 1883.
Sacc. Syll. 2: Add. p. ii. d. 13 June 1883.
       Dimerosporium capnoides, Martin.
   Martin, Jour. Myc. 1: 145. d. Dec. 1885.
Ell. & Ev. Pyren. 34. d. May 1892.

Asterella capnoides, Sacc.
    Sacc. Syll. 9: 398. d. 15 Sept. 1891.
Asterina Celastri, Ell. & Kellerm.
   Ell. & Kellerm. Jour. Myc. 1: 3. d. Jan. 1885 and Hedw. 24: 173. d.
             lug. 1885
 Aug. 1005.

Martin, Jour. Myc. 1: 134. d. Nov. 1885.

Berl. & Vogl. in Sacc. Syll. Add. 1-4: 12. d. 31 Dec. 1886

*Ell. & Ev. N. A. F. 1542. 1886.

Ell. & Ev. Pyren. 39. d. May 1892.

Harvey, Bull. Torr. Bot. Club 28: 51. 29 Feb. 1896.

Ricker, Univ. of Maine Studies 3: 30. 30 April 1902.

**Astaridium Coloutri Sacc.
       Asteridium Celastri, Sacc.
    Sacc. Syll. 9: 436. d. 15 Sept. 1891.
Asterina carnea, Ell. & Martin.
    Ell. & Martin, Am. Nat. 17: 1284. d. Dec. 1883.
 *Ell. N. A. F. 1290. 1884.

Martin, Jour. Myc. 1: 134. d. Nov. 1885.

Berl. & Vogl. in Sacc. Syll. Add. 1-4: 9. d. 31 Dec. 1886.

Ell. & Ev. Pyren. 38. d. May 1892.

*Pazschke, Fung. Eur. 4052. April 1895.

Lindau & Syd. Hedw. 37: Beibl. 7: xxi. 9 April 1898.
       Asterella carnea, Sacc.
    Sacc. Syll. 9: 393. d. 15 Sept. 1891.
Tracy & Earle, Bull. Miss. Exp. Sta. 34: 98. May 1895.
 Asterina Chamænerii, (Rostr.) Ell. & Ev.
    Ell. & Ev. Pyren. 36. d. May 1892. Asterella Chamænerii, Rostr.
    Rostr. Meddelelser om Groenl. 8: 545. d. 1888 and Bot. Centralbl.
    86: 5. d. 1888.

Sacc. Syll. 9: 399. d. 15 Sept. 1891.

Rostr. Meddelelser om Groenl. 8: 614. 1891.

Rostr. Meddelelser om Groenl. 18: 61 (19). 1894.
    Rostr. Meddelelser om Groenl. 30: 116. 1904.
 Asterina clavuligera, Cke.
     Cke. Grev. 6: 142. d. pl. 101, f. 1. June 1878 and 7: 96. March
            1879.
  *Rav. Fung. Am. 76. 1878.
  *Rav. Fung. Am. 758. 1882.
Sacc. Syll. 1: 48. d. 13 June 1882.
Berl. & Vogl. in Sacc. Syll. Add. 1-4: 11. d. 31 Dec. 1886.
Ell. & Ev. Pyren. 43. d. May 1892.
```

Dimerosporium clavuligerum, Martin. Martin, Jour. Myc. 1: 145. d. Dec. 1885. Asterella clavuligera, Sacc. Sacc. Syll. 9: 397. d. 15 Sept. 1891. Asterina coffeicola, Ell. & Ev. Ell. & Ev. Jour. Inst. Jamaica 1: 248. d. April 1893. Asterina Colubrina, Ell. & Kelsey.

Ell. & Kelsey, Bull. Torr. Bot. Club 24: 207. d. 24 April 1897.

Sacc. & Syd. Syll. 14: 694. d. 20 Aug. 1899. West Indies.

Ell. & Kelsey in Millsp. Publ. Field Columb. Mus. 1: 465. Nov. 1902.

[Publ. 68.] Asterina comata, B. & Rav. B. Grev. 4: 10 (148) no. 791. d. Sept. 1875. Cke. Grev. 6: 142. June 1878. Cke. Grev. 6: 142. June 1878.

*Rav. Fung. Am. 73. 1878.
Sacc. Syll. 1: 49. d. 13 June 1882.
Martin, Jour. Myc. 1: 137. d. Nov. 1885.

*Roum. Fung. Gall. 5036. 1889.
Roum. Rev. Myc. 11: 196. 1 Oct. 1889.

*Ell. & Ev. N. A. F. 2339. April 1890.
Ell. & Ev. Pyren. 39. d. May 1892.
Tracy & Earle, Bull. Miss. Exp. Sta. 38: 140. May 1896.
Underw. & Earle, Bull. Ala. Exp. Sta. 80: 181. d. 28 June 1897.
Earle in Mohr. Contr. U. S. Nat. Herb. 6: 168. 31 July 1901. Asterina conglobata, B. & C. See Dimerosporium conglobatum, (B. & C.) Ell. & Ev. Asterina congregata, B. & C. B. & C. Proc. Am. Acad. 4: 129. d. 14 Dec. 1858. Sacc. Syll. 1: 48. d. 13 June 1882. Ell. & Ev. Pyren. 44. d. May 1892. Cent. Amer. Asterina connata, B. & C. B. & C. Jour. Linn. Soc. 10: 374. d. 1869. Sacc. Syll. 1: 42. d. 13 June 1882. West Indies. Asterina coriacella, Speg.
Duss, Champ. Guad. & Martinique 83. 1903. West Indies. Asterina crustacea, (Ell. & Ev.) n. n. Asterella crustacea, Ell. & Ev.

Ell. & Ev. in Millsp. Publ. Field Columb. Mus. Bot. 2: 15. d. pl. 51.

March 1900. [Publ. 43.]

West Indies. Asterina cupressina, (Rehm) Cke. C. & E. Grev. 6: 17. d. Sept. 1877. Rehm, Ascomyceten 96. 1881.
Rehm, Hedw. 21: 57. April 1882.
Sacc. Syll. 1: 42. d. 13 June 1882.
Martin, Jour. Myc. 1: 138. d. Nov. 1885.
Ell. & Ev. Pyren. 37. d. May 1892.
Venturia cupressina, Rehm in Exs. *Rehm, Ascomyceten 394. *Ell. N. A. F. 160. 1878. *Ell. N. A. F. 500. 1880. *Thm. Myc. Univ. 1543. 1877. 1880. Ell. in Cat. Pl. N. J. 516. 1889. *Roum. Fung. Gall. 5142. 1890. Roum. Rev. Myc. 12: 20. 1 Jan. 1890.

```
Asterina euticulosa, Cke.
 Asterina euneurosa, CRC.

Cke. Grev. 7: 49. d. Dec. 1878.

*Rav. Fung. Am. 328. 1879.

Sacc. Syll. 1: 44. d. 13 June 1882.

Martin, Jour. Myc. 1: 137. d. Nov. 1885.

Ell. & Ev. Pyren. 40. d. May 1892.

Asterella cuticulosa, Tracy & Earle.
    Tracy & Earle, Bull. Miss. Exp. Sta. 34: 99. d. May 1895.
Asterina decolorans, B. & C.
   B. Grev. 4: 9 (147) no. 785. d. Sept. 1875. Sacc. Syll. 1: 46. d. 13 June 1882. Martin, Jour. Myc. 1: 137. d. Nov. 1885. Ell. & Ev. Pyren. 40. d. May 1892.
Asterina delitescens, Ell. & Martin.
Ell. & Martin, Am. Nat. 17: 1284. d. Dec. 1883.
 *Ell. N. A. F. 1291. 1884.
   Martin, Jour. Myc. 1: 134. d. Nov. 1885.
Berl. & Vogl. in Sacc. Syll. Add. 1-4: 10. d. 31 Dec. 1886.
Sacc. Syll. 9: 383. d. 15 Sept. 1891.
Ell. & Ev. Pyren. 36. d. pl. 6. May 1892.
Tracy & Earle, Bull. Miss. Exp. Sta. 34: 98. May 1895.
   Earle, Bot. Gaz. 21: 226, 227. 25 April 1896.
Asterina diplodioides, B. & C.
   B. Grev. 4: 9 (147) no. 787. d.
                                                     Sept. 1875.
   Sacc. Syll. 1: 41. d. 13 June 1882.
Martin, Jour. Myc. 1: 137. d. Nov. 1885.
   Ell. & Ev. Pyren. 44. d. May 1892.
Underw. & Earle, Bull. Ala. Exp. Sta. 80: 181. d. 28 June 1897.
Earle in Mohr, Contr. U. S. Nat. Herb. 6: 168. 31 July 1901.
Asterina discoidea, Ell. & Martin.
         NOTE. It is possible that Asterina discoidea, Ell. & Martin may be the
      same as A. oleina, Cke. but the specimen of the latter in Rav. Fung. Am.
      757 is too immature to give satisfactory information.
   Ell. & Martin, Am. Nat. 18: 1148. d. Nov. 1884.
   Ell. & Martin, Jour. Myc. 1: 101. d. Aug. 1885 and Hedw. 25: 44.
         d. Feb. 1886.
 Martin, Jour. Myc. 1: 135. d. Nov. 1885.
Calkins, Jour. Myc. 2: 42. April 1886.
Berl. & Vogl. in Sacc. Syll. Add. 1-4: 8. d. 31 Dec. 1886.
*Ell. & Ev. N. A. F. 1784. 1887.
Ell. & Ev. Pyren. 37. d. May 1892.
   Ell. & Ev. Pyren. 37. d. Ma
Astereila discoidea, Sacc.
   Sacc. Syll. 9; 395. d. 15 Sept. 1891.
Asterina dubiosa, Bomm. & Rous.
   Bomm. & Rous. in Durand & Pittier, Bull. Soc. Bot. Belg. 851: 157. d.
         1896.
                                                                                            Cent. Amer
   Sacc. & Syd. Syll. 14: 696. d. 20 Aug. 1899.
Asterina Erithalidis, (Ell. & Ev.) n. n.
      Asterella Erithalidis, Ell. & Ev.
   Ell. & Ev. in Millsp. Publ. Field Columb. Mus. Bot. 2: 15. d. pl. 50.

March 1000 [Publ. 42.] West Indies.
         March 1900. [Publ. 43.]
Asterina erysiphoides, B. & C. nom. nud.
      See Sphærella nyssæcola, Cke.
Asterina erysiphoides, Ell. & Martin.
      See Asterina patelloides, Ell. & Martin.
```

Asterina Eugeniæ, Mont. Mont. Syll. Crypt. 255. d. 1856. Sacc. Syll. 1: 49. d. 13 June 1882. **Dothidea Eugeniæ**, Mont. Mont. Ann. Sci. Nat. II. 8: 359. d. 1837. West Indies. Asterina examinans, B. & C. B. & C. Jour. Linn. Soc. 10: 374. d. 1869. West Indies. Sacc. Syll. 1: 45. d. 13 June 1882. Asterina exasperans, B. & C. See *Phacidium exasperans*, S. **Asterina furcata**, Pat. Pat. Jour. de Bot. 2: 148 (7). d. f. 4. I May 1888. West Indies. Asterina Gaultheria, M. A. Curtis. Pk. Rept. N. Y. Mus. 22: 101. 1869. Martin, Jour. Myc. 1: 134. d. Nov. 1885. Martin, Jour. Myc. 1: 134. d. Nov. 1885.

*Ell. N. A. F. 1358. 1885.

Berl. & Vogl. in Sacc. Syll. Add. 1-4: 7. d. 31 Dec. 1886.

Ell. in Cat. Pl. N. J. 510. 1889.

Ell. & Ev. Pyren. 42. d. May 1892.

*Seymour & Earle, E. F. 139. 1 Sept. 1892.

Davis, J. J., Tr. Wis. Acad. 9: 165. 21 Aug. 1893.

Kellerm. & Werner, Geol. Ohio 72: 352. Jan. 1895.

Sacc. Syll. 11: 256. d. July 1895.

Harvey, Bull. Torr. Bot. Club 28: 51. 29 Feb. 1896.

Davis, J. J., Tr. Wis. Acad. 11: 168. Aug. 1897.

Orton, Rept. Vt. Exp. Sta. 12: 167. Dec. 1899 and Contr. Bot. Vt. 7: 167. Dec. 1899. 7: 167. Dec. 1899. Ricker, Univ. of Maine Studies 3: 30. 30 April 1902. Asterella Gaultheria, Sacc. Sacc. Syll. 9: 394. d. 15 Sept. 1891. Asterina globifera, Ell. & Ev. Ell. & Ev. Bull. Torr. Bot. Club **22:** 435. *d.*Sacc. Hedw. **85:** Rep. 7: xxiv. 25 Feb. 1896.
Sacc. & Syd. Syll. **14:** 696. *d.* 20 Aug. 1899. 31 Oct. 1895. Hawaii. **Asterina graminicola,** Ell. & Ev Ell. & Ev. Proc. Phil. Acad. 1893: 128. d. 28 Feb. 1893. Asterella graminicola, Sacc. acc. Syll. 11: 257. d. July 1895. Sacc. Syll. 11: 257. d. Asterina granulosa, (Klotzsch) Hook. & Arnott.
Tracy & Earle, Bull. Miss. Exp. Sta. 34: 98. d. May 1895.
Tracy & Earle, Bull. Miss. Exp. Sta. 38: 140. May 1896. **Asterina Ilicis.** Ell. NOTE. It seems to us from specimens examined that the structure of this species corresponds to that of the genus Microphyma in which it is placed

See Microphyma Ilicis, (Ell.) Speg. **Asterina inquinans,** Ell. & Ev. Ell. & Ev. Jour. Myc. 3: 41. d. April 1887. Calkins, Jour. Myc. 8: 46. April 1887. Langlois, Cat. Pl. La. 27. 1887.

*Ell. & Ev. N. A. F. 1785. 1887.

Sacc. Syll. 9: 388. d. 15 Sept. 1891.

Ell. & Ev. Pyren. 41. d. May 1892.

Tracy & Earle, Bull. Miss. Exp. Sta. 38: 140. May 1896. Earle, Bull. Torr. Bot. Club 27: 120. d. 24 March 1900.

Hume, Rept. Fla. Exp. Sta. 1900: 40. 1900. Patterson, Bull. U. S. Agr. Pl. Industry 8: 18. 3 Feb. 1902.

Asterina intricata, Ell. & Martin.

Ell. & Martin, Am. Nat. 18: 69. d. Jan. 1884.

Martin, Jour. Myc. 1: 136. d. Nov. 1885.

Berl. & Vogl. in Sacc. Syll. Add. 1-4: 8. d. 31 Dec. 1886.

Ell. & Ev. Pyren. 38. d. May 1892.

Asterella intricata, Sacc.

Sacc. Syll. 9: 395. d. 15 Sept. 1891. Tracy & Earle, Bull. Miss. Exp. Sta. 34: 99. d. May 1895.

Asterina Lauri-Borboniæ, (S.) Cke.

The Dothidea Lauri-Borbonia, S. has been placed in Asterina with doubt by Cooke in Grev. 13: 67. March 1885 and also in Asteroma, Cke. Grev. 13: 41. Dec. 1884. Saccardo places it in Phyllachora.

All the specimens of Dothidea Lauri-Borbonia in Herb. S. which have been examined by different writers have been imperfect and it is impossible to say what the species is and as there is no more reason for assigning it to Asterina than to Asteroma we give here all the references known to us. The species must be classed permanently with species ignota.

Cke. Grev. 18: 67. March 1885. Dothidea Lauri-Borboniæ, S. 1834. S. Syn. Am. Bor. 232 no. 1899. d. Cke. Grev. 18: 41. Dec. 1884. Ell. & Ev. Pyren. 605. May 1892. Phyllachora Lauri-Borboniæ, Sacc. Sacc. Syll. 2: 610. d. 13 June 1883. Asteroma Lauri-Borboniæ, Cke. Cke. Grev. 18: 41. Dec. 1884.

Asterina Leemingii, Ell. & Ev.

NOTE. The conidial stage of this species is probably Glenospora melioloides, M. A. Curtis, of which no description has been published. Compare also Dimerosporium Galactis, Ell. & Ev.

Ell. & Ev. Proc. Phil. Acad. 1893: 128. d. 28 Feb. 1893. Gaillard, Bull. Soc. Myc. 9: 97. pl. 7, f. 3. 31 March 1893.
Small & Vail, Mem. Torr. Bot. Club 4: 200. d. pl. 82. April 1894.
*Ell. & Ev. N. A. F. 3108. Nov. 1894.
*Ell. & Ev. Fung. Columb. 511. 1894.

Sacc. Syll. 11: 256. d. July 1895. Millsp. & Nutt. Publ. Field Columb. Mus. Bot. 1: 132. Jan. 1896.

Glenospora melioloides, M. A. Curtis, nom. nud.

Curtis, M. A., Bot. N. Car. 127. 1867. Cke. Bull. Buf. Soc. 8: 196. July 1877 July 1877.

Asterina lepidigena, Ell. & Martin. See Asteridium lepidigenum, Sacc.

Asterina lepidigenoides, Ell. & Ev. See Asteridium lepidigenoides, (Ell. & Ev.) Sacc.

Asterina Lepiniana, Mont. See Asterina peliiculosa, B.

Asterina megalospora, B. & C. B. & C. Jour. Linn. Soc. 10: 373. d. 186g. Sacc. Syll. 1: 41. d. 13 June 1882.

West Indies.

Asterina melioloides, B. & C See *Dimerosporium melioloides*, (B. & C.) Martin.

```
Asterina Mexicana, Ell. & Ev.
   Ell. & Ev. Bull. Torr. Bot. Club 27: 51. d. 17 Feb. 1000.
                                                                                                      Mexico.
   Sacc. & Syd. Syll. 16: 648. d. 1 Feb. 1902.
Asterina minor, Ell. & Ev.
   Ell. & Ev. Jour. Myc. 2: 42. d. April 1886.
Berl. & Vogl. in Sacc. Syll. Add. 1-4: 11. d. 31 Dec. 1886.
Sacc. Syll. 9: 389. d. 15 Sept. 1891.
Ell. & Ev. Pyren. 41. d. May 1892.
?Asterina nigerrima, Ell.
         NOTE. This species is placed by Lindau in the genus Asterula.
    Ell. Bull. Torr. Bot. Club 8: 91. d. Aug. 1881.
   Sacc. Syll. 1: 48. d. 13 June 1882.
Martin, Jour. Myc. 1: 137. d. Nov. 1885.
Ell. in Cat. Pl. N. J. 509. 1889.
   Ell. & Ev. Pyren. 43. May 1892. Asterula nigerrima, Lindau.
   Lindau in Engler & Prantl, Pflanzenfam. 11: 339. Jan. 1897.
Asterina nuda, Pk.
   Martin, Jour. Myc. 1: 134. d. Nov. 1885.
Pk. Rept. N. Y. Mus. 88: 102. d. pl. 2, f. 11-15. 1885.
Berl. & Vogl. in Sacc. Syll. Add. 1-4: 9. d. 31 Dec. 1886.
Ell. & Ev. Pyren. 36. d. May 1892.
      Asterella nuda, Sacc.
    Sacc. Svll. 9: 307. d. 15 Sept. 1891.
Asterina oleina, Cke.
         NOTE. See note under Asterina discoidea, Ell. & Martin.
    Cke. Grev. 11: 38. d. Sept. 1882.
 *Rav. Fung. Am. 757. 1882.
Sacc. Syll. 2: Add. p. ii. d. 13 June 1885.
   Ell. & Martin, Jour. Myc. 1: 101. d. Aug. 1885.

Martin, Jour. Myc. 1: 137. d. Nov. 1885.

Calkins, Jour. Myc. 2: 126. Nov. 1886.

Ell. & Ev. Pyren. 43. d. May 1892.

Asterella oleina, Sacc.
    Sacc. Syll. 9: 396. d. 15 Sept. 1891.
Asterina orbicularis, B. & C
       See Dimerosporium orbiculare, (B. & C.) Martin.
Asterina ostiolata, B. & C.
   B. & C. Proc. Am. Acad. 4: 129. d. 14 Dec. 1858. Sacc. Syll. 1: 51. d. 13 June 1882. Ell. & Ev. Pyren. 44. d. May 1892.
                                                                                              Cent. Amer.
Asterina patelloides, Ell. & Martin.
   Martin, Jour. Myc. 1: 136. d. Nov. 1885.

Berl. & Vogl. in Sacc. Syll. Add. 1-4: 7. d. 31 Dec. 1886.

Ell. & Ev. Pyren. 38. d. May 1892.

Asterina erysiphoides, Ell. & Martin.
 *Ell. N. A. F. 1359. 1885.
Asterelia patelloides, Sacc.
    Sacc. Syll. 9: 394. d. 15 Sept. 1891.
 Asterina paupercula, Ell. & Ev.
   Ell. & Ev. Jour. Myc. 4: 121. d. D. Ell. & Ev. Pyren. 37. d. May 1892.

Asterella paupercula, Sacc.
                                                         Dec. 1888.
    Sacc. Syll. 9: 396. d. 15 Sept. 1891.
```

```
Asterina Pearsoni, Ell. & Ev.

Ell. & Ev. Jour. Myc. 1: 92. d. July 1885.

Martin, Jour. Myc. 1: 135. d. Nov. 1885.

Berl. & Vogl. in Sacc. Syll. Add. 1-4: 10. d. 31 Dec. 1886.

Ell. in Cat. Pl. N. J. 510. 1889.

Ell. & Ev. Pyren. 42. d. May 1892.

Asterella Pearsoni, Sacc.
     Sacc. Syll. 9: 395. d. 15 Sept. 1891.
Asterina pelliculosa, B.
        NOTE. Under this name in Fungi Cubenses Asterina Lepiniana, Mont. is mentioned as a synonym. We have not been able to trace the latter name
         elsewhere and it is probably a manuscript name.
                                                                                                                          West Indies.
     B. & C. Jour. Linn. Soc. 10: 373.
    B. Jour. Linn. Soc. 14: 352. 17 Oct. 1874.
B. Grev. 4: 10 (148). Sept. 1875.
Cke. Grev. 6: 142. June 1878.
                                                                                                                                Bermuda.
 Cke. Grev. 6: 142. June 1070.

*Rav. Fung. Am. 75. 1878.

Sacc. Syll. 1: 46. d. 13 June 1882.

Martin, Jour. Myc. 1: 138. d. Nov. 1885.

Cke. in Hemsley, Bot. Challenger 1: 104. 1885.

Pat. Jour. de Bot. 8: 342 (39). 16 Oct. 1889.

Ell. & Ev. Pyren. 37. d. May 1892.

Tracy & Earle, Bull. Miss. Exp. Sta. 34: 98. d. May 1895.

Farle Rot Gaz 21: 228. 25 April 1806.
    Earle, Bot. Gaz. 21: 228. 25 April 1896.
Tracy & Earle, Bull. Miss. Exp. Sta. 38: 140, 143.
                                                                                                            May 1806.
   Tracy & Earle, Bull. Miss. Exp. Sta. 30: 140, 143. may 1000. Underw. & Earle, Bull. Ala. Exp. Sta. 80: 181. 28 June 1897. Earle in Mohr, Contr. U. S. Nat. Herb. 6: 168. 31 July 1901. Patterson, Bull. U. S. Agr. Pl. Industry 8: 18. 3 Feb. 1902. Duss, Champ. Guad. & Martinique, 83. 1903.
        Dimerosporium orbiculare, Atk. non Martin.
     Atk. Bull. Cornell Univ. 3: 4. 25 June 1897.
Asterina picea, B. & C.
B. & C. Jour. Linn. Soc. 10: 374. d. 1869.
Sacc. Syll. 1: 46. d. 13 June 1882.
Ell. & Ev. Pyren. 36. d. May 1892.
                                                                                                                          West Indies.
Asterina Pinastri, Sacc. & Ell.
            NOTE. The attachments of the perithecia by hyphal discs such as charac-
        terize the Microthyriacea show that this species can not be a Parodiella.
 Sacc. Mich. 2: 567. d. Dec. 1882.
*Ell. N. A. F. 789. 1882.
Sacc. Syll. 2: Add. p. ii. d. 13 Ju
                                                             13 June 1883.
 *Wint. Fung. Eur. 2942. 1883.
 Martin, Jour. Myc. 1: 135. d. Nov. 1885.
Sacc. Syll. 9: 387. d. 15 Sept. 1891.
Ell. & Ev. Pyren. 39. d. May 1892.
*Ell. & Ev. Fung. Columb. 615. 24 April 1895.
        Parodiella rigida, Ell. & Ev.
   Ell. & Ev. Jour. Myc. 4: 62. d. July 1888.
Sacc. Syll. 9: 410. d. 15 Sept. 1891.
Lindau in Engler & Prantl, Pflanzenfam. 11: 336. Jan. 1897.
Asterina Pittieri, Bomm. & Rous.
    Bomm. & Rous. in Durand & Pittier, Bull. Soc. Bot. Belg. 351: 156. d.
                                                                                                                          Cent. Amer.
            1896.
    Sacc. & Syd. Syll. 14: 695. d. 20 Aug. 1899.
```

```
Asterina Plantaginis, Ell. Ell. Bull. Torr. Bot. Club 9: 74. d. June 1882.
 Ell. Bull. Torr. Bot. Club 9: 74. d. June 1882.

*Ell. N. A. F. 791. 1882.

Sacc. Syll. 2: Add. p. iii. d. 13 June 1883.

Hark. Bull. Cal. Acad. 1: 165. 7 March 1885.

Martin, Jour. Myc. 1: 138. d. Nov. 1885.

Ell. in Cat. Pt. N. J. 510. 1889.

Ell. & Ev. Pyren. 40. d. May 1892.

*Seymour & Earle, E. F. 348. 1 May 1893.

Halsted, Rept. N. J. Exp. Sta. 1892: 348. 1893.

*Ell. & Ev. Fung. Columb. 713. 24 April 1895.

Davis, J. J., Tr. Wis. Acad. 11: 170. Aug. 1897.

Jones, H. L., Oberlin College Lab. Bull. 9: 5. 15 June 1898.

Orton, Rept. Vt. Exp. Sta. 12: 167. Dec. 1899 and Contr. Bot. Vt. 7: 167. Dec. 1899.

Asterella Plantaginis, Sacc.

Sacc. Syll. 9: 398. d. 15 Sept. 1891.
    Sacc. Syll. 9: 398. d. 15 Sept. 1891.
Asterina platasca, B. & C
    B. & C. Jour. Linn. Soc. 10: 373. d.
                                                                                                                               West Indies.
    Sacc. Syll. 1: 40. d. 13 June 1882.
Asterina Prosopidis, (Ell. & Ev.) n. n.
Asterella Prosopidis, Ell. & Ev.
    Ell. & Ev. Am. Nat. 81: 340. d. April 1897.
Lindau & Syd. Hedw. 87: Beibl. 7: xxii. 9 April 1898.
Sacc. & Syd. Syll. 14: 698. d. 20 Aug. 1899.
                                                                                                                                         Mexico.
Asterina purpurea, Ell. & Martin.
         See Asteridium purpureum, (Ell. & Martin) Sacc.
Asterina pustulata, Ell. & Martin.

Ell. & Martin, Am. Nat. 18: 1148. d. Nov. 1884.

Martin, Jour. Myc. 1: 136. d. Nov. 1885.

Berl. & Vogl. in Sacc. Syll. Add. 1-4: 8. d. 31 Dec. 1886.

*Ell. & Ev. N. A. F. 1543. 1886.

Ell. & Ev. Pyren. 41. d. May 1892.

Asterella pustulata, Sacc.

Sacc. Syll. 9: 2007. d. 15. Sort. 1804.
    Sacc. Syll. 9: 395. d. 15 Sept. 1891.
Asterina radians, Ell.
Ell. Jour. Myc. 7: 276. d. 15 May 1893.
Sacc. Syll. 11: 255. d. July 1895.
Asterina ramularis, Ell.
         See Asterula ramularis, (Ell.) Sacc.
Asterina reptans, B. & C.
             NOTE. This species is made the type of Trichopeltis by Spegazzini but
        that name so far as we know has not yet appeared in North American literature except as stated below. Whether Asterina reptans, Ule, Myc. Bras. 65 is the true A. reptans, B. & C. seems to us doubtful. We have examined
         Berkeley and Curtis specimens on which the species is founded and they
         do not seem to have the same structure as the specimen in Myc. Bras.
    B. & C. Jour. Linn. Soc. 10: 373. d. 1869. Sacc. Syll. 1: 46. d. 13 June 1882. 
Trichopeliis reptans, Speg.
                                                                                                                               West Indies.
    Sacc. Syll. 9: 1068. 15 Sept. 1891.
    Lindau in Engler & Prantl, Pflanzenfam. 11: 342.
                                                                                                                Jan. 1897.
    Asterella reptans, Lindau.
Lindau in Engler & Pranti, Pflanzenfam. 11: 340.
Microthyrium reptans, Pat. in Duss.
    Duss, Champ. Guad. & Martinique 83. 1903.
```

```
Asterina rubicola, Ell. & Ev.
   Ell. & Ev. Proc. Phil. Acad. 1890: 219. d. 29 July 1800.
 *Ell. & Ev. N. A. F. 2340. 1890.

Sacc. Syll. 9: 384. d. 15 Sept. 1891.

Ell. & Ev. Pyren. 35. d. May 1892.

Davis, J. J., Tr. Wis. Acad. 9: 165. 21 Aug. 1893.

Orton, Rept. Vt. Exp. Sta. 12: 167. Dec. 1899 and Contr. Bot. Vt.
 7: 167. Dec. 1899.
*Vestergren, Micr. Sel. 815. March 1904.
Asterina sabalicola, Earle.
   Earle, Bull. Torr. Bot. Club 27: 120. d. 24 March 1900.
   Sacc. & Syd. Syll. 16: 648. d. 1 Feb. 1902.
Asterina Sidæ, Earle.
Earle, Bull. N. Y. Bot. Gard. 8: 310. d. 30 June 1904.
                                                                                    West Indies.
Asterina solanicola, B. & C.
   B. & C. Jour. Linn. Soc. 10: 374. d. 1860.
                                                                                    West Indies.
   Sacc. Syll. 1: 48. d. 13 June 1882.
Wint. Hedw. 25: 94 (3). June 1886.
Rehm, Hedw. Beibl. 84: (161). d. 19 Oct. 1895.
Asterina sphærelloides, Ell. & Ev.
Ell. & Ev. Bull. Torr. Bot. Club 24: 126. d. 30 March 1897.
Lindau & Syd. Hedw. 37: Beibl. 7: xxii. 9 April 1898.
Asterina Sphærotheca, Karst. & Roum.
   Bomm. & Rous. in Durand & Pittier, Bull. Soc. Bot. Belg. 351: 157.
                                                                                     Cent. Amer.
         1896.
Asterina sphenispora, Ell. & Ev. Ell. & Ev. Jour. Inst. Jamaica 1: 248. d. 262. April 1893.
Asterina spurca, B. & C.
        NOTE. The specific name is spelled spurca in Grev. 4: 10 where the
      species is first described but in the two previous citations of Ravenel and
      Curtis it is spelled spuria.
 *Rav. Fung. Car. 4: 69. 1855.
Curtis, M. A., Bot. N. Car. 152.
                                                  1867.
   B. Grev. 4: 10 (148) no. 789. d.
                                                  Sept. 1875.
   Sacc. Syll. 1: 50. d. 13 June 1882.
Martin, Jour. Myc. 1: 138. d. Nov. 1885.
   Ell. & Ev. Pyren. 44. d. May 1892.
Underw. & Earle, Bull. Ala. Exp. Sta. 80: 181. d. 28 June 1897.
   Earle in Mohr, Contr. U. S. Nat. Herb. 6: 168. 31 July 1901.
Asterina spuria, B. & C.
      See Asterina spurca, B. & C.
Asterina stomatophora, Ell. & Martin.
   Ell. & Martin, Jour. Myc. 1: 98. d. Aug. 1885 and Hedw. 25: 41. d.
         Feb. 1886.
  Martin, Jour. Myc. 1: 136. d. Nov. 1885.
Calkins, Jour. Myc. 2: 127. Nov. 1886.
Berl. & Vogl. in Sacc. Syll. Add. 1-4: 9. d. 31 Dec. 1886.
Ell. & Ev. Pyren. 41. d. May 1892.
Asterella stomatophora, Sacc.
   Sacc. Syll. 9: 394. d. 15 Sept. 1891.
Asterina subcyanea, Ell. & Martin.
   Ell. & Martin, Am. Nat. 18: 1148. d. Nov. 1884.
 Martin, Jour. Myc. 1: 136. d. Nov. 1885.
*Ell. N. A. F. 1360. 1885.
Berl. & Vogl. in Sacc. Syll. Add. 1-4: 7. d. 31 Dec. 1886.
```

```
Ell. & Ev. Pyren. 42. d. May 1892.
      Asterella subcyanea, Sacc.
   Sacc. Syll. 9: 395. d. 15 Sept. 1891.
Lindau in Engler & Prantl, Pflanzenfam. 11: 340. Jan. 1897.
Asterina tenella, Cke.
Cke. Grev. 18: 67. d. March 1885.
Martin, Jour. Myc. 1: 135. d. Nov. 1885.
Berl. & Vogl. in Sacc. Syll. Add. 1-4: 10. d. 31 Dec. 1886.
  Sacc. Syll. 9: 383. d. 15 Sept. 1891.
Ell. & Ev. Pyren. 39. d. May 1892.
Lindau in Engler & Prantl, Pflanzenfam. 11: 341. Jan. 1897.
Asterina triloba, Earle.
Earle, Bull. N. Y. Bot. Gard. 8: 310. d. 30 June 1904. West Indies.
Asterina Wrightii, B. & C.
  B. Grev. 4: 10 (148) no. 790. d. Sept. 1875.
Cke. Ann. N. Y. Acad. 1: 184, 187. May 1
  Sacc. Syll. 1: 49. d. 13 June 1882.
Martin, Jour. Myc. 1: 138. d. Nov. 1885.
   Ell. & Ev. Pyren. 44. d. May 1892.
Asterina Xerophylli, Ell.
See Asteridium Xerophylli, (Ell.) Sacc.
Asterina Yucatanensis, Ell. & Ev
  Ell. & Ev. in Millsp. Publ. Field Columb. Mus. Bot. 1: 285. d. pl. 9, f. 1-5. Dec. 1896. [Publ. 15.] Cent. Amer. Sacc. & Syd. Syll. 14: 695. d. 20 Aug. 1899.
Asterina, sp. indet.
Trel. Tr. Wis. Acad. 6: 119. Nov. 1884.
  Small & Vail, Mem. Torr. Bot. Club 4: 201. April 1894.
Asterinula, Ell. & Ev.
     See Leptothyrella, Sacc.
Asterinula Dearnessii, Ell. & Ev. See Leptothyrella Dearnessii, (Ell. & Ev.) Sacc.
Asterinula Langloisii, Ell. & Ev. See Leptothyrelia Langloisii, (Ell. & Ev.) Sacc.
Asteroconium, Syd.
  Syd. Ann. Myc. 1: 36. d. 30 Jan. 1903 and Jour. Myc. 10: 244. d.
        14 Oct. 1904.
Asteroconium Saccardoi, Syd.
  Syd. Ann. Myc. 1: 36. d. 30 Jan. 1903.
                                                                                       Mexico.
Asterodon, Pat.
Pat. Bull. Soc. Myc. Fr. 10: 129. d. 1894.
Pat. Essai Tax. 121. d. 1900.
     Hydnochæte, Pk.
  Pk. Rept. N. Y. Mus. 50: 113. d. 28 March 1898.
  Hydnochætella, Sacc.
Sacc. & Syd. Syll. 14: 11. 20 Aug. 1899.
Asterodon ferruginosum, Pat.
  Pat. Essai Tax. 121. 1900.

Hydnochæte setigera, Pk.
  Pk. Rept. N. Y. Mus. 50: 113. d. 28 March 1898.
  Sacc. & Syd. Syll. 14: 211. d. 20 Aug. 1899.
     Asterodon setiger, Pk.
  Pk. Bull. N. Y. Mus. 6: 221. July 1899. [Bull, 28.]
Asteroma Aceris, Rob.
  Thm. Nat. Can. 10: 10. Jan. 1878.
```

Asteroma alpinum, Sacc.

Rostr. Meddelelser om Groenl. 3: 570. 1888. Rostr. Meddelelser om Groenl. 30: 120. 1004.

Asteroma atramentarium, B.

B. Grev. 2: 98 (79) no. 456. d. Jan. 1874. Sacc. Syll. 3: 202. d. 15 Dec. 1884.

Asteroma Bartsiæ, Rostr.

Rostr. Meddelelser om Groenl. 8: 570. d. 1888 and Bot. Centralbi. 36: 7. d. 1888.

Rostr. Meddelelser om Groenl. 3: 624. 1891.

Asteroma Brassicæ, Chev.

Rostr. Meddelelser om Groenl. 3: 570. 1888. -

Asteroma Cerasi, Cke.

See Asteroma cerasicolum, Sacc.

Asteroma cerasicolum, Sacc.

Sacc. Syll. 3: 202. d. 15 Dec. 1884. Allescher, Rabh. Krypt.-Fl. 16: 457. Asteroma Cerasi, Cke.

*Rav. Fung. Am. 521. 1881. Cke. Grev. 12: 24. d. Sept. 1883. *Thm. Myc. Univ. 2197. 1883.

Asteroma crustaceum, M. A. Curtis.

NOTE. M. A. Curtis in Bot. N. Car. 118 gives this name to the Dothidea crustacea of Schweinitz which as far as Schweinitzian specimens examined indicate does not show the ascosporic condition but is in all probability, judging by the structure of the young stages, either a Dothidea or a Phyllachora.

See Dothidea crustacea, S.

Asteroma Dianthi, Cke. & Hark.

Cke. & Hark. Grev. 9: 84. d. March 1881.

Hark. Bull. Cal. Acad. 1: 14. 29 Feb. 1884.

Sacc. Syll. 8: 204. d. 15 Dec. 1884.

Asteroma Diospyri, (S.) M. A. Curtis.

NOTE. We have brought together under this name all the references and synonyms of Xyloma Diospyri, S. The Schweinitzian specimens show only immature fungi and at the present day there is no one able to say what the species really is. It should be placed in species ignota.

1867.

Curtis, M. A., Bot. N. Car. 118. 18 Sacc. Syll. 8: 207. d. 15 Dec. 1884. Comes, Critt. Agr. 1: 468. 1891.

Xyloma Diospyri, S.

S. Syn. Car. 53 (27) no. 272. d. 1822. **Dothidea Diospyri**, Fr.

Fr. S. M. 2: 561. d. 1823.

S. Syn. Am. Bor. 232 no. 1907.

Cke. Grev. 13: 44. Dec. 1884. Cke. Grev. 13: 62. March 1885.

Asteroma elegans, M. A. Curtis. See *Phyllachora elegans*, (S.) Sacc.

Asteroma Epilobii, Fr.
Schrt. Ber. Schl. Ges. 1887: 283. 1887.
Dothidea Epilobii, Fr.

Pk. Rept. N. Y. Mus. 31: 49. 1879. Ell. & Ev. Pyren. 615. d. May 1892. Asteroma Euphorbiæ, Fckl. Webber, Rept. Nebr. Agr. 1889: 217 (77). 1890. **Asteroma Fraseræ,** Ell. & Ev. Ell. & Ev. Bull. Torr. Bot. Club 25: 509. d. 10 Sept. 1898. Sacc. & Syd. Syll. 16: 890. d. 1 Feb. 1902. Asteroma geographicum, (DC.) Desm. Curtis, M. A., Bot. N. Car. 118. 1867 Sacc. Syll. 8: 202. d. 15 Dec. 1884. Tubeuf-Smith, Diseases of Plants 470. 1897. Allescher, Rabh. Krypt.-Fl. 16: 472. d. 475. 1899. Lindau in Engler & Frantl, Pflanzenfam. 11**: 357. Dec. 1800. *Barthol., Ell. & Ev. Fung. Columb. 1508. Dec. 1901.

*Dothidea geographica, Fr.

S. Syn. Am. Bor. 232 no. 1904. 1834.

*Rav. Fung. Car. 1: 67. 1852.

B. Grev. 4: 105 (175). March 1876. *Rav. Fung. Am. 739. 1882. Asteroma graminis, Westd.? *EII. & Ev. N. A. F. 2160. Asteroma Himantia, Fr. See Sphærella Himantia. (P.) Karst. Asteroma Impatientis, (S.) M. A. Curtis. NOTE. We have brought together here all the references pertaining to Dothidea Impatientis, S. Schweinitzian material shows only undeveloped specimens and the plant should be placed with species ignota. Curtis, M. A., Bot. N. Car. 118. Dothidea Impatientis, S. S. Syn. Am. Bor. 234 no. 1926. d. Cke. Grev. 13: 42. Dec. 1884. Phyllachora Impatientis, Sacc Sacc. Syll. 2: 617. d. 13 June 1883. **Asteroma inelegans,** (S.) M. A. Curtis. NOTE. This species should be classed with species ignota like the last and for similar reasons. Curtis, M. A., Bot. N. Car. 118. 1867. Dothidea inclegans, S. S. Syn. Am. Bor. 233 no. 1915. d. 1834. Cke. Grev. 18: 42. Dec. 1884. Phyllachora inelegans, Sacc. Sacc. Syll. 2: 619. d. 13 June 1883. Asteroma infuscans, Ell. & Ev *Ell. & Ev. Proc. Phil. Acad. 1895: 431. d. Sacc. Hedw. 85: Rep. 7: xlii. 25 Feb. 1896. *Ell. & Ev. N. A. F. 3359. Feb. 1896. *Ell. & Ev. Rung. Columb. 959. April 1896. Sacc. & Syd. Syll. 14: 902. d. 20 Aug. 1899. *Asteroma lvæcola, Ell. & Ev. Fil. & Ev. Ag. May 1807. Nov. 1895. 20 Aug. 1899. Ell. & Ev. Am. Nat. 81: 428. d. May 1899 Ell. & Ev. Bull. Torr. Bot. Club 24: 462. May 1897. 30 Oct. 1897. *Ell. & Ev. Fung. Columb. 1141. July 1897. *Ell. & Ev. N. A. F. 3543. 21 Jan. 1898. Lindau & Syd. Hedw. 87: Beibl. 7: xliii. 9 April 1898. Asteroma Juncaginearum, Rabh. Rostr. Meddelelser om Groenl. 3: 570. 1888.

Asteroma Lauri-Borboniæ, Cke. See Asterina Lauri-Borboniæ, (S.) Cke.

Asteroma lineola, M. A. Curtis. See *Phoma lineola*, (S.) Cke.

Asteroma Liriodendri, Cke.

*Rav. Fung. Am. 522. 1881. Cke. Grev. 12: 25. d. Sept. 1883. Sacc. Syll. 8: 203. d. 15 Dec. 1884. Patterson, Bull. U. S. Agr. Pl. Industry 8: 23. 3 Feb. 1902.

Asteroma Panici, M. A. Curtis. See Phyllachora Panici, (S.) Sacc.

Asteroma Parkinsoniæ, Ell. & Ev.

Ell. & Ev. Proc. Phil. Acad. **1895**: 431. d. Nov. 1895. Sacc. Hedw. **85**: Rep. 7: xli. 25 Feb. 1896. Sacc. & Syd. Syll. **14**: 901. d. 20 Aug. 1899.

Asteroma pomigenum, M. A. Curtis. See Dothidea pomigena, S.

Asteroma Pringlei, Pk. Pk. Bot. Gaz. 7: 55. d. May 1882.

Asteroma punetiforme, B.
B. Grev. 2: 97 (78) no. 455. d. Jan. 1874.
Sacc. Syll. 8: 203. d. 15 Dec. 1884.

Asteroma reticulatum, (DC.) Chev. Frost in Cat. Pl. Amherst 81. 1875. Cobb, List. Pl. Amherst 38. 1887.

Asteroma ribicolum, Ell. & Ev. Kelsey, Jour. Myc. 5: 81. June 1889. Ell. & Ev. Jour. Myc. 5: 148. d. Sept. 1889. Comes, Critt Agr. 1: 469. 1891. Sacc. Syll. 10: 219. d. 30 June 1892.

Asteroma Robergei, Desm. Curtis, M. A., Bot. N. Car. 118. 1867. B. Grev. 2: 98 (79). Jan. 1874. Sacc. Syll. 8: 210. d. 15 Dec. 1884. Rostr. Meddelelser om Groenl. 8: 569. 1888. Rostr. Meddelelser om Groenl. 8: 624. 1891.

Asteroma Robergei, Desm., var. Arundinariæ, Sacc. Sacc. Syll. 3: 210. d. 15 Dec. 1884.

Asteroma Rosæ, Lib. See Actinonema Rosæ, (Lib.) Fr.

Asteroma Salicis, Rob. & Desm.
Desm. Ann. Sci. Nat. II. 19: 350. d. 1843.*
Rostr. Meddelelser om Groenl. 8: 570. 1888. Rostr. Meddelelser om Groenl. 3: 624. 1891.

Asteroma Saxifragæ, Ell. & Ev. Ell. & Ev. Proc. Phil. Acad. 1898: 158. d. 28 Feb. 1893. Sacc. Syll. 11: 501. d. July 1895.

Asteroma Senecionis, Ell. & Ev. Ell. & Ev. Bull. Torr. Bot. Club **24**: 287. d. 29 June 1897. Lindau & Syd. Hedw. **87**: Beibl. 7: xliii. 9 April 1898. Sacc. & Syd. Syll. **14**: 901. d. 20 Aug. 1899. Asteroma tinctorium, Cke.

*Rav. Fung. Am. 523. 1881. Cke. Grev. 12: 25. d. Sept. 1883. Sacc. Syll. 8: 203. d. 15 Dec. 1884.

Asteroma yagans, Desm.

*Barthol., Ell. & Ev. Fung. Columb. 2005. 20 March 1905.

Asteroma venulosum, (Wallr.) Fckl.

Davis, J. J., Tr. Wis. Acad. 9: 166. 21 Aug. 1893.

Asteroma vernicosum, (DC.) Fckl.

NOTE. The specimen of Dothidea vernicosa, Fr. of the Schweinitz herbarium shows only undeveloped fungi and therefore it is uncertain whether the Schweinitzian specimen is really the Asteroma vernicosum of (D C.) Fckl.

Curtis, M. A., Bot. N. Car. 118. 1867. Dothidea vernicosa, Fr.

S. Syn. Am. Bor. 232 no. 1900. 1834. Cke. Grev. 18: 44. Dec. 1884.

Asteroma Xanthii. M. A. Curtis.

NOTE. This manuscript name appears only in M. A. Curtis, Bot. N. Car. 118 and there is no specimen of it in the Curtis herbarium. It is therefore impossible to say whether it could be the Asteroma Xanthii, DC. referred by Cooke in Grev. to Puccinia Xanthii, S.

Asterophora agaricicola, Cda.

NOTE. This is the conidial form of Nyctalis lycoperdoides, (Bull.) Schrt. q. v.

Asterophora agaricoides, Fr.

NOTE. This is the conidial form of Nyctalis lycoperdoides, (Bull.) Schrt. q. v.

Asterophora effusa, S.

NOTE. An examination of an authentic Schweinitzian specimen shows that this is not an Asterophora in the proper sense. It appears to be one of the conidial forms of Polyporus called Ptycogaster but the Schweinitzian material is not sufficient to enable one to say certainly what species it is.

S. Syn. Am. Bor. 263 no. 2384. d. 1834.

Asterophora nucuum, Rav.

NOTE. This is a misprint for Ascophora nucuum, Cda. q. v.

Asterophora Pezizæ, Cda..

NOTE. This species of which the earlier name is Stephanoma strigosum, Wallr. is the conidial form of a Hypomyces whose ascosporic condition has not yet been found, as far as we know, in North America. It is the species called by Tulasne, Carp. 3: 52. 1865 Hypomyces Pesizæ. For the conidial stage alone the name should perhaps be Asterophora strigosa, (Wallr.)

Pk. Rept. N. Y. Mus. **35**: 142. 1885. Ell. & Ev. Jour. Myc. **2**: 76. July 1886. Synthetospora electa, Morg.

Morg. Bot. Gaz. 17: 192. d. f. 2. 15 June 1892. Kellerm. & Werner, Geol. Ohio 72: 371. Jan. 1895. Sacc. Syll. 11: 608. d. July 1895. Lindau in Engler & Prantl, Pflanzenfam. 11**: 451. f. 234 A. Feb.

Sepedonium tuberculiferum, Ell. & Ev. Ell. & Ev. Am. Nat. 81: 430. d. May 1897. Lindau & Syd. Hedw. 87: Beibl. 7: liii. 9 April 1898. Sacc. & Syd. Syll. 14: 1056. d. 20 Aug. 1899.

Asterophora physaroides, Fr.

NOTE. This is the conidial form of Nyctalis lycoperdoides, (Bull.) Schrt. q. v.

Asterophora strigosa, (Wallr.) n. n. See note under Asterophora Pezizæ, Cda.

Asterosporium betulinum, Pk.
Pk. Rept. N. Y. Mus. 88: 26. d. pl. 1, f. 4-5. Oct. 1883.
Sacc. Syll. 8: 782. d. 15 Dec. 1884. Ell. in Cat. Pl. N. J. 592. 1889.

Asterosporium Hoffmanni, Kze.

NOTE. The Schweinitzian specimen of Asterosporium vulgare examined shows no definite structure. It is impossible to say to what genus it belongs.

Curtis, M. A., Bot. N. Car. 119. Cke. Handbook 468. d. f. 181. 1867.

*Ell. N. A. F. 956. 1883. Sacc. Syll. 8: 782. d. 15 Dec. 1884.

Lindau in Engler & Prantl, Pflanzenfam. 11**: 400. f. 214 C-E. Jan.

Allescher, Rabh. Krypt.-Fl. 17: 663. d. f. a-d. 1902. ? Stilbospora asterosperma, P.

S. Syn. Car. 75 (49) no. 507. 1822. PAsterosporium vulgare, S. Am. Bor. S. Syn. Am. Bor. 299 no. 2980. 1834.

Asterosporium vulgare, S. Am. Bor. 2980. See Asterosporium Hoffmanni, Kze.

Asterostroma, Massee.

Massee, Jour. Linn. Soc. **25**: 154. d. 8 June 1889. Sacc. Syll. **9**: 236. d. 15 Sept. 1891. Morg. Jour. Cin. Soc. **18**: 38. d. Dec. 1895.

Asterostroma albidocarneum, Massee.

NOTE. This species is founded on the Corticium albidocarneum of Rav. Fung. Car. 4: 14 which was supposed by Ravenel to be the same as Thelephora albidocarnea, S. This however is not the case as shown by Massee's examination and our own examination of authentic specimens of Thelephora albidocarnea, S. from Herb. S. which is not an Asterostroma. The true Thelephora albidocarnea, S. which is the Corticium albidocarneum, (S.) Massee is not to be confounded with the present species. The references to Corticium albidocarneum in American literature relate in some cases to Corticium albidocarneum, (S.) Massee, q. v. We have given here those which belong properly to Asterostroma albidocarneum, Massee. The citations of Morgan and Kellerman & Werner probably belong here but we have not seen specimens representing them.

Massee, Jour. Linn. Soc. **25**: 155. *d. pl. 46*, *f. 8-9*. 8 June 1889. Sacc. Syll. **9**: 237. 15 Sept. 1891. *Corticium albidocarneum*, Ray.

*Rav. Fung. Car. 4: 14. 1855. Curtis, M. A., Bot. N. Car. 107. 1867.

B. Grev. 1: 178 (36). June 1873. Morg. Jour. Cin. Soc. 10: 200. d. Jan. 1888.

```
Sacc. Cub. & Manc. Syll. 6: 620. d. 1 Aug. 1888. p. p. Kellerm. & Werner, Geol. Ohio 72: 333. Jan. 1895.
Asterostroma bicolor, Ell. & Ev.
   Ell. & Ev. Proc. Phil. Acad. 1893: 441. d. 1893.
Sacc. Syll. 11: 128. d. July 1895.
Pk. Rept. N. Y. Mus. 55: 954. Nov. 1902. [Bull. 10: no. 54.]
Asterostroma cervicolor, (B. & C.) Massee.

Massee, Jour. Linn. Soc. 25: 155. d. 8 June 1889.

Sacc. Syll. 9: 237. 15 Sept. 1891.

Millsp. & Nutt. Publ. Field Columb. Mus. Bot. 1: 171. Jan. 1896.
       Corticium cervicolor, B. & C.
    B. Grev. 1: 179 (37) no. 267. d. June 1873.
 *Rav. Fung. Am. 228. 1879.
Calkins, Jour. Myc. 2: 106. Sept. 1886.
Sacc. Cub. & Manc. Syll. 6: 621. d. 1 Aug. 1888.
Underw. & Earle, Bull. Ala. Exp. Sta. 80: 223. d. 28 June 1897.
    Earle in Mohr, Contr. U. S. Nat. Herb. 6: 197. 31 July 1901.
Asterostroma corticola, Massee.

Massee, Jour. Linn. Soc. 25: 155. d. 8 June 1889.
Sacc. Syll. 9: 236. d. 15 Sept. 1891.
Millsp. & Nutt. Publ. Field Columb. Mus. Bot. 1: 171.
                                                                                                    Jan. 1806.
    Henn. in Engler & Prantl, Pflanzenfam. 11**: 122. 1898.
Asterostroma museicola, (B. & C.) Massee.
Massee, Jour. Linn. Soc. 25: 155. d. 8 June 1889.
    Sacc. Syll. 9: 237. 15 Sept. 1891.

Hymenochæte muscicola, B. & C.
   B. & C. Jour. Linn. Soc. 10: 334. d. 1869.
Cke. Grev. 8: 149. June 1880.
Sacc. Cub. & Manc. Syll. 6: 602. d. 1 Aug. 1888.
                                                                                                       West Indies.
Asterostroma pallidum, Morg.

Morg. Jour. Cin. Soc. 18: 38. d. Dec. 1895.

Sacc. Hedw. 85: Rep. 7: x. 25 Feb. 1896.

McClatchie, Proc. S. Cal. Acad. 1: 378. 5 June 1897.
    Sacc. & Svd. Svll. 14: 223. d. 20 Aug. 1800.
Asterula nigerrima, Lindau.
See Asterina nigerrima, Ell.
Asterula ramularis, (Ell.) Sacc.
    Sacc. Syll. 9: 375. d. 15 Sept. 1891.

Asterina ramularis, Ell.
    Ell. Bull. Torr. Bot. Club 9: 20. d. Feb. 1882.
 *Ell. N. A. F. 790. 1882.
Sacc. Syll. 2: Add. p. ii. d. 13 June 1883.
Martin, Jour. Myc. 1: 138. d. Nov. 1885.
    Ell. & Ev. Pyren. 40. d. May 1892.
Asterula Tracyi, Pk.
Pk. Rept. N. Y. Mus. 47: 152 (26). d. Nov. 1894
    Tracy & Earle, Bull. Miss. Exp. Sta. 34: 98. d. May 1895.
    Sacc. Syll. 11: 254. d. July 1895.
Astræus, Morg.

Morg. Jour. Cin. Soc. 12: 19. d. April 1889.

Fischer in Engler & Prantl, Pflanzenfam. 11**: 341. d. Dec. 1899.

Hollos, Gast. Hung. 78. d. 160. 1904.
Astræus hygrometricus, Morg.
       See Astræus stellatus, (Scop.) E. Fischer.
```

```
Astræus stellatus, (Scop.) E. Fischer.
    Fischer, E., in Engler & Prantl, Pflanzenfam. 11**: 341. d. f. 178. Dec. 1899.
     Earle in Greene, Pl. Baker. 2: 5. 25 March 1901.
    Hollos, Gast. Hung. 78. d. 160. pl. 10, f. 26-29. 1904.
         Geaster hygrometricus, P.
    S. Syn. Car. 59 (33) no. 329. 1822.
Spreng. in L. Syst. Veg. 16 ed. 41: 518. d. 1827.
Hitchcock, Cat. Pl. Amherst 60. 1829.
    Hitchcock, Cat. Pl. Mass. 646. 1833. 2 ed. 647 (127). 1835. Fr. S. M. 8: 19. d. 1832.
    Klotzsch, Linnæa 8: 490. 1833.
S. Syn. Am. Bor. 256 no. 2250. 1834.
B. Ann. Nat. Hist. 8: 399. 1839.
Bischoff, Lehrb. der Bot. 8<sup>2</sup>: 1158. 1840.
  *Rav. Fung. Car. 8: 75. 1855.

Sprague, Proc. Boston Soc. 5: 328.

Curtis, M. A., Bot. N. Car. 110. 186

Pk. Rept. N. Y. Mus. 22: 89. 1869.
                                                                             1867.
     Cke. Handbook 371. d. 1871.
Featherman, Bot. Surv. La. 1871: 158. 1872.
B. Grev. 2: 35 (48). Sept. 1873.
Pk. in Hayden's Rept. U. S. Geol. Surv. 6: 792. 1873.
     Frost in Cat. Pl. Amherst 78. 1875.
  *Thm. Myc. Univ. 110. 1875.
Cke. Grev. 5: 150. June 1877.
Johnson, Bull. Minn. Acad. 1: 285. 1877 and Rept. Minn. Surv. 5:
  82. 1877.
Farl. Bull. Bussey Inst. 2: 226. Jan. 1878.
Cke. Ann. N. Y. Acad. 1: 179. May 1878.
*Ell. N. A. F. 108. 1878.
Hark. & Moore, Cat. Pac. Fung. 18. Feb. 1880.
     Gerard, Bull. Torr. Bot. Club 8: 34. March 1881.
  *Rav. Fung. Am. 471. 1882.
Bundy, Geol. Wis. 1873-79, 1: 399. 1883.
Rav. S. Car. Resources 355. 1883.
Morg. Am. Nat. 18: 969. d. f. 12. Oct. 1884.
Cragin, Bull. Wash. Lab. 1: 40. Jan. 1885.
    Cragin, Bull. Wash. Lab. 1: 40. Jan. 1885.

Morg. Jour. Myc. 1: 8. d. Jan. 1885.

Calkins, Jour. Myc. 8: 70. June 1887.

De Toni, Rev. Myc. 9: 129 (21). d. pl. 63, f. E. July 1887.

Cobb, List Pl. Amherst 37. 1887.

De Toni in Sacc. Syll. 7: 90. d. 15 March 1888.

Bennett, Cat. Pl. R. I. 84. 1888.

Trel. Tr. Wis. Acad. 7: 108. d. pl. 1, f. 1. 1888.

Masses Ann Bot 4: 81.83. bl. 6 70. Nov. 1880.
     Massee, Ann. Bot. 4: 81, 83. pl. 4, f. 70. Nov. 1889.
Ell. in Cat. Pl. N. J. 498. 1889.
Britton & Hollick, Proc. Nat. Sci. Assoc. Staten Isl. 2: Special 11. Aug.
               1890
     Jelliffe, Brooklyn Daily Eagle Almanac 5: 76. 1890.
Webber, Tr. St. Louis Acad 6: 18. 12 March 1892 and Contr. Bot.
  Dept. Univ. Nebr. 3: 18. 14 June 1892.

*Ell. & Ev. Fung. Columb. 645. 24 April 1895.

Macbr. & Allin, Bull. Univ. lowa 4: 58. d. 22 Dec. 1896.

Harvey, Bull. Torr. Bot. Club 24: 73. 28 Feb. 1897.
      Atk. Bull. Cornell Univ. 8: 22. 25 June 1897.
      Jelliffe, Flora of Long Island 42.
                                                                              1899.
      Longyear, Rept. Mich. Agr. 1898: 94.
```

```
McIlvaine & Macadam, Am. Fung. 580. d. pl. 160. 1900. Sweetser, Bull. Pacific Univ. 14: 12. May 1901. Lloyd, Gen. Gast. pl. 8, f. 40. Jan. 1902. Ricker, Univ. of Maine Studies 3: 72. 30 April 1902. Lloyd, Geastræ 8. d. f. 5-11. 40. June 1902. Conant, Bull. Boston Myc. Club 19: 5 Feb. 1903.
    Cockerell, Jour. Myc. 10: 50. 19 March 1904.
Longyear, Rept. Mich. Acad. 4: 123. 1904.
Geaster fibrillosus, S.
    S. Syn. Car. 59 (33) no. 330. d. 1822.
Spreng. in L. Syst. Veg. 16 ed. 41: 518. 1827.
Fr. S. M. 8: 20. d. 1832.
    Fr. S. M. 8: 20. d. 1832.

S. Syn. Am. Bor. 256 no. 2251. 1834.

Curtis, M. A., Bot. N. Car. 110. 1867.

Morg. Am. Nat. 18: 969. d. f. Oct. 1884.

Morg. Jour. Myc. 1: 9. d. Jan. 1885.

De Toni, Rev. Myc. 9: 130 (22). d. July 1887.

De Toni in Sacc. Syll. 7: 90. d. 15 March 1888.

Morg. Jour. Cin. Soc. 12: 19. d. April 1889.

Astræus hygrometricus, Morg.
     Morg. Jour. Cin. Soc. 12: 20. pl. 2, f B, 8-11. d.
     McClatchie in Reid's Hist. Pasadena 618. 1895.
    McClatchie, Proc. S. Cal. Acad. 1: 386. 5 June 1897.
Underw. & Earle, Bull. Ala. Exp. Sta. 80: 266. 28 June 1897.
    Underw. Moulds 140. 1899.
Earle in Mohr, Contr. U. S. Nat. Herb. 6: 234. 31 July 1901.
Astræus stellatus, (Scop.) E. Fischer, var. giganteus, (Morg.) n. n. Geaster hygrometricus, P., var. giganteus, Morg. Lloyd, Myc. Notes 68. f. 30. Sept. 1901. Lloyd, Geastræ 10. d. f. 12, 13. June 1902.
Astrodochium, Ell. & Ev.
    Ell. & Ev. Am. Nat. 81: 430. d. May 1897.
Lindau & Syd. Hedw. 87: Beibl. 7: Ivi. d. 9 April 1898.
Sacc. & Syd. Syll. 14: 1117. d. 20 Aug. 1899.
Lindau in Engler & Prantl, Pflanzenfam. 11*: 500. d. Feb. 1900.
Astrodochium Coloradense, Ell. & Ev.
    Ell. & Ev. Am. Nat. 31: 430. d. May 1897.
Lindau & Syd. Hedw. 37: Beibl. 7: lvi. 9 April 1898.
Ell. & Ev. Bull. Torr. Bot. Club 25: 514. 10 Sept. 1898.
Sacc. & Syd. Syll. 14: 1118. d. 20 Aug. 1899.
Lindau in Engler & Prantl, Pflanzenfam. 1<sup>1**</sup>: 500. Feb. 1900.
Astrosporina scabella, Schrt.
         See Inocybe scabella, (A. & S.) Fr.
Astryeum, Raf.
             NOTE. So far as we can see this is not different from Actigea, q. v.
     Raf. Med. Repos. 2 hex. 5: 355. d. 1808.
    Desv. Jour. de Bot. 2: 175. d. 1809.
Llovd, Myc. Notes 129. Feb. 1903.
Athalia bombacina, P.
         See Sporotrichum bombacinum, Lk.
Atractium eoecigenum, B. & C. nom. nud. Featherman, Bot. Surv. La. 1870: 123. 1871.
Atractium flammeum, B. & Rav.
             NOTE. This is the conidial stage of Spharostilbe flammea, (B. & Rav.)
        Tul.
```

B. & Rav. in B. & Br. Am. Nat. Hist. II. 13: 461 (15). d. June 1854.
[Notices no. 757.]
Cke. Handbook 555. d. f. 227. 1871.
Featherman, Bot. Surv. La. 1871: 159. 1872.
Pk. Rept. N. Y. Mus. 25: 92. Sept. 1873.
B. Grev. 4: 16 (154). Sept. 1875.
Cke. Bull. Buf. Soc. 8: 191. Feb. 1877.
Sacc. Syll. 4: 599. d. 10 April 1886.
Langlois, Cat. Pl. La. 27. 1887.
*Ell. & Ev. N. A. F. 3312. Feb. 1896.
Lindau in Engler & Prantl, Pflanzenfam. 11**: 492. f. 255 B. Feb.

Atractium flammeum, B. & Rav., var. minor, Rav. *Rav. Fung. Car. 5: 86. 1860.

Atractium fusisporum, B. & C. nom. nud.

NOTE. This species has never been described but it was said by Cooke, 1877, to be probably a form of some Spharostilbe.

Curtis, M. A., Bot. N. Car. 126. 1867. Cke. Bull. Buf. Soc. 8: 191. Feb. 1877.

Atractium pallidum, B. & C.

NOTE. This is thought by some to be a form of Sphærostilbe flammea, (B. & Rav.) Tul.

B. Grev. 4: 47 (156). Dec. 1875. Ell. & Ev. Jour. Myc. 8: 3. d. Jan. 1887.

Atractobolus, O. Kuntze. See Dasyscypha, Fr.

Atractobolus lutescens, S.

NOTE. This is not a fungus but the eggs of an insect.

S. Syn. Am. Bor. 254 no. 2225. d. 1834. B. Grev. 2: 34 (48). Sept. 1873. De Toni in Sacc. Syll. 7: 47. 15 March 1888.

Atractobolus ubiquitarius, Fr.

NOTE. Of the two species of the genus Atractobolus mentioned by Schweinitz, 1834, A. lutescens is not a fungus but insect eggs. Atractobolus ubiquitarius under which name Schweinitz quotes Fr. S. M. 2; 305. 1823 is a small Peziza belonging to some genus closely allied to Mollisia, which we are unable to determine specifically whereas in Summa 439. 1849 Fries states that his Atractobolus ubiquitarius is insect eggs. See also Berkeley in Entomol. Monthly Mag. 10: 183. Jan. 1874.

Mycologists do not seem to be able to recognize the original Atractobolus ubiquitarius of Tode of which Tode gives Peziza annularia, Batsch as a synonym. The plates of Tode and Batsch suggest quite as much the work of an insect as a fungus and the assumption of O. Kuntze that Atractobolus

includes Dasyscypha, Fr. seems to us quite unwarranted.

S. Syn. Am. Bor. 254 no. 2224. 1834. B. Grev. 2: 34 (48). Sept. 1873. De Toni in Sacc. Syll. 7: 47. 15 March 1888.

Auerswaldia densa, Bomm. & Rous.

Bomm. & Rous. in Durand & Pittier Bull. Soc. Bot. Belg. 351: 162.

d. 1896.

Cent. Amer.

Sacc. & Syd. Syll. 14: 675. d. 20 Aug. 1899.

```
Auerswaldia Pringlei, (Pk.) Sacc.
   Sacc. Syll. 2: 626. d. 13 June 1883. 
Dothidea Pringlei, Pk.
  Dottniaea Pringiei, FK.
Pk. Bot. Gaz. 7: 37. d. May 1882.
Calkins, Jour. Myc. 8: 82. July 1887.
Ell. & Ev. Pyren. 610. d. May 1892.
McClatchie, Proc. S. Cal. Acad. 1: 362. 5 June 1897.
Phyllachora Pringiei, Cke.
March 1885
   Cke. Grev. 13: 69. March 1885.
Aulographum acicolum, Hark.
       See Lembosia acicola, (Hark.) Sacc.
Aulographum Arundinariæ, Cke.
   Cke. Grev. 14: 14. Sept. 1885.
Berl. & Vogl. in Sacc. Syll. Add. 1-4: 264. d. 31 Dec. 1886.
Sacc. Syll. 9: 1102. d. 15 Sept: 1891.
Ell. & Ev. Pyren. 678. d. May 1892.
Aulographum cæspitosum, Ell. & Ev
       See Lembosia hysterioides, Sacc. & Syd.
Aulographum eiliatum, B. & C.
B. & C. Jour. Linn. Soc. 10: 373. d. 1869.
                                                                                                   West Indies.
   Sacc. Syll. 2: 731. d. 13 June 1883.
Aulographum confluens, Earle.
   Earle, Bull. Torr. Bot. Club 25: 365. d. 15 July 1898.
Earle in Mohr, Contr. U. S. Nat. Herb. 6: 162. 31 July 1901.
Sacc. & Syd. Syll. 16: 659. d. 1 Feb. 1902.
Aulographum culmigenum, Ell.
   Ell. Bull. Torr. Bot. Club 8: 65. d. June 1881.
 Sacc. Syll. 2: 720. d. 13 June 1883.
Ell. in Cat. Pl. N. J. 542. 1889.
*Ell. & Ev. N. A. F. 2379. 1890.
Ell. & Ev. Pyren. 670. d. May 1892.
                                               May 1892.
   Lindau in Engler & Prantl, Pflanzenfam. 11: 272. May 1896.
Aulographum graeile, Ell. & Martin.
Ell. & Ev. Pyren. 678. d. May 1892.
Sacc. Syll. 11: 386. d. July 1895.
Aulographum Lituræ, Cke
       See Lembosia Lituræ, (Cke.) Sacc.
Aulographum lucens, Hark.
       See Lembosia lucens, (Hark.) Sacc.
Aulographum maculare, B. & Br.
B. & C. Jour. Linn. Soc. 10: 373. 1869.
Cke. Ann. N. Y. Acad. 1: 184. May 1878.
                                                                                                  West Indies.
   Sacc. Syll. 2: 730. d. 13 June 1883.
Aulographum Pinorum, Desm.
Ell. & Ev. Pyren. 677. d. May 1892.
Underw. & Earle, Bull. Ala. Exp. Sta. 80: 196. 28 June 1897.
Earle in Mohr, Contr. U. S. Nat. Herb. 6: 162. 31 July 1901.
Aulographum quereinum, Ell. & Martin.
Ell. & Martin, Am. Nat. 17: 1283. d. Dec. 1883.
 *Ell. N. A. F. 1284. 1884.
   Calkins, Jour. Myc. 2: 105.
                                                     Sept. 1886.
 *Ell. & Ev. N. A. F. 2066. March 1888.

*Pazschke, Fung. Eur. 3675. 1890.

Ell. & Ev. Pyren. 678. d. May 1892.
```

Rehm, Ann. Myc. 2: 354. 31 July 1904.
Sacc. Syll. 17: 895. d. 25 May 1905.
Lembosia quercina, Tracy & Earle.
Tracy & Earle, Bull. Miss. Exp. Sta. 34: 105. d. May 1895.
Sacc. Hedw. 85: Rep. 7: xxxv. 25 Feb. 1896.
Sacc. & Syd. Syll. 14: 714. d. 20 Aug. 1899.
Aulographum reticulatum, Phil. & Hark.
Phil. & Hark. Bull. Cal. Acad. 1: 25 (5). d. Feb. 1884.
*Wint. Fung. Eur. 3265. 1885.
Berl. & Vogl. in Sacc. Syll. Add. 1-4: 263. d. 31 Dec. 1886.
*Ell. & Ev. N. A. F. 2065. 1888.
Sacc. Syll. 9: 1101. d. 15 Sept. 1891.
Ell. & Ev. Pyren. 678. d. May 1892.
Aulographum subconfluens, Pk.
Pk. Rept. N. Y. Mus. 28: 70. d. 1876.
Sacc. Syll. 2: 729. d. 13 June 1883.
Ell. & Ev. Pyren. 679. d. May 1892.

Sacc. Syli. 2: 729. a. 13 June 1893. Ell. & Ev. Pyren. 679. d. May 1892. Aulographum vagum, Desm. Ell. in Cat. Pl. N. J. 542. 1889. Ell. & Ev. Pyren. 677. d. May 1892. Aureobasidium Vitis, Viala & Boyer.

Sturgis, Rept. Conn. Exp. Sta. 24: 272. 1901.

Auricula. See *Auricularia*.

Auricula auriformis, O. Kuntze. See Auricularia auriformis, (S.) Earle.

Auricula blepharistoma, O. Kuntze. See Auricularia blepharistoma, (B. & C.) n. n.

Auricula coffeicolor, O. Kuntze. See Auricularia coffeicolor, (B.) n. n.

Auricula delicata, O. Kuntze. See Auricularia delicata, (Fr.) Henn.

Auricula fuscosuccinea, O. Kuntze. See Auricularia fuscosuccinea, (Mont.) n. n.

Auricula hispidula, O. Kuntze. See Auricularia hispidula, (B.) n. n.

Auricula Judæ, Batt. See Auricularia Auricula-Judæ, (L.) Schrt.

Auricula minuta, O. Kuntze. See Auricularia Wrightii, (B. & C.) n. n.

Auricula nigra, O. Kuntze. See Auricularia nigrescens, (Swartz) n. n.

Auricula polytricha, O. Kuntze. See Auricularia polytricha, (Mont.) Sacc.

Auricula protracta, O. Kuntze. See Auricularia auriformis (S.) Earle.

Auricula scutelliformis, O. Kuntze. See Exidia scutelliformis, (B. & C.) n. n.

Auricula tenuis, O. Kuntze. See Auricularia tenuis, (Lev.) n. n.

Auricula tremellosa, O. Kuntze. See Auricularia tremellosa, (Fr.) Pat. Auricula velutina, O. Kuntze. See Auricularia velutina, (Lév.) Pat.

Auricula Wrightii, O. Kuntze. See Auricularia Wrightii, (B. & C.) n. n.

Auricularia, Bull.

NOTE. We have included under Auricularia species of Hirneola in accordance with the arrangement of Lindau in Engler & Prantl, Pflanzenfam. 11**: 85. Oct. 1897 and Patouillard, Essai Tax. 14. 1900. It should be remarked however with regard to some of the species which authors have referred to Auricularia and Hirneola that their microscopic structure is not sufficiently well known to enable one to say whether they really belong to this group or not. In certain instances however an examination of authentic

specimens shows that they do not belong to the Auriculariacea.

We have given under Auricularia all the North American species known to us which have been described under Auricularia, Hirneola and Exidia which an examination of specimens proves to belong really to the genus Auricularia as well as certain species of Hirneola which probably belong to Auricularia but of which we have been unable to examine specimens and of which data in published references are insufficient to settle the genus

definitely.

Hirneola, Fr.

Fr. S. O. V. 93. d. 1825. Fr. Fung. Natal. 24. d.

Auricularia Auricula, Underw. See Auricularia Auricula-Judæ, (L.) Schrt.

Auricularia Auricula-Judæ, (L.) Schrt.

Bres. Henn. & Magn. in Engl. Jahrb. 17: 492. 1893.

Henn. Hedw. 37: 279. 31 Dec. 1898.

Perry, Agricultural Student 6: 178. May 1900 and Ohio Univ. Bull.

IV. 30: 4. May 1900.

Heller, Muhlenbergia 1: 20. 9 Aug. 1900.

Pat. Essai Tax. 15. f. 8^a. 1900.
Earle in Mohr, Contr. U. S. Nat. Herb. 6: 194. 31 July 1901.
White, Bull. Torr. Bot. Club 29: 552. 26 Sept. 1902.
Duss, Champ. Guad. & Martinique 8. 1903.
Auricula Judæ, Batt.

Kuntze, O., Rev. Gen. Pl. 2: 844. 1891. Tremella Auricula-Judæ, L.

S. Syn. Car. 115 (89) no. 1136.

Péziza Auricula, [Muhl. Tr. Am. Phil. Soc. 3: 184. 1793.

Tremella Auricuia, Mart.

Muhl. Cat. Pl. Am. Sept. 1 ed. 105. 1813. 2 ed. 108. 1818.

Auricularia sambucina, Mart.
Wint. & Demet. Hedw. 24: 185 (9). Oct. 1885.
Underw. Proc. Ind. Acad. 1898: 58. Aug. 1894.

Exidia Auricula-Judæ, Fr.

Fr. S. M. 2: 221. d. 1822.

S. Syn. Am. Bor. 185 no. 1091. 1834.

March 1852.

8. Syli. Alli. Bolt. 105 lb. 1631. 1634. Lea, Cat. Pl. Cin. 68. 1849. B. Ann. Nat. Hist. II. 9: 199. March *Rav. Fung. Car. 1: 34. 1852. Curtis, M. A., Bot. N. Car. 109. 1869. Pk. Rept. N. Y. Mus. 22: 88. 1869.

Fowler, Rept. Agr. N. B. 1878: Append B: 63. 1870.

Hark. & Moore, Cat. Pac. Fung. 16. Feb. 1880.

*Ell. N. A. F. 519. 1881. Bessey, Bull. lowa Agr. Coll. 1884: 148. Jan. 1885. Hirneola Auricula-Judæ, B. B. & C. Jour. Linn. Soc. 10: 340. 1869. Cke. Handbook 349. d. f. 97. 1871. B. Grev. 2: 19 (45). Aug. 1873. Frost in Cat. Pl. Amherst 77. 1875. Johnson, Bull. Minn. Acad. 1: 283. 1877 and Rept. Minn. Surv. 5: 81. 1877.
Cke. Ann. N. Y. Acad. 1: 179. May 1878.
Cke. Grev. 7: 2. Sept. 1878.
James, Jour. Cin. Soc. 2: 66 (25). April 1879.
Hark. & Moore, Cat. Pac. Fung. 17. Feb. 1880. *Rav. Fung. Am. 463. 1881. *Rav. Fung. Am. 463. 1881.
Rav. S. Car. Resources 355. 1883.
Farl. Appalachia 3: 248. Jan. 1884.
Cragin, Bull. Wash. Lab. 1: 28. Sept. 1884.
Arth. & Holw. Bull. Minn. Surv. 3: 29. 1 Oct. 1887.
Cobb, List Pl. Amherst 37. 1887.
Langlois, Cat. Pl. La. 30. 1887.
Langlois, Cat. Pl. La. 30. 1887.
Morg. Jour. Cin. Soc. 11: 94. d. July 1888.
Sacc. Cub. & Manc. Syll. 6: 766. d. 1 Aug. 1888.
Somers, Tr. N. Scot. Inst. 7: 18. 1888.
Ell. in Cat. Pl. N. J. 497. 1889.
Morg. Bot. Gaz. 15: 85. April 1890.
Hollick & Britton, Proc. Nat. Sci. Assoc. Staten Isl. 2: Special 11. Aug. 1890. Hollick & Britton, Proc. Nat. Sci. Assoc. Staten Isl. 2: Special Aug. 1890.

Webber, Rept. Nebr. Agr. 1889: 231 (91). 1890.

Banning in Pk. Rept. N. Y. Mus. 44: 187 (75). Dec. 1891.

Massee, Journ. of Bot. 30: 163. June 1892.

Taylor, Food Products 2: 22. 1893.

Pk. Country Gent. 59: 685 (80). 20 Sept. 1894.

Pk. Rept. N. Y. Mus. 47: 173 (47). 20 Nov. 1894.

Kellerm. & Werner, Geol. Ohio 72: 336. Jan. 1895.

Millsp. & Nutt. Publ. Field Columb. Mus. Bot. 1: 173. Jan. 1896.

Underw. & Earle, Bull. Ala. Exp. Sta. 80: 220. 28 June 1897.

Harvey & Knight, Bull. Torr. Bot. Club 24: 341. 29 July 1897.

Pk. Bull. N. Y. Mus. 6: 224. July 1899. [Bull. no. 28.]

Herbst, Fungal Fl. Lehigh Valley 186. d. 1899.

Hess & Vandivert, Proc. lowa Acad. 7: 186. 1900.

McIlvaine & Macadam, Am. Fung. 528. d. pl. 143. 1900.

*Shear, Ell. & Ev. Fung. Columb. 1411. May 1901.

Pk. Rept. N. Y. Mus. 541: 172. Dec. 1901.

Ricker, Univ. of Maine Studies 3: 71. 30 April 1902. Ricker, Univ. of Maine Studies 3: 71. 30 April 1902. Weems & Hess, Proc. Soc. Prom. Agr. Sci. 23: 167. Kellerm. Ohio Myc. Bull. 1: 20. f. 26. 12 June 1903. Hay, Bull. Nat. Hist. Soc. N. B. 5: 119. 1903. MacKay, Tr. N. Scot. Inst. 11: 139. Aug. 1904. Auricularia Auricula, Underw. Underw. in Northrop, Mem. Torr. Bot. Club 12: 15. 10 Dec. 1902. Auricularia auriformis, (S.) Earle. Note. The specimens in Wright's Cuban Fungi no. 286 referred to Hirneola auriformis in Fungi Cubenses p. 340 appear not to be the same as the Schweinitzian specimen on which the species is founded. The Exidia protracta of Léveille seems to us so far as the description shows to belong to this species as suggested by Fries in Fung. Natal. 26. 1848.

The grounds of distinction given by Berkeley and Montagne in Ann. Sci. Nat. III. 11: 242 (74). 1849 in view of our examination of Schweinitzian

specimens of Peziza auriformis do not appear to indicate a real specific

```
difference.
         In the citation given it is stated that the Auricularia Lesuerii, Bory
      manuscript is the same as Exidia protracta, Lév.,
  Earle in Mohr, Contr. U. S. Nat. Herb. 6: 194. 31 July 1901.
      Peziza auriformis, S.
  S. Syn. Car. 116 (90) no. 1155. d. 1822.
Hitchcock, Cat. Pl. Amherst 62. 1829.
Hitchcock, Cat. Pl. Mass. 647. 1833. 2 ed. 648 (128). 1835.
      Exidia auriformis, S
  Fr. S. M. 2: 223. d. 1822.
S. Syn. Am. Bor. 185 no. 1092. 1834.
  Fr. Epicr. 590. d. 1836–38.
B. & Mont. Ann. Sci. Nat. III. 11: 242.
Klotzsch, Linnæa 25: 365. 1852.
Curtis, M. A., Bot. N. Car. 109. 1867.
  Heller, Muhlenbergia 1: 19. 9 Aug. 1900. Tremella auriformis, Spreng.
  Spreng. in L. Syst. Veg. 16 ed. 41: 535. d. 1827. Exidia protracta, Lev.
   Lév. Am. Sci. Nat. III. 2: 218. d. 1844
   B. & Mont. Am. Sci. Nat. III. 11: 242 (74). d.
      Hirneola auriformis, Fr.
  Fr. Fung. Natal. 26. d. 1848.
Morg. Jour. Cin. Soc. 11: 95. d. July 1888.
Sacc. Cub. & Manc. Syll. 6: 765. d. 1 Aug. 1888.
Kellerm. & Werner, Geol. Ohio 72: 336. Jan. 1895.
   Atk. Bull. Cornell Univ. 3: 24. 25 June 1897.
  Hirneola protracta, B.
Sacc. Cub. & Manc. Syll. 6: 766. d. 1 Aug. 1888.

Auricula auriformis, O. Kuntze.
Kuntze, O., Rev. Gen. Pl. 2: 844. 1891.
      Auricula protracta, O. Kuntze.
   Kuntze, O., Rev. Gen. Pl. 2: 844.
Auricularia blepharistoma, (B. & C.) n. n. Hirneoia blepharistoma, B. & C.

    B. & C. Jour. Linn. Soc. 10: 340. d. 1869.
    Sacc. Cub. & Manc. Syll. 6: 769. d. 1 Aug. 1888.
    Auricula biepharistoma, O. Kuntze.

                                                                                           West Indies.
   Kuntze, O., Rev. Gen. Pl. 2: 844.
Auricularia Cantharellus, Fr.
      See Craterellus Cantharellus, (S.) Fr.
Auricularia coffeicolor, (B.) n. n.
      Hirneola coffeicolor, B.
   B. Jour. Linn. Soc. 15: 49. d. 3 March 1876.
Cke. in Hemsley, Bot. Challenger 1: 102. 1885.
Auricula coffeicolor, O. Kuntze.
                                                                                                Bermuda.
   Kuntze, O., Rev. Gen. Pl. 2: 844.
                                                         1801.
Auricularia delicata, (Fr.) Henn.
   Bres. Henn. & Magn. in Engl. Jahrb. 17: 492.
   Henn. Hedw. 37: 279. 31 Dec. 1898.
Heller, Muhlenbergia 1: 20. 9 Aug. 1901.
      Laschia delicata, Fr.
  Fr. Nova Acta R. Soc. Sci. Upsal. III. 1: 105. d. 1851.
B. Ann. Nat. Hist. II. 9: 197. March 1852.
Auricula delicata, O. Kuntze.
                                                                                                   Mexico.
                                                                                            West Indies.
   Kuntze, O., Rev. Gen. Pl. 82: 446. 1898.
```

Auricularia flava, (Swartz) n. n.

NOTE. In connection with Hirneola, Fr. S. O. V. 93 consult Fr. S. M. 2:

Peziza flava, Swartz.

Swartz, Prodr. 150. d. 1788. Swartz, Fl. Ind. Occ. 8: 1939. d. Fr. S. M. 2: 161. d. 1822.

Sacc. Syll. 8: 511. 20 Dec. 1889. Hirneola flava, Fr.

Fr. S. O. V. 93. 1825. Fr. Fung. Natal. 24.

1848.

Auricularia fuscosuccinea, (Mont.) n. n.

NOTE. The Exidia fuscosuccinea, Mont. has been placed by recent writers almost universally in *Hirmola* and hence as interpreted by us it belongs to the genus *Auricularia*. The only specimen of this species in Herb. Curtis is of such doubtful authenticity that we do not feel like basing any definite conclusions upon it. See note under Auricularia Wrightii, (B. & C.) n. n.

Exidia fuscosuccinea, Mont.

Mont. Pl. Cell. Cuba 364. d. 1841.
Mont. Ann. Sci. Nat. II. 17: 125. d. 1842.
B. & Mont. Ann. Sci. Nat. III. 11: 242. 1849.

Hirneola nigra, Fr., var. fuscosuccinea, Fr. Fr. Fung. Natal. 27. d. 1848.

Hirneola fuscosuccinea, Mont.

Mont. Syll. Crypt. 181. d. 1856. B. & C. Jour. Linn. Soc. 10: 340. 1869. Sacc. Cub. & Manc. Syll. 6: 768. d. 1 Aug. 1888. Auricula fuscosuccines, O. Kuntze.

Kuntze, O., Rev. Gen. Pl. 2: 844. 1891.

Auricularia grisea, Fr.

See Stereum porrectum, Fr.

Auricularia hispidula, (B.) n. n.

Hirneola hispidula, B.
B. Jour. Linn. Soc. 14: 352. 17 Oct. 1874.
Sacc. Cub. & Manc. Syll. 6: 769. d. 1 Aug. 1888.

Auricula hispidula, O. Kuntze. West Indies.

Kuntze, O., Rev. Gen. Pl. 2: 844. 1891.

Auricularia inconcinna, Cke. nom. nud.

NOTE. The name Stereum inconcinnum of Herb. Berkeley, apparently a manuscript name, is said by Cooke, 1891, to be an Auricularia.

Cke. Grev. 20: 34. Dec. 1891. Stereum inconcinnum, Herb. B.

Hark. Bull. Cal. Acad. 1: 256 (1). 19 Nov. 1885.

Auricularia lobata, Sommf.

Mont. Pl. Cell. Cuba 373. d. 1841.

B. & C. Jour. Linn. Soc. 10: 335. 1869.

Sacc. Cub. & Manc. Syll. 6: 762. d. 1 Aug. 1888.

Ell. & Macbr. Bull. Univ. lowa 3: 190. Feb. 1896. Cent. Amer.

*Smith, C. L., Cent. Amer. Fungi 148. 1896. Patila lobata, O. Kuntze.

Kuntze, O., Rev. Gen. Pl. 2: 864. 1891.

Digitized by Google

West Indies. .

West Indies.

West Indies.

```
Auricularia mesenterica, (Dicks.) Fr. Sprague, Proc. Boston Soc. 6: 318. 1859. Curtis, M. A., Bot. N. Car. 106. 1867. Cke. Handbook 319. d. f. 83. 1871. Frost in Cat. Pl. Amherst 75. 1875.
   Bundy, Geol. Wis. 1873-79, 1: 399. Cobb, List Pl. Amherst 36. 1887.
                                                       1881.
   Sacc. Cub. & Manc. Syll. 6: 762. d. Bennett, Cat. Pl. R. I. 82. 1888. Pat. Essai Tax. 15. 1890. Massee, Jour. of Bot. 80: 163. Jun.
                                                       1 Aug. 1888.
                                                June 1892.
   Bomm. & Rous. in Durand & Pittier, Bull. Soc. Bot. Belg. 851: 154.
         1896.
   Duss, Champ. Guad. & Martinique 8. 1903.
      Thelephora mesenterica, P.
   S. Syn. Car. 106 (80) no. 1018.
      Phlebia mesenterica, Fr.
   S. Syn. Am. Bor. 165 no. 598. 1834.
B. & C. Jour. Phil. Acad. II. 8: 218.
                                                         1856.
   Patila mesenterica, O. Kuntze. Kuntze, O., Rev. Gen. Pl. 2: 864.
Auricularia nigra, Earle.
      See Auricularia nigrescens, (Swartz) n. n.
Auricularia nigrescens, (Swartz) n. n.
        NOTE. This species was originally named nigrescens by Swartz but later
      for some unknown reason he changed the name to nigricans. Fries in turn
     changed it to nigra, which name appears in most modern writings.
      Peziza nigrescens, Swartz.
   Swartz, Prodr. 150. d. 1788.
                                                                                     West Indies.
      Peziza nigricans, Swartz.
   Swartz, Fl. Ind. Occ. 8: 1938. d. 1806.
      Hirneola nigra, Fr.
   Fr. Fung. Natal. 27. d. 1848.
Fr. Nova Acta R. Soc. Sci. Upsal. III. 1: 118. 1851.
                                                                                           Hawaii.
      Auricula nigra, O. Kuntze.
   Kuntze, O., Rev. Gen. Pl. 2: 844. 1891.
Auricularia nigra, Earle.
   Earle, Bull. Torr. Bot. Club 26: 633. 22 Dec. 1899.*
   Atk. in Coker, Veg. Bahama 245.
Auricularia polytricha, (Mont.) Sacc.
   Pat. Jour. de Bot. 8: 341 (39). 16 Oct. 1889.
Pat. Essai Tax. 15. 1890.
Duss, Champ. Guad. & Martinique 8. 1903.
Exidia polytricha, Mont.
   Mont. Pl. Cell. Cuba 365. d.
                                                                                    West Indies.
                                            1841.
   Hirneola polytricha, Fr. Fr. Nova Acta R. Soc. Sci. Upsal. III. 1: 117. 1851.
                                                                                    Cent. Amer.
   Polakowsky, Jahresb. Ver. Erdkunde Dresden 16: 73. Hark. & Moore, Cat. Pac. Fung. 17. Feb. 1880. Sacc. Cub. & Manc. Syll. 6: 766. d. 1 Aug. 1888.
                                                                                  1870.
   Massee, Journ. of Bot. 30: 163. June 1892.
Tonduz, Bull. Herb. Bois. 4: 169. March 1896.
  Bomm. & Rous. in Durand & Pittier, Bull. Soc. Bot. Belg. 851: 154.
        1896.
 *Smith, C. L., Cent. Amer. Fungi 150. 1896.
```

Smith, A. L., Jour. Linn. Soc. **85**: 11. 1 April 1901. *Auricula polytricha*, O. Kuntze. Kuntze, O., Rev. Gen. Pl. **2**: 844. 1891.

Auricularia reflexa, Bull.

See Stereum hirsutum, (Willd.) Fr.

Auricularia regularis, Fr.

See Thelephora regularis, S.

Auricularia sambucina, Mart.

See Auricularia Auricula-Judæ, (L.) Schrt.

Auricularia scutelliformis, Earle.

NOTE. In authentic specimens of this species which we have examined the basidia are divided vertically and not transversely and this species can not be placed in the Auriculariacea.

See Exidia scutelliformis, (B. & C.) n. n.

Auricularia tenuis, (Lév.) n. n.

Exidia tenuis, Lév.

Lév. Ann. Sci. Nat. III. 5: 160. 1846.

West Indies.

Hirneola tenuis, Fr. Fr. Nova Acta R. Soc. Sci. Upsal. III. 1: 118. 1851.

Hawaii.

Auricula tenuis, O. Kuntze. Kuntze, O., Rev. Gen. Pl. 2: 844. 1891.

Auricularia tremellosa, (Fr.) Pat.

NOTE. All the North American specimens of Laschia tremellosa, Fr. which we have been able to examine except that of C. L. Smith, Cent. Am. Fungi 142. 1896 show the structure of Auricularia as already stated by Patouillard, 1887. The specimen of Smith no. 142 is not mature but it does not appear to be quite the same as the other specimens examined.

Pat. Jour. de Bot. 1: 226, 231. pl. 4, f. 8-10. 15 Sept. 1887. Laschia tremellosa, Fr.

West Indies.

Cent. Amer.

B. & C. Jour. Linn. Soc. 10: 323. 1869.
Sacc. Cub. & Manc. Syll. 6: 407. d. 1 Aug. 1888.
*Smith, C. L., Cent. Amer. Fungi 142. 1896.
Smith, A. L., Jour. Linn. Soc. 35: 7. 1 April 1901.
Auricula tremellosa, O. Kuntze.

Kuntze, O., Rev. Gen. Pl. 32: 446. 1898.

Auricularia velutina, (Lév.) Pat.

Pat. Jour. de Bot. 1: 226, 231. pl. 4, f. 6, 7. 15 Sept. 1887. Pat. Essai Tax. 15. f. 8b. c. 1900. Laschia velutina, Lév.

West Indies.

B. Ann. Nat. Hist. II. 9: 197. March 1852. *

Auricula velutina, O. Kuntze.

Kuntze, O., Rev. Gen. Pl. 82: 446. 1898.

Auricularia Vespertilio, Fr.

Fr. Nova Acta R. Soc. Sci. Upsal. III. 1: 112. d. 1851. Polakowsky, Jahresb. Ver. Erdkunde Dresden 16: 73. Sacc. Cub. & Manc. Syll. 6: 763. d. 1 Aug. 1888. Patila Vespertilio, O. Kuntze. Cent Amer.

Kuntze, O., Rev. Gen. Pl. 2: 864. 1891.

Auricularia Wrightii, (B. & C.) n. n.

NOTE. It seems to us that Hirneola Wrightii, B. & C. and Hirneola minuta, B. & C. are the same species. The specimens examined were not in very good fruiting condition but they probably though not certainly belong to the genus Auricularia. It would be interesting to know the relation of this species to Auricularia fuscosuccinea.

Hirneola Wrightii, B. & C. B. & C. Jour. Linn. Soc. 10: 340. d. 1869. Sacc. Cub. & Manc. Syll. 6: 767. d. 1 Aug. 1888. Hirneola minuta, B. & C. West Indies. B. & C. Jour. Linn. Soc. 10: 340. d. 1869. Sacc. Cub. & Manc. Syll. 6: 767. d. 1 Aug. 1888. West Indies. Auricula minuta, O. Kuntze. Kuntze, O., Rev. Gen. Pl. 2: 844. Auricula Wrightii, O. Kuntze. Kuntze, O., Rev. Gen. Pl. 2: 844. 1891. Auriscalpium tenellum, O. Kuntze. See Arrhenia tenella, Fr. Aylographum. See Aulographum. Bactridium, Kze. Pound & Clements, Minn. Bot. Studies 9: 734. d. 31 May 1807. Bactridium carneum, Kze. NOTE. The Schweinitzian specimen of this species, which we have examined, does not show any definite structure. S. Syn. Am. Bor. 276 no. 2576. 1834. Baetridium elavatum, B. & Br. See Bactridium flavum, Kze. Bactridium effusum, S. NOTE. We have not been able to examine a specimen of this species. S. Syn. Am. Bor. 276 no. 2577. d. Sacc. Syll. 4: 693. d. 10 April 1886. Bactridium Ellisii, B. See Bactridium flavum, Kze. Bactridium flavum, Kze. S. Syn. Am. Bor. 276 no. 2575. 1834. Curtis, M. A., Bot. N. Car. 120. 1867. Frost, Proc. Boston Sc. 12; 79. 1869 186a. Cke. Handbook 479. d. f. 188. 1871.
Pk. Rept. N. Y. Mus. 26: 77. April 1874.
Frost in Cat. Pl. Amherst 82. 1875.
Pk. in Day's Cat., Bull. Buf. Soc. 4: 203 (139). 1883. Sacc. Syll. 4: 691. d. 10 April 1886.

Cobb, List Pl. Amherst 39. 1887.

Millsp. Bull. W. Va. Exp. Sta. 24: 517. June 1892.

Kellerm. & Werner, Geol. Ohio 72: 374. Jan. 1895.

Millsp. & Nutt. Publ. Field Columb. Mus. Bot. 1: 100. Jan. 1896.

Lindau in Engler & Prantl, Pflanzenfam. 11**: 508. f. 260 E. Feb. 1900. Duss, Champ. Guad. & Martinique 94. 1903. *Oidium aureum,* S. Am. Bor. S. Syn. Am. Bor. 285 no. 2744. 1834. Curtis, M. A., Bot. N. Car. 130. 1867. Hark. & Moore, Cat. Pac. Fung. 30. Feb. 1880. Bactridium Ellisii, B. B. Grev. 3: 51 (93) no. 538. d. Dec. 1874. Pk. Rept. N. Y. Mus. 31: 58. 1879. Cragin, Bull. Wash. Lab. 1: 68. Jan. 1885. Sacc. Syll. 4: 692. d. 10 April 1886. Arth. & Holw. Bull. Minn. Surv. 3: 34. 1 Oct. 1887.

Morg. Bot. Gaz. 15: 86. April 1890. McClatchie in Reid's Hist. Pasadena 617. 1895. Ricker, Univ. of Maine Studies 3: 24. 30 April 1902. Bactridium ciavatum, B. & Br. Morg. Bot. Gaz. 15: 86. April 1890. McClatchie, Proc. S. Cal. Acad. 1: 377. 5 June 1897.

Bactridium fulvellum. B.

NOTE. This was originally described apparently in Fungi Cubenses where it is said to occur also in Venezuela. An examination of Wright's Cuban specimen and Fendler's from Venezuela in Herb. Curtis shows that the Venezuela and Cuban plants are not the same species. The Cuban specimen in habit and microscopic structure is certainly very near to, if not identical with, Bactridium flavum.

The Venezuela specimens are branching, coralloid masses about 6 mm. in height and of a yellowish color. They are composed of a dense branching mass of hyphæ which branch dichotomo-corymbosely at the surface and have tips bearing spores composed of 8 to 14 cells and measuring 280 μ to 300 μ by 28 μ to 35 μ . It is doubtful whether this species is properly placed

in the genus Bactridium.

B. & C. Jour. Linn. Soc. 10: 354. d. 1869. Sacc. Syll. 4: 692. d. 10 April 1886. West Indies.

Bactrodesmium elavulatum, Cke. & Hark.

See Clasterosporium clavulatum, (Cke. & Hark.) Sacc.

Bactrodesmium opacum, Cke. & Hark. See Clasterosporium Harknessii, Sacc.

Badhamia, B.

Including Scyphium, Rostf.

Badhamia affinis, Rostf.

Rostf. Mycetozoa 143. d. 1875.
Pk. Rept. N. Y. Mus. **31**: 41, 56. 1879.
Berl. in Sacc. Syll. **7**: 331. d. 15 March 1888.
Lister, Mycetozoa 36. d. 1894.*
Morg. Jour. Cin. Soc. **19**: 35 (107). d. pl. 3 (15), f. 70. 23 Aug. 1896.
Macbr. Slime-moulds 66. d. Aug. 1899.

Badhamia capsulifera, (Bull.) B.

NOTE. It seems to be generally agreed that Badhamia capsulifera, (Bull.) B. and Badhamia hyalina, (P.) B. should be united. Didymium simulans, Howe is united with this species on the authority of Peck. See also note under Badhamia papaveracea, B. & Rav.

Morg. Jour. Cin. Soc. 19: 34 (106). d. 23 Aug. 1896. Harvey, Bull. Torr. Bot. Club 24: 67. d. 28 Feb. 1897. Macbr. Slime-moulds 68. d. Aug. 1899. Ricker, Univ. of Maine Studies 3: 12. 30 April 1902.

Physarum hyalinum, P.

S. Syn. Car. 62 (36) no. 371. 1822. S. Syn. Am. Bor. 257 no. 2276. 1834. Curtis, M. A., Bot. N. Car. 112. 1867.

Badhamia hyalina, B.

Cke. Handbook 392. d. 1871. Cke. Ann. N. Y. Lyceum 11: 390. June 187 Pk. Rept. N. Y. Mus. 29: 46. 1878. Pk. Rept. N. Y. Mus. 31: 56. 1879. Psessey, Bull. Iowa Agr. Coll. 1884: 134. Berl. in Sacc. Syll. 7: 332. d. 15 March 1888. Ell. in Cat. Pl. N. J. 595. 1889. June 1877.

Jan. 1885.

```
Schrt. in Engler & Prantl, Pflanzenfam. 1<sup>1</sup>: 35. d. Aug. 1892. McClatchie, Bot. Gaz. 19: 246. 20 June 1894. McClatchie in Reid's Hist. Pasadena 609. 1895. Harvey, Bull. Torr. Bot. Club 23: 307. 20 Aug. 1896. Olive, Proc. Ind. Acad. 1897: 149. 1898.
    Ricker, Univ. of Maine Studies 3: 12. 30 April 1902.
       Didýmium simulans, Howe.
   Howe, Bull. Torr. Bot. Club 6: 30. d. April 1875 and Hedw. 14: 188. d. Dec. 1875.

Cke. Ann. N. Y. Lyceum 11: 392. June 1877.

Pk. Rept. N. Y. Mus. 81: 57. 1879.
    Berl. in Sacc. Syll. 7: 332. d. 15 March 1888.
       Badhamla varla, Massee p. p.
    Massee, Mon. Myx. 319. d. Dec. 1892 and Bull. Torr. Bot. Club 20:
           79. Feb. 1893.
Badhamia chrysotricha, Rostf.
       See Badhamia decipiens, (M. A. Curtis) B.
Badhamia decipiens, (M. A. Curtis) B.
          NOTE. Physarum subglobosum, Berl. in Sacc. Syll. 7: 352 is an error for
       Physarum chrysotrichum, B. & C. which is again quoted on page 333 of the
       Sylloge under its proper name. See also note under Physarum Auriscal-
      pium, Cke.
   B. Grev. 2: 66 (55). Nov. 1873.
Berl. in Sacc. Syll. 7: 333. d. 15 March 1888.
Lister, Mycetozoa 32. d. pl. 3 B, f. a-i. 1894.
Morg. Jour. Cin. Soc. 19: 36 (108) d. pl. 3 (15), f. 71. 23 Aug. 1896.
Underw. & Earle, Bull. Ala. Exp. Sta. 80: 133. d. 28 June 1897.
Lister, Jour. Bot. 35: 210. June 1897.
Macbr. Slime-moulds 63. d. Aug. 1890.
Earle in Mohr. Contr. U. S. Nat Herb. 6: 141. 31 July 1901.
Supertine Torraya 4: 26. 14 March 1004.
   Sumstine, Torreya 4: 36. 12 March 1904.
Lister, Jour. of Bot. 42: 129. d. May 1904.

Physarum decipiens, M. A. Curtis.

Curtis, M. A., Am. Jour. Sci. II. 6: 352. d. Nov. 1848.

Curtis, M. A., Bot. N. Car. 112. 1867.
    Rostf. Mycetozoa 115. 1875.
       Physarum chrysotrichum, B. & C.
    B. Grev. 2: 66 (54) no. 357. d. Nov. 1873. Rostf. Mycetozoa 115. 1875.
    Massee, Mon. Myx. 300. d.
                                                 Dec. 1892.
   Badhamla chrysotricha, Rostf.
Rostf. Mycetozoa, Suppl. 4. d. 1876.
Cke. Ann. N. Y. Lyceum 11: 390. June 1877.
       Physarum subglobosum, Berl.
    Berl. in Sacc. Syll. 7: 352. d. 15 March 1888.
       Physarum gyrosum, Massee p. p.
    Massee, Mon. Myx. 307. 1892.
Badhamia fasciculata, (Jungh.) Rostf.
          NOTE. We have not been able to examine specimens of this species.
    Harvey, Bull. Torr. Bot. Club 23: 308. 20 Aug. 1896.
    Ricker, Univ. of Maine Studies 3: 12. 30 April 1902.
Badhamia granulifera, Massee.
```

NOTE. See *Didymium granuliferum*, Phil. and note in Lister, Mycetozoa 106 under *Lepidoderma*.

Digitized by Google

Digitized by Google

